

DAFTAR PUSTAKA

- Adams, H.P. *et al.* (1993) ‘Classification of subtype of acute ischemic stroke. Definitions for use in a multicenter clinical trial. TOAST. Trial of Org 10172 in Acute Stroke Treatment.’, *Stroke*, 24(1), pp. 35–41. Available at: <https://doi.org/10.1161/01.STR.24.1.35>.
- Andini, I.P. *et al.* (2023) ‘HUBUNGAN HIPERTENSI DAN HIPERKOLESTEROLEMIA DENGAN TERJADINYA STROKE ISKEMIK PADA PASIEN USIA ≥ 40 TAHUN DI RUMAH SAKIT UMUM DAERAH PROVINSI NTB TAHUN 2022’, *Jurnal Ilmiah Kesehatan Medika drg. Suherman*, 5(1). Available at: <https://jurnal.medikasuherman.ac.id/imds/index.php/JIKMDS/article/view/258> (Accessed: 14 December 2023).
- Bangun, H.A. (2017) ‘FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEJADIAN STROKE ISKEMIK DI RUMAH SAKIT UMUM KOTA PADANGSIDIMPUAN TAHUN 2017’.
- Błaż, M. and Sarzyńska-Długosz, I. (2023) ‘Family history of stroke - a useful clue for the primary care physician and stroke neurologist: a narrative review.’, *Postepy psychiatrii neurologii*, 32(1), pp. 31–39. Available at: <https://doi.org/10.5114/ppn.2023.126482>.
- Boehme, A.K., Esenwa, C. and Elkind, M.S. V (2017) ‘Stroke Risk Factors, Genetics, and Prevention.’, *Circulation research*, 120(3), pp. 472–495. Available at: <https://doi.org/10.1161/CIRCRESAHA.116.308398>.
- Budianto, P. *et al.* (2021) *STROKE ISKEMIK AKUT : DASAR DAN KLINIS*. www.unspress.uns.ac.id. Available at: https://www.researchgate.net/publication/348190410_STROKE_ISKEMIK_AKUT_DASAR_DAN_KLINIS (Accessed: 20 September 2023).
- CDC (2023) *About Stroke*. Available at: <https://www.cdc.gov/stroke/about.htm>.
- Chen, K.N. *et al.* (2020) ‘Meta-Analysis of Dyslipidemia Management for the Prevention of Ischemic Stroke Recurrence in China’, *Frontiers in Neurology*,

- 11, p. 483570. Available at:
<https://doi.org/10.3389/FNEUR.2020.483570/FULL>.
- Coupland, A.P. *et al.* (2017) ‘The definition of stroke’, *Journal of the Royal Society of Medicine*, 110(1), pp. 9–12. Available at:
<https://doi.org/10.1177/0141076816680121>.
- Feigin, V.L. *et al.* (2021) ‘Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019’, *The Lancet. Neurology*, 20(10), p. 795. Available at:
[https://doi.org/10.1016/S1474-4422\(21\)00252-0](https://doi.org/10.1016/S1474-4422(21)00252-0).
- Filda Izzati, S. *et al.* (2021) ‘HUBUNGAN HIPERTENSI DAN KADAR HEMOGLOBIN DENGAN KEJADIAN STROKE ISKEMIK BERULANG The Relationship of Hypertension and Hemoglobin Levels with Recurrence of Ischemic Stroke’.
- Fortunata, F. (2017) ‘Perbandingan Profil Lemak pada Pasien Stroke Iskemik dan Stroke Hemoragik di Rumah Sakit Umum Pusat Haji Adam Malik Tahun 2016’. Available at: <https://repositori.usu.ac.id/handle/123456789/4838> (Accessed: 14 December 2023).
- Gabriella, G., Wreksoatmodjo, B.R. and Andre, A. (2020) ‘PERBEDAAN GANGGUAN KOGNITIF SUBJEK STROKE ISKEMIK BERDASARKAN SISI HEMIPARESIS’, *Majalah Kedokteran Neurosains Perhimpunan Dokter Spesialis Saraf Indonesia*, 37(2). Available at:
<https://doi.org/10.52386/NEURONA.V37I2.113>.
- Hardika, B.D., Yuwono, M. and Zulkarnain, H.M. (2020) ‘Faktor Risiko yang Mempengaruhi Terjadinya Stroke Non Hemoragik pada Pasien di RS RK Charitas dan RS Myria Palembang’, *Jurnal Akademika Baiturrahim Jambi*, 9(2), pp. 268–274. Available at: <https://doi.org/10.36565/JAB.V9I2.234>.
- Hedna, V.S. *et al.* (2013) ‘Hemispheric Differences in Ischemic Stroke: Is Left-Hemisphere Stroke More Common?’, *Journal of Clinical Neurology*, 9(2), pp. 97–102. Available at: <https://doi.org/10.3988/JCN.2013.9.2.97>.

- Hui, C., Tadi, P. and Patti, L. (2023) ‘Ischemic Stroke.’, in. Treasure Island (FL). Available at: <https://pubmed.ncbi.nlm.nih.gov/29763173/>.
- Isnaeni, R. *et al.* (2016) ‘Karakteristik Pasien Stroke Iskemik di RSAU dr. M. Salamun Bandung Periode Maret -Mei 2016’, *Prosiding Pendidikan Dokter*, 0(0), pp. 946–951. Available at: <https://doi.org/10.29313/KEDOKTERAN.V0I0.4910>.
- Jebari-Benslaiman, S. *et al.* (2022) ‘Pathophysiology of Atherosclerosis’, *International Journal of Molecular Sciences*, 23(6). Available at: <https://doi.org/10.3390/IJMS23063346>.
- Kementerian Kesehatan RI (2018) *Hasil Utama Riskesdas*.
- Kesuma, N.M.T.S., Dharmawan, D.K. and Fatmawati, H. (2019) *Gambaran faktor risiko dan tingkat risiko stroke iskemik berdasarkan stroke risk scorecard di RSUD Klungkung*. Available at: <https://www.isainsmedis.id/index.php/ism/article/view/397/413> (Accessed: 13 December 2023).
- Kristanti, E., Umasangadji, H. and Syahti, F. (2020) ‘KARAKTERISTIK PASIEN STROKE ISKEMIK DI RUMAH SAKIT UMUM DAERAH Dr. H. CHASAN BOESOIRIE TERNATE’.
- Kuriakose, D. and Xiao, Z. (2020) ‘Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives.’, *International journal of molecular sciences*, 21(20). Available at: <https://doi.org/10.3390/ijms21207609>.
- Laily, S.R. (2017) ‘HUBUNGAN KARAKTERISTIK PENDERITA DAN HIPERTENSI DENGAN KEJADIAN STROKE ISKEMIK’.
- Lopez, M. and Kuczynski, A. (2022) *Ischemic Stroke: Pathogenesis / Calgary Guide*. Available at: <https://calgaryguide.ucalgary.ca/ischemic-stroke-pathogenesis/> (Accessed: 20 September 2023).
- Maharani, T.-, Juli, C. and Hermawan, A.N. (2021) ‘Karakteristik luaran klinis neurologis pasien stroke iskemik berdasarkan NIHSS’, *Jurnal Kedokteran Syiah Kuala*, 21(3). Available at: <https://doi.org/10.24815/JKS.V21I3.20646>.

- Maida, C.D. *et al.* (2022) ‘Diabetes and Ischemic Stroke: An Old and New Relationship an Overview of the Close Interaction between These Diseases.’, *International journal of molecular sciences*, 23(4). Available at: <https://doi.org/10.3390/ijms23042397>.
- Manurung, R.D. (2014) ‘Hubungan faktor predisposisi dan faktor pencetus terhadap kejadian stroke di poli neurologi RSUD Dr. Pirngadi Medan tahun 2014’.
- Maulidiyah, I. *et al.* (2017) ‘Faktor-faktor Yang Berhubungan Dengan Kejadian Stroke Iskemik Pada Pasien Rawat Inap Di RSUD Soedarso Pontianak’.
- McManus, M. and Liebeskind, D.S. (2016) ‘Blood Pressure in Acute Ischemic Stroke.’, *Journal of clinical neurology (Seoul, Korea)*, 12(2), pp. 137–146. Available at: <https://doi.org/10.3988/jcn.2016.12.2.137>.
- Naess, H. *et al.* (2006) ‘High Incidence of Infarction in the Left Cerebral Hemisphere Among Young Adults’, *Journal of Stroke and Cerebrovascular Diseases*, 15(6), pp. 241–244. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2006.06.003>.
- P2PTM Kemenkes RI (2019) *Hari Stroke Sedunia 2019 : Otak Sehat, SDM Unggul*.
- Pan, B. *et al.* (2019) ‘The relationship between smoking and stroke: A meta-analysis.’, *Medicine*, 98(12), p. e14872. Available at: <https://doi.org/10.1097/MD.00000000000014872>.
- Portegies, M.L.P. *et al.* (2015) ‘Left-sided strokes are more often recognized than right-sided strokes: The rotterdam study’, *Stroke*, 46(1), pp. 252–254. Available at: <https://doi.org/10.1161/STROKEAHA.114.007385>.
- Rahayu, C. *et al.* (2023) ‘Gambaran Kadar Profil Lipid Pada Penderita Stroke Iskemik Di RSUD Pasar Rebo Jakarta’, *Anakes : Jurnal Ilmiah Analis Kesehatan*, 9(2), pp. 147–155. Available at: <https://doi.org/10.37012/ANAKES.V9I2.1805>.
- Rahayu, S., Utomo, W. and Utami, S. (2014) ‘HUBUNGAN FREKUENSI STROKE DENGAN FUNGSI KOGNITIF DI RSUD ARIFIN ACHMAD’, *JOM PSIK*, 1(OCTOBER), p. 1.
- Rosyidah, C., Azisah, H. and Sudirohusodo, W. (2020) ‘Karakteristik Faktor Resiko Stroke Iskemik Yang Dirawat Di Brain Center Rumah Sakit Dr Wahidin

- Sudirohusodo Makassar', *Jurnal Kedokteran dan Kesehatan Wadi Husada*, 7(1), pp. 34–42. Available at:
<https://jurnal.rsupwahidin.com/index.php/wadihusada/article/view/44>
(Accessed: 14 December 2023).
- Roy-O'Reilly, M. and McCullough, L.D. (2018) 'Age and Sex Are Critical Factors in Ischemic Stroke Pathology.', *Endocrinology*, 159(8), pp. 3120–3131.
Available at: <https://doi.org/10.1210/en.2018-00465>.
- Salim, A.W. (2015) 'Fibrilasi Atrium sebagai Faktor Risiko Kejadian Stroke Non Hemoragik di Bagian Saraf RSUD Dr Soedarso Pontianak', *Jurnal Mahasiswa Fakultas Kedokteran Untan*, 3(1), p. 193322. Available at:
<https://www.neliti.com/publications/193322/> (Accessed: 14 December 2023).
- Shao, S. *et al.* (2023) 'Differences in left and right carotid plaque vulnerability in patients with bilateral carotid plaques: a CARE-II study', *Stroke & Vascular Neurology*, 0. Available at: <https://doi.org/10.1136/svn-2022-001937>.
- Siregar, F.A. (2021) 'Faktor-faktor yang Berhubungan dengan Kejadian Stroke Iskemik pada Penderita Rawat Inap RSUP Haji Adam Malik Medan Tahun 2020'.
- Spence, S. and Yu, Y. (2013) *Atherosclerosis: Pathogenesis / Calgary Guide*. Available at: <https://calgaryguide.ucalgary.ca/atherosclerosis-pathogenesis/>
(Accessed: 20 September 2023).
- Tadi, P. and Lui, F. (2023) 'Acute Stroke.', in. Treasure Island (FL).
- Tamburian, A.G., Ratag, B.T. and Nelwan, J.E. (2020) 'Hubungan antara Hipertensi, Diabetes Melitus, dan Hipercolesterolemia dengan Kejadian Stroke Iskemik', *Indonesian Journal of Public Health and Community Medicine*, 1(1).
Available at: <https://doi.org/10.35801/IJPHCM.1.1.2020.27240>.
- Totting, S., Pinzon, R.T. and Widiasmoko, B. (2018) 'Hubungan Diabetes Melitus dengan Gangguan Fungsi Kognitif Post Stroke Iskemik di Rumah Sakit Bethesda', *Jurnal Kesehatan Andalas*, 6(3), pp. 647–653. Available at:
<https://doi.org/10.25077/JKA.V6I3.752>.

Wajngarten, M. and Sampaio Silva, G. (2019) ‘Hypertension and Stroke: Update on Treatment’, *European Cardiology Review*, 14(2), p. 111. Available at: <https://doi.org/10.15420/ECR.2019.11.1>.

Yousufuddin, M. and Young, N. (2019) ‘Aging and ischemic stroke.’, *Aging*. United States, pp. 2542–2544. Available at: <https://doi.org/10.18632/aging.101931>.

LAMPIRAN

Statistics									
	Frekuensi	Usia	Jenis Kelamin	Riwayat Keluarga	Riwayat Hipertensi	Riwayat Diabetes Melitus	Riwayat Dislipidemia	Riwayat Merokok	Manifestasi Klinis
N	Valid	23	23	23	23	23	23	23	23
	Missing	0	0	0	0	0	0	0	0

Frekuensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Stroke iskemik pertama kali	14	60.9	60.9	60.9
	Stroke iskemik berulang	9	39.1	39.1	100.0
	Total	23	100.0	100.0	

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	35 - 44 tahun	1	4.3	4.3	4.3
	45 - 54 tahun	3	13.0	13.0	17.4
	55 - 64 tahun	10	43.5	43.5	60.9
	≥65 tahun	9	39.1	39.1	100.0
	Total	23	100.0	100.0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki - laki	12	52.2	52.2	52.2
	Perempuan	11	47.8	47.8	100.0
	Total	23	100.0	100.0	

Riwayat Keluarga

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada riwayat stroke dalam keluarga	23	100.0	100.0	100.0

Riwayat Hipertensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada riwayat hipertensi	21	91.3	91.3	91.3
	Tidak ada riwayat hipertensi	2	8.7	8.7	100.0
	Total	23	100.0	100.0	

Riwayat Diabetes Melitus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada riwayat diabetes melitus	10	43.5	43.5	43.5
	Tidak ada riwayat diabetes melitus	13	56.5	56.5	100.0
	Total	23	100.0	100.0	

Riwayat Dislipidemia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada riwayat dislipidemia	15	65.2	65.2	65.2
	Tidak ada riwayat dislipidemia	8	34.8	34.8	100.0
	Total	23	100.0	100.0	

Riwayat Merokok

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada riwayat merokok	3	13.0	13.0	13.0
	Tidak ada riwayat merokok	20	87.0	87.0	100.0
	Total	23	100.0	100.0	

Manifestasi Klinis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hemiparese Dextra (HD)	10	43.5	43.5	43.5
	Hemiparese Sinistra (HS)	4	17.4	17.4	60.9
	Vertigo (V)	4	17.4	17.4	78.3
	HD + HS	2	8.7	8.7	87.0
	HD + V	1	4.3	4.3	91.3
	HS + V	1	4.3	4.3	95.7
	HD + HS + V	1	4.3	4.3	100.0
	Total	23	100.0	100.0	

Case Processing Summary

	N	Valid Percent	Cases		Total	
			N	Percent	N	Percent
Riwayat Hipertensi *	23	100.0%	0	0.0%	23	100.0%
Riwayat Diabetes Melitus *						
Riwayat Dislipidemia *						
Riwayat Merokok						

Riwayat Hipertensi * Riwayat Diabetes Melitus * Riwayat Dislipidemia * Riwayat Merokok Crosstabulation

				Riwayat Diabetes Melitus		Total
Riwayat Merokok	Riwayat Dislipidemia			Ada riwayat diabetes melitus	Tidak ada riwayat diabetes melitus	
		Riwayat Hipertensi	Ada riwayat hipertensi			
Ada riwayat merokok	Ada riwayat dislipidemia	Riwayat Hipertensi	Ada riwayat hipertensi			2
		Total				2
		Riwayat Hipertensi	Ada riwayat hipertensi	1		1
	Tidak ada riwayat dislipidemia	Total		1		1
		Riwayat Hipertensi	Ada riwayat hipertensi	1	2	3
		Total		1	2	3
	Tidak ada riwayat merokok	Ada riwayat dislipidemia	Riwayat Hipertensi	Ada riwayat hipertensi	7	5
			Tidak ada riwayat hipertensi	0	1	1
			Total	7	6	13
		Tidak ada riwayat dislipidemia	Riwayat Hipertensi	Ada riwayat hipertensi	2	4
			Tidak ada riwayat hipertensi	0	1	1
			Total	2	5	7
		Total	Riwayat Hipertensi	Ada riwayat hipertensi	9	9
			Tidak ada riwayat hipertensi	0	2	2
			Total	9	11	20
Total	Ada riwayat dislipidemia	Riwayat Hipertensi	Ada riwayat hipertensi	7	7	14
			Tidak ada riwayat hipertensi	0	1	1
		Total		7	8	15
	Tidak ada riwayat dislipidemia	Riwayat Hipertensi	Ada riwayat hipertensi	3	4	7
			Tidak ada riwayat hipertensi	0	1	1
		Total		3	5	8
	Total	Riwayat Hipertensi	Ada riwayat hipertensi	10	11	21
			Tidak ada riwayat hipertensi	0	2	2
		Total		10	13	23