

DAFTAR PUSTAKA

- Chiejina, M., Kudaravalli, P. and Samant, H. (2022) 'Ascites - StatPearls - NCBI Bookshelf'. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470482/>.
- Crocombe, D. and O'Brien, A. (2023) 'Diagnosis and management of ascites and hepatorenal syndrome (acute kidney injury) in cirrhosis', *Medicine*, 51(6), pp. 434–439. doi: <https://doi.org/10.1016/j.mpmed.2023.03.011>.
- Dovonou, A. C. *et al.* (2017) 'Epidemiological, Clinical and Etiological Aspects of Ascites in the Medicine Department at the Departmental University Hospital of Borgou', *Open Journal of Internal Medicine*, 07(03), pp. 58–63. doi: [10.4236/ojim.2017.73006](https://doi.org/10.4236/ojim.2017.73006).
- Garbuzenko, D. V. and Arefyev, N. O. (2019) 'Current approaches to the management of patients with cirrhotic ascites', *World Journal of Gastroenterology*, 25(28), pp. 3738–3752. doi: [10.3748/wjg.v25.i28.3738](https://doi.org/10.3748/wjg.v25.i28.3738).
- Goh, Z. N. L. *et al.* (2022) 'At the heart of the problem: congestive cardiac failure as a cause of ascites: A narrative review', *Medicine (United States)*, 101(31), p. E29951. doi: [10.1097/MD.00000000000029951](https://doi.org/10.1097/MD.00000000000029951).
- KBBI Daring (2016) *Karakteristik*. Available at: <https://kbbi.kemdikbud.go.id/entri/karakteristik> (Accessed: 3 April 2023).
- Khanna, R. and Sarin, S. K. (2014) 'Non-cirrhotic portal hypertension - Diagnosis and management', *Journal of Hepatology*, 60(2), pp. 421–441. doi: [10.1016/j.jhep.2013.08.013](https://doi.org/10.1016/j.jhep.2013.08.013).

- Kim, B. *et al.* (2015) ‘Comparison of Outcome in Patients with Versus Without Ascites Referred for Either Cardiac Transplantation or Ventricular Assist Device Placement’, *American Journal of Cardiology*, 116(10), pp. 1596–1600. doi: 10.1016/j.amjcard.2015.08.022.
- Kopcinovic, L. M. *et al.* (2020) ‘Laboratory testing of extravascular body fluids: National recommendations on behalf of the croatian society of medical biochemistry and laboratory medicine. part i – Serous fluids’, *Biochemia Medica*, 30(1). doi: 10.11613/BM.2020.010502.
- Kundharindi, B., Ibrahim, A. and Ayu, W. D. (2016) ‘Karakteristik dan Pola Pengobatan Diuretik Pada Pasien Asites Di Rawat Inap Rumah Sakit Islam Samarinda Tahun Periode Januari-Desember 2015’, in *Proceeding of Mulawarman Pharmaceuticals Conferences*, pp. 15–21.
- Ratnasekera, I. U. *et al.* (2022) ‘Epidemiology of ascites fluid infections in patients with cirrhosis in Queensland, Australia from 2008 to 2017: A population-based study’, *Medicine (United States)*, 101(20). doi: 10.1097/MD.00000000000029217.
- Romus, I., Rangkuti, I. F. and Rahmah, V. J. (2019) ‘Gambaran Hasil Pemeriksaan Sitologi Cairan Asites di Instalasi Patologi Anatomi RSUD Arifin Achmad Provinsi Riau Periode Januari 2013 – Desember 2017’, *Jurnal Ilmu Kedokteran*, 13(1), p. 51. doi: 10.26891/jik.v13i1.2019.51-57.
- Roussel, B. *et al.* (2023) *Clinical Overview: Ascites, Elsevier Point of Care*.
- Runyon, B. A. (2010) ‘Ascites and Spontaneous Bacterial Peritonitis’, *Sleisenger and Fordtran’s Gastrointestinal and Liver Disease- 2 Volume Set*:

Pathophysiology, Diagnosis, Management, Expert Consult Premium Edition - Enhanced Online Features and Print, pp. 1517–1541. doi: 10.1016/B978-1-4160-6189-2.00091-3.

Sepanlou, S. G. *et al.* (2020) ‘The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017’, *The Lancet Gastroenterology and Hepatology*, 5(3), pp. 245–266. doi: 10.1016/S2468-1253(19)30349-8.

Smolle, E., Taucher, V. and Haybaeck, J. (2014) ‘Malignant ascites in ovarian cancer and the role of targeted therapeutics’, *Anticancer Research*, 34(4), pp. 1553–1562.

Solà, E. and Ginès, P. (2021) *Chapter 93 - Ascites and Spontaneous Bacterial Peritonitis*. Eleventh E, *Sleisenger and Fordtran’s Gastrointestinal and Liver Disease- 2 Volume Set*. Eleventh E. Elsevier Inc. doi: 10.1016/B978-0-323-60962-3.00093-X.

Stonebraker, J. R. *et al.* (2016) ‘Features of Severe Liver Disease With Portal Hypertension in Patients With Cystic Fibrosis’, *Clinical Gastroenterology and Hepatology*, 14(8), pp. 1207-1215.e3. doi: 10.1016/j.cgh.2016.03.041.

Sulistyoningrum, E. and Murtisiwi, L. (2019) ‘GAMBARAN PERESEPAN PASIEN SIROSIS HATI DI INSTALASI RAWAT JALAN RUMAH SAKIT PANTI WALUYO SURAKARTA’, *Journal of Pharmacy*, 9(1), pp. 1–7.

Tambunan, A. (2013) ‘Karakteristik Pasien Sirosis Hati di RSUD Dr. Soedarso

Pontianak Periode Januari 2008 Desember 2010', *Jurnal Mahasiswa Fakultas Kedokteran Untan*, 2(1).

Tapper, E. B. *et al.* (2022) 'Incidence of, Risk Factors for, and Outcomes After Ascites in a Population-Based Cohort of Older Americans', *Digestive Diseases and Sciences*, 67(11), pp. 5327–5335. doi: 10.1007/s10620-022-07454-3.

Tasneem, H., Shahbaz, H. and Sherazi, B. A. (2015) 'Pharmacoepidemiology of ascites and associated complications in hospitalized patients: descriptive observational study', *International Current Pharmaceutical Journal*, 4(2), pp. 343–346. doi: 10.3329/icpj.v4i2.21482.

Tay, P. W. L. *et al.* (2021) 'An Epidemiological Meta-Analysis on the Worldwide Prevalence, Resistance, and Outcomes of Spontaneous Bacterial Peritonitis in Cirrhosis', *Frontiers in Medicine*, 8(August), pp. 1–14. doi: 10.3389/fmed.2021.693652.

Turnage, R. H. and Badgwell, B. (2022) *Abdominal Wall, Umbilicus, Peritoneum, Mesenteries, Omentum, and Retroperitoneum*. Twenty Fir, *Sabiston Textbook of Surgery*. Twenty Fir. Elsevier. doi: 10.1016/b978-1-4377-1560-6.00045-7.

Udwan, K. *et al.* (2016) 'Oxidative stress and nuclear factor κ B (NF- κ B) increase peritoneal filtration and contribute to ascites formation in nephrotic syndrome', *Journal of Biological Chemistry*, 291(21), pp. 11105–11113. doi: 10.1074/jbc.M116.724690.

Vaid, U. and Kane, G. C. (2017) 'Tuberculous peritonitis', *Tuberculosis and*

Nontuberculous Mycobacterial Infections, pp. 433–438. doi:
10.1128/9781555819866.ch26.

Wang, Y. *et al.* (2017) ‘Characterization of ascites in cardiac cirrhosis: the value of ascitic fluid protein to screen for concurrent cardiac cirrhosis’, *Scandinavian Journal of Gastroenterology*, 52(8), pp. 898–903. doi:
10.1080/00365521.2017.1323230.

Widiyastuti, R., Roekmantara, T. and Rakhmatullah, A. P. (2016) ‘Gambaran Angka Kejadian, Karakteristik dan Ekspertise Radiologi USG Pasien Asites di RS Al-Ihsan Periode 2013-2015’, *Pendidikan Dokter*, 2(2), pp. 726–31.

LAMPIRAN-LAMPIRAN

Lampiran 1: Biodata Peneliti



Nama lengkap : Chelsea Raturosalia Tandipayuk

Tempat, tanggal lahir : Makale, 29 Juli 2002

Jenis kelamin : Perempuan

Agama : Kristen Protestan

Alamat : Jl. Poros Makale–Sangalla’, Kec. Makale, Kab. Tana
Toraja

Fakultas : Kedokteran

Program studi : Pendidikan Dokter Umum

NIM : C011201096

Nomor telepon : +62 813-5594-1770

Alamat *e-mail* : cheelseayk@gmail.com

Riwayat pendidikan :

1. SD Katolik Renya Rosari Makale (2008-2014)
2. SMP Kristen Makale (2014-2017)
3. SMAN 1 Tana Toraja (2017-2020)
4. S1 Fakultas Kedokteran Universitas Hasanuddin (2020-sekarang)

Motto hidup : *Do your best and let God done the rest.*

Lampiran 2: Data Rekapitulasi Sampel Penelitian

No. RM	Tanggal lahir / Usia	Usia (tahun)	Jenis Kelamin	Serum Albumin (g/dL)	Ascites Albumin (g/dL)	SAAG (serum albumin - ascites albumin)	Asites karena Hipertensi Portal	Protein Total Asites (g/dL)	Asites Kardiogenik	Asites karena Penyakit Keganasan	Amilase Cairan Asites	WBC Count (cells/mm ³)	PMN (%)	PMN Count (cells/mm ³)	Asites karena Penyakit Lainnya
989829	31-12-1963 / 58	≥ 40	Perempuan	2,3	0,6	1,7	Positif: SAAG ≥1,1 g/dL	1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	54	28	15,12	
873879	5-5-1984 / 37	< 40	Laki-laki	2,5	1,7	0,8	Negatif: SAAG <1,1 g/dL	3,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	50	31,3	15,65	
969859	5-8-1959 /	≥ 40	Laki-laki	3,4	-	-		-		Negatif: hasil	-	-	-	-	

	62									pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
996689	31-12-1968 / 53	≥ 40	Perempuan	2,6	1,15	1,45	Positif: SAAG ≥1,1 g/dL	3,07	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	137,9	42	57,9	
938229	22-6-2003 / 18	< 40	Laki-laki	1,9	0,17	1,73	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	434	1	4,34	
982969	10-7-1962 / 59	≥ 40	Perempuan	-	0,6	-		1,3		Negatif: hasil pemeriksaan	-	96	10	9,6	

										an sitologi cairan asites negatif mengandu ng sel maligna					
97542 9	3-8- 1958 / 63	≥ 40	Perempu an	3,6	1,6	2	Positif: SAAG ≥1,1 g/dL	2,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	208	2	4,16	
99716 9	31- 12- 1978 / 43	≥ 40	Perempu an	3,2	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
96121 9	15-5- 1994 / 27	< 40	Perempu an	2,7	-	-		-		Negatif: hasil pemeriksa an	-	-	-	-	

										sitologi cairan asites negatif mengandu ng sel maligna					
95780 9	31- 12- 1978 / 43	≥ 40	Perempu an	2,5	0,43	2,07	Positif: SAAG ≥1,1 g/dL	0,85	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	21	20	4,2	
98184 9	3-6- 1955 / 67	≥ 40	Perempu an	-	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
97490 9	14-9- 1976 / 45	≥ 40	Perempu an	-	1,4	-		2,4		Negatif: hasil pemeriksa an sitologi	-	551	7	38,57	

										cairan asites negatif mengandu ng sel maligna					
97834 9	15-4- 2004 / 18	< 40	Perempu an	-	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
98648 9	1-7- 1936 / 86	≥ 40	Laki- laki	2,1	0,6	1,5	Positif: SAAG ≥1,1 g/dL	1,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	242	14	33,88	
96325 9	7-6- 1975 / 46	≥ 40	Perempu an	4,3	-	-		-		Negatif: hasil pemeriksa an sitologi cairan	-	-	-	-	

										asites negatif mengandu ng sel maligna					
98572 9	5-3- 1961 / 61	≥ 40	Perempu an	2	0,4	1,6	Positif: SAAG $\geq 1,1$ g/dL	1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	119	17	20,23	
97379 8	5-5- 1963 / 58	≥ 40	Laki- laki	2,2	0,4	1,8	Positif: SAAG $\geq 1,1$ g/dL	0,7	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	206	23	47,38	
97443 8	2-4- 2003 / 19	< 40	Perempu an	3	2,7	0,3	Negatif: SAAG <1,1 g/dL	5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites	-	166	41	68,06	

										negatif mengandung sel maligna					
999168	24-3-1973 / 48	≥ 40	Laki-laki	2,6	1,7	0,9	Negatif: SAAG <1,1 g/dL	3,95	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	217	9	19,53	
965458	27-2-1968 / 54	≥ 40	Laki-laki	2,3	0,5	1,8	Positif: SAAG ≥1,1 g/dL	1,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	90	5	4,5	
969268	31-1-1969 / 52	≥ 40	Laki-laki	3,1	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif	-	-	-	-	

										mengandu ng sel maligna					
97425 8	23- 12- 1970 / 51	≥ 40	Laki- laki	3,3	1,3	2	Positif: SAAG $\geq 1,1$ g/dL	2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	125	4	5	
91943 8	12-7- 1967 / 55	≥ 40	Laki- laki	2,1	0,8	1,3	Positif: SAAG $\geq 1,1$ g/dL	2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	2900	6	174	
97451 8	17-6- 1978 / 43	≥ 40	Laki- laki	-	0,4	-		1		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu	-	57,5	15	8.625	

										ng sel maligna					
10010 08	21- 12- 1978 / 43	≥ 40	Laki- laki	2,9	1	1,9	Positif: SAAG ≥1,1 g/dL	2,21	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	1206	38	458,28	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
99694 8	4-9- 1974 / 48	≥ 40	Laki- laki	-	0,5	-		0,9		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	86	4	3,44	
83675 7	1-7- 1953 / 68	≥ 40	Perempu an	-	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel	-	-	-	-	

										maligna					
98882 7	8-12- 1983 / 38	< 40	Perempu an	1,6	-	-		-		Positif: hasil pemeriksa an sitologi cairan asites positif mengandu ng sel maligna	-	-	-	-	
98705 7	17-6- 1986 / 36	< 40	Perempu an	1,6	0,4	1,2	Positif: SAAG ≥1,1 g/dL	0,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	44	13	5,72	
93449 7	8-4- 1969 / 52	≥ 40	Laki- laki	-	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	

99545 7	11-8- 1969 / 52	≥ 40	Perempu an	2,6	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
98969 7	19-8- 1967 / 54	≥ 40	Laki- laki	2,4	0,6	1,8	Positif: SAAG ≥1,1 g/dL	1,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	548	32	175,36	
55994 7	21-4- 1959 / 63	≥ 40	Perempu an	-	0,56	-		0,87		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	119	4	4,76	
97654	18-	≥ 40	Laki-	3,1	2,1	1	Negatif:	3	Negatif:			412	40	164,8	

7	12-1966 / 55		laki				SAAG <1,1 g/dL		SAAG <1,1 g/dL atau protein total <2,5 g/dL						
98363 7	1-9-1974 / 47	≥ 40	Laki-laki	2	0,2	1,8	Positif: SAAG ≥1,1 g/dL	0,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	1330	76	1010,8	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
98639 7	28-2-1973 / 48	≥ 40	Perempuan	2,5	0,9	1,6	Positif: SAAG ≥1,1 g/dL	1,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	8834	98	8657,32	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
99085 7	14-4-1976 / 45	≥ 40	Perempuan	2,4	-	-		-		Negatif: hasil pemeriksaan sitologi cairan	-	-	-	-	

										asites negatif mengandu ng sel maligna					
99699 7	17- 11- 1963 / 58	≥ 40	Perempu an	2,3	1,5	0,8	Negatif: SAAG <1,1 g/dL	2,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	57	6	3,42	
99042 7	1-7- 1964 / 58	≥ 40	Laki- laki	2,4	1,6	0,8	Negatif: SAAG <1,1 g/dL	2,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	145	10	14,5	
99514 7	27-8- 1973 / 48	≥ 40	Perempu an	3,5	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites	-	-	-	-	

										negatif mengandung sel maligna					
99054 7	28-11-1962 / 59	≥ 40	Laki-laki	2	0,2	1,8	Positif: SAAG ≥1,1 g/dL	0,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	72	44	31,68	
99586 7	1-2-1960 / 62	≥ 40	Perempuan	2	1,9	0,1	Negatif: SAAG <1,1 g/dL	3,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	907	78	707,46	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
99594 6	8-5-1965 / 57	≥ 40	Perempuan	3,1	2,6	0,5	Negatif: SAAG <1,1 g/dL	4,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Positif: hasil pemeriksaan sitologi cairan asites positif	-	861,5	13	111,9	

										mengandung sel maligna					
1000286	3-12-1960 / 62	≥ 40	Laki-laki	-	0,84	-		1,65		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	113,6	19	21,58	
965766	10-9-1980 / 41	≥ 40	Perempuan	2,4	0,5	1,9	Positif: SAAG ≥1,1 g/dL	0,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	85	20	17	
994946	27-9-1948 / 73	≥ 40	Perempuan	2,3	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung	-	-	-	-	

										ng sel maligna					
97649 6	28-6- 1957 / 64	≥ 40	Laki- laki	2,8	1	1,8	Positif: SAAG ≥1,1 g/dL	2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	80	8	6,4	
96421 6	10-4- 1996 / 25	< 40	Perempu an	3,3	2,1	1,2	Positif: SAAG ≥1,1 g/dL	4,43	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	13	33	4,29	
99624 6	4-6- 1965 / 57	≥ 40	Perempu an	2,4	0,2	2,2	Positif: SAAG ≥1,1 g/dL	0,3	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel	-	54	2	1,08	

									maligna						
79137 6	15-9-1987 / 34	< 40	Perempuan	2,4	0,5	1,9	Positif: SAAG ≥1,1 g/dL	1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	87	34	29,58	
99558 6	5-7-1970 / 52	≥ 40	Laki-laki	2	1,7	0,3	Negatif: SAAG <1,1 g/dL	3,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	705	73	514,65	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
95919 6	1-7-1963 / 58	≥ 40	Laki-laki	2,5	1,7	0,8	Negatif: SAAG <1,1 g/dL	3,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	86	11	9,46	

97625 6	6-7- 1982 / 40	≥ 40	Laki- laki	3	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
97948 6	26- 10- 2013 / 8	< 40	Perempu an	2,4	0,5	1,9	Positif: SAAG $\geq 1,1$ g/dL	0,8	Negatif: SAAG $< 1,1$ g/dL atau protein total $< 2,5$ g/dL		-	865	73	631,45	Peritoni tis (PMN Count ≥ 250 dan PMN $\geq 50\%$)
98102 6	1-7- 1978 / 43	≥ 40	Laki- laki	1,9	0,8	1,1	Positif: SAAG $\geq 1,1$ g/dL	2,9	Positif: SAAG $\geq 1,1$ g/dL dan protein total $\geq$ 2,5 g/dL	Positif: hasil pemeriksa an sitologi cairan asites positif mengandu ng sel maligna	-	2865	82	2349,3	Peritoni tis (PMN Count ≥ 250 dan PMN $\geq 50\%$)
96902 6	18- 11- 1953 / 68	≥ 40	Perempu an	3,2	0,8	2,4	Positif: SAAG $\geq 1,1$ g/dL	1,4	Negatif: SAAG $< 1,1$ g/dL atau	Negatif: hasil pemeriksa an	-	805	22	177	

									protein total <2,5 g/dL	sitologi cairan asites negatif mengandu ng sel maligna					
98838 6	12-3- 1974 / 47	≥ 40	Perempu an	2,9	1,4	1,5	Positif: SAAG ≥1,1 g/dL	2,8	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	138	6	8,28	
96120 6	4-3- 1965 / 56	≥ 40	Laki- laki	3,2	1,5	1,7	Positif: SAAG ≥1,1 g/dL	2,73	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	1278	9	115	
10026 06	14-4- 1962 / 59	≥ 40	Perempu an	3,4	3,1	0,3	Negatif: SAAG <1,1 g/dL	6,25	Negatif: SAAG <1,1 g/dL atau protein	Positif: hasil pemeriksa an sitologi	-	933	25	233,25	

									total <2,5 g/dL	cairan asites positif mengandu ng sel maligna					
96751 6	6-4- 1964 / 57	≥ 40	Perempu an	2,8	1,5	1,3	Positif: SAAG ≥1,1 g/dL	3,1	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	208	32	66,56	
99619 6	18-6- 1957 / 64	≥ 40	Laki- laki	2,3	1,7	0,6	Negatif: SAAG <1,1 g/dL	3,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	228	7	15,96	
94946 6	27-3- 1972 / 49	≥ 40	Perempu an	3,2	1,9	1,3	Positif: SAAG ≥1,1 g/dL	4,5	Positif: SAAG ≥1,1 g/dL dan protein total ≥	Negatif: hasil pemeriksa an sitologi cairan	-	847	1	8,47	

									2,5 g/dL	asites negatif mengandung sel maligna					
984656	24-8-1969 / 52	≥ 40	Perempuan	2,9	1	1,9	Positif: SAAG ≥1,1 g/dL	1,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	81	81	65,61	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
953506	8-10-1966 / 55	≥ 40	Laki-laki	2,7	0,6	2,1	Positif: SAAG ≥1,1 g/dL	1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	125	25	31,25	
747976	8-8-1970 / 51	≥ 40	Laki-laki	2,1	0,4	1,7	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	169	4	6,76	

98714 6	10-5- 1993 / 28	< 40	Perempu an	3,2	2	1,2	Positif: SAAG ≥1,1 g/dL	3,1	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Positif: hasil pemeriksa an sitologi cairan asites positif mengandu ng sel maligna	-	434	23	99,82	
97411 6	30- 12- 1991 / 30	< 40	Laki- laki	2,6	1	1,6	Positif: SAAG ≥1,1 g/dL	1,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	60	36	21,6	
10013 36	8-6- 1967 / 55	≥ 40	Perempu an	3,2	2,15	1,05	Negatif: SAAG <1,1 g/dL	4,12	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	806	3	24,18	
99727	1-7-	≥ 40	Perempu	2,8	1,6	1,2	Positif:	2,5	Positif:	Negatif:	-	198	13	25,74	

6	1947 / 75		an				SAAG ≥1,1 g/dL		SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
98297 6	21-5- 1950 / 71	≥ 40	Perempuan	2,4	0,3	2,1	Positif: SAAG ≥1,1 g/dL	0,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	136	21	28,56	
97247 5	10-5- 1996 / 25	< 40	Perempuan	2,4	1,2	1,2	Positif: SAAG ≥1,1 g/dL	2,79	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	22	32	7,04	
73701 5	31- 12- 1967 / 54	≥ 40	Laki-laki	2,5	-	-		2,1		Negatif: hasil pemeriksaan sitologi cairan	-	79	6	4,74	

										asites negatif mengandu ng sel maligna					
96196 5	12- 11- 1992 / 29	< 40	Perempu an	2,5	-	-		-		Positif: hasil pemeriksa an sitologi cairan asites positif mengandu ng sel maligna	-	-	-	-	
96729 5	3-2- 1970 / 52	≥ 40	Perempu an	4,2	3,36	0,84	Negatif: SAAG <1,1 g/dL	5,69	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	985	14	137,9	
56035	23- 10- 1964 / 57	≥ 40	Perempu an	3,5	0,7	2,8	Positif: SAAG ≥1,1 g/dL	1,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	459	5	22,95	

99662 5	17-2- 1993 / 29	< 40	Laki- laki	3,5	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
98616 5	1-8- 1973 / 48	≥ 40	Laki- laki	2,4	0,3	2,1	Positif: SAAG ≥1,1 g/dL	1,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	89	4	3,56	
97397 5	25-3- 1970 / 51	≥ 40	Laki- laki	2,4	0,4	2	Positif: SAAG ≥1,1 g/dL	0,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	577	7	40,39	
87310	31-	≥ 40	Perempu	2,4	0,4	2	Positif:	1,1	Negatif:	Negatif:	-	196	8	15,6	

5	12-1963 / 58		an				SAAG $\geq 1,1$ g/dL		SAAG $< 1,1$ g/dL atau protein total $< 2,5$ g/dL	hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
974655	5-10-1965 / 57	≥ 40	Laki-laki	2,2	0,8	1,4	Positif: SAAG $\geq 1,1$ g/dL	2	Negatif: SAAG $< 1,1$ g/dL atau protein total $< 2,5$ g/dL		-	839	4	33,56	
989505	12-7-1979 / 43	≥ 40	Laki-laki	3	3,22	-0,22	Negatif: SAAG $< 1,1$ g/dL	8,9	Negatif: SAAG $< 1,1$ g/dL atau protein total $< 2,5$ g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	246	94	231,24	Peritonitis (PMN Count ≥ 250 dan PMN $\geq 50\%$)
999295	1-7-1960 / 62	≥ 40	Perempuan	2,7	0,3	2,4	Positif: SAAG $\geq 1,1$ g/dL	0,4	Negatif: SAAG $< 1,1$ g/dL atau protein total $< 2,5$ g/dL	Negatif: hasil pemeriksaan sitologi cairan	-	64	9	5,76	

									g/dL	asites negatif mengandu ng sel maligna					
99371 5	31- 12- 1980 / 41	≥ 40	Perempu an	2,2	0,5	1,7	Positif: SAAG ≥1,1 g/dL	1,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	837	74	619	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
93786 5	20-5- 1974 / 48	≥ 40	Perempu an	3,1	2,3	0,8	Negatif: SAAG <1,1 g/dL	4,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	1059	18	190,62	
65546 5	14-4- 1970 / 52	≥ 40	Perempu an	2,6	0,9	1,7	Positif: SAAG ≥1,1 g/dL	1,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	81	5	4,05	

10004 95	31- 12- 1990 / 31	< 40	Laki- laki	3,6	3,1	0,5	Negatif: SAAG <1,1 g/dL	7,75	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	1090	5	54,5	
96686 4	18-8- 1963 / 58	≥ 40	Laki- laki	2,9	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
97480 4	6-5- 1974 / 48	≥ 40	Laki- laki	2,3	0,9	1,4	Positif: SAAG ≥1,1 g/dL	2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	203	5	10,15	
98825	12-	≥ 40	Perempu	2,4	1,1	1,3	Positif:	2	Negatif:	Negatif:	-	133	6	7,98	

4	11-1977 / 44		an				SAAG ≥1,1 g/dL		SAAG <1,1 g/dL atau protein total <2,5 g/dL	hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
85741 4	5-10-1975 / 46	≥ 40	Perempuan	3	2,6	0,4	Negatif: SAAG <1,1 g/dL	3,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	6800	19	1292	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
97972 4	2-7-1980 / 41	≥ 40	Perempuan	-	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	-	-	-	
99156 4	7-9-1979 /	≥ 40	Perempuan	2,2	0,7	1,5	Positif: SAAG	1,7	Negatif: SAAG	Negatif: hasil	-	801	26	208,26	

	42						$\geq 1,1$ g/dL		<1,1 g/dL atau protein total <2,5 g/dL	pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
58064 4	2-10- 1973 / 49	≥ 40	Perempuan	2,4	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	-	-	-	
99816 4	11-8- 1975 / 46	≥ 40	Perempuan	2,4	0,2	2,2	Positif: SAAG $\geq 1,1$ g/dL	1,3	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Positif: hasil pemeriksaan sitologi cairan asites positif mengandung sel maligna	-	2208	62	1368	Peritonitis (PMN Count ≥ 250 dan PMN $\geq 50\%$)
98720 4	8-8- 1970 / 51	≥ 40	Laki-laki	2,4	0,7	1,7	Positif: SAAG $\geq 1,1$	1,7	Negatif: SAAG <1,1 g/dL	Negatif: hasil pemeriksaan	-	210	6	12,6	

							g/dL		atau protein total <2,5 g/dL	an sitologi cairan asites negatif mengandu ng sel maligna					
97885 4	31- 12- 1971 / 50	≥ 40	Laki- laki	2,7	1,8	0,9	Negatif: SAAG <1,1 g/dL	3,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	8	67	5,36	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
97006 4	2-8- 1969 / 52	≥ 40	Laki- laki	2,1	0,6	1,5	Positif: SAAG ≥1,1 g/dL	1,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	891	6	53,46	
98583 4	17-3- 1965 / 56	≥ 40	Laki- laki	1,9	0,5	1,4	Positif: SAAG ≥1,1 g/dL	1,8	Negatif: SAAG <1,1 g/dL atau	Negatif: hasil pemeriksa an	-	5300	85	4505	Peritoni tis (PMN Count

									protein total <2,5 g/dL	sitologi cairan asites negatif mengandu ng sel maligna					≥250 dan PMN ≥50%)
97469 4	21- 12- 1976 / 45	≥ 40	Laki- laki	3,2	2,4	0,8	Negatif: SAAG <1,1 g/dL	2,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	737	15	110,55	Sindro ma nefrotik (SAAG <1,1 g/dL dan protein total <2,5 g/dL)
63977 3	27- 11- 2013 / 9	< 40	Perempu an	3	2,3	0,7	Negatif: SAAG <1,1 g/dL	3,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	782	83	649	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
99131 3	18-6- 1981 / 41	≥ 40	Laki- laki	1,8	0,7	1,1	Positif: SAAG ≥1,1 g/dL	2,2	Negatif: SAAG <1,1 g/dL atau protein	Negatif: hasil pemeriksa an sitologi	-	118	30	35,4	

									total <2,5 g/dL	cairan asites negatif mengandu ng sel maligna					
98162 3	5-5- 1964 / 58	≥ 40	Perempu an	2,6	1,8	0,8	Negatif: SAAG <1,1 g/dL	3,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	2890	41	1184	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
97071 3	31- 12- 1986 / 35	< 40	Perempu an	2,5	0,5	2	Positif: SAAG ≥1,1 g/dL	1,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	86,2	15	12,93	
10030 73	11- 11- 1979 / 43	≥ 40	Laki- laki	-	1,03	-		2,75		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu	-	4117	98	4034	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)

										ng sel maligna					
94563 3	5-9- 2002 / 20	< 40	Laki- laki	1,3	0,1	1,2	Positif: SAAG ≥1,1 g/dL	0,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	9,7	27	2,6	
95842 3	1-7- 1972 / 49	≥ 40	Laki- laki	2,6	1,8	0,8	Negatif: SAAG <1,1 g/dL	3,5	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	276	23	63,48	
99286 3	1-7- 1971 / 51	≥ 40	Perempu an	3	0,6	2,4	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	55	1	0,55	
97128 3	9-6- 1984 / 37	< 40	Perempu an	3,3	3,1	0,2	Negatif: SAAG <1,1	5,5	Negatif: SAAG <1,1 g/dL	Negatif: hasil pemeriksa	-	8525	80	6820	Peritoni tis (PMN)

							g/dL		atau protein total <2,5 g/dL	an sitologi cairan asites negatif mengandu ng sel maligna					Count ≥250 dan PMN ≥50%)
96978 3	20- 10- 2001 / 20	< 40	Perempu an	2,6	1	1,6	Positif: SAAG ≥1,1 g/dL	1,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	115	26	29,9	
10035 83	31- 12- 1951 / 70	≥ 40	Laki- laki	-	0,35	-		0,81		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	114,3	8	9,1	
96306 3	31- 12- 1950 / 71	≥ 40	Perempu an	2,4	0,95	1,45	Positif: SAAG ≥1,1 g/dL	1,96	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif	-	210	1	2,1	

										mengandung sel maligna					
996683	31-12-1968 / 53	≥ 40	Laki-laki	2,9	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	-	-	-	
973733	13-4-1967 / 54	≥ 40	Laki-laki	3,9	3,2	0,7	Negatif: SAAG <1,1 g/dL	5,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	466	2	9,32	
958303	31-12-1957 / 63	≥ 40	Perempuan	2,5	2,1	0,4	Negatif: SAAG <1,1 g/dL	3,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	414	13	53,82	
399703	6-10-1952 /	≥ 40	Laki-laki	2,5	0,81	1,69	Positif: SAAG	2	Negatif: SAAG	Negatif: hasil	-	1122,3	67,8	760,9	Peritonitis

	70						≥1,1 g/dL		<1,1 g/dL atau protein total <2,5 g/dL	pemeriksaan sitologi cairan asites negatif mengandung sel maligna					(PMN Count ≥250 dan PMN ≥50%)
974803	29-8-1982 / 39	< 40	Perempuan	3,2	2,8	0,4	Negatif: SAAG <1,1 g/dL	6,7	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	531	97	515	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
998583	2-2-1998 / 24	< 40	Laki-laki	3,7	3,5	0,2	Negatif: SAAG <1,1 g/dL	11,3	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	530	44	233,2	
988043	14-4-1986 / 36	< 40	Perempuan	2,6	2,2	0,4	Negatif: SAAG <1,1 g/dL	5,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Positif: hasil pemeriksaan sitologi cairan asites	-	477	11	52	

										positif mengandung sel maligna					
97245 3	2-2-1975 / 47	≥ 40	Perempuan	3,9	2	1,9	Positif: SAAG ≥1,1 g/dL	3,8	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	230	3	6,9	
99656 2	1-7-1960 / 62	≥ 40	Laki-laki	2,3	0,5	1,8	Positif: SAAG ≥1,1 g/dL	1,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	828	13	107	
98080 2	31-12-1949 / 72	≥ 40	Laki-laki	3,6	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif	-	-	-	-	

										mengandung sel maligna					
95055 2	17-5-1954 / 68	≥ 40	Laki-laki	1,8	0,4	1,4	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	95	9,9	8,5	
99029 2	11-8-1960 / 61	≥ 40	Perempuan	2,7	1,3	1,4	Positif: SAAG ≥1,1 g/dL	2,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	249	32	79,6	
98771 2	15-9-1961 / 60	≥ 40	Perempuan	3,1	0,8	2,3	Positif: SAAG ≥1,1 g/dL	1,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Positif: hasil pemeriksaan sitologi cairan asites positif mengandung sel maligna	-	285	3	8,5	
98959 2	31-12-	≥ 40	Perempuan	2,4	0,5	1,9	Positif: SAAG	1,3	Negatif: SAAG	Negatif: hasil	-	58	10	5,8	

	1971 / 50						$\geq 1,1$ g/dL		<1,1 g/dL atau protein total <2,5 g/dL	pemeriksaan sitologi cairan asites negatif mengandung sel maligna					
980302	5-11-1974 / 48	≥ 40	Perempuan	3,4	2,43	0,97	Negatif: SAAG <1,1 g/dL	4,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	120	24	28,8	
898262	24-12-1953 / 68	≥ 40	Laki-laki	3,2	1,42	1,78	Positif: SAAG $\geq 1,1$ g/dL	2,64	Positif: SAAG $\geq 1,1$ g/dL dan protein total $\geq 2,5$ g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	168	30	50	
1002422	4-5-1982 / 40	≥ 40	Laki-laki	1,3	-	-		-		Negatif: hasil pemeriksaan	-	-	-	-	

									an sitologi cairan asites negatif mengandu ng sel maligna						
99173 2	1-7- 1958 / 64	≥ 40	Perempu an	2,6	0,9	1,7	Positif: SAAG ≥1,1 g/dL	1,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	88	8	7	
10020 21	31- 12- 1956 / 65	≥ 40	Laki- laki	3,8	0,5	3,3	Positif: SAAG ≥1,1 g/dL	0,88	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	146	29	42	
97497 1	1-7- 1957 / 64	≥ 40	Laki- laki	2,7	0,6	2,1	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif	-	64	36	23	

										mengandung sel maligna					
992001	12-10-1948 / 73	≥ 40	Perempuan	3,1	1,9	1,2	Positif: SAAG ≥1,1 g/dL	4,5	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	134	57	76,5	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
971421	6-7-1999 / 22	< 40	Perempuan	-	-	-		-		Positif: hasil pemeriksaan sitologi cairan asites positif mengandung sel maligna	-	-	-	-	
993221	10-1-1958 / 63	≥ 40	Laki-laki	2,1	0,41	1,69	Positif: SAAG ≥1,1 g/dL	1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung	-	132	2	2,64	

										ng sel maligna					
95035 1	17-2- 1972 / 49	≥ 40	Laki- laki	3	0,99	2,01	Positif: SAAG ≥1,1 g/dL	1,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	200	5	10	
99611 1	30-9- 1965 / 56	≥ 40	Laki- laki	2,3	1	1,3	Positif: SAAG ≥1,1 g/dL	2,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	7409	3	222	
98235 1	5-12- 1981 / 40	≥ 40	Perempu an	2,3	1,8	0,5	Negatif: SAAG <1,1 g/dL	4,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	190	98	186,2	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
97868 1	29-4- 1954 / 67	≥ 40	Laki- laki	2,2	0,5	1,7	Positif: SAAG ≥1,1	1	Negatif: SAAG <1,1 g/dL	Negatif: hasil pemeriksa	-	41	24	9,8	

							g/dL		atau protein total <2,5 g/dL	an sitologi cairan asites negatif mengandu ng sel maligna					
96326 1	6-5- 1972 / 49	≥ 40	Perempu an	4,1	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
99487 0	1-7- 1975 / 47	≥ 40	Perempu an	1,9	0,5	1,4	Positif: SAAG ≥1,1 g/dL	1,2	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	257	81	208	Peritoni tis (PMN Count ≥250 dan PMN ≥50%)
97679 0	29-9- 1973 / 48	≥ 40	Laki- laki	2	0,9	1,1	Positif: SAAG ≥1,1 g/dL	2,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites	-	128	4	5,12	

										negatif mengandung sel maligna					
960350	20-1-1969 / 52	≥ 40	Perempuan	2	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	-	-	-	
962920	24-7-1964 / 57	≥ 40	Laki-laki	2,1	1,9	0,2	Negatif: SAAG <1,1 g/dL	3	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	52	3	1,56	
983480	16-3-1964 / 58	≥ 40	Laki-laki	1,9	-	-		-		Negatif: hasil pemeriksaan sitologi cairan asites negatif	-	-	-	-	

										mengandung sel maligna					
991810	31-12-1967 / 54	≥ 40	Perempuan	2,9	2,4	0,5	Negatif: SAAG <1,1 g/dL	3,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	645	28	180	
966920	5-7-1943 / 78	≥ 40	Laki-laki	2,4	0,9	1,5	Positif: SAAG ≥1,1 g/dL	1,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	49	9,1	4,41	
970770	1-1-1984 / 38	< 40	Laki-laki	1,9	1,2	0,7	Negatif: SAAG <1,1 g/dL	3,3	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung	-	160	35	56	

										ng sel maligna					
97354 0	31- 12- 1960 / 61	≥ 40	Laki- laki	2,5	0,9	1,6	Positif: SAAG ≥1,1 g/dL	1,8	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	83	3	2,49	
84597 0	14-7- 1967 / 54	≥ 40	Laki- laki	3,7	2,6	1,1	Positif: SAAG ≥1,1 g/dL	4,7	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	190	7	13,3	
99707 0	12-9- 1969 / 53	≥ 40	Perempu an	1,9	0,4	1,5	Positif: SAAG ≥1,1 g/dL	1,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel	-	89	3	2,67	

										maligna					
902670	9-9-1956 / 65	≥ 40	Laki-laki	3,8	2,4	1,4	Positif: SAAG ≥1,1 g/dL	4,2	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Positif: hasil pemeriksaan sitologi cairan asites positif mengandung sel maligna	-	566	8	45	
1000640	6-5-1974 / 48	≥ 40	Perempuan	3,2	1,66	1,54	Positif: SAAG ≥1,1 g/dL	2,78	Positif: SAAG ≥1,1 g/dL dan protein total ≥ 2,5 g/dL	Negatif: hasil pemeriksaan sitologi cairan asites negatif mengandung sel maligna	-	108	3	3,24	
991050	1-7-1955 / 67	≥ 40	Perempuan	2,6	2	0,6	Negatif: SAAG <1,1 g/dL	4,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL		-	1182	87	1028	Peritonitis (PMN Count ≥250 dan PMN ≥50%)
997960	31-12-1967 /	≥ 40	Laki-laki	3,1	2	1,1	Positif: SAAG ≥1,1	3,47	Positif: SAAG ≥1,1 g/dL	Negatif: hasil pemeriksaan	-	745	13	96	

	54						g/dL		dan protein total $\geq$ 2,5 g/dL	an sitologi cairan asites negatif mengandu ng sel maligna					
98043 0	1-7- 1975 / 46	≥ 40	Laki- laki	2,7	0,3	2,4	Positif: SAAG $\geq 1,1$ g/dL	0,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	127	12	15,24	
99302 0	15-7- 1997 / 24	< 40	Laki- laki	3,3	2,3	1	Negatif: SAAG <1,1 g/dL	6,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	592	16	94	
66980	8-5- 1968 / 54	≥ 40	Laki- laki	3	1,8	1,2	Positif: SAAG $\geq 1,1$ g/dL	2,6	Positif: SAAG $\geq 1,1$ g/dL dan	Negatif: hasil pemeriksa an	-	204	10	20,4	

									protein total $\geq$ 2,5 g/dL	sitologi cairan asites negatif mengandu ng sel maligna					
99443 0	18-9- 1963 / 59	≥ 40	Perempu an	2,9	2	0,9	Negatif: SAAG <1,1 g/dL	3,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	53	28	14	
96970 0	8-6- 1979 / 42	≥ 40	Laki- laki	2,5	2,9	-0,4	Negatif: SAAG <1,1 g/dL	6,4	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	1000	60	600	Peritoni tis (PMN Count ≥ 250 dan PMN $\geq 50\%$)
10005 40	17- 10- 1986 / 36	< 40	Perempu an	-	-	-		-		Negatif: hasil pemeriksa an sitologi	-	-	-	-	

										cairan asites negatif mengandu ng sel maligna					
99768 0	16-7- 1973 / 49	≥ 40	Perempu an	3	2,3	0,7	Negatif: SAAG <1,1 g/dL	3,6	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	184	4	7,3	
91911 0	14-1- 1995 / 26	< 40	Perempu an	-	-	-		-		Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	-	-	-	
99596 0	11-9- 1969 / 52	≥ 40	Laki- laki	3,6	2,7	0,9	Negatif: SAAG <1,1 g/dL	6	Negatif: SAAG <1,1 g/dL atau protein total <2,5	Negatif: hasil pemeriksa an sitologi cairan	-	1648	14	230	

									g/dL	asites negatif mengandu ng sel maligna					
99182 1	1-7- 1959 / 63	≥ 40	Laki- laki	2,2	2,6	-0,4	Negatif: SAAG <1,1 g/dL	4,9	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	13	18	2,3	
97185 2	6-2- 1975 / 47	≥ 40	Laki- laki	3,4	3,5	-0,1	Negatif: SAAG <1,1 g/dL	5,1	Negatif: SAAG <1,1 g/dL atau protein total <2,5 g/dL	Negatif: hasil pemeriksa an sitologi cairan asites negatif mengandu ng sel maligna	-	930	36	334	Peritoni tis (PMN Count ≥ 250 dan PMN $\geq 50\%$)

Lampiran 3: Permohonan Izin Penelitian



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN,
RISET, DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN
FAKULTAS KEDOKTERAN
PROGRAM STUDI SARJANA KEDOKTERAN

Jl. Perintis Kemerdekaan Km. 10 Tamalanrea, Makassar 90245, Telp. (0411) 587436, Fax. (0411) 586297

Nomor : 20607/UN4.6.8/PT.01.04/2023
Lamp : ---
Hal : **Permohonan Izin Penelitian**

29 Agustus 2023

Kepada Yth. :
Direktur RSUP Dr. Wahidin Sudirohusodo
Di-
Makassar

e

Dengan hormat, disampaikan bahwa mahasiswa Program Studi Pendidikan Dokter Fakultas Kedokteran Universitas Hasanuddin di bawah ini :

N a m a : Cheelsea Raturosalia Tandipayuk
N i m : C011201096

bermaksud melakukan penelitian di RSUP Dr. Wahidin Sudirohusodo dengan judul penelitian **"Karakteristik Pasien Asites di RSUP Wahidin Sudirohusodo Periode 2018-2022"**

Sehubungan hal tersebut kiranya yang bersangkutan dapat diberi izin untuk melakukan Penelitian dalam rangka penyelesaian studinya.

Demikian permohonan kami, atas bantuan dan kerjasamanya disampaikan terima kasih.



Ketua,
Program Studi Sarjana Kedokteran
Fakultas Kedokteran Unhas

dr. Ririn Nislawati, M.Kes.,Sp.M
NIP 198101182009122003

Tembusan Yth :
1. Arsip

Lampiran 4: Surat Rekomendasi Persetujuan Etik



REKOMENDASI PERSETUJUAN ETIK

Nomor : 614/UN4.6.4.5.31/ PP36/ 2023

Tanggal: 4 September 2023

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH23080649	No Sponsor	
Peneliti Utama	Cheelsea Raturosalia Tandipayuk	Sponsor	
Judul Peneliti	KARAKTERISTIK PASIEN ASITES DI RSUP WAHIDIN SUDIROHUSODO PERIODE 2018-2022		
No Versi Protokol	1	Tanggal Versi	4 September 2023
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	☒ Exempted ☐ Expedited ☐ Fullboard Tanggal	Masa Berlaku 4 September 2023 sampai 4 September 2024	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan 	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan