

DAFTAR PUSTAKA

- [1] Ardiansyah A, Rahmat R, Azlan M, Heryanto H, Tahir D. Nanocrystal composites cement/BaCO₃/Fe₂O₃ for improved X-ray shielding characteristics: Stability structural properties. *J Mater Res* 2022;37:4114–23. <https://doi.org/10.1557/s43578-022-00775-z>.
- [2] Kim S-C, Byun H. Development of ultra-thin radiation-shielding paper through nanofiber modeling of morpho butterfly wing structure. *Sci Rep* 2022;12:22532. <https://doi.org/10.1038/s41598-022-27174-y>.
- [3] Ardiansyah A, Tahir D, Heryanto H, Armynah B, Salah H, Sulieman A, et al. Science mapping for concrete composites as radiation shielding: A review. *Radiation Physics and Chemistry* 2023;207:110835. <https://doi.org/10.1016/j.radphyschem.2023.110835>.
- [4] Ardiansyah A, Heryanto H, Armynah B, Salah H, Sulieman A, Bradley DA, et al. Physical, mechanical, optical, and gamma radiation shielding properties of the BaO-based glass system prepared by the melt-quench technique: A review. *Radiation Physics and Chemistry* 2023;210:111059. <https://doi.org/10.1016/j.radphyschem.2023.111059>.
- [5] Gharissah MuhS, Ardiansyah A, Pauziah SR, Muhammad NA, Rahmat R, Heryanto H, et al. Composites cement/BaSO₄/Fe₃O₄/CuO for improving X-ray absorption characteristics and structural properties. *Sci Rep* 2022;12:19169. <https://doi.org/10.1038/s41598-022-23908-0>.
- [6] Obodovski I. Interaction of Gamma Quanta With Matter. *Radiation* 2019;137–50. <https://doi.org/10.1016/B978-0-444-63979-0.00006-9>.
- [7] Ghalehasadi A, Ashrafi S, Alizadeh D, Meriç N. Gamma ray interactions based optimization algorithm: Application in radioisotope identification. *Nuclear Engineering and Technology* 2021;53:3772–83. <https://doi.org/10.1016/J.NET.2021.05.018>.
- [8] Tahir D, Pauziah SR, Ardiansyah A, Rahmat R, Azlan M, Heryanto H. Flexible Fe₂O₃/BaCO₃/polyvinyl alcohol apron for enhanced absorption X-ray performance: structural properties and bonding characteristics as a function of calcination temperature. *Applied Physics A* 2023;129:204. <https://doi.org/10.1007/s00339-023-06496-2>.

- [9] Kim SC, Choi JR, Jeon BK. Physical analysis of the shielding capacity for a lightweight apron designed for shielding low intensity scattering X-rays. *Sci Rep* 2016;6:27721. <https://doi.org/10.1038/srep27721>.
- [10] AbuAlRoos NJ, Baharul Amin NA, Zainon R. Conventional and new lead-free radiation shielding materials for radiation protection in nuclear medicine: A review. *Radiation Physics and Chemistry* 2019;165:108439. <https://doi.org/10.1016/j.radphyschem.2019.108439>.
- [11] Wang Y, Ding P, Xu H, Li Q, Guo J, Liao X, et al. Advanced X-ray Shielding Materials Enabled by the Coordination of Well-Dispersed High Atomic Number Elements in Natural Leather. *ACS Appl Mater Interfaces* 2020;12:19916–26. <https://doi.org/10.1021/acsami.0c01663>.
- [12] Rahmat R, Halima N, Heryanto H, Sesa E, Tahir D. Improvement X-ray radiation shield characteristics of composite cement/Titanium dioxide (TiO₂)/Barium carbonate (BaCO₃): Stability crystal structure and chemical bonding. *Radiation Physics and Chemistry* 2023;204:110634. <https://doi.org/10.1016/J.RADPHYSICHEM.2022.110634>.
- [13] Sathish K V., Manjunatha HC, Vidya YS, Sridhar KN, Seenappa L, Reddy BC, et al. X-rays/gamma rays radiation shielding properties of Barium–Nickel–Iron oxide nanocomposite synthesized via low temperature solution combustion method. *Radiation Physics and Chemistry* 2022;194:110053. <https://doi.org/10.1016/J.RADPHYSICHEM.2022.110053>.
- [14] Gholamzadeh L, Sharghi H, Aminian MK. Synthesis of barium-doped PVC/Bi₂WO₆ composites for X-ray radiation shielding. *Nuclear Engineering and Technology* 2022;54:318–25. <https://doi.org/10.1016/J.NET.2021.07.045>.
- [15] Yu L, Yap PL, Santos AMC, Tran DNH, Losic D. Lightweight polyester fabric with elastomeric bismuth titanate composite for high-performing lead-free X-ray shielding. *Radiation Physics and Chemistry* 2023;205. <https://doi.org/10.1016/j.radphyschem.2022.110726>.
- [16] Mehrjardi AZ, Gholamzadeh L, Zafari F. Coating of polyester fabrics with micro-particles of Bi₂O₃ and BaO for ionization ray shielding. *Applied Radiation and Isotopes* 2023;192. <https://doi.org/10.1016/j.apradiso.2022.110573>.
- [17] Guo Y, Vokhidova NR, Wang Q, Lan B, Lu Y. Lightweight and thermal insulation fabric-based composite foam for high-performance

- electromagnetic interference shielding. *Mater Chem Phys* 2023;303. <https://doi.org/10.1016/j.matchemphys.2023.127787>.
- [18] Sathish Kumar SK, Kim YH, Cha J, Kim CG. Hybrid interspaced and free-boundary aramid fabric back bumper for hypervelocity impact shielding system. *Int J Impact Eng* 2023;171. <https://doi.org/10.1016/j.ijimpeng.2022.104377>.
- [19] Li J, Zhang W, Yang L, Yin S. Conductive fabrics based on carbon nanotube/Ti3C2Tx MXene/polyaniline/liquid metal quaternary composites with improved performance of EMI shielding and joule heating. *Composites Communications* 2023;38. <https://doi.org/10.1016/j.coco.2022.101476>.
- [20] Akram S, Javid A, Ashraf M. Silver electroless plating on aminated graphene oxide-based cotton fabric for electromagnetic interference shielding and bioactivity. *Mater Sci Eng B Solid State Mater Adv Technol* 2023;288. <https://doi.org/10.1016/j.mseb.2022.116159>.
- [21] Sedighi A, Naderi M, Brycki B. Wearable nonwoven fabric decorated with Fe3O4/rGO/PANI/Ni-P for efficient electromagnetic interference shielding. *J Alloys Compd* 2023;938. <https://doi.org/10.1016/j.jallcom.2022.168454>.
- [22] Jangra N, Ahlawat R. Study of structural and optical properties of Barium Orthosilicate nanopowder. *Mater Today Proc* 2023. <https://doi.org/10.1016/j.matpr.2023.03.111>.
- [23] Dhruv DK, Patel BH, Dhruv SD, Patel PB, Trivedi UB, Agrawal N. Synthesis and microstructural characterization of bulk ZnIn2Se4. *Mater Today Proc* 2023. <https://doi.org/10.1016/j.matpr.2023.01.199>.
- [24] Mhareb MHA, Hannachi E, Slimani Y, Sayyed MI, Dwaikat N, Hamad MK, et al. Radiation shielding and structural features for different perovskites doped YBa2Cu3Oy composites. *Ceram Int* 2022;48:18855–65. <https://doi.org/10.1016/j.ceramint.2022.03.162>.
- [25] Seetala K, Clower W, Wilson CG. Electrochemical enhancement of carbon black-infused poly(lactic acid) filament for additive manufactured electronic applications. *Addit Manuf* 2023;61:103283. <https://doi.org/10.1016/j.addma.2022.103283>.
- [26] Sen S, Acharya D, Guha PK, Banerji P, Pramanik P. A simple chemical reduction approach to dope β -FeSi2 with boron and its comprehensive characterization. *RSC Adv* 2023;13:12825–43. <https://doi.org/10.1039/D3RA00497J>.

- [27] Yılmaz M, Akman F. Gamma radiation shielding properties for polymer composites reinforced with bismuth tungstate in different proportions. *Applied Radiation and Isotopes* 2023;200:110994. <https://doi.org/10.1016/j.apradiso.2023.110994>.
- [28] Şakar E, Özpolat ÖF, Alım B, Sayyed MI, Kurudirek M. Phy-X / PSD: Development of a user friendly online software for calculation of parameters relevant to radiation shielding and dosimetry. *Radiation Physics and Chemistry* 2020;166:108496. <https://doi.org/10.1016/j.radphyschem.2019.108496>.
- [29] Kamislioglu M. An investigation into gamma radiation shielding parameters of the (Al:Si) and (Al+Na):Si-doped international simple glasses (ISG) used in nuclear waste management, deploying Phy-X/PSD and SRIM software. *Journal of Materials Science: Materials in Electronics* 2021;32:12690–704. <https://doi.org/10.1007/s10854-021-05904-8>.
- [30] Rammah YS, Tekin HO, Issa SAM, El-Agawany FI, Mahmoud KA, Abdel-Hafez SH, et al. On B₂O₃/Bi₂O₃/Na₂O/Gd₂O₃ glasses: synthesis, structure, physical characteristics, and gamma-ray attenuation competence. *Applied Physics A* 2021;127:851. <https://doi.org/10.1007/s00339-021-04995-8>.
- [31] Aygun Z, Aygun M. A study on usability of Ahlat ignimbrites and pumice as radiation shielding materials, by using EpiXS code. *International Journal of Environmental Science and Technology* 2022;19:5675–88. <https://doi.org/10.1007/s13762-021-03530-9>.
- [32] Abdalla AM, Al-Naggar TI, Bashiri AishahM, Alsareii SA. Radiation shielding performance for local granites. *Progress in Nuclear Energy* 2022;150:104294. <https://doi.org/10.1016/j.pnucene.2022.104294>.
- [33] Alexander RW, Thiele KT, Maqbool M. Electronic cross-sections and Compton attenuation and transfer coefficients of ⁸²Pb²⁰⁸ ²⁹Cu⁶⁴ ²⁷Co⁵⁹ ²⁰Ca⁴⁰ and ¹³Al²⁷ for applications in radiation shielding and dose. *Phys Scr* 2020;95:085006. <https://doi.org/10.1088/1402-4896/ab9e23>.
- [34] Awasarmol V V., Gaikwad DK, Raut SD, Pawar PP. Photon interaction study of organic nonlinear optical materials in the energy range 122–1330 keV. *Radiation Physics and Chemistry* 2017;130:343–50. <https://doi.org/10.1016/j.radphyschem.2016.09.012>.
- [35] Gülbiçim H, Tufan MÇ, Türkan MN. The investigation of vermiculite as an alternating shielding material for gamma rays. *Radiation Physics and*

Chemistry 2017;130:112–7.
<https://doi.org/10.1016/j.radphyschem.2016.07.025>.

- [36] Gaikwad DK, Pawar PP, Selvan TP. Measurement of attenuation cross-sections of some fatty acids in the energy range 122–1330 keV. *Pramana* 2016;87:12. <https://doi.org/10.1007/s12043-016-1213-y>.
- [37] Wang B, Qiu T, Yuan L, Fang Q, Wang X, Guo X, et al. A comparative study between pure bismuth/tungsten and the bismuth tungsten oxide for flexible shielding of gamma/X rays. *Radiation Physics and Chemistry* 2023;208:110906. <https://doi.org/10.1016/j.radphyschem.2023.110906>.

LAMPIRAN

Lampiran 1. Alat, Bahan, dan Hasil



Gambar 1. Alat Penelitian




Gambar 2. Bahan Penelitian




Gambar 3. Hasil Preparasi (Komposit Poliester/PVA/BaCO₃)


Lampiran 2. Analisis dan Visualisasi Data



Gambar 4. Data XRD



Gambar 5. Data SEM



Gambar 6. Data Radiasi