

DAFTAR PUSTAKA

- [1] M. G. Dong *et al.*, “Investigation of gamma radiation shielding properties of lithium zinc bismuth borate glasses using XCOM program and MCNP5 code,” *J. Non. Cryst. Solids*, vol. 468, no. March, pp. 12–16, 2017, doi: 10.1016/j.jnoncrysol.2017.04.018.
- [2] J. Damilakis, J. E. Adams, G. Guglielmi, and T. M. Link, “Radiation exposure in X-ray-based imaging techniques used in osteoporosis,” *Eur. Radiol.*, vol. 20, no. 11, pp. 2707–2714, 2010, doi: 10.1007/s00330-010-1845-0.
- [3] C. M. Hayre, H. Bungay, and C. Jeffery, “How effective are lead-rubber aprons in protecting radiosensitive organs from secondary ionizing radiation?,” *Radiography*, vol. 26, no. 4, pp. e264–e269, 2020, doi: 10.1016/j.radi.2020.03.013.
- [4] M. R. Kaçal, K. Dilsiz, F. Akman, and H. Polat, “Analysis of radiation attenuation properties for Polyester/Li₂WO₄ composites,” *Radiat. Phys. Chem.*, vol. 179, no. March 2020, 2021, doi: 10.1016/j.radphyschem.2020.109257.
- [5] A. Sharma, M. I. Sayyed, O. Agar, M. R. Kaçal, H. Polat, and F. Akman, “Photon-shielding performance of bismuth oxychloride-filled polyester concretes,” vol. 241, no. August 2019, 2020.
- [6] H. O. Tekin *et al.*, “Characterization of SiO₂ – PbO – CdO – Ga₂O₃ glasses for comprehensive nuclear shielding performance : Alpha , proton , gamma , neutron radiation,” *Ceram. Int.*, vol. 45, no. May, pp. 19206–19222, 2019.
- [7] L. Chang *et al.*, “Preparation and characterization of tungsten / epoxy composites for c-rays radiation shielding,” *Nucl. Inst. Methods Phys. Res. B*, vol. 356–357, pp. 88–93, 2015, [Online]. Available: <http://dx.doi.org/10.1016/j.nimb.2015.04.062>

- [8] H. M. Soylu, F. Yurt Lambrecht, and O. A. Ersöz, “Gamma radiation shielding efficiency of a new lead-free composite material,” *J. Radioanal. Nucl. Chem.*, vol. 305, no. 2, pp. 529–534, 2015, doi: 10.1007/s10967-015-4051-3.
- [9] H. Alavian and H. Tavakoli-Anbaran, “Study on gamma shielding polymer composites reinforced with different sizes and proportions of tungsten particles using MCNP code,” *Prog. Nucl. Energy*, vol. 115, no. March, pp. 91–98, 2019, doi: 10.1016/j.pnucene.2019.03.033.
- [10] M. E. Mahmoud, A. M. El-Khatib, M. S. Badawi, A. R. Rashed, R. M. El-Sharkawy, and A. A. Thabet, *Fabrication, characterization and gamma rays shielding properties of nano and micro lead oxide- dispersed-high density polyethylene composites.* 2018. [Online]. Available: <http://dx.doi.org/10.1016/j.ceramint.2015.12.130>
- [11] N. J. AbuAlRoos, N. A. Baharul Amin, and R. Zainon, “Conventional and new lead-free radiation shielding materials for radiation protection in nuclear medicine: A review,” *Radiat. Phys. Chem.*, vol. 165, no. August, 2019, doi: 10.1016/j.radphyschem.2019.108439.
- [12] W. Poltabtim, E. Wimolmala, and K. Saenboonruang, “Properties of lead-free gamma-ray shielding materials from metal oxide/EPDM rubber composites,” *Radiat. Phys. Chem.*, vol. 115, pp. 60–66, 2018, doi: 10.1097/JU.0000000000002945.
- [13] N. Z. Noor Azman *et al.*, “Effect of Bi₂O₃ particle sizes and addition of starch into Bi₂O₃–PVA composites for X-ray shielding,” *Appl. Phys. A Mater. Sci. Process.*, vol. 122, no. 9, pp. 1–9, 2016, doi: 10.1007/s00339-016-0329-8.
- [14] P. Tiamduangtawan, C. Kamkaew, S. Kuntonwatchara, E. Wimolmala, and K. Saenboonruang, “Comparative mechanical, self-healing, and gamma attenuation properties of PVA hydrogels containing either nano- or micro-

- sized Bi₂O₃ for use as gamma-shielding materials," *Radiat. Phys. Chem.*, vol. 177, no. July, 2020, doi: 10.1016/j.radphyschem.2020.109164.
- [15] M. Jamil, M. H. Hazlan, R. M. Ramli, and N. Z. Noor Azman, "Study of electrospun PVA-based concentrations nanofibre filled with Bi₂O₃ or WO₃ as potential x-ray shielding material," *Radiat. Phys. Chem.*, vol. 156, pp. 272–282, 2019, doi: 10.1016/j.radphyschem.2018.11.018.
- [16] Y. Osada and M. Hasebe, "Electrically activated mechanochemical devices using polyelectrolyte gels," *Chem. Lett.*, no. C, pp. 1–23, 1985.
- [17] M. I. Baker, S. P. Walsh, Z. Schwartz, and B. D. Boyan, "A review of polyvinyl alcohol and its uses in cartilage and orthopedic applications," *J. Biomed. Mater. Res. - Part B Appl. Biomater.*, vol. 100 B, no. 5, pp. 1451–1457, 2012, doi: 10.1002/jbm.b.32694.
- [18] C. C. DeMerlis and D. R. Schoneker, "Review of the oral toxicity of polyvinyl alcohol (PVA)," *Food Chem. Toxicol.*, vol. 41, no. 3, pp. 319–326, 2003, doi: 10.1016/S0278-6915(02)00258-2.
- [19] C. M. Hassan and N. A. Peppas, "Structure and applications of poly(vinyl alcohol) hydrogels produced by conventional crosslinking or by freezing/thawing methods," *Adv. Polym. Sci.*, vol. 153, pp. 37–65, 2000, doi: 10.1007/3-540-46414-x_2.
- [20] Erizal and R. C, "Karakterisasi hidrogel poli(vinil alkohol) (PVA) hasil polimerisasi radiasi," *Penelit. dan Pengemb. Apl. Isot. dan Radiasi*, pp. 137–144, 1998.
- [21] N. Limpan, T. Prodpran, S. Benjakul, and S. Prasarpran, "Influences of degree of hydrolysis and molecular weight of poly(vinyl alcohol) (PVA) on properties of fish myofibrillar protein/PVA blend films," *Food Hydrocoll.*, vol. 29, no. 1, pp. 226–233, 2012, doi: 10.1016/j.foodhyd.2012.03.007.
- [22] F. LAZARINI, "Redetermination of the Structure of Bismuth (III) Nitrate

- Pentahydrate , Bi (NO₃)₃ . 5H₂O," *Acta Cryst*, vol. 76, no. 1976, pp. 1968–1969, 1985.
- [23] N. M. Leonard, L. C. Wieland, and R. S. Mohan, "Applications of bismuth(iii) compounds in organic synthesis," *Tetrahedron*, vol. 40, no. 9, pp. 4649–4707, 2002, doi: 10.1039/c0cs00206b.
- [24] N. R. Swamy and Y. Venkateswarlu, "A mild and efficient method for chemoselective deprotection of acetonides by bismuth (III) trichloride †," vol. 43, no. 020607, pp. 7549–7552, 2002.
- [25] S. Rasad, *Radiologi Diagnostik*, II. Jakarta: Balai Penerbit FKUI, 2005.
- [26] Adiwardojo, Ruslan, and E. P. Madi, *Fakta Seputar Radiasi*. Jakarta: Pusat Diseminasi IPTEK Nuklir, Badan Tenaga Nuklir Nasional, 2007.
- [27] T. Boel, *Dental Radiografi Prinsip dan Teknik*, Edisi revi. Medan: USU Press, 2019.
- [28] B. Administrasi and M. Organisasi, *Proteksi dan Keselamatan Radiasi BATAN*. Indonesia: BADAN TENAGA NUKLIR NASIONAL, 2014, p. 93.
- [29] S. C. Bushong, *Radiologic science for technologists: Physics, biology, and protection*, 10th ed. St. Louis, Missouri 63043: Elsevier, 2013.
- [30] M. Syaifudin, *Biologi Radiasi : Dasar-dasar dan Aplikasi*, no. March. Jakarta: BRIN, 2023. doi: 10.55981/brin.563.
- [31] BATAN, *Keselamatan radiasi dalam penggunaan pesawat sinar-X radiologi diagnostik dan interventional*. Indonesia, 2011, p. 55.
- [32] M. Bektasoglu, I. Karnik, and M. A. Mohammad, "Investigation of gamma shielding parameters of some silica borotellurite glasses with different amount of Bi₂O₃ at energies between 10 and 150 keV," *Radiat. Phys. Chem.*, vol. 207, no. February, 2023.

- [33] Y. S. R. M. I. Sayyed, A. A. A. H. O. Tekin, and R. El Mallawany, “Optical properties and gamma-shielding features of bismuth borate glasses,” *Appl. Phys. A Mater. Sci. Process.*, pp. 1–9, 2018.
- [34] B. Aktas, S. Yalcin, K. Dogru, Z. Uzunoglu, and D. Yilmaz, “Structural and radiation shielding properties of chromium oxide doped borosilicate glass,” *Radiat. Phys. Chem.*, 2018.
- [35] S. R. Manohara, S. M. Hanagodimath, K. S. Thind, and L. Gerward, “On the effective atomic number and electron density : A comprehensive set of formulas for all types of materials and energies above 1 keV,” *Nucl. Instruments Methods Phys. Res. Sect. B Beam Interact. with Mater. Atoms*, vol. 266, pp. 3906–3912, 2008, doi: 10.1016/j.nimb.2008.06.034.
- [36] O. I. Olarinoye, “Variation of Effective Atomic Numbers of some Thermoluminescence and Variation of Effective Atomic Numbers of some Thermoluminescence and Phantom Materials with Photon Energies,” *Chem. Sci.*, no. October, 2011.
- [37] D. Tahir, S. Rahmah, P. Ardiansyah, A. Roni, and R. Muhammad, “Flexible - Fe₂O₃ / BaCO₃ / polyvinyl alcohol apron for enhanced absorption X - ray performance: structural properties and bonding characteristics as a function of calcination temperature,” *Appl. Phys. A Mater. Sci. Process.*, pp. 1–10, 2023, doi: 10.1007/s00339-023-06496-2.
- [38] Y. Astuti *et al.*, “Synthesis of α -Bismuth oxide using solution combustion method and its photocatalytic properties,” *Mater. Sci. Eng.*, vol. 012006, pp. 1–8, 2016, doi: 10.1088/1757-899X/107/1/012006.
- [39] U. Anwar, J. Faizan, U. Ur, M. Gul, G. Yasmeen, and M. Nadeem, “Effect of sintering temperature on impedance and EMI shielding of carbon modified CoFe₂O₄ nanofibers via electrospinning,” *Ceram. Int.*, vol. 49, no. August, pp. 38847–38854, 2023.
- [40] H. Yaykaslı, H. Eskalen, Y. Kavun, M. Gürgebakan, A. H. Kaya, and N.

- Yorulmaz, "Progress in Nuclear Energy CoCrFeNiSi high entropy alloy : Synthesis , structural and radiation shielding properties " g," *Prog. Nucl. Energy*, vol. 165, no. January, 2023.
- [41] E. Afrianti, D. Tahir, B. Y. E. B. Jumpeno, O. A. Firmansyah, and J. Mellawati, "Addition of Lead (Pb) -Nitrate Filler on Polymer Composite Aprons for X-Ray Radiation Shielding," *Atom Indones. J.*, vol. V, no. xxx, 2021.
- [42] F. Tsani, H. Heryanto, A. Sulieman, D. A. Bradley, and D. Tahir, "Geopolymer cellulose-based composite Black Carbon (BC)/ Fe / Cu / polyvinyl alcohol for eco-friendly apron X-ray," *Radiat. Phys. Chem.*, vol. 207, no. February, 2023.
- [43] S. Palanisami *et al.*, "Lead-free X-Ray shielding aprons using Zn-doped SnO₂ epoxy nanocomposite : A promising alternative to traditional heavy and lead-based materials," *Opt. Mater. (Amst.)*, vol. 145, no. October, 2023.
- [44] D. Erwina, H. Heryanto, and D. Tahir, "Composite cellulose / Fe₃O₄ / Cu for effective X-ray radiation shielding," *Radiat. Phys. Chem.*, vol. 210, no. May 2022, pp. 2019–2024, 2023.
- [45] A. Bijanu *et al.*, "Chemically bonded tungsten-based polymer composite for X-rays shielding applications," *Mater. Today Commun.*, vol. 32, no. April, 2022.
- [46] H. O. Dávila, J. A. Díaz Merchán, H. R. Vega Carrillo, and S. A. Martínez Ovalle, "Assessment of the effectiveness of attenuation of Pb aprons by using TLD dosimetry and Monte Carlo calculations," *Appl. Radiat. Isot.*, vol. 138, no. May, pp. 56–59, 2018, doi: 10.1016/j.apradiso.2017.05.012.
- [47] V. Hebbar and R. F. B. Jagadish, "Physico-chemical properties of Bismuth nitrate filled PVA – LiClO₄ polymer composites for energy storage applications," *Mater Electron*, 2017, doi: 10.1007/s10854-016-6254-y.

- [48] S. U. El-kameesy, D. E. El-nashar, and W. R. Agami, “Development of silicone rubber/lead oxide composites as gamma ray shielding materials,” *Int. J. Adv. Res.*, no. January, 2015.