


DAFTAR PUSTAKA

- [1] Z. Indra, M. I. Jasin, A. Binilang, and J. D. Mamoto, “ANALISIS DEBIT SUNGAI MUNTE DENGAN METODE MOCK DAN METODE NRECA UNTUK KEBUTUHAN PEMBANGKIT LISTRIK TENAGA AIR,” 2012.
- [2] N. A. Handayani and D. Ariyanti, “Potency of solar energy applications in Indonesia,” *International Journal of Renewable Energy Development*, vol. 1, no. 2, pp. 33–38, Jul. 2012, doi: 10.14710/ijred.1.2.33-38.
- [3] S. Anwar, M. Taufiq Tamam, I. Hidayat Kurniawan, P. Studi Teknik Elektro, F. Teknik dan Sains, and U. K. Muhammadiyah Purwokerto Jl Ahmad Dahlan Dukuhlawuh Purwokerto, “Rancang Bangun Sistem Pembangkit Listrik Tenaga Air Menggunakan Konsep Hydrocat,” vol. 4, no. 1.
- [4] J. Teknik, M. Politeknik, N. Pontianak, J. Ahmad, and Y. Pontianak, “Pembangkit Listrik Tenaga Mikrohidro (PLTMH) AGUS ROHERMANTO,” 2007. [Online]. Available: <http://www.kompas.com>
- [5] T. J. Rezek, R. G. R. Camacho, N. M. Filho, and E. J. Limacher, “Design of a Hydrokinetic Turbine Diffuser Based on Optimization and Computational Fluid Dynamics,” *Applied Ocean Research*, vol. 107, Feb. 2021, doi: 10.1016/j.apor.2020.102484.
- [6] J. R. P. Vaz, A. L. A. Mesquita, A. L. Amarante Mesquita, T. F. de Oliveira, and A. C. P. Brasil Junior, “Powertrain assessment of wind and hydrokinetic turbines with diffusers,” *Energy Convers Manag*, vol. 195, pp. 1012–1021, Sep. 2019, doi: 10.1016/j.enconman.2019.05.050.
- [7] J. R. P. Vaz and D. H. Wood, “Aerodynamic optimization of the blades of diffuser-augmented wind turbines,” *Energy Convers Manag*, vol. 123, pp. 35–45, Sep. 2016, doi: 10.1016/j.enconman.2016.06.015.
- [8] E. Álvarez-Álvarez, M. Rico-Secades, A. Fernández-Jiménez, R. Espina-Valdés, E. L. Corominas, and A. J. Calleja-Rodríguez, “Hydrodynamic water tunnel for characterization of hydrokinetic microturbines designs,” *Clean Technol Environ Policy*, vol. 22, no. 9, pp. 1843–1854, Nov. 2020, doi: 10.1007/s10098-020-01924-w.
- [9] K. Song and B. Yang, “A comparative study on the hydrodynamic-energy loss characteristics between a ducted turbine and a shaftless ducted turbine,” *J Mar Sci Eng*, vol. 9, no. 9, Sep. 2021, doi: 10.3390/jmse9090930.
- [10] M. Musaruddin *et al.*, “PENJELASAN EKSPANSI ALIRAN YANG MENYEBABKAN THE BETZ LIMIT DENGAN MENGGUNAKAN MODEL DISK THEORY.”

- [11] M. Anbarsooz, M. Mazloum, and D. G. Moghadam, “Converging–diverging ducts for efficient utilization of low-grade wind energy: Numerical and experimental studies,” *Journal of Renewable and Sustainable Energy*, vol. 12, no. 2, p. 023304, Mar. 2020, doi: 10.1063/1.5142843.
- [12] B. Knight, R. Freda, Y. L. Young, and K. Maki, “Coupling numerical methods and analytical models for ducted turbines to evaluate designs,” *J Mar Sci Eng*, vol. 6, no. 2, Apr. 2018, doi: 10.3390/jmse6020043.
- [13] M. Anbarsooz, M. Mazloum, and D. G. Moghadam, “Converging–diverging ducts for efficient utilization of low-grade wind energy: Numerical and experimental studies,” *Journal of Renewable and Sustainable Energy*, vol. 12, no. 2, p. 023304, Mar. 2020, doi: 10.1063/1.5142843.
- [14] V. K. Singh and S. K. Singal, “Operation of hydro power plants-a review,” *Renewable and Sustainable Energy Reviews*, vol. 69. Elsevier Ltd, pp. 610–619, Mar. 01, 2017. doi: 10.1016/j.rser.2016.11.169.
- [15] N. Dodi, “PENGARUH JUMLAH SUDU TERHADAP KINERJA TURBIN ANGIN SUMBU VERTIKAL TIPE DARRIEUS-H,” 2020.
- [16] E. Hau, “Wind turbines_fundamentals, technologies, applications, economics”.

LAMPIRAN

Lampiran A. Gambar Teknik




Lampiran B. Dokumentasi Pengambilan Data dan Penelitian

Gambar 11. Proses Pengambilan Data



Gambar 12. Tampak Atas Turbin Aktual



Gambar 13. Tampak Samping Pengarah Aliran Masuk