# The Effectiveness of Natural Virgin Coconut Oil in Periodontal Tissue Regeneration

Hasanuddin Thahir<sup>1</sup>, Sri Oktawati<sup>1</sup>, Harun Ahmad<sup>2</sup>, Rasmidar Samad<sup>3</sup>, Ayu Rahayu Feblina<sup>4</sup>, Afdalia Annisa<sup>4</sup>, Nir Etriyani<sup>4</sup>,

<sup>1</sup>Lecturer of Periodontology Department, Faculty of Dentistry, Hasanuddin University, Indonesia 
<sup>2</sup>Lecturer of Pediatric Dentistry Department, Faculty of Dentistry, Hasanuddin University, Indonesia 
<sup>3</sup>Lecturer of Public Dental Health Department, Faculty of Dentistry, Hasanuddin University, Indonesia 
<sup>4</sup>Periodontolgy Specialist Educational Program of Dentistry Faculty, Hasanuddin University, IndonesiaCorresponding Author: <a href="mailto:barunachmader@gmail.com">barunachmader@gmail.com</a>

## **ABSTRACT**

Background: Periodontal disease is the most common inflammatory disease presents in humans. Data from Global Burden of Disease in 1990-2010 shows that periodontal disease, particularly periodontitis, ranks sixth globally with percentage of 11.2% and suffered by approximately 743 million people. While in Indonesia according to the data from RISKESDAS 2018, the prevalence of periodontitis reached 74.1% of the total number of oral diseases experienced by the population. Coconut plant (Cocosnucifera L) has great potential to be processed into useful products. Virgin Coconut Oil (VCO) formed by processing coconut flesh into oil is used as medicine and believed to cure various diseases. The advantage of this oil lies in the high level of saturated fatty acids (around 90%), which makes VCO the healthiest oil. VCO is very rich in lauric acid content, ranging 50-70%, which gives VCO a tissue regeneration effect. Objective: This study aims to discuss the effectiveness of VCO on the regeneration of periodontal soft tissue in periodontitis. Method: A systematic study was conducted on the PubMed and Google Scholar databases for clinical trials published in English up until 2021. A preliminary search of the databases resulted in 110 articles. Manual searches of full text articles and other related articles were carried out afterwards. PICO (Population, Intervention, Control, and Outcomes) questions were used in this systematic review. The articles selected were those that focused on the effectiveness of VCO on tissue healing and regeneration. Literature Review: Virgin Coconut Oil is proven to speed up wound healing time and has the highest healing rate, due to its ability to moisturize wounds, accelerate cellular metabolism, and has the anti-inflammatory and anti-infection properties in treating chemical burns. VCO with its high lauric acid content can accelerate the tissue regeneration process, where regeneration is often used to describe the formation of new adhesions, cementum, alveolar bone and periodontal ligaments on the site that has previously lost the tooth-supporting tissue structure. Regeneration will result in the replacement of the damaged tissue with the same newly-formed tissue.

**Conclusion**: Is proven to provide many benefits for daily life, especially in the health sector. Lauric acid, which is abundant in VCO, can stimulate soft tissue that is damaged due to inflammation, also accelerates wound and tissue healing.

Keyword: Virgin Coconut Oil, Regenerative Therapy, Periodontitis

## INTRODUCTION

Periodontitis is one of the most common diseases in Indonesia, based on the results of the 2018 Ministry of Health's RISKESDAS study, the prevalence of periodontitis reached 74.1% (Ministry of Health 2018). Periodontitis is a periodontal disease characterized by inflammation of the tissues supporting the teeth. Periodontitis progression is generally caused by plaque

bacteria on the tooth surface, where plaque is a thin layer of biofilm containing a cluster of pathogenic microorganisms.<sup>(1,2)</sup> Periodontitis if not handled properly, then the interaction between plaque bacteria, their products and the body's response can trigger an inflammatory response that can cause ulceration of the gingiva, damage on connective tissue, loss of alveolar bone, and eventually tooth loss.<sup>(3)</sup>

As a country with tropical climate, Indonesia is able to produce roughly 183 tons of coconuts each year. Virgin Coconut Oil (VCO) is a popular coconut product that possesses many benefits, made from fresh coconut meat, processed at low temperature to produce a product with low content of water and free fatty acids, is transparent, fragrant, and has a long shelf life of up to 12 months. (4.5) VCO contains lauric acid and caprylic acid (6-7%) which have the ability to kill bacteria and viruses. Lauric acid in VCO is converted into mono laurin which has antiviral, antibacterial and antiprotozoal properties. (6) Lauric acid in VCO also has the effect of stimulating fibroblast cells by fibronectin. Lauric acid is associated with the activation of transforming growth factor beta (TGF-β), which is a proliferating growth factor that stimulates fibronectin in the formation of fibrin threads and clots. In a research conducted by Jannahet al., The Effect of Virgin Coconut Oil Application on Increasing the Number of Fibroblasts in Post Tooth Extraction Wounds in *Rattusnovergicus*, showed an increase in the number of fibroblasts in wounds after tooth extraction performed in *Rattusnovergicus*, in which the wound was treated with oral VCO, and VCO was able to increase fibroblasts 0.4 times greater than povidone iodine. (5)

# **METHOD**


## **DATA SOURCE**

Data search using Google Scholar and Pubmed with English keyword was carried out to determine the research protocol. The search was done to identify articles published in dental journals that focused on VCO and soft tissue therapy. The keywords used were VCO, Periodontitis, and Tissue Regeneration. Search filters were applied to the electronic search to display only English studies that provide full-text articles. Manual searches of published full-text articles and related literature reviews were carried out afterwards.

The inclusion criteria used for this review are English full-text articles published between 2016-2021 and are related to the effect of VCO on periodontal soft tissue regeneration. Meanwhile, the exclusion criteria were articles in the form of systematic reviews, blogs, textbooks, and meta-analysis.

## DATA COLLECTION

The data used in this literature review are secondary data. The data were obtained from articles which were then reviewed based on the criteria determined by the authors.



#### **RESULT**

After 110 articles were gathered from Google Scholar and Pubmed searches, 66 articles were excluded because they did not meet the criteria desired by the authors, leaving 36 articles that were then reviewed based on their titles and abstracts, after which 27 articles were excluded because they did not match the inclusion criteria. Finally, 9 articles were obtained, reviewed and then entered into the synthesis table.

Table1. Effect of VCO gel application on periodontal soft tissue regeneration

No	Journal reference	Method	Result
	E Di. (4000)	Maradala and Maria 1 701	Decides de dete e U. e. I
1	Francesca Ripari (2020)  The Role of Coconut Oil in Treating Patients Affected by Plaque-Induced Gingivitis: A Pilot Study. (7)	Materials and Methods The sample of 20 patients was divided into two groups: the study group and the control group. In the study group, coconut oil, in the form of mouthwash, was administered to a sample of patients with gingivitis, aged between 18 and 35. The protocol established a daily application of the product for 30 days, in which the clinical parameters for plaque formation and gingivitis were measured by the plaque index (PI), bleeding index (BI). The control group did not associate the coadjutant withnormal daily oral hygiene procedures and the same clinical parameters were evaluated at t0 and after 30 days (t1).	Based on the data collected showed a significant improvement in reducing plaque formation and gingivitis
2	Sandeep R. Varma (2017)  In vitro anti- inflammatory and skin protective properties of Virgin coconut toil. (7)	Cell lines and its maintenance, chemicals, gas chromatography-FID analysis, cell viability, ELISA for cytokine measurement, ELISA for involucrin and filaggrin, semi-quantitative RT-PCR, skin irritation and phototoxicity assay, UV inhibitory study by reactive oxygen species assay.	The study shows the anti- inflammatory activity of VCO that suppresses inflammatory markers and protects the skin by enhance in the skin's protective function.
3	Ratna sari dewi. atall (2017)  Effect of 12.5% virgin coconut oil on porphyromonas gingivalis and trepoema dentico labacterialcolonization (8)	23 subjects, were patients with posterior porcelain-fused-to-metal crown visiting Faculty of Dentistry University Indonesia dental hospital. Patients signed the informed consent and clinical periodontal examination was done Patients were asked to gargle twice daily with 12.5% virgincoconutoil, 30cc for 1 min in 4days. Saliva samples were collected with paper point to calculate the number of <i>P. gingivalis</i> and <i>T. denticola</i> using real- time polymerase chain reactionon.	The use of 12.5% virgin coconut oil showed adecrease in the number of <i>P. gingivalis</i> and <i>T. denticola</i> on the margin of the porcelain-fused-to-metal crown.

4	Ummi Aqilah Haron.atall (2017)  The Comparative Antimicrobial Effect of Activated Virgin Coconut Oil (AVCO) and Virgin Coconut Oil (VCO) against Dental Caries- Related Pathogens. (9)	In this study, the researchers compared the antimicrobial effect of AVCO obtained from KLtrading, Selangor, Malaysia, and VCO extracted in their own laboratory. The MIC and MBC of each coconut oil against the selected dentalcaries-related pathogen; Streptococcus mutans, Lactobacillus casei and Candida albicans weredetermined.	In contrast to a positive finding of AVCO, VCO has shown no inhibitory effect on all tested dentalcaries-related pathogens. Furthermore, the time killing as say revealed that AVCO showed relatively quick-killing activity at the 8 hours of time for all tested organism.  These finding correlates with that of AVCO possess bactericidal activity, there by allowing the possible classification of the AVCO as being a bactericidal agent.
5	PRIMA ABIGAIL Gayatri(2019)  Stability Of Zoledronate Gel Emulsion In Virgin Coconut Oil. (11)	ZOL gel emulsion consists of 0.16% ZOL powder, 2% carboxymethyl cellulose,5% VCO, 0.44% sodium benzoate, and 0.009% antioxidant hydroxytoluene, and distilled water. This gel emulsion sample was stored at 25 ° C and 40 ° C for 1 month, and the parameters used for the stability test were pH, viscosity, spread ability, and adhesive strength. ZOL gel emulsion was evaluated against this metric on days 1, 7, 14, and 28.	This study found that the ZOL gel emulsion was stable when stored at 25 ° C.Organoleptic values, pH, viscosity, dispensability, and adhesive strength were also stable, and degradation was constant.
6	Siti Fatimah BintiRah mat(2018)  Virgin Coconut Oil, CoconutMilk And Coconut Water Potential In the Remineralization Of Tooth Enamel Surface.(12)	The research was started by analyz in the elemental content of VCO, CM, and CW using ICP-MS. Following the evaluation no fenamel remineralization, the specimens were observed under a Scanning electron microscope. The specimens were demineralized using a demineralization solution at p H 4.01 for 7 days then reacted with VCO, CM, and CW as remineralization solutions for 14 days. Distilled water was used as a control during the study.  Observations using SEM/EDX.	In general, this study aims to determine the potential of virgin coconut oil (VCO), coconutmilk (CM), and coconut water (CW) as new alternatives in remineralizing the surface of tooth enamel.  The results showed that VCO and CM left a protective layer over the enamel surface, whilethe control did not show any changes in the enamel surface morphology.
7	Putri Dafriani, et all (2020)  Virgin Coconut Oil (VCO) Accelerated Wound Healing Process in Diabetes mellitus (DM) Patients With Diabetic Ulcer in dr. Rasidin Hospital, Padang, Indonesia. (12)	This research is a quasi- experimental research carried out in the Inpatient Installation of Dr. Rasidin Hospital Padang, West Sumatera, Indonesia. The study participants were diabetic ulcer patients whowere divided into 2 groups,8 patients in the control group and 8 patients in the intervention group. The control group was given wound care using 0.9% NaCl and the intervention group was treated with 0.9% NaCl plus VCO.	There were significant differences in the woundsurface between the control group and the intervention group. VCO helps wound healing by reducing the surface area of the wound.

8	Jansen Silalahi, et al (2019)  The Activity of Hydrolyzed Virgin Coconut Oil to Increase Proliferation and Cyclooxygenase-2 Expressiontowards on NIH 3T3 Cell Linein Wound Healing Process <sup>(13)</sup>	The sample used was VirginCoconut Oil (VCO). VCO was partially hydrolyzed using lipase from Rhizomucormiehei to produce hydrolyzed VCO (HVCO) Composed of free fatty acids,2- monoglycerides. Then acid value was determined. The effect of HVCO on proliferation was evaluated using the MTT method. Wound healing as say was established by a cell migration method, and COX- 2 Expression was determined using RT- PCR.	HVCO is proven to be effective in increasing cell proliferation and wound healing process. The activity of Hydrolyzed Virgin Coconut Oilincreases the proliferation and expression of Cyclooxygenase-2 against the NIH 3T3 cell line in the wound healing process.
9	Dian Ika Perbina Meliala, et all (2019)  The Role of Coconut Oil to Increase Expression of MMP-9, PDGF-BB, and TGF- β1 in NIH-3T3 Cell Line. (14)	Coconut oil used in this study was virgin coconut oil(VCO) and VCO Hydrolyzed by <i>Rhizomucormiehei</i> (HVCO). NIH 3T3 cells (5x10 <sup>5</sup> cells/well) were seeded in nine well sand incubated for overnight, then divided into three groups Each group consisted of threewells. Group one without treatment, group two added VCO, and group three added HVCO And then incubated for overnight. One well in each group was added MMP-9, PDGF-BB, and TGF-β1 And incubated one hour. Finally, expressions of MMP-9, PDGF-BB, and TGF-β1 were detected using immune cytochemistry method.	VCO and HVCO increase the expression of MMP-9, PDGF-BB, dan TGF-β1 in NIH3T3.  Cells and therefore, coconut oil active in the wound healing process. HVCO is more than active than VCO.

## LITERATURE REVIEW

#### **Periodontitis**

Periodontitis is defined as an inflammatory disease of the tooth-supporting tissue, caused by certain microorganisms where these organisms produce a number virulence factors and induce host inflammatory mediators, causing inflammation that extends into the tissue and potentially resulting in progressive damage to the periodontal ligament and alveolar bone with increased probing depth, recession, or both, causing mobility and eventually tooth loss. The severity varies between individuals, regardless of the degree of bacterial infection, suggesting that a regulated host inflammatory response may contribute to the presence of microorganisms. (16–18)

# **Etiology of Periodontitis**

The etiology of periodontitis comes from a group of bacteria, especially gram-negative and anaerobic bacteria, which colonizes the sub-gingival region. Specific bacteria such as *Porphyromona sgingivalis, Tannerelaforsythia, Treponemadenticola, Aggregatibacteri actinomycetemcomitans, Prevotellaintermedia, Fusucobacteriumnucleatum,* which to this day is termed "Red complex" bacteria (*P. gingivalis, Tannerellaforsythia, Treponemadenticola*) are the primary etiological factor in periodontal disease, specifically most common in chronic periodontitis. (18,19)

# **Pathogenesis of Periodontitis**

The pathogenesis of periodontitis involves not only microorganisms in plaque, but also several factors associated with the host. In the early stages of periodontitis, inflammation occurs in gingiva as a response to bacterial attack. Red complex bacteria will triggers the immune response, namely neutrophils, macrophages, lymphocytes in the gingival tract, to fight against periodontal pathogens and endotoxins, maintain the host tissue and control the bacterial development. (20)

The mechanism of tissue damage occurs through immune response, and is not a direct consequence of bacteria presences. Macrophages are not the dominant feature in advance lesions, where they only account for 5% of the cells. Fibroblasts when stimulated by the inflammatory cytokines IL-1, IL-6, TNF-α, PGE2, will produce Matrix Metalloproteinases (MMPs) which is a family of proteinases that aims to degrade the extracellular matrix. Collagen molecules are

broken down into smaller ones, which are then denatured in the extracellular environment or phagocytosis by surrounding fibroblasts. (20)

## **Treatment for Periodontitis**

Treatment for periodontitis generally falls into two categories: 1) Procedures to stop the progression of the disease, namely the initial phase therapy consisting of scaling, root planning, oral hygiene improvement, and occlusal adjustment if needed. 2) Procedures to regenerate structures damaged by the disease. Supportive maintenance of periodontal therapy after active treatment is essential to achieve maximum results. Attempts to suppress the sub gingival micro biota as much as possible, supports the repair and regeneration of the periodontium. In various short- and long-term clinical studies, the administration of drugs combines with supragingival plaque control has proven to be effective. (21,22)

# **Tissue Regeneration**

Regeneration is the process of re growing and reconstructing tissue from a lesion, to restore the initial shape and function of the tissue affected by the lesion. Regeneration oftentimes used to describe new formation of cementum, adhesions, alveolar bone and periodontal ligamentum on the surface where the tooth-supporting tissue structure is missing. Regeneration will result in replacement of the damaged tissue with the same tissue structure. In periodontal tissue, the damaged epithelium is replaced by epithelium, whereas connective tissue and periodontal ligaments is replaced by connective tissue.<sup>(23)</sup>

## **Virgin Coconut Oil (VCO)**

Coconut oil is rich in medium-chain fatty acids and shows good digestibility (Che Man & Marina, 2006). The term VCO refers to oil obtained from fresh and ripe raw coconut fruit, mechanically or naturally, with or without the use of heat, and without chemical refining (Villarino, Dy, & Lizada, 2007). Unlike RBD (*Refining, bleaching, and deodorizing*) coconut oil which is specially made for cooking purposes, VCO is currently being marketed as functional oil. Since it was first introduced, virgin coconut oil has attracted the public attention. Information about the beneficial properties of VCO spreads rapidly.<sup>(24)</sup>

Current researches have shown that VCO has the ability to moisturize wounds, accelerate

cellular metabolism, and has the anti-inflammatory and anti-infection properties in chemical burns. Virgin coconut oil has been shown to speed up wound healing time and has the highest percentage of healing effect on chemical burns in Rattus Novergicus. Research conducted on 18 Sprague-Dawley with excision wounds, proved that VCO was able to increase fibroblasts proliferation so that the density of collagen fibers increased, and helped accelerate the tissue regeneration process. (5,25)

## **DISCUSSION**

Indonesia is a country with the largest coconut plantation area in the world, reaching 3.7 million ha. The coconut plant has many benefits from its roots, stems, leaves, fruit, to the midrib. Virgin Coconut Oil (VCO) is produced from processed coconut flesh which is known to have the ability to moisturize wounds, accelerate cell metabolism, and has the anti-inflammatory and anti-infection properties in treatment of chemical burns. VCO has been shown to speed up wound healing time and has the highest percentage of healing against chemical burns in *Rattusnovergicus*. Research conducted on Sprague-Dawley mice with excised wounds proved that VCO was able to increase fibroblasts proliferation, thus increased the collagen fibers density and helped accelerate the tissue regeneration process. (27,28) Similar result was also shown in a study conducted by Ratna Sari et al. (2017) where the number of *P. gingivalis* and *T. denticola* were decreased after gargling with 12.5% VCO for 4 days. (6,8)

Regenerative therapy is a field of biotechnology that combines various aspects and treatment strategies, including the use of cells produced, in order to increase, restore, or replace a damaged or missing tissue, effectively repairing the tissue both structurally and functionally. Regenerative medicine includes the use of growth factors, biomaterials, and stem cells. (29,30) In periodontal tissue, regeneration is a continuous physiological process, in which under normal conditions new cells and tissues are constantly being formed to replace mature and dead cells and tissues. (31)

The Medium Chain Triglyceride (MCT) content in VCO in the form of lauric acid, flavonoids, and tocopherol, is anti-inflammatory and can prevent infection and excessive cell damage. Lauricacid in VCO is also associated with the activation of TGF- $\beta$  cytokines which will stimulate fibronectin in fibrin clots formation, which then become the framework for reepithelialization and proliferation of fibroblasts, which can accelerate the healing process in inflammation. (5) Research conducted by Jansen Silalahi (2019), by applying VCO topically to

wounds, obtained faster healing as indicated by decreased epithelialization time, increased fibroblast proliferation, and higher collagen turnover resulted in faster wound healing. (13,25) Research conducted by Putri Dafriani (2020) on in patients with diabetes mellitus ulcers, compared the administration of 0.9% NaCL and NaCl combined with VCO, the results then showed a reduction in wound surface area in the combination group of NaCl and VCO, Which proved that VCO has an effect on dermal and epidermal healing, and provides strength to the epithelial tissue. (12,32,33,34,35,36,37)

In a trial done by Dian Ika Perbina Meliala, et al. (2019), the use of Virgin Coconut Oil (VCO) and VCO hydrolyzed with *Rhizomucormiehei* (HVCO) resulted in the increased expression of MMP-9, PDGF BB, and TGF-1β in NIH3T3 cells, suggested that coconut oil is active in the wound healing process. Whereas in the study conducted by Ummi Aqilah Haron, et al. (2017), VCO has shown no inhibitory effect on all tested dental caries-related pathogens. Furthermore, the time killing assay revealed that AVCO showed relatively quick-killing activity at the 8 hours of time for all tested organism. These finding correlates with that of AVCO possess bactericidal activity, thereby allowing the possible classification of the AVCO as bactericidal agent. (9,14)

## **CONCLUSION**

Periodontitis can cause damage to both the soft and hard tissues in the oral cavity. VCO is believed to provide many benefits for daily life, especially in the health sector. Lauric acid, which is abundant in VCO, can stimulate soft tissue that is damaged due to inflammation. Further and detailed research is needing regarding the benefits of VCO in healing inflamed tissue.

## REFERENCES

- 1. Andriani I., Chairunnisa FA. *Periodontitis Cronic and Management Case with Curretage*. Insisiva Dent J. 2019; 8 (1):25–30.
- 2. A. AET, M. A, Abd El-Hamid M, El-Dessouky E. *Virulence Genotyping of Enterococcus Species Isolated From Meat and Milk Products*. Benha Vet Med J. 2016; 31(2):158–64.
- 3. Graziani F, Karapetsa D, Alonso B, Herrera D. *Nonsurgical and Surgical Treatment of Periodontitis: How Many Options for One Disease?* Periodontol 2000. 2017; 75(1):152–88.
- 4. Ramlan Silaban, Riza Sahala Mnullang VH. *Processing Virgin Coconut Oil (VCO) Through Combination Technique Fermentationand Enzimatis UsingPineapple Extract.* J Kim [Internet]. 2014; 56–64. Available from: http://digilib.unimed.ac.id/11906/
- 5. Jannah Tamara AH, Rochmah YS, Mujayanto R, Hibah A, Tamara J, Rochmah YS, et al. *Influence of Using Virgin Coconut Oil to Increased Fibroblast Cell in Healing Post Extraction in Rattus Novergicus*. J Medical. 2015; 1(2):29–33.
- 6. Peedikayil F, Sreenivasan P, Narayanan A. *Effect Of Coconut Oil In Plaque Related Gingivitis A Preliminary Report*. Niger Med J. 2015; 56(2):143.
- 7. Varma SR, Sivaprakasam TO, Arumugam I, Dilip N, Raghuraman M, Pavan KB, et al. *In vitro anti-inflammatory and skin protective properties of Virgin coconut oil.* J Tradit Complement Med. 2019; 9(1):5–14.
- 8. Dewi RS, Gita F, Bahtiar B, Kasim HB. *Effect Of 12.5% Virgin Coconut Oil on Porphyromonas Gingivalis and Treponema Denticola Bacterial Colonization*. Int J Appl Pharm. 2017; 9 (Special Issue 2):32–5.
- 9. Aqilah Haron U, Abllah Z, Mardia Mohamad Nasir NA. *The Comparative Antimicrobial Effect of Activated Virgin Coconut Oil (AVCO) and Virgin Coconut Oil (VCO)* against Dental Caries-Related Pathogens. 2018; (March).
- 10. Rahmadi A, Abdiah I, Dewi Sukarno M, Purnaningsih T. *Characteristic of Physico chemical and antibacterial of Virgin Coconut Oil result of BacteriaLactat Acid.* J Technol.2013; 24(2):178–83.
- 11. Nevin KG, Rajamohan T. Effect Of Topical Application Of Virgin Coconut Oil On Skin Components And Antioxidant Status During Dermal Wound Healing In Young Rats. Skin Pharmacol Physiol. 2010; 23(6):290–7.
- 12. Dafriani P, Nur SA, Morika HD, Marlinda R. Virgin Coconut Oil (VCO) Accelerated Wound Healing Process in Diabetes mellitus (DM) Patients With Diabetic Ulcer in dr. Rasidin. J Aisyah J Ilmu Kesehat. 2020; 5(2):221–4.
- 13. Silalahi J, Yuandani Y, Meliala DIPB, Margata L, Satria D. *The Activity Of Hydrolyzed Virgin Coconut Oil To Increase Proliferation And Cyclooxygenase-2 Expression Towards On Nih 3t3 Cell Line In Wound Healing Process.* Open Access Maced J Med Sci. 2019; 7(19):3164–8.
- 14. Cell NIH, Ika D, Meliala P, Silalahi J, Yuandani Y, Margata L, et al. *The Role of Coconut Oil to Increase Expression of MMP-9, PDGF-.* 2019; 7(22):3733–6.
- 15. Kasliwal N, Nuwal P, Giri SS, Gupta S, Porwal V. *Alternative Wound Healing Effects of Coconut Oil Extract Using Adult Wistar Rats.* Int J Med Heal Prof Res. 2014; 1(2):68–70.
- 16. Nayak A, Bhat K, Shivanaikar S, Pushpa P, Kugaji M, Kumbar V. *Detection of red complex organisms in chronic periodontitis by multiplex polymerase chain reaction*. 2018; 5:139–44.
- 17. Rubim M, Sete C, Marcelo C, Sztajnbok F. *Review Article Periodontitis And Systemic Lupus Erythematosus* &. Rev Bras Ortop (English Ed. 2015;(x x):6–11.
- 18. Reddy S. *Essentials of Clinical Periodontology and Periodontics*. Third. Jaypee Brothers Medical Publishers (P) Ltd; 2011.
- 19. Newman MG, Takei HH. Newman and Carranza's Clinical Periodontology THIRTEENTH EDITION.

- 20. Tawfig N. Journal of Dental Problems and Solutions Proinflammatory Cytokines and Periodontal Disease. 2016; 3:12–7.
- 21. Dr. Alexandrina L. Dumitrescu. *Etiology and Pathogenesis of Periodontal Disease*. London: Springer Heidelberg Dordrecht; 2010.
- 22. Zandbergen D, Slot DE, Niederman R, Weijden FA Van Der. *The Concomitant Administration Of Systemic Amoxicillin And Metronidazole Compared To Scaling And Root Planing Alone In Treating Periodontitis*: = A Systematic Review =. BMC Oral Health. 2016; 1–11.
- 23. Manuel F, Illueca A, Vera PB, Cabanilles PDG, Fernandez VF, José F, et al. Periodontal regeneration in clinical practice. 2006;
- 24. Marina AM, Man YBC. *Virgin Coconut Oil: Emerging Functional Food Oil*. Trends Food Sci Technol. 2009; 20(10):481–7.
- 25. Rajamohan KGNT, Nevin KG, Rajamohan T. Effect Of Topical Application Of Virgin Coconut Oil On Skin Components And Antioxidant Status During Dermal Wound Healing In Young Rats. Skin Pharmacol Physiol. 2010; 23(6):290–7.
- 26. Widiyanti RA. Utilization of Coconut into a VCO (Virgin Coconut Oil) as Antibiotics in an Effort to Support the Health of Indonesian Healthy Vision 2015. 2015; 577–84.
- 27. Andriani I, Chairunnisa F. Case Report Periodontitis Chronic And Management Case With Curretage Bacteria Using Material Toxic. Dent J Insisiva.2019; 8(1):25–30.
- 28. Michael G. N, Takei H, R. Klokkevold P, Carranza F. Newman and Carranza's Clinical Periodontology 13th ed. 2018. 1573–1589 p. 329.
- 29. Tani PG, Wowor PM, Khoman JA. Indibitor of (Annona Muricata L.) *To Growth of Porphyromonas Gingivalis*. Pharmacon. 2017; 6(3):99–104.
- 30. Nazir MA. Prevalences of Periodontal Disease, Its Association with Systemic Disease and Prevention. Proc Int Symp Inf Process ISIP 2008 Int Pacific Work Web Min Web-Based Appl WMWA 2008. 2008; 1(2):360–3.
- 31. Silaban R, Hutapea V. Processing of Virgin Coconut Oil, VCO through Combination Technique Fermentation and Enzimatis Using Papaya. 2012; 55–64.
- 32. Seong Lin T. *The Effects of Virgin Coconut Oil on Fibroblasts and Myofibroblasts on Diabetic Wound Healing.* Med Health. 2019; 14(2):132–41.
- 33. Achmad H, Djais Al, Jannah M, Huldani, Putra AP. Antibacterial Chitosan Of Milkfish Scales (Chanos Chanos) On Bacteria Porphyromonas Gingivalis And Agregatibacter Actinomycetescommitans. Systematic Review in Pharmacy. 2020; 11(6):836-841.
- 34. Djais Al, Achmad H. Dewiayu D, Sukmana BI, Huldani. Effect of Combination Demeneralization Freeze Dentin Matrix (DFDDM) and Moringa Oleifera Lam Osteoprotegerin (OPG) and Receptor Activator of Nuclear Factor Kappa Bliganf (RANKL) As a Marker of Bone Remodelling. Systematic Reviews in Pharmacy. 2020; 11(6):771-779.
- 35. Achmad H, Djais, Syahrir S, Fitria A, Ramadhany YF. *Impact Covid-19 in Pediatric Dentistry: A Literatur Review*. International Journal of Pharmaceutical Research. 2020. 12:830-840
- 36. Achmad H, Djais AJ, Petrenko EG, Laris V, Putra AP. 3-D Printing As Tool For Applying Biotechnologies In Modern Medicine. International Journal of Pharmaceutical Research. 2020;12(4):3454-3463SS
- 37. Achmad H, Djais Al, Syahrir, Fitria A, Ramadhany YF. A Literature Us Regarding The Use Of Herbal Medicines In Pediatric Dentistry. International Journal of Pharmaceutical Research. 2020;12:881-897