

DAFTAR PUSTAKA

- [1] I. Conference and A. L. Processing, “2013 International Conference on Asian Language Processing,” 2016, pp. 21–24.
- [2] B. Alshaikhdeeb and K. Ahmad, “Biomedical Named Entity Recognition: A Review,” *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 6, no. 6, p. 889, Dec. 2016, doi: 10.18517/ijaseit.6.6.1367.
- [3] I. Budi and S. Bressan, “Association rules mining for name entity recognition,” in *Proceedings of the 7th International Conference on Properties and Applications of Dielectric Materials (Cat. No.03CH37417)*, IEEE Comput. Soc, pp. 325–328. doi: 10.1109/WISE.2003.1254504.
- [4] B. Aryoyudanta *et al.*, “Semi-supervised learning approach for Indonesian Named Entity Recognition (NER) using co-training algorithm,” in *2016 International Seminar on Intelligent Technology and Its Applications (ISITIA)*, IEEE, Jul. 2016, pp. 7–12. doi: 10.1109/ISITIA.2016.7828624.
- [5] H. Akkineni, V. Papineni, and V. Burra, “Hybrid Method for Framing Abstractive Summaries of Tweets,” *Int. J. Intell. Eng. Syst.*, vol. 10, no. 3, pp. 418–425, Jun. 2017, doi: 10.22266/ijies2017.0630.47.
- [6] P. Katta and N. Hegde, “A Hybrid Adaptive Neuro-Fuzzy Interface and Support Vector Machine Based Sentiment Analysis on Political Twitter Data,” *Int. J. Intell. Eng. Syst.*, vol. 12, no. 1, pp. 165–173, Feb. 2019, doi: 10.22266/ijies2019.0228.17.
- [7] J. Santoso, E. Setiawan, E. Yuniarno, M. Hariadi, and M. Purnomo, “Hybrid Conditional Random Fields and K-Means for Named Entity Recognition on Indonesian News Documents,” *Int. J. Intell. Eng. Syst.*, vol. 13, no. 3, pp. 233–245, Jun. 2020, doi: 10.22266/ijies2020.0630.22.
- [8] J. Santoso *et al.*, “Self-Training Naive Bayes Berbasis Word2Vec untuk Kategorisasi Berita Bahasa Indonesia,” *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 7, no. 2, Jun. 2018, doi: 10.22146/jnteti.v7i2.418.

- [9] J. Santoso, E. I. Setiawan, C. N. Purwanto, E. M. Yuniarno, M. Hariadi, and M. H. Purnomo, "Named entity recognition for extracting concept in ontology building on Indonesian language using end-to-end bidirectional long short term memory," *Expert Syst. Appl.*, vol. 176, Aug. 2021, doi: 10.1016/j.eswa.2021.114856.
- [10] A. Nurdin, B. Anggo Seno Aji, A. Bustamin, and Z. Abidin, "PERBANDINGAN KINERJA WORD EMBEDDING WORD2VEC, GLOVE, DAN FASTTEXT PADA KLASIFIKASI TEKS," *J. Tekno Kompak*, vol. 14, no. 2, p. 74, Aug. 2020, doi: 10.33365/jtk.v14i2.732.
- [11] S. Sukardi, M. Susanty, A. Irawan, and R. F. Putra, "Low Complexity Named-Entity Recognition for Indonesian Language using BiLSTM-CNNs," in *2020 3rd International Conference on Information and Communications Technology, ICOIACT 2020*, Institute of Electrical and Electronics Engineers Inc., Nov. 2020, pp. 137–142. doi: 10.1109/ICOIACT50329.2020.9331989.
- [12] D. C. Wintaka, M. A. Bijaksana, and I. Asror, "Named-entity recognition on Indonesian tweets using bidirectional LSTM-CRF," in *Procedia Computer Science*, Elsevier B.V., 2019, pp. 221–228. doi: 10.1016/j.procs.2019.08.161.
- [13] Y. Pang, J. Liu, L. Liu, Z. Yu, and K. Zhang, "A Deep Neural Network Model for Joint Entity and Relation Extraction," *IEEE Access*, vol. 7, pp. 179143–179150, 2019, doi: 10.1109/ACCESS.2019.2949086.
- [14] A. Vaswani *et al.*, "Attention Is All You Need," Jun. 2017, [Online]. Available: <http://arxiv.org/abs/1706.03762>
- [15] T. Adewumi, F. Liwicki, and M. Liwicki, "Word2Vec: Optimal hyperparameters and their impact on natural language processing downstream tasks," *Open Comput. Sci.*, vol. 12, no. 1, pp. 134–141, Mar. 2022, doi: 10.1515/comp-2022-0236.
- [16] J. Lu, J. Zhang, X. Zhu, J. Feng, T. Xiang, and L. Zhang, "Softmax-Free Linear Transformers," *Int. J. Comput. Vis.*, Mar. 2024, doi: 10.1007/s11263-024-02035-5.

- [17] W. Widayat, “Analisis Sentimen Movie Review menggunakan Word2Vec dan metode LSTM Deep Learning,” *J. MEDIA Inform. BUDIDARMA*, vol. 5, no. 3, p. 1018, Jul. 2021, doi: 10.30865/mib.v5i3.3111.
- [18] F. Yarkin and J. P. Coon, “Simple Gray Coding and LLR Calculation for MDS Modulation Systems,” Jan. 2022, [Online]. Available: <http://arxiv.org/abs/2201.08237>
- [19] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “BERT: Pre-training of Deep Bidirectional *Transformers* for Language Understanding,” Oct. 2018, [Online]. Available: <http://arxiv.org/abs/1810.04805>
- [20] N. Kitaev, Ł. Kaiser, and A. Levskaya, “Reformer: The Efficient *Transformer*,” Jan. 2020, [Online]. Available: <http://arxiv.org/abs/2001.04451>
- [21] R. Hayami, S. Mohnica, and Soni, “Klasifikasi multilabel komentar toxic pada sosial media twitter menggunakan convolutional neural network(CNN),” *J. CoSciTech (Computer Sci. Inf. Technol.*, vol. 4, no. 1, pp. 1–6, 2023, doi: 10.37859/coscitech.v4i1.4365.
- [22] Warto, Muljono, Purwanto, and E. Noersasongko, “Capitalization Feature and Learning Rate for Improving NER Based on RNN BiLSTM-CRF,” in *2022 IEEE International Conference on Cybernetics and Computational Intelligence (CyberneticsCom)*, IEEE, Jun. 2022, pp. 398–403. doi: 10.1109/CyberneticsCom55287.2022.9865660.
- [23] L. N. Smith, “Cyclical Learning Rates for Training Neural Networks,” Jun. 2015, [Online]. Available: <http://arxiv.org/abs/1506.01186>
- [24] L. N. Smith and N. Topin, “Super-Convergence: Very Fast Training of Neural Networks Using Large Learning Rates,” Aug. 2017, [Online]. Available: <http://arxiv.org/abs/1708.07120>
- [25] M. Purba *et al.*, “Effect of Random Splitting and Cross Validation for Indonesian Opinion Mining using Machine Learning Approach,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 13, no. 9, 2022, doi: 10.14569/IJACSA.2022.0130917.

- [26] R. Brochier, A. Guille, and J. Velcin, “Global Vectors for Node Representations,” Feb. 2019, doi: 10.1145/3308558.3313595.
- [27] C. Armstrong, H. Gomez, R. L. Jusinkas, A. Lipstein, and J. Mei, “Effective Field Theories and Cosmological Scattering Equations,” Apr. 2022, doi: 10.1007/JHEP08(2022)054.
- [28] M. Sokolova, N. Japkowicz, and S. Szpakowicz, “Beyond accuracy, F-score and ROC: A family of discriminant measures for performance evaluation,” *AAAI Work. - Tech. Rep.*, vol. WS-06-06, no. June 2014, pp. 24–29, 2006, doi: 10.1007/11941439_114.
- [29] R. Rifani, M. A. Bijaksana, and Asror Ibnu, “Named Entity Recognition for an Indonesian Based Language Tweet using Multinomial Naive Bayes Classifier,” *Ind. J. Comput.*, vol. 4, no. 2, pp. 119–126, 2019, doi: 10.21108/indojc.2019.4.2.330.
- [30] Z. Yang, D. Yang, C. Dyer, X. He, A. Smola, and E. Hovy, “Hierarchical attention networks for document classification. 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies,” *2016 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. NAACL HLT 2016 - Proc. Conf.*, pp. 1480–1489, 2016.

