

## DAFTAR PUSTAKA

1. Gainsburg DM. Anesthesia for Urological Endoscopic Procedures. In: Anesthesia for Urologic Surgery. New York: Springer; 2018. hal. 252–63.
2. Costa F, Pascarella G, Luffarelli P, Strumia A, Biondo G, Piliago C, et al. Selective spinal anesthesia with hyperbaric prilocaine provides better perioperative pain control than local anesthesia for ambulatory inguinal hernia repair without affecting discharging time: a randomized controlled trial. *J Anesth Analg Crit Care*. 2022;2(1).
3. Devi R. Comparison of Levobupivakain and Bupivakain in Spinal Anaesthesia in Endourology: A Study of 100 Cases. *Int J Anesthesiol Pain Med*. 2020;6(2):1–5.
4. Agrawal A, Agrawal S, Payal YS. Comparison of block characteristics of spinal anesthesia following intravenous dexmedetomidine and clonidine. *J Anaesthesiol Clin Pharmacol*. 2016;32(3):339–43.
5. Lacroix SP, Malaise PR, Degey S V., Deflandre EP. Predictability of the duration of motor blockade induced by unique injection of intrathecal prilocaine - An observational study. *J Physiol Pharmacol*. 2019;70(3):419–24.
6. Etriki RGS, Ellatif HKA, Sayouh EF, Mohammed AM. Spinal Anesthesia Using Hyperbaric Prilocaine 2% versus Hyperbaric Bupivakain 0.5% for Day case Surgery. *Egypt J Hosp Med*. 2022;87(1):1658–65.
7. Chapron K, Sleth JC, Capdevila X, Bringuier S, Dadure C. Hyperbaric prilocaine vs. hyperbaric bupivakain for spinal anaesthesia in women undergoing elective caesarean section: a comparative randomised double-blind study. *Anaesthesia*. 2021;76(6):777–84.
8. Cannata F, Costantini M, Spinoglio A, Rocco A, Canneti A, Luzi M, et al. Spinal anaesthesia for endoscopic urological surgery: A comparison of 2% hyperbaric prilocaine with 0,5% hyperbaric bupivakain. *Reg Anesth Pain Med* [Internet]. 2014;39(5):e165. Tersedia pada: <https://www.embase.com/search/results?subaction=viewrecord&id=L71687651&from=export%0Ahttp://dx.doi.org/10.1097/AAP.0000000000000142>
9. Hejj R, McNulty M, G. J. Urology: The Home of Endoscopy. *Adv Endosc Surg*. 2011;(February).
10. Takure AO, Shittu OB, Adebayo SA, Olapade-Olaopa EO, Okeke LI. Day case endourology in surgical outpatient clinic at Ibadan: A 5 year review. *African J Urol* [Internet].

- 2012;18(3):112–7. Tersedia pada: <http://dx.doi.org/10.1016/j.afju.2012.08.012>
11. O'Hara J. Anesthesia for Select Urologic Procedures. *ASA Refresh Courses Anesthesiol.* 2011;39(1):115–9.
  12. Iheb Labbene, Khaled Lamine, Hedi Gharsallah, Adel Jebali, Anis Adhoum, Samir Ghozzi NBRAMF. Spinal anesthesia for endoscopic urological surgery. *MEJ Anesth.* 2007;19(2):369–84.
  13. Olawin AM, Das JM. Spinal Anesthesia. *StatPearls.* 2022;
  14. Fettes PDW, Jansson JR, Wildsmith JAW. Failed spinal anaesthesia: Mechanisms, management, and prevention. *Br J Anaesth.* 2009;102(6):739–48.
  15. Varaday SS, Raghavendra M, Press CD. Subarachnoid Spinal Block. *Medscape.* 2018;
  16. Gupta K, Rastogi B, Gupta PK, Rastogi A, Jain M, Singh VP. Subarachnoid block with Taylor's approach for surgery of lower half of the body and lower limbs: A clinical teaching study. *Anesth Essays Res.* 2012;6(1):38–41.
  17. Hoyle J, Yentis SM. Assessing the height of block for caesarean section over the past three decades: Trends from the literature. *Anaesthesia.* 2015;70(4):421–8.
  18. Suprptomo R. Manajemen Anestesi Subarachnoid Block pada Pasien dengan Impending Eklampsia. *J Anestesi Obstet Indones.* 2020;3(1):20–5.
  19. Hampl K, Steinfeldt T, Wulf H. Spinal anesthesia revisited: Toxicity of new and old drugs and compounds. *Curr Opin Anaesthesiol.* 2014;27(5):549–55.
  20. Chattopadhyay A, Maitra S, Sen S, Bhattacharjee S, Layek A, Pal S, et al. A study to compare the analgesic efficacy of intrathecal bupivakain alone with intrathecal bupivakain midazolam combination in patients undergoing elective infraumbilical surgery. *Anesthesiol Res Pract.* 2013;2013.
  21. Butterworth JI, Mackey D, Wasnick J. Morgan and Mikhail's Clinical Anesthesiology. 7th ed., Ch. 43. United States: McGraw Hil; 2022. 1488-510.
  22. Berde CB, Koka A, Drasner K. Local Anesthetics. In: *Contemporary Dental Pharmacology: Evidence-Based Considerations.* 2019. hal. 9–22.
  23. Flood P, Rathmell James P, Shafer S. Stoelting's Pharmacology & Physiology in Anesthetic Practice. 5 ed. United States: Wolters Kluwer Health; 2015.
  24. Hadzick A. Hadzic's Textbook of Regional Anesthesia and Acute Pain Management. New York: The McGraw-Hill Companies; 2007.

25. Hocking G. Spinal Anaesthetic Spread Anaesthesia Tutorial Of The Week 37 28 th November. *Atotw*. 2006;37(November):1–7.
26. Miller R, Pardo M. *Basic of Anesthesia*. 6th Ed. Philadelphia: Elseiver; 2007.
27. Gustaffsson L, Dchildt B, Jacobsen K. Adverse effects of extradural and intrathecal opiates. *Br J Anesth*. 1993;738–40.
28. Wong C. *Physiologic effects of neuroaxial anesthesia in spinal and epidural anesthesia*. New York: Mgraw-Hill; 2007. 119–37 hal.
29. Huang YY, Chang KY. Sensory block level prediction of spinal anaesthesia with 0.5% hyperbaric bupivakain: a retrospective study. *Sci Rep* [Internet]. 2021;11(1):1–6. Tersedia pada: <https://doi.org/10.1038/s41598-021-88726-2>
30. Macfarlane AJR, Brull R, Chan VWS. Chapter 17 - Spinal, Epidural, and Caudal Anesthesia [Internet]. Seventh Ed. *Miller’s Basics of Anesthesia*. Elsevier Inc.; 2018. 273–302 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-0-323-40115-9.00017-7>
31. Ousley R, Egan C, Dowling K, Cyna AM. Assessment of block height for satisfactory spinal anaesthesia for caesarean section. *Anaesthesia*. 2012;67(12):1356–63.
32. Hocking G. Assessment of spinal anaesthetic block. *World Anaesth Tutor Week*. 2005;
33. Sane S, Shokouhi S, Golabi P, Rezaeian M, Kazemi Haki B. The Effect of Dexmedetomidine in Combination with Bupivakain on Sensory and Motor Block Time and Pain Score in Supraclavicular Block. *Pain Res Manag*. 2021;2021.
34. Decloux D, Ouanounou A. Local Anaesthesia in Dentistry: A Review. *Int Dent J* [Internet]. 2021;71(2):87–95. Tersedia pada: <https://doi.org/10.1111/idj.12615>
35. Haas DA. An Update on Local Anesthetics in Dentistry ( Mise à jour sur les anesthésiques locaux utilisés en dentisterie ). *J Can Dent Assoc*. 2002;68(9):546–51.
36. Topaktaş R, Altin S, Aydın C, Akkoç A, Ürkmez A, Aydın ZB. Is spinal anesthesia an alternative and feasible method for proximal ureteral stone treatment? *Cent Eur J Urol*. 2020;73(3):336–41.
37. Hofhuizen C, Lemson J, Snoeck M, Scheffer GJ. Spinal anesthesia-induced hypotension is caused by a decrease in stroke volume in elderly patients. *Local Reg Anesth*. 2019;12:19–26.
38. Salinas F V., Sueda LA, Liu SS. Physiology of spinal anaesthesia and practical suggestions for successful spinal anaesthesia. *Best Pract Res Clin Anaesthesiol*. 2003;17(3):289–303.

39. Koo CH, Ryu JH. Anesthetic considerations for urologic surgeries. *Korean J Anesthesiol.* 2020;73(2):92–102.
40. Boublik J, Gupta R, Bhar S, Atchabahian A. Prilocaine spinal anesthesia for ambulatory surgery: A review of the available studies. *Anaesth Crit Care Pain Med* [Internet]. 2016;35(6):417–21. Tersedia pada: <http://dx.doi.org/10.1016/j.accpm.2016.03.005>
41. Akgül B, İlker &, Aycaan Ö, Hidişoğlu E, Afşar E, Yıldırım S, et al. Alleviation of prilocaine-induced epileptiform activity and cardiotoxicity by thymoquinone. *DARU J Pharm Sci* [Internet]. 2021;29:85–99. Tersedia pada: <https://doi.org/10.1007/s40199-020-00385-2>
42. Manassero A, Fanelli A. Prilocaine hydrochloride 2% hyperbaric solution for intrathecal injection: A clinical review. *Local Reg Anesth.* 2017;10:15–24.
43. Scully C. Cardiovascular medicine. *Scully's Med Probl Dent.* 2014;125–70.
44. Medetalibeyoğlu A, Koç ES, Beyaz O, Edizer A. Prilocaine induced methemoglobinemia. *Case Rep Acute Med.* 2020;3(1):25–6.
45. Katari NK, Jonnalagadda SB. Prilocaine: Mechanisms and application. *Treat Mech Advers React Anesth Analg.* 2021;151–64.
46. Harmatz A. Local Anesthetics: Uses and Toxicities. *Surg Clin North Am.* 2009;89(3):587–98.
47. Rattenberry W, Hertling A, Erskine R. Spinal anaesthesia for ambulatory surgery. *BJA Educ* [Internet]. 2019;19(10):321–8. Tersedia pada: <https://doi.org/10.1016/j.bjae.2019.06.001>
48. Suzuki S, Gerner P, Lirk P. Local anesthetics [Internet]. Second Edi. *Pharmacology and Physiology for Anesthesia: Foundations and Clinical Application.* Elsevier Inc.; 2018. 390–411 hal. Tersedia pada: <https://doi.org/10.1016/B978-0-323-48110-6.00020-X>
49. Steverink JG, Piluso S, Malda J, Verlaan J-J. Comparison of in vitro and in vivo Toxicity of Bupivakain in Musculoskeletal Applications. *Front Pain Res.* 2021;2(August):1–9.
50. Shafiei FT, McAllister RK, Lopez J. Bupivakain. *StatPearls Publ LLC.* 2022;
51. Lobo EP, Pellegrini F, Pusceddu E. Anesthesia Complications in Head and Neck Surgery [Internet]. Second Edi. *Complications in Head and Neck Surgery with CD Image Bank.* Elsevier Inc.; 2009. 3–27 hal. Tersedia pada: <http://dx.doi.org/10.1016/B978-1-4160-4220-4.50005-5>

52. Scully C. Perioperative Care. Scully's Medical Problems in Dentistry E-Book; 2014. 1–16 hal.
53. Paganelli MA, Popescu GK. Actions of bupivakain, a widely used local anesthetic, on NMDA receptor responses. *J Neurosci*. 2015;35(2):831–42.
54. Uta D, Koga K, Furue H, Imoto K, Yoshimura M. L-bupivakain Inhibition of Nociceptive Transmission in Rat Peripheral and Dorsal Horn Neurons. *Anesthesiology*. 2021;134(1):88–102.
55. Iskander A, Gan TJ. Novel analgesics in ambulatory surgical patients. *Curr Opin Anaesthesiol*. 2018;31(6):685–92.
56. Prabhakar A, Lambert T, Kaye RJ, Gagnard SM, Ragusa J, Wheat S, et al. Adjuvants in clinical regional anesthesia practice: A comprehensive review. *Best Pract Res Clin Anaesthesiol* [Internet]. 2019;33(4):415–23. Tersedia pada: <https://doi.org/10.1016/j.bpa.2019.06.001>
57. Wolfe RC, Spillars A. Local Anesthetic Systemic Toxicity: Reviewing Updates From the American Society of Regional Anesthesia and Pain Medicine Practice Advisory. *J Perianesthesia Nurs* [Internet]. 2018;33(6):1000–5. Tersedia pada: <https://doi.org/10.1016/j.jopan.2018.09.005>
58. Kaban OG, Yazicioglu D, Akkaya T, Sayin MM, Seker D, Gumus H. Spinal anaesthesia with hyperbaric prilocaine in day-case perianal surgery: Randomised controlled trial. *Sci World J*. 2014;2014.