

DAFTAR PUSTAKA

1. Grosfeld, Jay L. Pediatric Surgery. Philadelphia: Elsevier;2006.
2. Zwink et al. Parental risk factors and anorectal malformations: systematic review and meta-analysis. Orphanet Journal of Rare Diseases. 2011; No. 6:25.
3. Shahjahan, M. Anomalies Associated with Ano Rectal Malformation: Experience in Dhaka Shishu (Children) Hospital. Faridpur Med. Coll. J. 2015; No. 10 (1):23-25
4. A, Mittal. Associated anomalies with anorectal malformation (ARM). Indian J Pediatr. 2011; Jun;71 (6):509-14.
5. Gopal, Girish. VACTERL association in the newborn. Indian J.Pharm.Biol. 2014; Res No. 2 (2):96-99.
6. Kumar, A. Anorectal Malformation and Their Impact on Survival. New Delhi: Indian Journal of Pediatrics; 2005.
7. Rintala, Risto J. Results Following Treatment of Anorectal Malformations. In: Anorectal Malformations in Children. Berlin: Springer; 2006.
8. Statovci, Sedji. Associated Anomalies In Children With Anorectal Malformations. Kosova: Clinic Of Pediatric SurgeryUniverstiy Clinical Centre; 2015
9. Bhargava, Pranshu. Anorectal Malformation in Children. Indian J Pediatr. 2006; Jul;11 (3): 136-139.
10. Ademuyiwa, A.O. Determinants of mortality in neonatal intestinal obstruction in Ile Ife, Nigeria. African Journal of Paediatric Surgery. 2009; Januari-Juni:6 (1):11-13
11. Derbew M, Levitt MA. Newborn anorectal malformation. CME J African Surg. 2009 Jun 06: 5.h.1-7
<http://www.ptolemy.ca/members/current/Newborn%20Anorectal%20Malformations/> [diakses 26 Juni 2022]
12. Solomon BD. VACTERL/VATER association. Orphanet J Rare Dis. 2011 Aug 16;6:56. doi: 10.1186/1750-1172-6-56.



adler TW. Langman's Medical Embryology. 12th ed. New York: Lippincott Williams & Wilkins; 2012. h.245.

14. Effendi SH, Indrasanto E. Neonatologi. Jakarta: Ikatan Dokter Anak Indonesia; 2008. h.11-29
15. Pena A, Levitt MA. Anorectal malformation. Orphanet J Rare Dis. 2007;2(1). doi: 10.1186/1750-1172-2-33.
16. Kim HLN, Gow KW, Penner JG, Blair GK, Murphy JJ, Webber EM. Presentation of Low Anorectal Malformations Beyond the Neonatal Period. American J Pediatric. 2000 May 01. doi: 10.1542/peds.105.5.e68
17. Theodorus, D S. Laporan kasus SMF/Bagian Ilmu Radiologi. Universitas NusaCendana. Kupang; 2018
18. Soetikno, DR. Radiologi Emergensi. PT Refika Aditama. Bandung. 2011. Hal 288.
19. Gangopadhyay AN, Pandey V. Anorectal malformations. Journal of Indian Association of Pediatric Surgeons. 2015;20(1):10-5. 5.
20. Wakhlu AK. Management of Congenital Anorectal Malformation. Pediatric Surgery. 1995;32.
21. Sjamsuhidajat R., Jong W. D., Bab 35 Usus halus, apendiks, kolon dan anorektum, Buku Ajar Ilmu Bedah. Edisi ke-2. Penerbit Buku Kedokteran ECG. Jakarta. 2004. 664-670p
22. Van der Steeg HJ, Schmiedeke E, Bagolan P, et al. European consensus meeting of ARM-Net members concerning diagnosis and early management of newborns with anorectal malformations. Tech Coloproctol 2015; 19:181–185
23. Narasimharao KL, Prasad GR, Katariya S, Yadav K, Mitra SK, Pathak IC. Prone cross-table lateral view: an alternative to the invertogram in imperforate anus. AJR Am J Roentgenol 1983; 140:227–229.
24. Min Ju Kim. Transrectal Ultrasonography of Anorectal Diseases: Advantages and Disadvantages. Korea: Korean Society of Ultrasound in Medicine (KSUM).2015.
25. Hasokawa, T. Comparison of Diagnostic Accuracy for the Low-Type Imperforate Anus Between Prone Cross-Table Radiography and Ultrasonography. Journal of Ultrasound in Medicine Volume 36, Issue 8 p. 1679-1686.



26. Rob & Smith's: Prenatal Diagnosis and Neonatal Management of Anorectal Malformation- A Case Report, Prague Medical Report, Vol 110 (2009) no.3,p 255-260.
27. Kim MD, Tae il Han. Transperineal Ultrasonography in Imperforate Anus, J ultrasound Med 19:211-216,2000
28. Rintala RJ: Congenital Anorectal Malformations, Anything New?, Journal of Pediatric Gastroenterology and Nutrition ; 2009 : 79-82.
29. Arnold G. Coran;Anorectal malformation., Pediatric Surgery, seventh edition ; Chapter 103; 2012 : 1289-1309.
30. Murphy F, Hutson JM. Incidence and Frequency of Different Types and Classification of Anorectal Malformation. Journal Springer. 2006 [diunduh 2 Februari 2022]; 163-180. Tersedia dari URL : <http://link.springer.com>
31. Hans P Haber, Guido Seitz. Transperineal sonography for determination of the type of imperforate anus. AJR; 189 : Desember 2007




LAMPIRAN









Lampiran 1 : Pemeriksaan X ray Prone Crosstable view









Lampiran 2 : Pemeriksaan ultrasonografi transperineal dengan pasien yang sama dengan lampiran 1








Lampiran 3. Data Subjek Penelitian

No	NAMA	NO. RM	JENIS KELAMIN	USIA	LETAK MALFORMASI		HASIL OPERASI	
					X-RAY	USG		
1.	By. Sy	923047	1	1	1 (1.49 cm)	1 (1.37 cm)	2	
2.	By. In	979444	2	2	1 (3.97 cm)	1 (1.69 cm)	2	
3.	By. Kh	973115	1	1	1 (1.1 cm)	1 (1.1 cm)	2	
4.	By. Lis	998442	2	2	1 (2.8 cm)	1 (1.4 cm)	2	
5.	By. Sar	985711	2	1	1 (2.17 cm)	1 (1.9 cm)	2	
6.	By. Su	998080	1	2	1 (3.8 cm)	1 (3.5 cm)	2	
7.	By. An	976980	2	1	2 (0.7 cm)	2 (1 cm)	1	
8.	By. Ny	995188	1	1	1 (2.4 cm)	1 (2.2 cm)	1	
9.	By. De	992997	2	1	1 (2.0 cm)	1 (1.5 cm)	2	
10.	By. Mi	969444	2	1	2 (0.9 cm)	2 (0.8 cm)	1	
		1021883	1	1	1 (3.7 cm)	1 (3.6 cm)	2	



12.	By. Na	1004935	1	1	1 (4.3 cm)	1 (3.9 cm)	2	
13.	By. Ai	1026892	2	2	1 (3.6 cm)	1 (3.1 cm)	2	
14.	By. At	1026276	1	1	2 (1 cm)	2 (1.0 cm)	1	
15	By. Mu	1023110	1	2	1 (1.8 cm)	1 (1.5 cm)	2	
16.	By. San	1022869	1	1	1 (1.7 cm)	1 (1.6 cm)	2	
17.	By. As	1028886	1	1	1 (2.2 cm)	1 (2.1 cm)	2	
18.	By. He	1025939	1	1	1 (2.4 cm)	1 (2.1 cm)	2	
19.	By. No	1019942	1	1	1 (5.2 cm)	1 (4.8 cm)	2	
20.	By. Mag	1025510	1	1	1 (3.3 cm)	1 (3.5 cm)	2	
21.	By. AC	1009986	1	1	1 (3.8 cm)	1 (3.1 cm)	2	
22.	By. Dm	997417	1	1	2 (0.9 cm)	2 (0.8 cm)	1	
		1033006	2	1	1 (3.3 cm)	1 (3.2 cm)	2	



24.	By. Af	912628	2	2	1 (2.5 cm)	1 (2.02 cm)	2	
25.	By. Ms	947750	1	1	1 (3.5 cm)	1 (3.0 cm)	2	
26.	By. Ra	977243	1	1	1 (2.0 cm)	1 (1.8 cm)	2	
27.	By. Ny	968089	2	1	1 (5.1 cm)	1 (3.2 cm)	2	
28.	By. Us	206462	2	1	1 (5.7 cm)	1 (3.4 cm)	2	
29.	By. Hh	933951	1	1	2 (0.84 cm)	2 (0.8 cm)	1	
30.	By. Hi	927692	2	2	1 (4.3 cm)	1 (3.8 cm)	2	
31.	By. Rm	926860	2	1	1 (2.5 cm)	1 (2.3 cm)	2	
32.	By. Ma	930801	1	1	1 (3.12 cm)	1 (2.5 cm)	2	
33.	By. Ti	928103	2	1	1 (2.9 cm)	1 (2.6 cm)	2	
34.	By. Su	1026892	2	2	1 (2.4 cm)	1 (2.2 cm)	2	
35.	By. Kar	970921	2	1	2 (0.97 cm)	2 (0.7 cm)	1	



Lampiran 4. Hasil output SPSS

Hasil Analisis Deskriptif

JENIS_KELAMIN					
		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	Laki-Laki	19	54.3	54.3	54.3
	Perempuan	16	45.7	45.7	100.0
	Total	35	100.0	100.0	

USIA					
		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	0-3	28	80.0	80.0	80.0
	4-6	7	20.0	20.0	100.0
Total		35	100.00	100.00	

KATEGORI_LETAK_MALFORMASI_X_RAY					
		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	Letak tinggi	29	82.9	82.9	82.9
	Letak rendah	6	17.1	17.1	100.0
	Total	35	100.0	100.0	

KATEGORI_LETAK_MALFORMASI_USG					
		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	Letak tinggi	29	82.9	82.9	82.9
	Letak rendah	6	17.1	17.1	100.0
	Total	35	100.0	100.0	




HASIL_OPERASI					
		Frequenc y	Percent	Valid Percent	Cumulative Percent
Valid	PSARP	7	20.0	20.0	20.0
	COLOSTOM Y	28	80.0	80.0	100.0
	Total	35	100.0	100.0	

Descriptive Statistics					
	N	Minimum	Maximum	Mean	Std. Deviation
NILAI_LETAK_MALFO RMASI_X_RAY	35	.70	5.70	2.7186	1.35730
NILAI_LETAK_MALFO RMASI_USG	35	.70	4.80	2.2737	1.08494
Valid N (listwise)	35				



Hasil Analisis ROC

X Ray



Diagonal segments are produced by ties.

Hasil Analisis Crosstab

Crosstab

			HASIL_OPERASI		Total
			PSARP	COLOSTOMY	
KATEGORI_LETAK_MALFORMASI_X_RAY	Letak tinggi	Count	0	29	29
		% within HASIL_OPERASI	0.0%	100.0%	82.9%
	Letak rendah	Count	6	0	6
		% within HASIL_OPERASI	100.0%	0.0%	17.1%
		Count	6	29	35
		% within HASIL_OPERASI	100.0%	100.0%	100.0%



Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	35.000 ^a	1	.000		
Continuity Correction ^b	28.314	1	.000		
Likelihood Ratio	32.070	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	34.000	1	.000		
N of Valid Cases	35				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 1.03.

b. Computed only for a 2x2 table

Crosstab

			HASIL_OPERASI		Total
			PSARP	COLOSTO MY	
KATEGORI_LETAK_MALFORMASI_USG	Letak tinggi	Count	0	29	29
		% within HASIL_OPERASI	0.0%	100.0%	82.9%
	Letak rendah	Count	6	0	6
		% within HASIL_OPERASI	100.0%	0.0%	17.1%
Total		Count	6	29	35
		% within HASIL_OPERASI	100.0%	100.0%	100.0%



Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	35.000 ^a	1	.000		
Continuity Correction ^b	28.314	1	.000		
Likelihood Ratio	32.070	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	34.000	1	.000		
N of Valid Cases	35				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 1.03.

b. Computed only for a 2x2 table

Hasil Uji Normalitas

Tests of Normality						
	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
NILAI_LETAK_MALFO RMASI_X_RAY	.107	35	.200*	.960	35	.224
NILAI_LETAK_MALFO RMASI_USG	.099	35	.200*	.952	35	.133

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Independent T Test



Group Statistics

	Metode	N	Mean	Std. Deviation	Std. Error Mean
Letak_MALFORMAS	X-Ray	35	2.7186	1.35730	.22943
I	USG	35	2.2737	1.08494	.18339

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
Letak_MALFORMASI	Equal variances assumed	1.890	.174	1.515	68	.135	.44486	.29371	- .14124	1.03095
	Equal variances not assumed			1.515	64.853	.135	.44486	.29371	- .14175	1.03147

Metode * Kategori Crosstabulation



			Kategori		Total
			Letak Tinggi	Letak Rendah	
Metode	X-Ray	Count	29	6	35
		% within Kategori	50.0%	50.0%	50.0%
	USG	Count	29	6	35



	% within Kategori	50.0%	50.0%	50.0%
Total	Count	58	12	70
	% within Kategori	100.0%	100.0%	100.0%

Chi-Square Tests


	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.000 ^a	1	1.000		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.000	1	1.000		
Fisher's Exact Test				1.000	.624
Linear-by-Linear Association	.000	1	1.000		
N of Valid Cases	70				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.00.

b. Computed only for a 2x2 table



Lampiran 5. Rekomendasi persetujuan etik



REKOMENDASI PERSETUJUAN ETIK

Nomor : 447/UN4.6.4.5.31/ PP36/ 2023

Tanggal: 3 Juli 2023

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH23050322	No Sponsor	
Peneliti Utama	dr. Muhammad Fadhil	Sponsor	
Judul Peneliti	PERBANDINGAN AKURASI DIAGNOSTIK X-RAY PRONE CROSS-TABLE LATERAL VIEW DENGAN ULTRASONOGRAFI TRANSPERINEAL DALAM MENENTUKAN LETAK MALFORMASI ANOREKTAL		
No Versi Protokol	1	Tanggal Versi	21 Mei 2023
No Versi PSP	1	Tanggal Versi	21 Mei 2023
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 3 Juli 2023 sampai 3 Juli 2024	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agusallim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



LAMPIRAN 6.

CURIKULUM VITAE

INFORMASI PERSONAL

Nama lengkap : Muhammad Fadhil

Nama panggilan : Fadhil

Tempat, tanggal lahir : Karawang, 02 Februari 1985

Status : Menikah

Alamat : Tanjung Kumbik, RT/RW 003/001, Kel/Desa Pulau Tiga, Kec. Pulau Tiga Barat, Kab. Natuna

Ponsel : 081396811106

Email : dr_dhiel@yahoo.co.id

Golongan darah : 0

Hobi : Berkebun dan memancing

Moto hidup : Senyumkan saja

RIWAYAT PENDIDIKAN

Tingkat Pendidikan	Nama Sekolah	Lulus Tahun
TK	TK Sukaseuri	1991
SD	SD Sukaseuri	1997
	SMPN I Cikampek	2000
	SMUN I Cikampek	2003



Sarjana (S1) Pendidikan Dokter Umum	Fakultas Kedokteran Univ. MALAHAYATI	2008
Program Pendidikan Profesi Dokter	Fakultas Kedokteran Univ. MALAHAYATI	2011

PENGALAMAN ORGANISASI

Nama Organisasi	Tingkat	Jabatan	Tahun
BEM Kedokteran UMUM	Fakultas	Anggota	2005
IDI	Kabupaten	Ketua HUMAS	2018 s/d skrng

RIWAYAT PEKERJAAN

1. Dokter UGD RS Puri Asih, Cikampek, Jawa Barat, 2011
2. Dokter RS Sentral Medika Cikampek, Jawa Barat, 2012
3. Dokter Keluarga Pulau Tiga, Natuna, 2012-2013
4. Dokter Keluarga Kec. Kelarik, Natuna, 2013-2014
5. Kepala UPTD Puskesmas Pulau Tiga, Natuna, 2015-2016
6. Kepala UPT Puskesmas PulauTiga Barat, Natuna, 2017-2019
7. Kepala UPT Puskesmas Pulau Tiga, Natuna, 2019 s/d 2020

MAKALAH PADA SEMINAR/KONFERENS ILMIAH NASIONAL

“Klippel Trenaunay weber syndrome in newborns”, dibawakan pada acara PIT PSRII 10th annual scientific meeting the Indonesian society of interventional radiology; Hepatobiliary Update in Interventional Radiology, 09-10 September

