

DAFTAR PUSTAKA

1. Unger T, Borghi C, Charchar F, *et al.* 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension*. 2020;75(6):1334-1357. doi:10.1161/HYPERTENSIONAHA.120.15026
2. Indonesia KKR. *Hasil Utama Riset Kesehatan Dasar*.; 2018.
3. Quinn AE, Ronksley PE, Bresee L, *et al.* Antihypertensive Prescribing for Uncomplicated, Incident Hypertension: Opportunities for Cost Savings. *CJC Open*. 2021;3(6):703-713. doi:10.1016/j.cjco.2020.12.026
4. National High Blood Pressure Education Program. The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *US Dep Heal Hum Serv*. Published online 2004.
5. Muiesan ML, Salvetti M, Monteduro C, *et al.* Left Ventricular Concentric Geometry during Treatment Adversely Affects Cardiovascular Prognosis in Hypertensive Patients. *Hypertension*. 2004;43(4):731-738. doi:10.1161/01.HYP.0000121223.44837.de
6. Truong QA, Ptaszek LM, Charipar EM, *et al.* Performance of electrocardiographic criteria for left ventricular hypertrophy as compared with cardiac computed tomography: From the Rule Out Myocardial Infarction Using Computer Assisted Tomography trial. *J Hypertens*. 2010;28(9):1959-1967. doi:10.1097/HJH.0b013e32833b49cb
7. Romhilt DW, Estes EH. A point-score system for the ECG diagnosis of left ventricular hypertrophy. *Am Heart J*. 1968;75(6):752-758. doi:10.1016/0002-8703(68)90035-5
8. Estes EH, Zhang ZM, Li Y, Tereschenko LG, Soliman EZ. The Romhilt-Estes left ventricular hypertrophy score and its components predict all-cause mortality in the general population. *Am Heart J*. 2015;170(1):104-109. doi:10.1016/j.ahj.2015.04.004
9. Cuspidi C, Sala C, Negri F, Mancina G, Morganti A. Prevalence of left-ventricular hypertrophy in hypertension: An updated review of echocardiographic studies. *Hypertens*. 2012;26(6):343-349. doi:10.1038/jhh.2011.104



10. Pardaens K, Staessen JA, Thijs L. The pulse pressure-to-stroke ratio predicts cardiovascular events and death in uncomplicated hypertension. *J Am Coll Cardiol*. 2001;38(1):227-231. doi:10.1016/S0735-

1097(01)01362-6

11. Arterial hypertension. Report of a WHO expert committee. *World Heal Organ - Tech Rep Ser.* 1978;(628):7-56.
12. Sarnak MJ, Levey AS, Schoolwerth AC, *et al.* Kidney Disease as a Risk Factor for Development of Cardiovascular Disease: A Statement From the American Heart Association Councils on Kidney in Cardiovascular Disease, High Blood Pressure Research, Clinical Cardiology, and Epidemiology and Prevention. *Circulation.* 2003;108(17):2154-2169. doi:10.1161/01.CIR.0000095676.90936.80
13. Birnbaum Y. Left ventricular hypertrophy. *Harefuah.* 1995;128(7):452-457. doi:10.1097/hjh.0b013e328349de43
14. Katholi RE, Couri DM. Left ventricular hypertrophy: Major risk factor in patients with hypertension: Update and practical clinical applications. *Int J Hypertens.* 2011;2011. doi:10.4061/2011/495349
15. Barbieri A, Bursi F, Mantovani F, *et al.* Left ventricular hypertrophy reclassification and death: Application of the Recommendation of the American Society of Echocardiography/ European Association of Echocardiography. *Eur Heart J Cardiovasc Imaging.* 2012;13(1):109-117. doi:10.1093/ejechocard/jer176
16. Kannel W, Cobb J. Left ventricular hypertrophy and mortality: result from the Framingham Study. *Cardiology.* 1992;81(4-5):291-298.
17. Riskesdas. *Laporan Provinsi Sulawesi Selatan Riskesdas 2018.* Vol 110.; 2018. <http://ejournal2.litbang.kemkes.go.id/index.php/lpb/article/view/3658>
18. Frey N, Katus HA, Olson EN, Hill JA. Hypertrophy of the Heart: A New Therapeutic Target? *Circulation.* 2004;109(13):1580-1589. doi:10.1161/01.CIR.0000120390.68287.BB
19. Kehat I, Molkentin JD. Molecular pathways underlying cardiac remodeling during pathophysiological stimulation. *Circulation.* 2010;122(25):2727-2735. doi:10.1161/CIRCULATIONAHA.110.942268
20. Gjesdal O, Bluemke DA, Lima JA. Cardiac remodeling at the population levels, screening, and outcomes. *Nat Rev Cardiol.* 2011;8(12):673-685. doi:10.1016/j.nrcardio.2011.154
21. D, Incerpi EK. Factors and mechanisms involved in left ventricular hypertrophy and the anti-hypertrophic role of nitric oxide. *Arq Bras Cardiol.*



- 2008;90(6):443-450. doi:10.1590/S0066-782X2008000600010
22. Yildiz M, Oktay AA, Stewart MH, Milani R V., Ventura HO, Lavie CJ. Left ventricular hypertrophy and hypertension. *Prog Cardiovasc Dis.* 2020;63(1):10-21. doi:10.1016/j.pcad.2019.11.009
 23. Miceli F, Presta V, Citoni B, *et al.* Conventional and new electrocardiographic criteria for hypertension-mediated cardiac organ damage: A narrative review. *J Clin Hypertens.* 2019;21(12):1863-1871. doi:10.1111/jch.13726
 24. Nalin B, Mbbs S. Normal reference range values in adult echocardiography : Further evidence that race matters. *Indian Heart J.* 2016;68(6):758-759. doi:10.1016/j.ihj.2016.04.004
 25. Marwick TH, Gillebert TC, Aurigemma G, *et al.* Recommendations on the Use of Echocardiography in Adult Hypertension: A Report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE). *J Am Soc Echocardiogr.* 2015;28(7):727-754. doi:10.1016/j.echo.2015.05.002
 26. Ha LD, Elbadawi A, Froelicher VF. Clinical Implications of the Limited Relationship of Voltage Criteria for Electrocardiogram Left Ventricular Hypertrophy to Cardiovascular Mortality. *Am J Med.* 2018;131(1):101.e1-101.e8. doi:10.1016/j.amjmed.2017.06.041
 27. Darouian N, Aro AL, Narayanan K, *et al.* The Romhilt-Estes electrocardiographic score predicts sudden cardiac arrest independent of left ventricular mass and ejection fraction. *Ann Noninvasive Electrocardiol.* 2017;22(4):1-7. doi:10.1111/anec.12424
 28. Kimothi V, Dhariyal RS, Singh S. a Review on Cardiac Remodelling. *Res Pharm Heal Sci.* 2019;05(02):135-141. doi:10.32463/rphs.2019.v05i02.03
 29. Nadruz W. Myocardial remodeling in hypertension. 2014;29(1):1-6. doi:10.1038/jhh.2014.36
 30. Dávila DF, Donis JH, Odreman R, Gonzalez M, Landaeta A. Patterns of left ventricular hypertrophy in essential hypertension : Should echocardiography guide the pharmacological treatment ? 2008;124:134-138. doi:10.1016/j.ijcard.2007.01.089
 31. i S, Yan Y, *et al.* Blood Pressure and Left Ventricular Geometric A Directionality Analysis. *Hypertension.* 2021;(November):1259-1267. doi:10.1161/HYPERTENSIONAHA.121.18035



32. Kahan T, Bergfeldt L. Left ventricular hypertrophy in hypertension: Its arrhythmogenic potential. *Heart*. 2005;91(2):250-256. doi:10.1136/hrt.2004.042473
33. Pewsner D, Jüni P, Egger M, Battaglia M, Sundström J, Bachmann LM. Accuracy of electrocardiography in diagnosis of left ventricular hypertrophy in arterial hypertension: Systematic review. *Br Med J*. 2007;335(7622):711-714. doi:10.1136/bmj.39276.636354.AE
34. Altaweel RB, Radhi MA. Assessment of Left Ventricular Hypertrophy (LVH) Criteria by Surface Electrocardiography in a Sample of Iraqi Patients with Systemic Arterial Hypertension. *Med Arch (Sarajevo, Bosnia Herzegovina)*. 2020;74(6):428-432. doi:10.5455/medarh.2020.74.428-432
35. Drazner MH, Dries DL, Peshock RM, *et al*. Left ventricular hypertrophy is more prevalent in blacks than whites in the general population: The Dallas heart study. *Hypertension*. 2005;46(1):124-129. doi:10.1161/01.HYP.0000169972.96201.8e
36. Chahal NS, Lim TK, Jain P, Chambers JC, Kooner JS, Senior R. Ethnicity-related differences in left ventricular function , structure and geometry : a population study of UK Indian Asian and European white subjects. *Heart*. 2010;96:466-472. doi:10.1136/hrt.2009.173153
37. Chapman JN, Mayet J, Chang CL, Foale RA, Thom SAMG, Poulter NR. Ethnic differences in the identification of left ventricular hypertrophy in the hypertensive patient. *Am J Hypertens*. 1999;12(5):437-442. doi:10.1016/S0895-7061(99)00027-8
38. Indonesia BPS. Indonesia's Statistic 2010. Badan Pusat Statistik Indonesia.
39. Ananta A, Arifin EN, Hasbullah MS, Handayani NB, Pramono A. *Demography of Indonesia's Ethnicity*. First Edit. Institute of Southeast Asian Study; 2015.
40. Buchner S, Debl K, Haimerl J, *et al*. Electrocardiographic diagnosis of left ventricular hypertrophy in aortic valve disease: Evaluation of ECG criteria by cardiovascular magnetic resonance. *J Cardiovasc Magn Reson*. 2009;11(1):1-11. doi:10.1186/1532-429X-11-18
41. Bayram N, Akoğlu H, Sanrı E, *et al*. Diagnostic Accuracy of the diography Criteria for Left Ventricular Hypertrophy (Cornell Voltage okolow-Lyon Index, Romhilt-Estes, and Peguero-Lo Presti Criteria) I to Transthoracic Echocardiography. *Cureus*. 2021;13(3):3-9. doi:10.7755/cureus.13883



42. Hamed M, Dasari G, Casale JA, Kaur N, Karl M. The Use of Romhilt-Estes Criteria in the Presumptive Electrocardiographic Diagnosis of Left Ventricular Hypertrophy in Comparison to Voltage-Based Criteria. *Cureus*. 2022;14(8):12-16. doi:10.7759/cureus.28003
43. Molloy TJ, Okin PM, Devereux RB, Kligfield P. Electrocardiographic detection of left ventricular hypertrophy by the simple QRS voltage-duration product. *J Am Coll Cardiol*. 1992;20(5):1180-1186. doi:10.1016/0735-1097(92)90376-X
44. Budhwani N, Patel S, Dwyer EM. Electrocardiographic diagnosis of left ventricular hypertrophy: The effect of left ventricular wall thickness, size, and mass on the specific criteria for left ventricular hypertrophy. *Am Heart J*. 2005;149(4):709-714. doi:10.1016/j.ahj.2004.07.040
45. Boles U, Almontaser I, Brown A, Murphy RRT, Mahmud A, Feely J. Ventricular activation time as a marker for diastolic dysfunction in early hypertension. *Am J Hypertens*. 2010;23(7):781-785. doi:10.1038/ajh.2010.58
46. Kannel WB, Gordon T, Castelli WP, Margolis JR. Electrocardiographic Left Ventricular Hypertrophy and Risk of Coronary Heart Disease. The Framingham Study. *Ann*. 1970;72(6):813-822.
47. Larsen CT, Dahlin J, Blackburn H, *et al*. Prevalence and prognosis of electrocardiographic left ventricular hypertrophy, ST segment depression and negative T-wave: The Copenhagen City Heart Study. *Eur Heart J*. 2002;23(4):315-324. doi:10.1053/euhj.2001.2774
48. de la Garza-Salazar F, Romero-Ibarguengoitia ME, Rodriguez-Diaz EA, Azpiri-Lopez JR, González-Cantu A. Improvement of electrocardiographic diagnostic accuracy of left ventricular hypertrophy using a Machine Learning approach. *PLoS One*. 2020;15(5):1-14. doi:10.1371/journal.pone.0232657

