

DAFTAR PUSTAKA

- Ahmed, Y.W., Loukanov, A., Tsai, H., 2024. State-of-the-Art Synthesis of Porous Polymer Materials and Their Several Fantastic Biomedical Applications: a Review. *Adv. Healthc. Mater.* 2403743. <https://doi.org/10.1002/adhm.202403743>
- Almeida, A., Claeys, B., Remon, J.P., Vervaet, C., 2012. Hot-Melt Extrusion Developments in the Pharmaceutical Industry, in: Douroumis, D. (Ed.), *Hot-Melt Extrusion: Pharmaceutical Applications*. Wiley, pp. 43–69. <https://doi.org/10.1002/9780470711415.ch3>
- Ashour, E.A., Majumdar, S., Alsheteli, A., Alshehri, S., Alsulays, B., Feng, X., Gryczke, A., Kolter, K., Langley, N., Repka, M.A., 2016. Hot melt extrusion as an approach to improve solubility, permeability and oral absorption of a psychoactive natural product, piperine. *J. Pharm. Pharmacol.* 68, 989–998. <https://doi.org/10.1111/jphp.12579>
- Auriemma, G., Tommasino, C., Falcone, G., Esposito, T., Sardo, C., Aquino, R.P., 2022. Additive Manufacturing Strategies for Personalized Drug Delivery Systems and Medical Devices: Fused Filament Fabrication and Semi Solid Extrusion. *Molecules* 27, 2784. <https://doi.org/10.3390/molecules27092784>
- Bahr, M.N., Modi, D., Patel, S., Campbell, G., Stockdale, G., 2019. Understanding the Role of Sodium Lauryl Sulfate on the Biorelevant Solubility of a Combination of Poorly Water-Soluble Drugs Using High Throughput Experimentation and Mechanistic Absorption Modeling. *J. Pharm. Pharm. Sci.* 22, 221–246. <https://doi.org/10.18433/jpps30347>
- Basa, B., Jakab, G., Kállai-Szabó, N., Borbás, B., Fülöp, V., Balogh, E., Antal, I., 2021. Evaluation of Biodegradable PVA-Based 3D Printed Carriers during Dissolution. *Materials* 14, 1350. <https://doi.org/10.3390/ma14061350>
- Bianchi, M., Pegoretti, A., Fredi, G., 2023. An overview of poly(vinyl alcohol) and poly(vinyl pyrrolidone) in pharmaceutical additive manufacturing. *J. Vinyl Addit. Technol.* 29, 223–239. <https://doi.org/10.1002/vnl.21982>
- Brnčić, M., Tripalo, B., Ježek, D., Semenski, D., Drvar, N., Ukrainczyk, M., 2006. Effect of twin-screw extrusion parameters on mechanical hardness of direct-expanded extrudates. *Sadhana* 31, 527–536. <https://doi.org/10.1007/BF02715911>



g, X., 2003. Relationships between the molecular structure and option and moisture-retention abilities of carboxymethyl rbohydr. *Res.* 338, 333–340. <https://doi.org/10.1016/S0008-32-7>

- Couți, N., Porfire, A., Iovanov, R., Crișan, A.G., Iurian, S., Casian, T., Tomuță, I., 2024. Polyvinyl Alcohol, a Versatile Excipient for Pharmaceutical 3D Printing. *Polymers* 16, 517. <https://doi.org/10.3390/polym16040517>
- Dores, F., Kuźmińska, M., Soares, C., Bohus, M., A Shervington, L., Habashy, R., Pereira, B.C., Peak, M., Isreb, A., Alhnan, M.A., 2020. Temperature and solvent facilitated extrusion based 3D printing for pharmaceuticals. *Eur. J. Pharm. Sci.* 152, 105430. <https://doi.org/10.1016/j.ejps.2020.105430>
- Edisbury, J.R., 1966. Differential and Additive Absorption Spectrometry, in: *Practical Hints on Absorption Spectrometry*. Springer US, Boston, MA, pp. 165–169. https://doi.org/10.1007/978-1-4899-6401-4_13
- Elena O., B., Maria N., A., Michael S., Z., Natalia B., D., Alexander I., B., Ivan I., K., 2022. DERMATOLOGIC GELS SPREADABILITY MEASURING METHODS COMPARATIVE STUDY. *Int. J. Appl. Pharm.* 164–168. <https://doi.org/10.22159/ijap.2022v14i1.41267>
- Gahlawat, P., Sen, C., Das, M., 2015. Effect of Molecular Weight of Polyvinyl Alcohol on Properties of Starch Film Cross-linked with Glutaraldehyde. *J. Agric. Eng. Food Technol.* 2, 12–16.
- Himawan, A., Anjani, Q.K., Detamornrat, U., Vora, L.K., Permana, A.D., Ghanma, R., Naser, Y., Rahmawanty, D., Scott, C.J., Donnelly, R.F., 2023. Multifunctional low temperature-cured PVA/PVP/citric acid-based hydrogel forming microarray patches: Physicochemical characteristics and hydrophilic drug interaction. *Eur. Polym. J.* 186, 111836. <https://doi.org/10.1016/j.eurpolymj.2023.111836>
- Hoshino, T., Azuma, M., Yamada, Y., Titapiwatanakun, V., Yoshimura Fujii, M., Yamamoto, Y., Koide, T., Fukami, T., 2019. Measurement of the Water Content in Semi-solid Formulations Used to Treat Pressure Ulcers and Evaluation of Their Water Absorption Characteristics. *Chem. Pharm. Bull. (Tokyo)* 67, 929–934. <https://doi.org/10.1248/cpb.c18-00746>
- Ilieva, S., Georgieva, D., Petkova, V., Dimitrov, M., 2023. Study and Characterization of Polyvinyl Alcohol-Based Formulations for 3D Printlets Obtained via Fused Deposition Modeling. *Pharmaceutics* 15, 1867. <https://doi.org/10.3390/pharmaceutics15071867>

Infrared Spectroscopy Absorption Table, n.d. . *Libr. Chem.*



Optimized using
trial version
www.balesio.com

I., Lechanteur, A., Evrard, B., 2020. Three-dimensional printing is a promising tool in bioavailability enhancement of poorly soluble molecules: A review. *Int. J. Pharm.* 580, 119200. <https://doi.org/10.1016/j.ijpharm.2020.119200>

P.D., Mehta, C.H., Tanvi, K., Rathnanand, M., 2023. In Silico Study of Drug-Drug Cococrystals of Ibrutinib: A Strategy to Enhance Their Solubility Profiles and Oral

Bioavailability. AAPS PharmSciTech 24, 164.
<https://doi.org/10.1208/s12249-023-02621-9>

Khairuddin, Pramono, E., Utomo, S.B., Wulandari, V., Zahrotul W, A., Clegg, F., 2016. FTIR studies on the effect of concentration of polyethylene glycol on polymerization of Shellac. J. Phys. Conf. Ser. 776, 012053.
<https://doi.org/10.1088/1742-6596/776/1/012053>

Langner, M.D., Maibach, H.I., 2009. Many common drugs in dermatology are light, temperature, or moisture-sensitive. Skin Ther. Lett. 14, 3–5.

Lenhart, J., Pöstges, F., Wagner, K.G., Lunter, D.J., 2024. Evaluation of Printability of PVA-Based Tablets from Powder and Assessment of Critical Rheological Parameters. Pharmaceutics 16, 553.
<https://doi.org/10.3390/pharmaceutics16040553>

Li, Q., Wen, H., Jia, D., Guan, X., Pan, H., Yang, Y., Yu, S., Zhu, Z., Xiang, R., Pan, W., 2017. Preparation and investigation of controlled-release glipizide novel oral device with three-dimensional printing. Int. J. Pharm. 525, 5–11.
<https://doi.org/10.1016/j.ijpharm.2017.03.066>

Lofsson, T., Brewster, M.E., 2010. Pharmaceutical applications of cyclodextrins: basic science and product development. J. Pharm. Pharmacol. 62, 1607–1621. <https://doi.org/10.1111/j.2042-7158.2010.01030.x>

Lu, H., Tang, H., Wang, M., Li, X., Zhang, L., Wang, Q., Zhao, Y., Zhao, F., Liao, J., 2021. Pore Structure Characteristics and Permeability Prediction Model in a Cretaceous Carbonate Reservoir, North Persian Gulf Basin. Geofluids 2021, 1–19. <https://doi.org/10.1155/2021/8876679>

Mohammed, A.A., Algahtani, M.S., Ahmad, M.Z., Ahmad, J., 2021. Optimization of semisolid extrusion (pressure-assisted microsyringe)-based 3D printing process for advanced drug delivery application. Ann. 3D Print. Med. 2, 100008. <https://doi.org/10.1016/j.stlm.2021.100008>

Mora-Castaño, G., Domínguez-Robles, J., Himawan, A., Millán-Jiménez, M., Caraballo, I., 2024. Current trends in 3D printed gastroretentive floating drug delivery systems: A comprehensive review. Int. J. Pharm. 663, 124543. <https://doi.org/10.1016/j.ijpharm.2024.124543>

Price, D.J., Kipping, T., Lubda, M., Gallo, N.D., Lamrabet, N., Elia, A.-G., n.d. Enhancing the Solubility of Active Pharmaceutical Ingredients Using Hot Water and Polyvinyl Alcohol. White Pap.



ayati, M., Fajaria, A., 2024. The influence of polyvinyl alcohol toward conductivity and permeability of chitosan -ite composite membrane. J. Serbian Chem. Soc. 89, 399–413. <https://doi.org/10.2298/JSC230919016R>

- Rao, M., Mandage, Y., Thanki, K., Bhise, S., 2010. Dissolution Improvement of Simvastatin by Surface Solid Dispersion Technology. *Dissolution Technol.* 17, 27–34. <https://doi.org/10.14227/DT170210P27>
- Seuba, J., Deville, S., Guizard, C., Stevenson, A.J., 2016. Mechanical properties and failure behavior of unidirectional porous ceramics. *Sci. Rep.* 6, 24326. <https://doi.org/10.1038/srep24326>
- Siepmann, J., Siepmann, F., 2020. Sink conditions do not guarantee the absence of saturation effects. *Int. J. Pharm.* 577, 119009. <https://doi.org/10.1016/j.ijpharm.2019.119009>
- Silva, E.L.D., Reis, C.A., Vieira, H.C., Santos, J.X.D., Nisgoski, S., Saul, C.K., Muñiz, G.I.B.D., 2020. EVALUATION OF POLY(VINYL ALCOHOL) ADDITION EFFECT ON NANOFIBRILLATED CELLULOSE FILMS CHARACTERISTICS. *CERNE* 26, 1–8. <https://doi.org/10.1590/01047760202026012654>
- Sjöholm, E., Mathiyalagan, R., Rajan Prakash, D., Lindfors, L., Wang, Q., Wang, X., Ojala, S., Sandler, N., 2020. 3D-Printed Veterinary Dosage Forms—A Comparative Study of Three Semi-Solid Extrusion 3D Printers. *Pharmaceutics* 12, 1239. <https://doi.org/10.3390/pharmaceutics12121239>
- Taleuzzaman, M., 2017. UV – Visible Spectroscopic Studies- How to Overcome Interferences During Analysis? *Chron. Pharm. Sci.* 1, 118–119.
- Tambe, S., Jain, D., Meruva, S.K., Rongala, G., Juluri, A., Nihalani, G., Mamidi, H.K., Nukala, P.K., Bolla, P.K., 2022. Recent Advances in Amorphous Solid Dispersions: Preformulation, Formulation Strategies, Technological Advancements and Characterization. *Pharmaceutics* 14, 2203. <https://doi.org/10.3390/pharmaceutics14102203>
- Ting, J.M., Porter, W.W., Mecca, J.M., Bates, F.S., Reineke, T.M., 2018. Advances in Polymer Design for Enhancing Oral Drug Solubility and Delivery. *Bioconjug. Chem.* 29, 939–952. <https://doi.org/10.1021/acs.bioconjchem.7b00646>
- Vojic, M., Popovic, G., Sladic, D., Pfendt, L., 2005. Protolytic equilibria in homogeneous and heterogeneous systems of ketoconazole and its direct spectrophotometric determination in tablets. *J. Serbian Chem. Soc.* 70, 67–78. <https://doi.org/10.2298/JSC0501067V>
- Wang, H., Jing, X., Bi, X., Bai, B., Wang, X., 2020. Quantitative Detection of Nitrite in Food Samples Based on Digital Image Colourimetry by Smartphone. *Spectroscopy* 34(5), 9952–9956. <https://doi.org/10.1002/slct.202002406>
- Wang, H., Jing, X., Bi, X., Bai, B., Wang, X., 2020. A Review of the Latest Spectroscopic Research in Pharmaceutical and Biopharmaceutical Applications. *Spectroscopy* 34(5), 9952–9956. <https://doi.org/10.1002/slct.202002406>



- Yunita, Y., Fitria, N., 2023. Differences In Destruction Time and Determination of Generic and Trademark Paracetamol Tablets Using UV Spectrophotometry Method. PHARMADEMICA J. Kefarmasian Dan Gizi 3, 37–44. <https://doi.org/10.54445/pharmademica.v3i1.37>
- Zhang, B., Belton, P., Teoh, X.Y., Gleadall, A., Bibb, R., Qi, S., 2024. An investigation into the effects of ink formulations of semi-solid extrusion 3D printing on the performance of printed solid dosage forms. J. Mater. Chem. B 12, 131–144. <https://doi.org/10.1039/D3TB01868G>
- Zhang, B., Nasereddin, J., McDonagh, T., Von Zeppelin, D., Gleadall, A., Alqahtani, F., Bibb, R., Belton, P., Qi, S., 2021. Effects of porosity on drug release kinetics of swellable and erodible porous pharmaceutical solid dosage forms fabricated by hot melt droplet deposition 3D printing. Int. J. Pharm. 604, 120626. <https://doi.org/10.1016/j.ijpharm.2021.120626>

