

DAFTAR PUSTAKA

- Abdulnabi, R. J., & Kareem, A. A. (2022). Fabrication and Characterization of High-Performance Crosslinked PVA/ PMDA Doped with H₂SO₄. *Iraqi Journal of Science*, 2006–2016. <https://doi.org/10.24996/ij.s.2022.63.5.16>
- Aslam, M., Kalyar, M. A., & Raza, Z. A. (2018). Polyvinyl alcohol: A review of research status and use of polyvinyl alcohol based nanocomposites. *Polymer Engineering & Science*, 58(12), 2119–2132. <https://doi.org/10.1002/pen.24855>
- Bashir, S., Hina, M., Iqbal, J., Rajpar, A. H., Mujtaba, M. A., Alghamdi, N. A., Wageh, S., Ramesh, K., & Ramesh, S. (2020). Fundamental Concepts of Hydrogels: Synthesis, Properties, and Their Applications. *Polymers*, 12(11), 2702. <https://doi.org/10.3390/polym12112702>
- Bharti, R., Pal, S., Prasad, N., Kumar, Y., Joseph, B., Sharma, H., & Sahu, G. K. (2024). A Comprehensive Review on Hydrogel. *Acta Scientific Pharmaceutical Sciences*, 64–75. <https://doi.org/10.31080/ASPS.2024.08.1070>
- Cao, Z., Wang, Y., Wang, H., Ma, C., Li, H., Zheng, J., Wu, J., & Huang, G. (2019). Tough, ultrastretchable and tear-resistant hydrogels enabled by linear macro-cross-linker. *Polymer Chemistry*, 10(25), 3503–3513. <https://doi.org/10.1039/C9PY00600A>
- Chen, Y., Li, J., Lu, J., Ding, M., & Chen, Y. (2022). Synthesis and properties of Poly(vinyl alcohol) hydrogels with high strength and toughness. *Polymer Testing*, 108, 107516. <https://doi.org/10.1016/j.polymertesting.2022.107516>
- Chopra, H., Bibi, S., Kumar, S., Khan, M. S., Kumar, P., & Singh, I. (2022). Preparation and Evaluation of Chitosan/PVA Based Hydrogel Films Loaded with Honey for Wound Healing Application. *Gels (Basel, Switzerland)*, 8(2), 111. <https://doi.org/10.3390/gels8020111>
- Ciftbudak, S., & Orakdogan, N. (2022). Enhanced sustained responsive-systems based on anionically modified gelatin-containing hybrid gels: A route to correlate physico-mechanical and swelling properties. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 651, 129756. <https://doi.org/10.1016/j.colsurfa.2022.129756>
- Dharmalingam, K., & Anandalakshmi, R. (2019). Fabrication, characterization and efficiency of citric acid crosslinked NaCMC-HPMC hydrogel and healing drug delivery applications. *International Journal of Macromolecules*, 134, 815–829. <https://doi.org/10.1016/j.ijbiomac.2019.05.027>
- J., Mahfud, M. A. S., Afika, N., Sultan, N. A. F., Hijrah, Asri, R. ana, A. D. (2023). Hydrogel forming microneedle-mediated delivery of sildenafil citrate from polyethylene glycol reservoir:



An ex vivo proof of concept study. *Colloids and Surfaces B: Biointerfaces*, 222, 113018. <https://doi.org/10.1016/j.colsurfb.2022.113018>

Feng, W., & Wang, Z. (2023). Tailoring the Swelling-Shrinkable Behavior of Hydrogels for Biomedical Applications. *Advanced Science*, 10(28), 2303326. <https://doi.org/10.1002/adv.202303326>

Furuya, T., & Koga, T. (2023). Molecular simulation of polymer gels synthesized by free radical copolymerization: Effects of concentrations and reaction rates on structure and mechanical properties. *Polymer*, 279, 126012. <https://doi.org/10.1016/j.polymer.2023.126012>

Ghaffari, R., Salimi-Kenari, H., Fahimipour, F., Rabiee, S. M., Adeli, H., & Dashtimoghadam, E. (2020). Fabrication and characterization of dextran/nanocrystalline β -tricalcium phosphate nanocomposite hydrogel scaffolds. *International Journal of Biological Macromolecules*, 148, 434–448. <https://doi.org/10.1016/j.ijbiomac.2020.01.112>

Gohil, J. M., & Ray, P. (2009a). Studies on Oxalic Acid as a Crosslinker of Polyvinyl Alcohol. *Polymers and Polymer Composites*, 17(7), 403–410. <https://doi.org/10.1177/096739110901700702>

Gohil, J. M., & Ray, P. (2009b). Studies on Oxalic Acid as a Crosslinker of Polyvinyl Alcohol. *Polymers and Polymer Composites*, 17(7), 403–410. <https://doi.org/10.1177/096739110901700702>

Halligan, E., Tie, B. S. H., Colbert, D. M., Alsaadi, M., Zhuo, S., Keane, G., & Geever, L. M. (2023). Synthesis and Characterisation of Hydrogels Based on Poly (N-Vinylcaprolactam) with Diethylene Glycol Diacrylate. *Gels*, 9(6), 439. <https://doi.org/10.3390/gels9060439>

Han, Y., Zhao, X., Liu, Y., Li, Y., & Chen, Q. (2020). Structure and phase behavior of poly(acrylic acid)–ferric ion complex aqueous solutions. *Soft Matter*, 16(47), 10750–10758. <https://doi.org/10.1039/D0SM01461C>

He, D., & Hu, Y. (2020). Nonlinear Visco-Poroelasticity of Gels With Different Rheological Parts. *Journal of Applied Mechanics*, 87(7), 071010. <https://doi.org/10.1115/1.4046966>

Heidari, A., Moghimi, H., Rashidiani, J., & Taheri, R. (2018). Molecular Development of Silver Nanoparticles-loaded Poly Acrylic Acid Hydrogel as a Catalyst for Dye Degradation. *Physical Chemistry Research*, 6(4). <https://doi.org/10.22036/pcr.2018.145269.1528>



Development of Hydrogel-Forming Microneedle Array Patches for Protein Biomarker Sampling. Queen's University Belfast.

Q. K., Detamornrat, U., Vora, L. K., Permana, A. D., Ghanma, A., Rahmawanty, D., Scott, C. J., & Donnelly, R. F. (2023). A low temperature-cured PVA/PVP/citric acid-based hydrogel

forming microarray patches: Physicochemical characteristics and hydrophilic drug interaction. *European Polymer Journal*, 186, 111836. <https://doi.org/10.1016/j.eurpolymj.2023.111836>

Iqbal, F. M., Ahmad, M., & Tulain, U. R. (2017). MICROWAVE RADIATION INDUCED SYNTHESIS OF HYDROXYPROPYL METHYLCELLULOSE-GRAFT-(POLYVINYLALCOHOL-CO-ACRYLIC ACID) POLYMERIC NETWORK AND ITS IN VITRO EVALUATION. 74, 527–541.

Islam, M. R., Tanveer, S., & Chen, C.-C. (2021). Modeling swelling behavior of hydrogels in aqueous organic solvents. *Chemical Engineering Science*, 242, 116744. <https://doi.org/10.1016/j.ces.2021.116744>

Jalageri, M. B., & Kumar, G. C. M. (2022). Hydroxyapatite Reinforced Polyvinyl Alcohol/Polyvinyl Pyrrolidone Based Hydrogel for Cartilage Replacement. *Gels (Basel, Switzerland)*, 8(9), 555. <https://doi.org/10.3390/gels8090555>

Jastram, A., Lindner, T., Luebbert, C., Sadowski, G., & Kragl, U. (2021). Swelling and Diffusion in Polymerized Ionic Liquids-Based Hydrogels. *Polymers*, 13(11), 1834. <https://doi.org/10.3390/polym13111834>

Jian-Feng, H, Guo-Wen, P, Min, J, & De-Wen, Y. (2004). Molecular evolution of the SARS coronavirus during the course of the SARS epidemic in China. *Science (New York, N.Y.)*, 303(5664), 1666–1669. <https://doi.org/10.1126/science.1092002>

Jimenez-Vergara, A. C., Lewis, J., Hahn, M. S., & Munoz-Pinto, D. J. (2018). An improved correlation to predict molecular weight between crosslinks based on equilibrium degree of swelling of hydrogel networks. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 106(3), 1339–1348. <https://doi.org/10.1002/jbm.b.33942>

Kamoun, E. A., Kenawy, E.-R. S., & Chen, X. (2017). A review on polymeric hydrogel membranes for wound dressing applications: PVA-based hydrogel dressings. *Journal of Advanced Research*, 8(3), 217–233. <https://doi.org/10.1016/j.jare.2017.01.005>

Kareem, S. A., Dere, I., Gungula, D. T., Andrew, F. P., Saddiq, A. M., Adebayo, E. F., Tame, V. T., Kefas, H. M., Joseph, J., & Patrick, D. O. (2021). Synthesis and Characterization of Slow-Release Fertilizer Hydrogel Based on Hydroxy Propyl Methyl Cellulose, Polyvinyl Alcohol, Glycerol and Blended Paper. *Gels*, 7(4), 262. <https://doi.org/10.3390/gels7040262>



ahya, E. B., Tajarudin, H. A., Balakrishnan, V., & Nasution, H. (2021). Insights into the Role of Biopolymer-Based Xerogels in Biomedical Applications. *Gels (Basel, Switzerland)*, 8(6), 334. <https://doi.org/10.3390/gels8060334>

Yama, H. (2024). Development of a polyethyleneimine/poly(N-vinylcarbazole) semi-IPN hydrogel for use in the temperature-swing

adsorption and selective desorption of hydrophobic organic compounds. *Journal of the Taiwan Institute of Chemical Engineers*, 156, 105331. <https://doi.org/10.1016/j.jtice.2023.105331>

Lalitha, P., Arumugam, S., Sinthiya, A., Nivetha, C., & Muthuselvam, M. (2023). Oxalic acid incorporated acetamide single crystal growth dynamics, characterization, NLO and antimicrobial activities via shock wave treatment. *Results in Chemistry*, 5, 100790. <https://doi.org/10.1016/j.rechem.2023.100790>

Li, X., Yang, M., Shi, X., Chu, X., Chen, L., Wu, Q., & Wang, Y. (2015). Effect of the intramolecular hydrogen bond on the spectral and optical properties in chitosan oligosaccharide. *Physica E: Low-Dimensional Systems and Nanostructures*, 69, 237–242. <https://doi.org/10.1016/j.physe.2015.01.043>

Luo, K., Wangari, C., Subhash, G., & Spearot, D. E. (2020). Effect of Loop Defects on the High Strain Rate Behavior of PEGDA Hydrogels: A Molecular Dynamics Study. *The Journal of Physical Chemistry B*, 124(10), 2029–2039. <https://doi.org/10.1021/acs.jpcb.9b11378>

Ma, W., Zhang, P., Zhao, B., Wang, S., Zhong, J., Cao, Z., Liu, C., Gong, F., & Matsuyama, H. (2019). Swelling Resistance and Mechanical Performance of Physical Crosslink-Based Poly(Vinyl Alcohol) Hydrogel Film with Various Molecular Weight. *Journal of Polymer Science Part B: Polymer Physics*, 57(24), 1673–1683. <https://doi.org/10.1002/polb.24902>

Marani, P. L., Bloisi, G. D., & Petri, D. F. S. (2015). Hydroxypropylmethyl cellulose films crosslinked with citric acid for control release of nicotine. *Cellulose*, 22(6), 3907–3918. <https://doi.org/10.1007/s10570-015-0757-1>

Moghadas, B., Solouk, A., & Sadeghi, D. (2021). Development of chitosan membrane using non-toxic crosslinkers for potential wound dressing applications. *Polymer Bulletin*, 78(9), 4919–4929. <https://doi.org/10.1007/s00289-020-03352-8>

Pan, X., Li, Y., Pang, W., Xue, Y., Wang, Z., Jiang, C., Shen, C., Liu, Q., & Liu, L. (2022). Preparation, characterisation and comparison of glabridin-loaded hydrogel-forming microneedles by chemical and physical cross-linking. *International Journal of Pharmaceutics*, 617, 121612. <https://doi.org/10.1016/j.ijpharm.2022.121612>

Perez-Robles, S., Carotenuto, C., & Minale, M. (2022). HPMC Hydrogel Formation Unveiled by the Evaluation of the Activation Energy. *Polymers*, <https://doi.org/10.3390/polym14030635>



h, A., Rahmawati, I., & Nurhianto, E. (2017). Membran Blend Vinil Alkohol (PVA): Pengaruh Komposisi material blend, pH, rasi bahan Pengikat Silang. *Jurnal Kimia Riset*, 2(2), Article 2. <https://doi.org/10.20473/jkr.v2i2.6195>

- Pimenta, A. F. R., Ascenso, J., Fernandes, J. C. S., Colaço, R., Serro, A. P., & Saramago, B. (2016). Controlled drug release from hydrogels for contact lenses: Drug partitioning and diffusion. *International Journal of Pharmaceutics*, 515(1–2), 467–475. <https://doi.org/10.1016/j.ijpharm.2016.10.047>
- Pinzon-Moreno, D. D., Maurate-Fernandez, I. R., Flores-Valdeon, Y., Neciosup-Puican, A. A., & Carranza-Oropeza, M. V. (2022). Degradation of Hydrogels Based on Potassium and Sodium Polyacrylate by Ionic Interaction and Its Influence on Water. *Polymers*, 14(13), 2656. <https://doi.org/10.3390/polym14132656>
- Popescu, I., Constantin, M., Pelin, I. M., Suflet, D. M., Ichim, D. L., Daraba, O. M., & Fundueanu, G. (2022). Eco-Friendly Synthesized PVA/Chitosan/Oxalic Acid Nanocomposite Hydrogels Embedding Silver Nanoparticles as Antibacterial Materials. *Gels*, 8(5), 268. <https://doi.org/10.3390/gels8050268>
- Pu, J., Bai, B., Geng, J., Zhang, N., & Schuman, T. (2023). Dual crosslinked poly(acrylamide-co-N-vinylpyrrolidone) microspheres with re-crosslinking ability for fossil energy recovery. *Geoenergy Science and Engineering*, 224, 211604. <https://doi.org/10.1016/j.geoen.2023.211604>
- Rahma, A., Munir, M. M., Khairurrijal, Prasetyo, A., Suendo, V., & Rachmawati, H. (2016). Intermolecular Interactions and the Release Pattern of Electrospun Curcumin-Polyvinyl(pyrrolidone) Fiber. *Biological & Pharmaceutical Bulletin*, 39(2), 163–173. <https://doi.org/10.1248/bpb.b15-00391>
- Richbourg, N. R., & Peppas, N. A. (2020). The swollen polymer network hypothesis: Quantitative models of hydrogel swelling, stiffness, and solute transport. *Progress in Polymer Science*, 105, 101243. <https://doi.org/10.1016/j.progpolymsci.2020.101243>
- Rodríguez-Rodríguez, R., García-Carvajal, Z. Y., Jiménez-Palomar, I., Jiménez-Avalos, J. A., & Espinosa-Andrews, H. (2019). Development of gelatin/chitosan/PVA hydrogels: Thermal stability, water state, viscoelasticity, and cytotoxicity assays. *Journal of Applied Polymer Science*, 136(10), 47149. <https://doi.org/10.1002/app.47149>
- Shekhar, S., Mukherjee, M., & Sen, A. K. (2020). Effect of surfactant on the swelling and mechanical behavior of NIPAM-based terpolymer. *Polymer Bulletin*, 77(8), 4355–4379. <https://doi.org/10.1007/s00289-019-02940-7>



n, C., Yamashita, F., Olivato, J. B., Garcia, P. S., De Oliveira, S. Grossmann, M. V. (2020). Citric acid as crosslinking agent in gum hydrogels produced by extrusion and thermopressing. 108950. <https://doi.org/10.1016/j.lwt.2019.108950>

., Domínguez-Robles, J., Thakur, R. R. S., Hamdan, I. M. N., rañeta, E., McElney, J. C., McCarthy, H. O., Rooney, M., & F. (2020). Development and characterisation of novel poly (vinyl

- alcohol)/poly (vinyl pyrrolidone)-based hydrogel-forming microneedle arrays for enhanced and sustained transdermal delivery of methotrexate. *International Journal of Pharmaceutics*, 586, 119580. <https://doi.org/10.1016/j.ijpharm.2020.119580>
- Thang, N. H., Chien, T. B., & Cuong, D. X. (2023). Polymer-Based Hydrogels Applied in Drug Delivery: An Overview. *Gels (Basel, Switzerland)*, 9(7), 523. <https://doi.org/10.3390/gels9070523>
- Umut, E., Beira, M. J., Oztop, M. H., Sahiner, N., Sebastião, P. J., & Kruk, D. (2023). Water Dynamics in Dextran-Based Hydrogel Micro/Nanoparticles Studied by NMR Diffusometry and Relaxometry. *The Journal of Physical Chemistry B*, 127(41), 8950–8960. <https://doi.org/10.1021/acs.jpcc.3c04452>
- Wang, Z., Golob, M. J., & Chesler, N. C. (2016). Viscoelastic Properties of Cardiovascular Tissues. In M. F. El-Amin (Ed.), *Viscoelastic and Viscoplastic Materials*. InTech. <https://doi.org/10.5772/64169>
- Wu, J., Xue, W., Yun, Z., Liu, Q., & Sun, X. (2024). Biomedical applications of stimuli-responsive “smart” interpenetrating polymer network hydrogels. *Materials Today Bio*, 25, 100998. <https://doi.org/10.1016/j.mtbio.2024.100998>
- Wu, Y., Liu, T., Shi, Y., & Wang, H. (2022). Dramatically enhancing mechanical properties of hydrogels by drying reactive polymers at elevated temperatures to introduce strong physical and chemical crosslinks. *Polymer*, 249, 124842. <https://doi.org/10.1016/j.polymer.2022.124842>
- Xue, B., Ji, L., Deng, J., & Zhang, J. (2016). In situ FTIR spectroscopy study on the rapid dissolution process of modified poly(vinyl alcohol). *Journal of Polymer Research*, 23(10), 209. <https://doi.org/10.1007/s10965-016-1100-8>
- Zhang, K., Feng, W., & Jin, C. (2020a). Protocol efficiently measuring the swelling rate of hydrogels. *MethodsX*, 7, 100779. <https://doi.org/10.1016/j.mex.2019.100779>
- Zhang, K., Feng, W., & Jin, C. (2020b). Protocol efficiently measuring the swelling rate of hydrogels. *MethodsX*, 7, 100779. <https://doi.org/10.1016/j.mex.2019.100779>

