

DAFTAR PUSTAKA

- Abubakar, S., Subur, R., & Tahir, I. (2019). Pendugaan Ukuran Pertama Kali Matang Gonad Ikan Kembung (*Rastrelliger sp*) di Perairan Desa Sidangoli Dehe Kecamatan Jailolo Selatan Kabupaten Halmahera Barat. *Jurnal Biologi Tropis*, 19(1), 42-51. <https://doi.org/https://doi.org/10.29303/jbt.v19i1.1008>
- Adela, S., & Ghofar, A. (2016). Komposisi Ikan yang Tertangkap dengan Cantrang Serta Aspek Biologi Ikan Sebelah (*Psettodes erumei*) di Tpi Asemdayong, Pemalang. *Management of Aquatic Resources Journal (MAQUARES)*, 5(1), 52-61. <https://doi.org/https://doi.org/10.14710/mari.v5i1.10668>
- Adriaan D. Rijnsdorp, C. J. G. v. D. a., & Witthames, P. R. (2015). Flatfishes: Biology and Exploitation, 2nd edition. *Aquaculture and Fisheries WIAS*(16), 101-131. <https://doi.org/10.1002/9781118501153.ch5>
- Ahmed, A. I., Sharaf, M. M., & Laban, H. A. (2010). Reproduction of the Egyptian sole, *Solea aegyptiaca* (actinopterygii: Pleuronectiformes: soleidae), from Port Said, Egypt, Mediterranean Sea. *Acta ichthyologica et piscatoria*, 40, 161-166. <https://doi.org/https://doi.org/10.3750/aip2010.40.2.09>
- Alam, L., Abd Ghaffar, M., & Mokhtar, M. B. (2013). A Study on the Variability of Calorific Values and Their Relationship to the Maturity Stages of Demersal Fish Species. *World Applied Sciences Journal*, 24(7), 889-894. <https://doi.org/10.5829/idosi.wasi.2013.24.07.2438>
- Allen, G., & Erdmann, M. V. (2012). *Reef fishes of the East Indies* (Vol. 2). Tropical Reef Research and Conservation Internasional. <https://www.constantinealexander.net/page/340/>
- Amaoka, K., & Hensley, D. A. (2001). *Paralichthyidae. Sand flounders*. In K.E. Carpenter and V. Niem (eds.) *FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Vol. 6. Bony fishes part 4 (Labridae to Latimeriidae), estuarine crocodiles*. FAO. <https://doi.org/92-5-104589-5>
- Bambill, G. A., Oka, M., Radonic, M., López, A. V., Müller, M. I., Boccanfuso, J. J., & Bianca, F. A. (2006). Broodstock management and induced spawning of flounder *Paralichthys orbignyanus* (Valenciennes, 1839) under a closed recirculated system. *Revista de biología marina y oceanografía*, 41(1), 45-55. <https://doi.org/https://doi.org/10.4067/s0718-19572006000100007>
- Barokah, L., Solichin, A., & Suprpto, D. (2016). Aspek biologi ikan sebelah (*Psettodes erumei*) yang tertangkap dan didaratkan di Pelabuhan Perikanan Pantai (PPP) Tawang Kabupaten Kendal. *Management of Aquatic Resources Journal (MAQUARES)*, 5(4), 216-223. <https://doi.org/https://doi.org/10.14710/mari.v5i4.14410>

- Bawazeer, A., & AL-Baz, A. (1990). Growth, Mortal Ln And Yield Per Recruit Of Large Toothed Flounder, *Pseudorhombus Arsius* (Hamilton And Buchanan) In Kuwait Waters.
- Bernas, S. M. (2016). Hubungan panjang-berat dan pola pertumbuhan ikan di muara Sungai Musi Kabupaten Banyuasin Sumatera Selatan. *Maspari Journal: Marine Science Research*, 8(2), 111-118.
<https://repository.unsri.ac.id/37263/1/No.%2009.%20%20Hubungan%20panjang-berat%20Nurhayati%20%20J%20maspari2016.pdf>
- Blaber, S. J. (2001). Tropical Estuarine Fishes: Ecology, Exploitation and Conservation. *Fish and Fisheries*, 2, 385-388.
- Boccanfuso, J., Abud, E. A., & Berrueta, M. (2019). Improvement of natural spawning of black flounder, *Paralichthys orbignyanus* (Valenciennes, 1839) by photothermal and salinity conditioning in recirculating aquaculture system. *Aquaculture*, 502, 134-141.
<https://doi.org/https://doi.org/10.1016/j.aquaculture.2018.12.034>
- Bouain, Z., Boudaya, L., Bouain, A., & Neifar, L. (2018). Reproductive biology of Klein's sole, *Synapturichthys kleinii* (Actinopterygii: Pleuronectiformes: Soleidae), off Tunisian coast (central Mediterranean). *Acta Ichthyologica et Piscatoria*, 48(1), 61-69.
<https://doi.org/https://doi.org/10.3750/aiep/02314>
- Brown-Peterson, N. J., Wyanski, D. M., Saborido-Rey, F., Macewicz, B. J., & Lowerre-Barbieri, S. K. (2011). A standardized terminology for describing reproductive development in fishes. *Marine and Coastal Fisheries*, 3(1), 52-70.
<https://doi.org/https://doi.org/10.1080/19425120.2011.555724>
- Coulson, P. G., & Poad, J. A. (2021). Biological characteristics of the primitive flatfish Indian halibut (*Psettodes erumei*) from the tropical northeastern Indian Ocean, including implications of the use of incorrect aging methods on mortality estimates. *Fishery Bulletin*, 119(2-3), 168-183. <https://doi.org/https://doi.org/10.7755/fb.119.2-3.6>
- D'R, S. R., & Mulya, M. Desrita. 2014. Potensi, Tingkat Pemanfaatan dan Keberlanjutan Ikan Sebelah (*Psettodes* spp.) di Perairan Selat Malaka, Kabupaten Serdang Bedagai, Sumatera Utara. *Jurnal Aquacoastmarine*, 5(4), 124-131.
- De Vlaming, V. L., Grossman, G., & Chapman, F. (1982). On the use of the gonosomatic index. *Comparative Biochemistry and Physiology Part A: Physiology*, 73(1), 31-39. <http://pascal-francis.inist.fr/vibad/index.php?action=getRecordDetail&idt=PASCAL83X0363898>
- Del Toro-Silva, F., Miller, J., Taylor, J., & Ellis, T. (2008). Influence of oxygen and temperature on growth and metabolic performance of *Paralichthys lethostigma* (Pleuronectiformes: Paralichthyidae). *Journal of Experimental Marine Biology and Ecology*, 358(2), 113-123. <https://doi.org/https://doi.org/10.1016/j.jembe.2008.01.019>

- Devlin, R. H., & Nagahama, Y. (2002). Sex determination and sex differentiation in fish: an overview of genetic, physiological, and environmental influences. *Aquaculture*, 208(34), 191-364. [https://doi.org/https://doi.org/10.1016/s0044-8486\(02\)00057-1](https://doi.org/https://doi.org/10.1016/s0044-8486(02)00057-1)
- Effendie, I. M. (2002). *Biologi Reproduksi Ikan* (Vol. 116p). Yayasan Dewi Sri.
- Fadhil, M. A., Ihsan, I., & Rasyid, A. R. (2019). Interaksi Wilayah Kepulauan Spermonde Kota Makassar. *Jurnal Wilayah & Kota Maritim (Journal of Regional and Maritime City Studies)*, 7. <https://doi.org/https://doi.org/10.32315/sem.3.a140>
- Fairbairn, D. J. (1997). Allometry for sexual size dimorphism: pattern and process in the coevolution of body size in males and females. *Annual review of ecology and systematics*, 28(1), 659-687. <https://doi.org/https://doi.org/10.1146/annurev.ecolsys.28.1.659>
- Freitas, V., Santos, D., Silva, D. M., Cunha, J., Rodrigues, S. M., Neves, V., Rocha, E., Martinho, F., & Ramos, S. (2024). Spatial and temporal patterns of gonadal maturation and spawning in European flounder *Platichthys flesus* at its southern continental edge. *Fisheries Research*, 269, 106864. <https://doi.org/https://doi.org/10.1016/j.fishres.2023.106864>
- Furuita, H., Tanaka, H., Yamamoto, T., Shiraishi, M., & Takeuchi, T. (2000). Effects of n- 3 HUFA levels in broodstock diet on the reproductive performance and egg and larval quality of the Japanese flounder, *Paralichthys olivaceus*. *Aquaculture*, 187(3-4), 387-398. [https://doi.org/https://doi.org/10.1016/s0044-8486\(00\)00319-7](https://doi.org/https://doi.org/10.1016/s0044-8486(00)00319-7)
- García-Isarch, E., Manchado, M., Cárdenas, S., & Reyes-Gavilán, F. G. (2006). Reproductive biology of the Senegalese sole, *Solea senegalensis* (Kaup, 1858), off the Canary Islands. *Fisheries Research*, 81(2-3), 233-244.
- Ghanbarzadeh, M., Kamrani, E., Ranjbar, M. S., Salarpouri, A., & Walters, C. (2021). Reproductive biology of Indian halibut, *Psettodes erumei* from the northern Persian Gulf and Oman Sea (Teleostei: Psettodidae). *Iranian Journal of Ichthyology*, 8(1), 1-13. <https://doi.org/10.22034/iji.v8i1.434>
- Gibson, R. N., Nash, R. D., Geffen, A. J., & Van der Veer, H. W. (2015). *Flatfishes: biology and exploitation*. John Wiley & Sons. <https://doi.org/https://doi.org/10.1002/9780470995259.ch10>
- Gibson, R. N., Stoner, A. W., & Ryer, C. H. (2014). The behaviour of flatfishes. *Flatfishes: biology and exploitation*, 314-345. <https://doi.org/https://doi.org/10.1002/9781118501153.ch12>
- Grieshaber, C. A., Midway, S. R., Scharf, F. S., Koopman, H., Luckenbach, J. A., & Middleton, M. A. (2016). Seasonal physiological dynamics of maturing female southern flounder (*Paralichthys lethostigma*). *Conservation Physiology*, 4(1), cow043. <https://doi.org/https://doi.org/10.1093/conphys/cow043>

- Gustiarisanie, A., Rahardjo, M. F., & Ernawati, Y. (2017). Biologi reproduksi ikan lidah, (*Cynoglossus cynoglossus*, Hamilton 1822) Pisces: cynoglossidae di teluk pabean, Jawa Barat. *BAWAL Widya Riset Perikanan Tangkap*, 9(2), 103-112.
- Hashemi, S., Taghavimotlagh, S., Ghorbani, R., & Hedayati, A. (2013). Population parameters and length-weight relationship of deep flounder (*Pseudorhombus elevatus*) in northwest of Persian Gulf (Khuzestan coastal waters, Iran). <https://doi.org/10.22092/ijfs.2020.122747>
- Haug, T., & Tjemsland, J. . (1986). Growth and maturation of Atlantic halibut (*Hippoglossus hippoglossus*) in captivity. *International Council for the Exploration of the Sea, Copenhagen (Denmark)*. . [https://doi.org/https://doi.org/10.1016/0165-7836\(86\)90039-1](https://doi.org/https://doi.org/10.1016/0165-7836(86)90039-1)
- Hayati, A. (2020). *Biologi reproduksi ikan*. Airlangga University Press.
- Hensley, D. A. (1997). Pleuronectidae. Righteye flounders. In K.E. Carpenter and V. Niem (eds.) *FAO Identification Guide for Fishery Purposes. The Western Central Pacific*.
- Horwood, J. W., Bannister, R. C. A., & Howlett, G. J. (1986). Comparative fecundity of North Sea plaice (*Pleuronectes platessa* L.). *Proceedings of the Royal Society of London. Series B. Biological Sciences*, 228(1252), 401-431. <https://doi.org/https://doi.org/10.1006/jmsc.1993.1034>
- Hussain, S. M. (1990). Biology of *Psettodes erumei* (Schneider, 1801) and *Pseudorhombus arsius* (Hamilton, 1822) from the northern Arabian Sea. *Indian J. Fish*, 37(1), 63-66.
- Imsland, A. K., Folkvord, A., & Stefansson, S. O. (1998). Growth, sexual maturation and spawning of turbot (*Scophthalmus maximus*) reared in land-based tanks and sea cages. *Aquaculture*, 168(1-4), 93-109. <https://doi.org/https://doi.org/10.1046/j.1365-2109.1997.t01-1-00829.x>
- Islam, M., Sultana, N., Hossain, M. B., & Mondal, S. (2012). Estimation of fecundity and gonadosomatic index (GSI) of gangetic whiting, *Sillaginopsis panijus* (Hamilton, 1822) from the Meghna River Estuary, Bangladesh. *World Applied Sciences Journal*, 17(10), 1253-1260.
- Jennings, S., Kaiser, M., & Reynolds, J. D. (2009). *Marine fisheries ecology*. John Wiley & Sons.
- Ji, B.-Y., Kim, K.-H., & Park, S.-I. (1997). Cryptocaryoniasis of cultured flounder, *Paralichthys olivaceus* in low temperatures. *Journal of fish pathology*, 10(2), 97-111.
- Khalifa, F., Taieb, A. H., Hajji, F., Ayadi, H., & Jarboui, O. (2019). Reproductive biology of the Egyptian sole, *Solea aegyptiaca* (Actinopterygii: Pleuronectiformes: Soleidae), in southern Tunisian waters (Central Mediterranean). *Journal of the Marine Biological Association of the United Kingdom*, 99(4), 975-981. <https://doi.org/https://doi.org/10.1017/s002531541800098x>

- Khan, P., Ali, Q., Ahmed, Q., & Bat, L. (2023). Molecular characterization of demersal marine fish species *Pseudorhombus arsius*, *Psettodes erumei*, and *Cynoglossus cynoglossus* from Sindh coasts of Pakistan through DNA barcodes. *J. Mater. Environ. Sci.*, 14 (2), 210, 223(02), 13.
https://www.imaterenvirosci.com/Document/vol14/vol14_N2/JMES-2023-14015-Khan.pdf
- Koh, S. J., Roh, T. H., Choi, D. H., Youn, B. I., Kim, M. J., & Lee, S. H. (2024). Maturity and Spawning of the Olive Flounder, *Paralichthys olivaceus* in the West Sea of Korea. *Korean Journal of Ichthyology*, 36(3), 253-262.
<https://doi.org/https://doi.org/10.1109/iseim.2014.6870787>
- Kuiter, R. H., & Tono-zuka, T. (2001). *Pictorial guide to Indonesian reef fishes. Part 3. Jawfishes - Sunfishes, Opistognathidae - Molidae.* Zoonetics.
- Kumagai, A. (1999). Broodstock management and egg collection of Japanese flounder. Hakatajima Station. *Annual Report of JASFA*, 41(1), 37-40.
- Kurita, Y., Fujinami, Y., & Amano, M. (2011). The effect of temperature on the duration of spawning markers--migratory-nucleus and hydrated oocytes and postovulatory follicles--in the multiple-batch spawner Japanese flounder (*Paralichthys olivaceus*). *Fishery Bulletin*, 109(1).
<https://doi.org/https://doi.org/10.1016/j.fishres.2011.05.010>
- Lappalainen, A., Saks, L., Šuštar, M., Heikinheimo, O., Jürgens, K., Kokkonen, E., Kurkilahti, M., Verliin, A., & Vetemaa, M. (2016). Length at maturity as a potential indicator of fishing pressure effects on coastal pikeperch (*Sander lucioperca*) stocks in the northern Baltic Sea. *Fisheries Research*, 174, 47-57.
<https://doi.org/https://doi.org/10.1016/j.fishres.2015.08.013>
- Le Cren, E. D. (1951). The length-weight relationship and seasonal cycle in gonad weight and condition in the perch (*Perca fluviatilis*). *The Journal of Animal Ecology*, 201-219.
<https://doi.org/https://doi.org/10.2307/1540>
- Lesyna, K. M., & Barnes, C. L. (2016). Assessment of length-and age-at-maturity for California halibut (*Paralichthys californicus*), including a histologically-based description of the reproductive cycle. *California Fish and Game*, 102(3), 79-99.
<https://doi.org/https://doi.org/10.31979/etd.wd2a-vi4j>
- Liew, H.-C., Milward, N. E., & Hartwick, R. F. (1988). *Pseudorhombus (Paralichthyidae)* from the Great Barrier Reef, Australia. *Marine and Freshwater Research*, 39(1), 51.
<https://doi.org/https://doi.org/10.1071/mf9880051>
- Lin, H.-J., Shao, K.-T., Kuo, S.-R., Hsieh, H.-L., Wong, S.-L., Chen, I.-M., Lo, W.-T., & Hung, J.-J. (1999). A trophic model of a sandy barrier lagoon at Chiku in southwestern Taiwan. *Estuarine, Coastal and Shelf Science*, 48(5), 575-588.

- Plante, S., Audet, C., Lambert, Y., & Noüe, J. (2005). Alternative methods for measuring energy content in winter flounder. *North American Journal of Fisheries Management*, 25(1), 1-6. <https://doi.org/https://doi.org/10.1577/m03-104.1>
- Policansky, D. (1982). Sex change in plants and animals. *Annual Review of Ecology and Systematics*, 13(1), 471-475.
- Pramesthy, T. D., & Hutapea, R. Y. F. (2020). Komposisi Hasil Tangkapan Alat Tangkap Sondong yang Didaratkan di Pangkalan Pendaratan Ikan (Ppi) Kota Dumai, Riau. *Aurelia Journal*, 2(1), 87-92. <https://doi.org/https://doi.org/10.15578/aj.v2i1.9878>
- Ramanathan, N., & Natarajan, R. (1979). Breeding biology of *Psettodes erumei* (Bloch & Schn.) and *Pseudorhombus arsius* (Ham. Buch.) Pisces: Pleuronectiformes along Porto Novo coast (S. India). *Aquaculture*, 18(3), 269-282. [https://doi.org/https://doi.org/10.1016/0044-8486\(79\)90018-8](https://doi.org/https://doi.org/10.1016/0044-8486(79)90018-8)
- Rofiqo, I. S., Zahidah, N. K., & Dewanti, L. P. (2019). Tingkat keramahan lingkungan alat tangkap jaring insang (gillnet) terhadap hasil tangkapan ikan tongkol (*Ethynnuss* sp) di Perairan Pekalongan. *Jurnal Perikanan dan Kelautan Vol. X No*, 64, 69.
- Saberi, M., Paighambari, S., Darvishi, M., & Farkhondeh Shilsar, G. (2017). Length–weight relationships of six fish species from the Coastal Waters of Jask, Iran. *Journal of Applied Ichthyology*, 33(6), 1226-1228. <https://doi.org/https://doi.org/10.1111/jai.13326>
- Safrit JR, G. W., & Schwartz, f. J. (1998). Age and growth, weight, and gonadosomatic indices for female southern flounder, *Paralichthys lethostigma*, from Onslow Bay, North Carolina. *Journal of the Elisha Mitchell Scientific Society*, 144(3), 137-148. <https://doi.org/https://doi.org/10.1007/s12562-024-01765-2>
- Saputra, S. W., Soedarsono, P., & Sulistyawati, G. A. (2009). Biological Aspects of Goatfish (*Upeneus* spp) on Demak Waters. *Sainstek Perikanan: Indonesian Journal of Fisheries Science and Technology*, 5(1), 1-6. <https://doi.org/https://doi.org/10.14710/ijfst.5.1.1-6>
- Shao, K. T., Chao, C. Y., & Lin, Y. S. (2003). Reproductive biology of the grouper *Epinephelus coioides* Hamilton from southern Taiwan. *Journal of Fish Biology*, 63(2), 433-444.
- Sjafei, D. S., Simanjuntak, C. P., & Rahardjo, M. (2008). Perkembangan Kematangan Gonad Dan Tipe Pemijahan Ikan Selais (Ompok Hypophthalmus) Di Rawa Banjiran Sungai Kampar Kiri, Riau [Development of gonad maturity and spawning pattern of Ompok hypophthalmus in floodplain of Kampar Kiri River, Riau]. *Jurnal Iktiologi Indonesia*, 8(2), 93-100. <https://doi.org/https://doi.org/10.32491/jii.v8i2.292>
- Smida, M. A. B., Hadhri, N., Bolje, A., & Fehri-Bedoui, R. (2014). Reproductive Cycle And Size At First Sexual Maturity Of Common Pandora Pagellus Erythrinus (Sparidae) From The Bay Of

- Monastir (Tunisia, Central Mediterranean)/Ciclo Riproduttivo E Dimensioni Alla Prima Maturità Sessuale Di Pagello Fragolino *Pagellus Erythrinus* (Sparidae) Nella Baia Di Monastir (Tunisia, Mediterraneo Centrale). *Annales: Series Historia Naturalis*,
- Smith, T. I., & Denson, M. R. (2000). Controlled spawning of southern flounder *Paralichthys lethostigma*: issues and progress. *Proceedings of the Twenty-Eight US-Japan Natural Resources, Technical Report*,
- Smith, T. I., McVey, D. C., Jenkins, W. E., Denson, M. R., Heyward, L. D., Sullivan, C. V., & Berlinsky, D. L. (1999). Broodstock management and spawning of southern flounder, *Paralichthys lethostigma*. *Aquaculture*, 176(1-2), 87-99. [https://doi.org/https://doi.org/10.1016/s0044-8486\(99\)00053-8](https://doi.org/https://doi.org/10.1016/s0044-8486(99)00053-8)
- TenBrink, T. T., & Wilderbuer, T. K. (2015). Updated maturity estimates for flatfishes (*Pleuronectidae*) in the eastern bering sea, with implications for fisheries management. *Marine and Coastal Fisheries*, 7(1), 474-482. <https://doi.org/https://doi.org/10.1080/19425120.2015.1091411>
- Tresnati. (2001a). Kajian aspek biologi ikan sebelah langkau *Psettodes erumei*, di Perairan Kepulauan Spermonde Sulawesi Selatan. *Program Pascasarjana. Universitas Hasanuddin. Makassar*.
- Tresnati. (2001b). Studi penyebaran ikan sebelah di perairan kepulauan spermonde, sulawesi selatan. *Jurnal Ilmu Kelautan Universitas Hasanuddin*, 11(1), 15.
- Tresnati, J. (2001). Kajian aspek biologi ikan sebelah langkau *Psettodes erumei*, di Perairan Kepulauan Spermonde Sulawesi Selatan. *Program Pascasarjana. Universitas Hasanuddin. Makassar*.
- Tresnati, J., Umar, M. T., & Sulfirayana, S. (2018). Perubahan Hati Terkait Pertumbuhan Oosit Ikan Sebelah (*Psettodes erumei*)(Changes in Liver relate to Oocyte Growth of Flatfish). <http://journal.unhas.ac.id/index.php/jpp/article/view/4033>
- Tresnati, J., Yasir, I., Yanti, A., Aprianto, R., Rahmani, P., & Tuwo, A. (2019a). Maturity stages of the redbreasted wrasse *Cheilinus fasciatus*. *IOP Conference Series: Earth and Environmental Science*,
- Tresnati, J., Yasir, I., Yanti, A., Aprianto, R., Rahmani, P. Y., & Tuwo, A. (2019b). Maturity stages of the redbreasted wrasse *Cheilinus fasciatus*. *2nd International Symposium Marine and Fisheries, Makassar*.
- Tsagarakis, K., Başusta, A., BaşUsta, N., Biandolino, F., Bostanci, D., Buz, K., Djodjo, Z., Jakov, D., Gokoglu, M., Gucu, A. C., Machias, A., Maravelias, C., Ozvarol, Y., Polat, N., Prato, E., Yedier, S., & Vasilakopoulos, P. (2015). New Fisheries-related data from the Mediterranean Sea (October 2015). *Mediterranean Marine Science*, 16, 703-713. <https://doi.org/10.12681/mms.1396>

- Tuwo, A. (1993). *Biologie et Ecologie de trois Espèces d'Holo-thuries Holothuria forskali, Aslia lefevrei et Pawsonia saxicola en Bretagne Occidentale* Université de Bretagne Occidentale]. Brest.
- Tuwo, A., Tresnati, J., Huda, N., Yasir, I., Rahmani, P., & Aprianto, R. (2021). Reproductive strategy of rivulated parrotfish *Scarus rivulatus* Valenciennes, 1840. IOP Conference Series: Earth and Environmental Science,
- Van Schie, A. M., & De Boer, W. (2003). Population dynamics and spawning of the flatfish *Solea bleekeri* and *Pseudorhombus arsius* in the intertidal area of Inhaca Island, Mocambique. *African Journal of Marine Science*, 25, 49-60.
<https://doi.org/https://doi.org/10.2989/18142320309504000>
- Villarreal, F., Burguener, G. F., Sosa, E. J., Stocchi, N., Somoza, G. M., Turjanski, A. G., Blanco, A., Viñas, J., & Mechaly, A. S. (2024). Genome sequencing and analysis of black flounder (*Paralichthys orbignyanus*) reveals new insights into Pleuronectiformes genomic size and structure. *BMC genomics*, 25(1), 297.
<https://doi.org/https://doi.org/10.1186/s12864-024-10081-z>
- Wang, W., Chen, J., Fang, Y., Wang, B., Zou, Q., Wang, L., Zhang, W., Huang, X., Lv, H., & Zhang, C. (2019). Identification of *gnrh2* and *gnrh3* and their expression during brood pouch growth and short-term benzo (a) pyrene exposure in lined seahorse (*Hippocampus erectus*). *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 225, 108579.
<https://doi.org/https://doi.org/10.1016/j.cbpc.2019.108579>
- Wootton, R. J. (1990). *Ecology of teleost fishes*. Chapman and Hall, .
https://doi.org/https://doi.org/10.1007/978-94-009-0829-1_3
- Wootton, R. J., & Smith, C. (2014). *Reproductive Biology of Teleost Fishes*. Wiley.
<https://doi.org/https://doi.org/10.1002/9781118891360.fmatter>
- Wu, C. W., Berlinsky, D. L., & Howell, W. H. (2012). Reproductive biology of southern flounder *Paralichthys dentatus*: Part I. Gametogenesis and steroid hormone profiles. . *Journal of Fish Biology*, 81(5), 1586-1604.
- Yamada, U., Tagawa, M., Kishimoto, H., & Dhugal, L. K. (1996). *Fishes and Fisheries of Pakistan*. Pakistan Agricultural Research Council, Islamabad.
- Yanti, A., Yasir, I., Rahmani, P., Aprianto, R., Tuwo, A., & Tresnati, J. (2019a). Macroscopic characteristics of the gonad maturity stages of dusky parrotfish *Scarus niger*. IOP Conference Series: Earth and Environmental Science,
- Yanti, A., Yasir, I., Rahmani, P. Y., Aprianto, R., Tuwo, A., & Tresnati, J. (2019b). Macroscopic characteristics of the gonad maturity stage of dusky parrotfish *Scarus niger*. 2nd International Symposium Marine and Fisheries, Makassar.

- Yoneda, M., & Wright, P. J. (2004). Seasonal and long-term changes in the reproductive cycle of female plaice (*Pleuronectes platessa* L.) in the Irish Sea. *Journal of Sea Research*, 51(3-4), 243-254.
- Zahid, A., & Simanjuntak, C. P. (2009). Biologi reproduksi dan faktor kondisi ikan ilat-ilat, *Cynoglossus bilineatus* (Lac. 1802)(Pisces: Cynoglossidae) di perairan Pantai Mayangan Jawa Barat. *Jurnal Iktiologi Indonesia*, 9(1), 85-95.
<https://doi.org/https://doi.org/10.32491/jii.v9i1.205>
- Zou, Y., Peng, Z., Wang, W., Liang, S., Song, C., Wang, L., Wu, Z., Wu, Q., Tan, X., & You, F. (2022). The stimulation effects of green light on the growth, testicular development and stress of olive flounder *Paralichthys olivaceus*. *Aquaculture*, 546, 737275.
<https://doi.org/https://doi.org/10.1016/j.aquaculture.2021.737275>