

DAFTAR PUSTAKA

- A Malik, A., Dangroo, N. A., Kaur, P., Attery, S., A Rather, M., Khan, A., Ara, T., & Nandanwar, H. (2024). Discovery of novel dihydronaphthalene—imidazole ligands as potential inhibitors of *Staphylococcus aureus* multidrug resistant NorA efflux pump: A combination of experimental and in silico molecular docking studies. *Microbial Pathogenesis*, 190(February), 106627. <https://doi.org/10.1016/j.micpath.2024.106627>
- Abdi, S. N., Ghotaslou, R., Ganbarov, K., Mobed, A., Tanomand, A., Yousefi, M., Asgharzadeh, M., & Kafil, H. S. (2020). *Acinetobacter baumannii* efflux pumps and antibiotic resistance. *Infection and Drug Resistance*, 13, 423–434. <https://doi.org/10.2147/IDR.S228089>
- Adisakwattana, S. (2017). Cinnamic acid and its derivatives: Mechanisms for prevention and management of diabetes and its complications. *Nutrients*, 9(2). <https://doi.org/10.3390/nu9020163>
- Agu, P. C., Afiukwa, C. A., Orji, O. U., Ezech, E. M., Ofoke, I. H., Ogbu, C. O., Ugwuja, E. I., & Aja, P. M. (2023). Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Scientific Reports*, 13(1), 1–18. <https://doi.org/10.1038/s41598-023-40160-2>
- Ajiboye, T. O., Skiebe, E., & Wilharm, G. (2018). Phenolic acids potentiate colistin-mediated killing of *Acinetobacter baumannii* by inducing redox imbalance. *Biomedicine and Pharmacotherapy*, 101(February), 737–744. <https://doi.org/10.1016/j.biopha.2018.02.051>
- Altınöz, E., & Altuner, E. M. (2019). Antibiotic Resistance and Efflux Pumps. *International Journal of Innovative Research and Reviews (INJIRR)*, 3(2), 1–9.
- An, N. Van, Ha, L., Luong, V. H., Thi, N., & Vinh, H. (2024). *Antimicrobial Resistance Patterns of Staphylococcus Aureus Isolated at a General Hospital in Vietnam Between 2014 and 2021*. <https://doi.org/10.2147/IDR.S437920>
- Anggraini, D., Santosaningsih, D., Saharman, Y. R., Endraswari, P. D., Cahyarini, C., Saptawati, L., Hayati, Z., Farida, H., Siregar, C., Pasaribu, M., Homenta, H., Tjoa, E., Jasmin, N., Sarassari, R., Setyarini, W., Hadi, U., & Kuntaman, K. (2022). Distribution of Carbapenemase Genes among Carbapenem-Non-Susceptible *Acinetobacter baumannii* Blood Isolates in Indonesia: A Multicenter Study. *Antibiotics*, 11(3). <https://doi.org/10.3390/antibiotics11030366>
- Khan, M., Ahmad, Z., Khalid, A., Ahmad, P., Khan, A., Ahsan, Yousof, S. H. (2024). Investigation of the role of Cremophor RH and EL in the inhibition of efflux pump of *Pseudomonas aeruginosa*. *Helveticum*, 10(13). <https://doi.org/10.1016/j.heliyon.2024.e33749>



- Bagewadi, Z. K., Yunus Khan, T. M., Gangadharappa, B., Kamalapurkar, A., Mohamed Shamsudeen, S., & Yaranguppi, D. A. (2023). Molecular dynamics and simulation analysis against superoxide dismutase (SOD) target of *Micrococcus luteus* with secondary metabolites from *Bacillus licheniformis* recognized by genome mining approach. *Saudi Journal of Biological Sciences*, 30(9), 103753. <https://doi.org/10.1016/j.sjbs.2023.103753>
- Black, C., Al Mahmud, H., Howle, V., Wilson, S., Smith, A. C., & Wakeman, C. A. (2023). Development of a Polymicrobial Checkerboard Assay as a Tool for Determining Combinatorial Antibiotic Effectiveness in Polymicrobial Communities. *Antibiotics*, 12(7). <https://doi.org/10.3390/antibiotics12071207>
- Blair, J. M. A., & Piddock, L. J. V. (2016). How to measure export via bacterial multidrug resistance efflux pumps. *MBio*, 7(4), 1–6. <https://doi.org/10.1128/mBio.00840-16>
- Butt, S. S., Badshah, Y., Shabbir, M., & Rafiq, M. (2020). Molecular Docking Using Chimera and Autodock Vina Software for Nonbioinformaticians. *JMIR Bioinformatics and Biotechnology*, 1(1), 1–25. <https://doi.org/10.2196/14232>
- Carvalho, S. A., Kaiser, M., Brun, R., Da Silva, E. F., & Fraga, C. A. M. (2014). Antiprotozoal activity of (E)-cinnamic N-acylhydrazones derivatives. *Molecules*, 19(12), 20374–20381. <https://doi.org/10.3390/molecules191220374>
- Chen, L. K., Kuo, S. C., Chang, K. C., Cheng, C. C., Yu, P. Y., Chang, C. H., Chen, T. Y., & Tseng, C. C. (2017). Clinical Antibiotic-resistant *Acinetobacter baumannii* Strains with Higher Susceptibility to Environmental Phages than Antibiotic-sensitive Strains. *Scientific Reports*, 7(1), 1–10. <https://doi.org/10.1038/s41598-017-06688-w>
- Cheung, G. Y. C., Bae, J. S., & Otto, M. (2021). Pathogenicity and virulence of *Staphylococcus aureus*. *Virulence*, 12(1), 547–569. <https://doi.org/10.1080/21505594.2021.1878688>
- Chiriac, C. I., Tanasa, F., & Onciu, M. (2005). A novel approach in cinnamic acid synthesis: Direct synthesis of cinnamic acids from aromatic aldehydes and aliphatic carboxylic acids in the presence of boron tribromide. *Molecules*, 10(2), 481–487. <https://doi.org/10.3390/10020481>
- Chowdhury, N., Suhani, S., Purkayastha, A., Begum, M. K., Raihan, T., Alam, M. J., Islam, K., & Azad, A. K. (2019). Identification of AcrAB-TolC Efflux Pump Genes and Detection of Mutation in Efflux Repressor AcrR from Omeprazole multidrug-Resistant *Escherichia coli* Isolates Causing Urinary . *Microbiology Insights*, 12, 117863611988962. [10.1177/1178636119889629](https://doi.org/10.1177/1178636119889629)
- s, T. S., Costa, M. do S., da Silva, A. R. P., Coutinho, H. D. . M., Marinho, E. S., Teixeira, A. M. R., & Silva dos Santos, H. al Composition, Antibacterial and Inhibitory Activity of the Essential Oils from *Croton piauhiensis* Müll. *Nutraceuticals*,



3(4), 591–604. <https://doi.org/10.3390/nutraceuticals3040042>

de Moraes, M. C., de Oliveira Lima, E., Perez-Castillo, Y., & de Sousa, D. P. (2023). Synthetic Cinnamides and Cinnamates: Antimicrobial Activity, Mechanism of Action, and In Silico Study. *Molecules*, 28(4), 1–23. <https://doi.org/10.3390/molecules28041918>

Deng, Y., Chen, L., Yue, M., Huang, X., Yang, Y., & Yu, H. (2022). Sulbactam combined with tigecycline improves outcomes in patients with severe multidrug-resistant *Acinetobacter baumannii* pneumonia. *BMC Infectious Diseases*, 22(1), 1–8. <https://doi.org/10.1186/s12879-022-07778-5>

Dharmawan, A., Devita, A., Gunardi, W. D., & Layanto, N. (2023). *Prevalence and Sensitivity Pattern of Acinetobacter baumannii in the Intensive Care Unit of Private Hospital in Jakarta Swasta di Jakarta*. 6(2), 178–185.

Dias, K. J. S. D. O., Miranda, G. M., Bessa, J. R., Araújo, A. C. J. De, Freitas, P. R., Almeida, R. S. De, Paulo, C. L. R., Neto, J. B. D. A., Coutinho, H. D. M., & Ribeiro-Filho, J. (2022). Terpenes as bacterial efflux pump inhibitors: A systematic review. *Frontiers in Pharmacology*, 13(October), 1–12. <https://doi.org/10.3389/fphar.2022.953982>

Esterly, J. S., Griffith, M., Qi, C., Malczynski, M., Postelnick, M. J., & Scheetz, M. H. (2011). Impact of carbapenem resistance and receipt of active antimicrobial therapy on clinical outcomes of *Acinetobacter baumannii* bloodstream infections. *Antimicrobial Agents and Chemotherapy*, 55(10), 4844–4849. <https://doi.org/10.1128/AAC.01728-10>

Fernando, D. M., & Kumar, A. (2013). Resistance-Nodulation-Division multidrug efflux pumps in Gram-negative bacteria: Role in virulence. *Antibiotics*, 2(1), 163–181. <https://doi.org/10.3390/antibiotics2010163>

Forli, S., Huey, R., Pique, M. E., Sanner, M. F., Goodsell, D. S., & Olson, A. J. (2016). Computational protein–ligand docking and virtual drug screening with the AutoDock suite. *Nature Protocols*, 11, 905–919. <https://doi.org/10.1038/pj.2016.37>

Gaurav, A., Bakht, P., Saini, M., Pandey, S., & Pathania, R. (2023). Role of bacterial efflux pumps in antibiotic resistance, virulence, and strategies to discover novel efflux pump inhibitors. *Microbiology (United Kingdom)*, 169(5), 1–13. <https://doi.org/10.1099/mic.0.001333>



1. Natural cinnamic acids, synthetic derivatives and hybrids al activity. In *Molecules* (Vol. 19, Issue 12). 3390/molecules191219292

Kornhuber, J., Fromm, M. F., & Zolk, O. (2015). Substrate- tion of the human organic cation transporter OCT2: A netformin with experimental substrates. *PLoS ONE*, 10(9), 1–g/10.1371/journal.pone.0136451

- Hemaiswarya, S., & Doble, M. (2010). Synergistic interaction of phenylpropanoids with antibiotics against bacteria. *Journal of Medical Microbiology*, 59(12), 1469–1476. <https://doi.org/10.1099/jmm.0.022426-0>
- Hindy, J.-R., Quintero-Martinez, J. A., Lee, A. T., Scott, C. G., Gerberi, D. J., Mahmood, M., DeSimone, D. C., & Baddour, L. M. (2022). Incidence Trends and Epidemiology of *Staphylococcus aureus* Bacteremia: A Systematic Review of Population-Based Studies. *Cureus*, 14(5). <https://doi.org/10.7759/cureus.25460>
- Id, Z. A., Tigabu, E., Syoum, E., Ebrahim, S., Assefa, D., & Tsige, E. (2021). *Multidrug resistance pattern of Acinetobacter species isolated from clinical specimens referred to the Ethiopian Public Health Institute : 2014 to 2018 trend anaylsis*. 1–12. <https://doi.org/10.1371/journal.pone.0250896>
- Irfan, M., Almotiri, A., & AlZeyadi, Z. A. (2022). Antimicrobial Resistance and Its Drivers—A Review. *Antibiotics*, 11(10). <https://doi.org/10.3390/antibiotics11101362>
- Izatunnafis, I., Murti, Y. B., & Ari Sudarmanto, B. S. (2023). In silico Pharmacokinetic and Toxicity Prediction of Compounds from *Andrographis paniculata* (Burm.f.) Nees. *Journal of Food and Pharmaceutical Sciences*, 11(2), 830–838. <https://doi.org/10.22146/jfps.7436>
- Jadimurthy, R., Mayegowda, S. B., Nayak, S. C., Mohan, C. D., & Rangappa, K. S. (2022). Escaping mechanisms of ESKAPE pathogens from antibiotics and their targeting by natural compounds. *Biotechnology Reports*, 34(March), e00728. <https://doi.org/10.1016/j.btre.2022.e00728>
- Karumathil, D. P., Nair, M. S., Gaffney, J., Kollanoor-Johny, A., & Venkitanarayanan, K. (2018). Trans-Cinnamaldehyde and eugenol increase *Acinetobacter baumannii* sensitivity to beta-lactam antibiotics. *Frontiers in Microbiology*, 9(MAY), 1–10. <https://doi.org/10.3389/fmicb.2018.01011>
- Kumawat, M., Nabi, B., Daswani, M., Viquar, I., Pal, N., Sharma, P., Tiwari, S., Sarma, D. K., Shubham, S., & Kumar, M. (2023). Role of bacterial efflux pump proteins in antibiotic resistance across microbial species. *Microbial Pathogenesis*, 181(April), 106182. <https://doi.org/10.1016/j.micpath.2023.106182>
- Kuok, C. F., Hoi, S. O., Hoi, C. F., Chan, C. H., Fong, I. H., Ngok, C. K., Meng, L. R., & Fong, P. (2017). Synergistic antibacterial effects of herbal extracts and ethicillin-resistant *Staphylococcus aureus*: A computational study. *Experimental Biology and Medicine*, 242(7), 731–743. <https://doi.org/10.1177/1535370216689828>
- V. S. (2018). YASARA: A tool to obtain structural guidance in stigations. *Methods in Molecular Biology*, 1685, 43–67. https://doi.org/10.1007/978-1-4939-7366-8_4



Mansoor, A., & Mahabadi, N. (2024). Volume of Distribution. *In: StatPearls [Internet] Treasure Island (FL): StatPearls Publishing.*

Mark, P., & Nilsson, L. (2001). Structure and dynamics of the TIP3P, SPC, and SPC/E water models at 298 K. *Journal of Physical Chemistry A*, 105(43), 9954–9960. <https://doi.org/10.1021/jp003020w>

Motohashi, H., & Inui, K. I. (2013). Organic cation transporter OCTs (SLC22) and MATEs (SLC47) in the human kidney. *AAPS Journal*, 15(2), 581–588. <https://doi.org/10.1208/s12248-013-9465-7>

Murray, C. J., Ikuta, K. S., Sharara, F., Swetschinski, L., Robles Aguilar, G., Gray, A., Han, C., Bisignano, C., Rao, P., Wool, E., Johnson, S. C., Browne, A. J., Chipeta, M. G., Fell, F., Hackett, S., Haines-Woodhouse, G., Kashef Hamadani, B. H., Kumaran, E. A. P., McManigal, B., ... Naghavi, M. (2022). Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *The Lancet*, 399(10325), 629–655. [https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/10.1016/S0140-6736(21)02724-0)

Naz, S., Ahmad, S., Ajaz Rasool, S., Asad Sayeed, S., & Siddiqi, R. (2006). Antibacterial activity directed isolation of compounds from *Onosma hispidum*. *Microbiological Research*, 161(1), 43–48. <https://doi.org/10.1016/j.micres.2005.05.001>

Oladejo, D. O., duselu, G. O., Dokunmu, T. M., Isewon, I., Oyelade, J., Okafor, E., Iweala, E. E. J., & Adebisi, E. (2023). In silico Structure Prediction, Molecular Docking, and Dynamic Simulation of Plasmodium falciparum AP2-I Transcription Factor. *Bioinformatics and Biology Insights*, 17. <https://doi.org/10.1177/11779322221149616>

Padhy, I., Banerjee, B., Achary, P. G. R., Gupta, P. P., & Sharma, T. (2024). Design, synthesis, 2D-QSAR, molecular dynamic simulation, and biological evaluation of topiramate–phenolic acid conjugates as PPAR γ inhibitors. *Future Journal of Pharmaceutical Sciences*, 10(1), 1–22. <https://doi.org/10.1186/s43094-024-00617-1>

Permenkes RI. (2021). Pedoman Penggunaan Antibiotik. *Permenkes RI*, 1–97.

Pignataro, D., Foglia, F., Della Rocca, M. T., Melardo, C., Santella, B., Folliero, V., Shinde, S., Pafundi, P. C., Sasso, F. C., Iovene, M. R., Galdiero, M., Boccia, G., Franci, G., Finamore, E., & Galdiero, M. (2020). Methicillin-resistant *Staphylococcus aureus*: epidemiology and antimicrobial susceptibility in the University Hospital ‘Luigi Vanvitelli’ of Naples. *Global Health*, 114(8), 451–456. <https://doi.org/10.1080/20477724.2020.1827197>



ell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based machine learning. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>

- Pollastri, M. P. (2010). Overview on the rule of five. *Current Protocols in Pharmacology, SUPPL. 49*, 1–8. <https://doi.org/10.1002/0471141755.ph0912s49>
- Rosalino, V., Georgina, S., Andr, L., Á, M. M., Nabil, E., Vega, L., Franyuti-kelly, G., Abelardo, D., Moncaleano, V., Ernesto, J., Felix, M., & Antonio, J. (2020). *Acinetobacter baumannii* Resistance : A Real Challenge for Clinicians. *Antibiotics*, 9(205), 1–22.
- Rosdi, S. A., Rustini, & Marlina. (2021). A Review : The Resistance Patterns of Bacteria *Staphylococcus aureus* toward Beta-Lactam Antibiotics. *Journal of Pharmacy and Biological Sciences (IOSR-JPBS)*, 16(1), 40–46. <https://doi.org/10.9790/3008-1601014046>
- Roy, S., Junghare, V., Dutta, S., Hazra, S., & Basu, S. (2022). Differential Binding of Carbapenems with the AdeABC Efflux Pump and Modulation of the Expression of AdeB Linked to Novel Mutations within Two-Component System AdeRS in Carbapenem-Resistant *Acinetobacter baumannii*. *MSystems*, 7(4), 1–20. <https://doi.org/10.1128/msystems.00217-22>
- Sepehr, A., Fereshteh, S., & Shahrokhi, N. (2022). Detection of Efflux Pump Using Ethidium Bromide-Agar Cartwheel Method in *Acinetobacter baumannii* Clinical Isolates. *Journal of Medical Microbiology and Infectious Diseases*, 10(1), 36–41. <https://doi.org/10.52547/jommid.10.1.36>
- Shil, A., Akter, M. A., Sultana, A., Halder, S. K., & Himel, M. K. (2023). Targeting Shikimate Kinase Pathway of *Acinetobacter baumannii*: A Structure-Based Computational Approach to Identify Antibacterial Compounds. *Journal of Tropical Medicine*, 2023. <https://doi.org/10.1155/2023/6360187>
- Sohail, M., Rashid, A., Aslam, B., Waseem, M., Shahid, M., Akram, M., & Khurshid, M. (2016). *Major Article Antimicrobial susceptibility of Acinetobacter clinical isolates and emerging antibiogram trends for nosocomial infection management*. 49(January 2012), 300–304. <https://doi.org/10.1590/0037-8682-0111-2016>
- Sultan, A. R., Lattwein, K. R., Lemmens-den Toom, N. A., Snijders, S. V., Kooiman, K., Verbon, A., & van Wamel, W. J. B. (2021). Paracetamol modulates biofilm formation in *Staphylococcus aureus* clonal complex 8 strains. *Scientific Reports*, 11(1), 1–10. <https://doi.org/10.1038/s41598-021-84505-1>
- Tetard, A., Zedet, A., Girard, C., Plésiat, P., & Llanes, C. (2019). Cinnamaldehyde inhibition of efflux pumps and multidrug resistance in *Pseudomonas aeruginosa*. *Antimicrobial Agents and Chemotherapy*, 63(10), 1–11. <https://doi.org/10.1128/AAC.01081-19>
- Ussama, S., Jaturanpinyo, M., Khuntayaporn, P., & M. T. (2016). Efficacy of cinnamon bark oil and its combination with other antimicrobial agents. *BMC*



Complementary and Alternative Medicine, 16(1), 1–7.
<https://doi.org/10.1186/s12906-016-1134-9>

Verma, P., Tiwari, M., & Tiwari, V. (2021a). Efflux pumps in multidrug-resistant *Acinetobacter baumannii*: Current status and challenges in the discovery of efflux pumps inhibitors. *Microbial Pathogenesis*, 152(October 2020).
<https://doi.org/10.1016/j.micpath.2021.104766>

Verma, P., Tiwari, M., & Tiwari, V. (2021b). Efflux pumps in multidrug-resistant *Acinetobacter baumannii*: Current status and challenges in the discovery of efflux pumps inhibitors. *Microbial Pathogenesis*, 152(February).
<https://doi.org/10.1016/j.micpath.2021.104766>

Wang, J., Wolf, R. M., Caldwell, J. W., Kollman, P. A., & Case, D. A. (2004). Development and Testing of a General Amber Force Field. *Journal of Computational Chemistry*, 25(9), 1157–1174.

Wang, S., Kang, O. H., & Kwon, D. Y. (2021). Trans-cinnamaldehyde exhibits synergy with conventional antibiotic against methicillin-resistant staphylococcus aureus. *International Journal of Molecular Sciences*, 22(5), 1–9. <https://doi.org/10.3390/ijms22052752>

Watanabe, R., Ohashi, R., Esaki, T., Kawashima, H., Natsume-Kitatani, Y., Nagao, C., & Mizuguchi, K. (2019). Development of an in silico prediction system of human renal excretion and clearance from chemical structure information incorporating fraction unbound in plasma as a descriptor. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-55325-1>

Willyard, C. (2017). Drug-resistant bacteria ranked. *Nature*, 543, 15.
<https://doi.org/https://doi.org/10.1038/nature.2017.21550>

Zack, K. M., Sorenson, T., & Joshi, S. G. (2024). Types and Mechanisms of Efflux Pump Systems and the Potential of Efflux Pump Inhibitors in the Restoration of Antimicrobial Susceptibility, with a Special Reference to *Acinetobacter baumannii*. *Pathogens*, 13(3). <https://doi.org/10.3390/pathogens13030197>

Zhu, J., Zhu, H., Kobamoto, N., Yasuda, M., & Tawata, S. (2000). Fungitoxic and phytotoxic activities of cinnamic acid esters and amides. *Journal of Pesticide Sciences*, 25(3), 263–266. <https://doi.org/10.1584/jpestics.25.263>

Zhuo, R., Cheng, X., Luo, L., Yang, L., Zhao, Y., Zhou, Y., Peng, L., Jin, X., Cui, L., Liu, F., & Yang, L. (2022). Cinnamic Acid Improved Lipopolysaccharide-Sensitive-Like Behaviors by Inhibiting Neuroinflammation and in Mice. *Pharmacology*, 107(5–6), 281–289.
 3.1159/000520990

