

DAFTAR PUSTAKA

- Afshar, A., Gultekinoglu, M., & Edirisinghe, M. (2023). Binary polymer systems for biomedical applications. *International Materials Reviews*, 68(2), 182–224.
- Albadr, A. A., Tekko, I. A., Vora, L. K., Ali, A. A., Laverty, G., Donnelly, R. F., & Thakur, R. R. S. (2022). Rapidly dissolving microneedle patch of amphotericin B for intracorneal fungal infections. *Drug Delivery and Translational Research*, 12(4), 931–943. <https://doi.org/10.1007/s13346-021-01032-2>
- Al-Kassas, R., Bansal, M., & Shaw, J. (2017). Nanosizing techniques for improving bioavailability of drugs. *Journal of Controlled Release*, 260, 202–212.
- Ananda, P. W. R., Elim, D., Zaman, H. S., Muslimin, W., Tunggeng, M. G. R., & Permana, A. D. (2021a). Combination of transdermal patches and solid microneedles for improved transdermal delivery of primaquine. *International Journal of Pharmaceutics*, 609(August), 121204. <https://doi.org/10.1016/j.ijpharm.2021.121204>
- Ananda, P. W. R., Elim, D., Zaman, H. S., Muslimin, W., Tunggeng, M. G. R., & Permana, A. D. (2021b). Combination of transdermal patches and solid microneedles for improved transdermal delivery of primaquine. *International Journal of Pharmaceutics*, 609(August), 121204. <https://doi.org/10.1016/j.ijpharm.2021.121204>
- Bahr MN., Modi D., Patel S., Campbell G., & Stockdale G. (2019). Understanding the Role of Sodium Lauryl Sulfate on the Biorelevant Solubility of a Combination of Poorly Water-Soluble Drugs Using High Throughput Experimentation and Mechanistic Absorption Modeling. *J Pharm Pharm Sci*, 22(1), 221–246.
- Baliga, S., Muglikar, S., & Kale, R. (2013). Salivary pH: A diagnostic biomarker. *Journal of Indian Society of Periodontology*, 17(4), 461–465.
- Bandyopadhyay, D. (2021). Topical Antibacterials in Dermatology. *Indian J Dermatol*, 66(2), 117–125.
- Bauleth-Ramos, T., El-Sayed, N., Fontana, F., Lobita, M., Shahbazi, M. A., & Santos, H. A. (2023). Recent approaches for enhancing the performance of dissolving microneedles in drug delivery applications. *Materials Today*, 63, 239–287.



-Jouzani, F., Dünnhaupt, S., Atyabi, F., & Bernkop-A. (2019). Mucoadhesive hydrogels for buccal drug in vitro-in vivo correlation study. *European Journal of Pharmaceutics and Biopharmaceutics*, 142(June), 498–505. [org/10.1016/j.ejpb.2019.07.019](https://doi.org/10.1016/j.ejpb.2019.07.019)

3. A., Juluri, A., Cheruvu, H. S., & Renukuntla, J. (2020). of formulation parameters on permeation of ibuprofen

- from topical formulations using Strat-M® membrane. *Pharmaceutics*, 12(2). <https://doi.org/10.3390/pharmaceutics12020151>
- Cavassin, F. B., Baú-Carneiro, J. L., Vilas-Boas, R. R., & Queiroz-Telles, F. (2021). Sixty years of Amphotericin B: An Overview of the Main Antifungal Agent Used to Treat Invasive Fungal Infections. *Infectious Diseases and Therapy*, 10(1), 115–147. <https://doi.org/10.1007/s40121-020-00382-7>
- Charyulu, N. R., Jose, J., & Shetty, V. (2014). Design and characterization of mucoadhesive buccal patch containing antifungal agent for oral candidiasis. *Int J Pharm Phytopharmacological Research*, 3(3), 245–249.
- Cheng, A., Sun, W., Xing, M., Zhang, S., & Gao, Y. (2022). The hygroscopicity of polymer microneedles on the performance of dissolving behavior for transdermal delivery. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 71(1), 72–78.
- Cheng, X. , Yang, Y. , Liao, Z. , Yi, Q. , Zhou, Y. , Dai, X. , & Liu, O. (2023). Drug-loaded mucoadhesive microneedle patch for the treatment of oral submucous fibrosis. *Frontiers in Bioengineering and Biotechnology*, 11, 1251583.
- Craciun, A. M., Barhalescu, M. L., Agop, M., & Ochiuz, L. (2019). Theoretical Modeling of Long-Time Drug Release from Nitrosalicyl-Imine-Chitosan Hydrogels through Multifractal Logistic Type Laws. *Computational and Mathematical Methods in Medicine*, 2019(1), 4091464.
- Danaei, M. R. M. M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R. , D. A., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 57.
- de Tilly, A. N., & Tharmalingam, S. (2022). Review of Treatments for Oropharyngeal Fungal Infections in HIV/AIDS Patients. In *Microbiology Research* (Vol. 13, Issue 2, pp. 219–234). Page Press Publications. <https://doi.org/10.3390/microbiolres13020019>
- Demolsky, W. L., Sugiaman, V. K., & Pranata, N. (2022). Antifungal Activity of Beluntas Indian Camphorweed (*Pluchea indica*) Ethanol Extract on *Candida albicans* in Vitro Using Different Solvent Concentrations. *European Journal of Dentistry*, 16(3), 637–642. <https://doi.org/10.1055/s-0041-1736591>
- arrañeta, E. (2018). Microarray patches: potentially useful stems for long-acting nanosuspensions. *Drug Discovery* 23(5), 1026–1033. [org/10.1016/j.drudis.2017.10.013](https://doi.org/10.1016/j.drudis.2017.10.013)
- 319). Current Trends in Anti-Candida Drug Development. *Topics in Medicinal Chemistry* (Vol. 19, Issue 28, pp.



- 2525–2526). *Current Topics in Medicinal Chemistry*.
<https://doi.org/10.1038/nrd.2017.46>
- Elim, D., Fitri, A. M. N., Mahfud, M. A. S. ban, Afika, N., Sultan, N. A. F., Hijrah, Asri, R. M., & Permana, A. D. (2023). Hydrogel forming microneedle-mediated transdermal delivery of sildenafil citrate from polyethylene glycol reservoir: An ex vivo proof of concept study. *Colloids and Surfaces B: Biointerfaces*, 222, 113018.
- Elmowafy, M., Shalaby, K., Al-Sanea, M. M., Hendawy, O. M., Salama, A., Ibrahim, M. F., & Ghoneim, M. M. (2021). Influence of stabilizer on the development of luteolin nanosuspension for cutaneous delivery: An in vitro and in vivo evaluation. *Pharmaceutics*, 13(11).
<https://doi.org/10.3390/pharmaceutics13111812>
- Fairuz, S., Nair, R. S., & Billa, N. (2022). Orally Administered Amphotericin B Nanoformulations: Physical Properties of Nanoparticle Carriers on Bioavailability and Clinical Relevance. In *Pharmaceutics* (Vol. 14, Issue 9). MDPI. <https://doi.org/10.3390/pharmaceutics14091823>
- Faizi, H. S., Vora, L. K., Nasiri, M. I., Wu, Y., Mishra, D., Anjani, Q. K., & Donnelly, R. F. (2022). Deferasirox nanosuspension loaded dissolving microneedles for intradermal delivery. *Pharmaceutics*, 14(12), 2817.
- Faizi HS., Vora LK., Nasiri MI., Wu Y., Mishra D., Anjani QK., Paredes AJ., Thakur RRS., Minhas MU., & Donnelly RF. (2022). Deferasirox Nanosuspension Loaded Dissolving Microneedles for Intradermal Delivery. *Pharmaceutics*, 14(12), 2817.
- Gagoś, M., & Arczewska, M. (2010). Spectroscopic Studies of Molecular Organization of Antibiotic Amphotericin B in Monolayers and Dipalmitoylphosphatidylcholine Lipid Multibilayers. *Biochimica et Biophysica Acta - Biomembranes*, 1798(11), 2124–2130.
- Gheorghe, D. C., Niculescu, A.-G., Bîrcă, A. C., Mihai Grumezescu, A., Soares, M. J., Giannini, M., Scipione, L., Melhem, M. S. C., Marisa, A., & Almeida, F. (2021). *pharmaceutics Biomaterials for the Prevention of Oral Candidiasis Development*.
<https://doi.org/10.3390/pharmaceutics>
- Gigliobianco MR., Casadidio C., Censi R., & Di Martino P. (2018). Nanocrystals of Poorly Soluble Drugs: Drug Bioavailability and Physicochemical Stability. *Pharmaceutics*, 10(3), 134.
- González-Vázquez, P., Larrañeta, E., McCrudden, M. T. C., Jarrahian, C., on, A., Quintanar-Solares, M., Zehring, D., McCarthy, H., A. J., & Donnelly, R. F. (2017). Transdermal delivery of using dissolving microneedle arrays for potential of neonatal sepsis. *Journal of Controlled Release*, 30–40. <https://doi.org/10.1016/j.jconrel.2017.07.032>
- ess, C., Schneider, S. W., Huck, V., & Brandner, J. M. barriers in dermal drug delivery: Which barriers have to



- be overcome and how can we measure them? In *Pharmaceutics* (Vol. 12, Issue 7, pp. 1–31). MDPI AG. <https://doi.org/10.3390/pharmaceutics12070684>
- Greco, I., Molchanova, N., Holmedal, E., & Jenssen, H. (2020). Correlation between hemolytic activity, cytotoxicity and systemic in vivo toxicity of synthetic antimicrobial peptides. *Scientific Reports*, 1–13.
- Hellstein, J. W., & Marek, C. L. (2019). Candidiasis: Red and White Manifestations in the Oral Cavity. In *Head and Neck Pathology* (Vol. 13, Issue 1, pp. 25–32). Humana Press Inc. <https://doi.org/10.1007/s12105-019-01004-6>
- Hitkova, H. Y., Georgieva, D. S., Hristova, P. M., & Sredkova, M. P. (2019). Antifungal susceptibility of *Candida albicans* isolates at a tertiary care hospital in Bulgaria. *Jundishapur Journal of Microbiology*, 12(7).
- Interagency Coordinating Committee on the Validation of Alternative Methods (ICCVAM). (2010). *Recommended Test Method Protocol: Hen's Egg Test – Chorioallantoic Membrane (HET-CAM) Test Method*, ICCVAM Test Method Evaluation Report.
- Jamaledin, R., Yiu, C. K. Y., Zare, E. N., Niu, L. N., Vecchione, R., Chen, G., Gu, Z., Tay, F. R., & Makvandi, P. (2020). Advances in Antimicrobial Microneedle Patches for Combating Infections. In *Advanced Materials* (Vol. 32, Issue 33). Wiley-VCH Verlag. <https://doi.org/10.1002/adma.202002129>
- Jansook, P., Fülöp, Z., & Ritthidej, G. C. (2019). Amphotericin B loaded solid lipid nanoparticles (SLNs) and nanostructured lipid carrier (NLCs): physicochemical and solid-solution state characterizations. *Drug Development and Industrial Pharmacy*, 45(4), 560–567.
- Kim YeTae, K. Y., Shin BaekKi, S. B., Garripelli, V. K., Kim JinKi, K. J., Davaa, E., Jo SeongBong, J. S., & Park JeongSook, P. J. (2010). A thermosensitive vaginal gel formulation with HP γ CD for the pH-dependent release and solubilization of amphotericin B. *European Journal of Pharmaceutical Sciences*, 41(2), 399–406.
- Kristina Enggi, C., Sulistiawati, S., Stephanie, S., Tangdilintin, F., Anas Achmad, A., Adelia Putri, R., Burhanuddin, H., Arjuna, A., Manggau, M. A., & Dian Permana, A. (2023). Development of probiotic loaded multilayer microcapsules incorporated into dissolving microneedles for potential improvement treatment of vulvovaginal candidiasis: A proof of concept study. *Journal of Colloid and Interface Science*, 419, 1–19.
- le, D., Chapaikar, N., Shelke, S., Pekamwar, S., Aher, B. (2023). Polymeric Microneedles: An Emerging for Advanced Biomedical Applications. *Scientia medica*, 91(2), 27.



- Kumar, M., Shanthi, N., Mahato, A. K., Soni, S., & Rajnikanth, P. S. (2019). Preparation of luliconazole nanocrystals loaded hydrogel for improvement of dissolution and antifungal activity. *Heliyon*, 5(5).
- Kumar, P., Singh, N., Khajuria, S., Patel, R., & Rajana, V. K. (2022). Limitations of current chemotherapy and future of nanoformulation-based AmB delivery for visceral leishmaniasis—An updated review. *Frontiers in Bioengineering and Biotechnology*, 10, 1016925.
- Lahiji, S. F., Jang, Y., Ma, Y., Dangol, M., Yang, H., Jang, M., & Jung, H. (2018). Effects of dissolving microneedle fabrication parameters on the activity of encapsulated lysozyme. *European Journal of Pharmaceutical Sciences*, 117, 290–296.
- Lombardi, A., & Ouanounou, A. (2020). Fungal infections in dentistry: Clinical presentations, diagnosis, and treatment alternatives. In *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology* (Vol. 130, Issue 5, pp. 533–546). Mosby Inc. <https://doi.org/10.1016/j.oooo.2020.08.011>
- Lou, J., Duan, H., Qin, Q., Teng, Z., Gan, F., Zhou, X., & Zhou, X. (2023). Advances in Oral Drug Delivery Systems: Challenges and Opportunities. In *Pharmaceutics* (Vol. 15, Issue 2). MDPI. <https://doi.org/10.3390/pharmaceutics15020484>
- Mahfufah, U., Fitri Sultan, N. A., Nurul Fitri, A. M., Elim, D., Sya'ban Mahfud, M. A., Wafiah, N., Ardita Friandini, R., Chabib, L., Aliyah, & Permana, A. D. (2023). Application of multipolymers system in the development of hydrogel- forming microneedle integrated with polyethylene glycol reservoir for transdermal delivery of albendazole. *European Polymer Journal*, 183, 111762.
- Mangang, K. N., Thakran, P., Halder, J., Yadav, K. S., Ghosh, G., Pradhan, D., Rath, G., & Rai, V. K. (2022). PVP-microneedle array for drug delivery: mechanical insight, biodegradation, and recent advances. *Journal of Biomaterials Science, Polymer Edition*, 0(0), 1–32.
- Meng, Y., Li, X. J., Li, Y., Zhang, T. Y., Liu, D., Wu, Y. Q., & Jiang, L. (2023). Novel double-layer dissolving microneedles for transmucosal sequential delivery of multiple drugs in the treatment of oral mucosa diseases. *ACS Applied Materials & Interfaces*, 15(11), 13892–13906.
- Montagna, M. T., Lovero, G., Coretti, C., De Giglio, O., Martinelli, D., Bedini, A., Delia, M., Rosato, A., Codeluppi, M., & Caggiano, G. (2014). In vitro activities of amphotericin B deoxycholate and liposomal amphotericin B against 604 clinical yeast isolates. *Journal of Medical Microbiology*, 63, 1638–1643. <https://doi.org/10.1099/jmm.0.075507-0>
- Shah, S. A. F., Siagian, J. R., Mantong, T. A., Dahlan, R. M., & Permana, A. D. (2024). UV–Vis spectrophotometry for rapid and identification of amphotericin B: analytical method validation and in vivo studies in the development of nanoemulsion-



- incorporated thermosensitive gel. *Analytical Sciences*, 40(4), 615–631. <https://doi.org/10.1007/s44211-023-00493-4>
- Pardhi, V. P., Verma, T., Flora, S. J. S., Chandasana, H., & Shukla, R. (2019). Nanocrystals: An Overview of Fabrication, Characterization and Therapeutic Applications in Drug Delivery. *Current Pharmaceutical Design*, 24(43), 5129–5146. <https://doi.org/10.2174/1381612825666190215121148>
- Pawar VK, Gupta S., Singh Y., Meher JG., Sharma K., Singh P., Gupta A., Bora HK., Chaurasia M., & Chourasia MK. (2015). Pluronic F-127 Stabilised Docetaxel Nanocrystals Improve Apoptosis by Mitochondrial Depolarization in Breast Cancer Cells: Pharmacokinetics and Toxicity Assessment. *J Biomed Nanotechnol*, 11(10), 1747–1763.
- Permana, A. D., McCrudden, M. T. C., & Donnelly, R. F. (2019). Enhanced intradermal delivery of nanosuspensions of antifilaria drugs using dissolving microneedles: A proof of concept study. *Pharmaceutics*, 11(7). <https://doi.org/10.3390/pharmaceutics11070346>
- Permana, A. D., Paredes, A. J., Volpe-Zanutto, F., Anjani, Q. K., Utomo, E., & Donnelly, R. F. (2020). Dissolving microneedle-mediated dermal delivery of itraconazole nanocrystals for improved treatment of cutaneous candidiasis. *European Journal of Pharmaceutics and Biopharmaceutics*, 154(April), 50–61. <https://doi.org/10.1016/j.ejpb.2020.06.025>
- Permana, A. D., Paredes, A. J., Zanutto, F. V., Amir, M. N., Ismail, I., Bahar, M. A., Sumarheni, Palma, S. D., & Donnelly, R. F. (2021a). Albendazole Nanocrystal-Based Dissolving Microneedles with Improved Pharmacokinetic Performance for Enhanced Treatment of Cystic Echinococcosis. *ACS Applied Materials and Interfaces*, 13(32), 38745–38760. <https://doi.org/10.1021/acsami.1c11179>
- Permana, A. D., Paredes, A. J., Zanutto, F. V., Amir, M. N., Ismail, I., Bahar, M. A., Sumarheni, Palma, S. D., & Donnelly, R. F. (2021b). Albendazole Nanocrystal-Based Dissolving Microneedles with Improved Pharmacokinetic Performance for Enhanced Treatment of Cystic Echinococcosis. *ACS Applied Materials and Interfaces*, 13(32), 38745–38760. <https://doi.org/10.1021/acsami.1c11179>
- Permana, A. D., Utomo, E., Pratama, M. R., Amir, M. N., Anjani, Q. K., Mardikasari, S. A., Sumarheni, S., Himawan, A., Arjuna, A., si, U., & Donnelly, R. F. (2021). Bioadhesive-issive in Situ Vaginal Gel of the Gel Flake-Solid of Itraconazole for Enhanced Antifungal Activity in the of Vaginal Candidiasis. *ACS Applied Materials and* 13(15), 18128–18141. [org/10.1021/acsami.1c03422](https://doi.org/10.1021/acsami.1c03422)



- Putri, H. E., Utami, R. N., Aliyah, Wahyudin, E., Oktaviani, W. W., Mudjahid, M., & Permana, A. D. (2022). Dissolving Microneedle Formulation of Ceftriaxone: Effect of Polymer Concentrations on Characterisation and Ex Vivo Permeation Study. *Journal of Pharmaceutical Innovation*, 17(4), 1176–1188.
- Qadir, M. I., Bashir, H., Muhammad, &, Ahmad, H., & Ahmad, M. H. (2023). *Human Oropharyngeal Candidiasis: From Etiology to Current Treatment*. www.begellhouse.com
- R, A. N., & Rafiq, N. B. (2023). *Candidiasis*. StatPearls [Internet]. <https://www.ncbi.nlm.nih.gov/books/NBK560624/>
- Ramadon, D., Ulayya, F., Qur'ani, A. S., Iskandarsyah, I., Harahap, Y., Anjani, Q. K., Aileen, V., Hartrianti, P., & Donnelly, R. F. (2023). Combination of Dissolving Microneedles with Nanosuspension and Co-Grinding for Transdermal Delivery of Ketoprofen. *Pharmaceuticals*, 16(3). <https://doi.org/10.3390/ph16030378>
- Riccio, B. V. F., Silvestre, A. L. P., Meneguín, A. B., Ribeiro, T. D. C., Klosowski, A. B., Ferrari, P. C., & Chorilli, M. (2022). Exploiting polymeric films as a multipurpose drug delivery system: a review. *AAPS PharmSciTech*, 23(7), 269.
- Roy, G., Galigama, R. D., Thorat, V. S., Mallela, L. S., Roy, S., Garg, P., & Venuganti, V. V. K. (2019). Amphotericin B containing microneedle ocular patch for effective treatment of fungal keratitis. In *International Journal of Pharmaceutics* (Vol. 572). Elsevier B.V. <https://doi.org/10.1016/j.ijpharm.2019.118808>
- Ruiz, H. K., Serrano, D. R., Dea-Ayuela, M. A., Bilbao-Ramos, P. E., Bolás-Fernández, F., Torrado, J. J., & Molero, G. (2014). New amphotericin B- γ -cyclodextrin formulation for topical use with synergistic activity against diverse fungal species and *Leishmania* spp. *International Journal of Pharmaceutics*, 473(1–2), 148–157. <https://doi.org/10.1016/j.ijpharm.2014.07.004>
- Sartawi, Z., Blackshields, C., & Faisal, W. (2022). Dissolving microneedles: Applications and growing therapeutic potential. In *Journal of Controlled Release* (Vol. 348, pp. 186–205). Elsevier B.V. <https://doi.org/10.1016/j.jconrel.2022.05.045>
- Sasoni, N., Caracciolo, B., Cabeza, M., Gamarra, S., Carnovale, S., & García-Efrón, G. (2023). Antifungal susceptibility testing following the CLSI M27 document, along with the measurement of MFC/MIC ratio, could be a minimal approach to detect amphotericin B resistance in *Candida lusitanae*. Susceptibility patterns of any isolates of this species. *Antimicrobial Agents and Therapy*, 68(1), e00968-23.
- Sánchez-García, R., Mele, M., Healy, A. M., & Lalatsa, A. (2023). Designing fast-dissolving orodispersible films of amphotericin



- b for oropharyngeal candidiasis. *Pharmaceutics*, 11(8). <https://doi.org/10.3390/pharmaceutics11080369>
- Serrano, D. R., & Lalatsa, A. (2017). Oral amphotericin B: The journey from bench to market. *Journal of Drug Delivery Science and Technology*, 42, 75–83. <https://doi.org/10.1016/j.jddst.2017.04.017>
- Shankar, S. J., Jaswanth Gowda, B. H., Akshatha, R. S., Metikurki, B., & Rehamathulla, M. (2020). A review on the role of nanocrystals and nanosuspensions in drug delivery systems. *International Journal of Applied Pharmaceutics*, 12(1), 10–16. <https://doi.org/10.22159/ijap.2020v12i1.35508>
- Shim, W. S., Hwang, Y. M., Park, S. G., Lee, C. K., & Kang, N. G. (2018). Role of polyvinylpyrrolidone in dissolving microneedle for efficient transdermal drug delivery: in vitro and clinical studies. *Bulletin of the Korean Chemical Society*, 39(6), 789–793.
- Sohi, H., Ahuja, A., Ahmad, F. J., & Khar, R. K. (2010). Critical evaluation of permeation enhancers for oral mucosal drug delivery. *Drug Development and Industrial Pharmacy*, 36(3), 254–282.
- Song, Y., Day, C. M., Afinjuomo, F., Tan, J. Q. E., Page, S. W., & Garg, S. (2023). Advanced Strategies of Drug Delivery via Oral, Topical, and Parenteral Administration Routes: Where Do Equine Medications Stand? In *Pharmaceutics* (Vol. 15, Issue 1). MDPI. <https://doi.org/10.3390/pharmaceutics15010186>
- Sulistiawati, Enggi, C. K., Isa, H. T., Wijaya, S., Ardika, K. A. R., Asri, R. M., Donnelly, R. F., & Permana, A. D. (2022). Validation of spectrophotometric method to quantify cabotegravir in simulated vaginal fluid and porcine vaginal tissue in ex vivo permeation and retention studies from thermosensitive and mucoadhesive gels. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 267. <https://doi.org/10.1016/j.saa.2021.120600>
- Sun, J., Wang, F., Sui, Y., She, Z., Zhai, W., Wang, C., & Deng, Y. (2012). Effect of particle size on solubility, dissolution rate, and oral bioavailability: evaluation using coenzyme Q10 as naked nanocrystals. *International Journal of Nanomedicine*, 5733–5744.
- Syafika, N., Azis, S. B. A., Enggi, C. K., Qonita, H. A., Mahmud, T. R. A., Abizart, A., Asri, R. M., & Permana, A. D. (2023). Glucose-Responsive Microparticle- Loaded Dissolving Microneedles for Selective Delivery of Metformin: A Proof-of-Concept Study. *Pharmaceutics*, 20(2), 1269–1284.
- Sun, Y., Fang, Y., Liu, J., Liu, W., & Jin, Y. (2020). Preparation of ultra-small nanocrystals by formation of hydrogen bonds and in vitro and in vivo evaluation. *International Journal of Pharmaceutics*, 573, 118730.
- Sun, A. J., Tekko, I. A., Larrañeta, E., & Donnelly, R. F. (2018). Chitosan-based dissolving microneedle arrays for enhanced



- transdermal delivery of small and large biomolecules. *International Journal of Biological Macromolecules*, 146, 290–298.
- Wang, Q., Atluri, K., Tiwari, A. K., & Babu, R. J. (2023). Exploring the Application of Micellar Drug Delivery Systems in Cancer Nanomedicine. In *Pharmaceuticals* (Vol. 16, Issue 3). MDPI. <https://doi.org/10.3390/ph16030433>
- Wang, Q. L., Ren, J. W., Chen, B. Z., Jin, X., Zhang, C. Y., & Guo, X. D. (2018). Effect of humidity on mechanical properties of dissolving microneedles for transdermal drug delivery. *Journal of Industrial and Engineering Chemistry*, 59, 251–258.
- Wang, Y., Xuan, J., Zhao, G., Wang, D., Ying, N., & Zhuang, J. (2021). Improving stability and oral bioavailability of hydroxycamptothecin via nanocrystals in microparticles (NCs/MPs) technology. *International Journal of Pharmaceutics*, 604. <https://doi.org/10.1016/j.ijpharm.2021.120729>
- Wasan, E., Mandava, T., Crespo-Moran, P., Nagy, A., & Wasan, K. M. (2022). Review of Novel Oral Amphotericin B Formulations for the Treatment of Parasitic Infections. In *Pharmaceutics* (Vol. 14, Issue 11). MDPI. <https://doi.org/10.3390/pharmaceutics14112316>
- Wu, Y., Vora, L. K., Donnelly, R. F., & Singh, T. R. R. (2023). Rapidly dissolving bilayer microneedles enabling minimally invasive and efficient protein delivery to the posterior segment of the eye. *Drug Delivery and Translational Research*, 13(8), 2142–2158.
- Yang, B., Dong, Y., Shen, Y., Hou, A., Quan, G., Pan, X., & Wu, C. (2021). Bilayer dissolving microneedle array containing 5-fluorouracil and triamcinolone with biphasic release profile for hypertrophic scar therapy. *Bioactive Materials*, 6(8), 2400–2411. <https://doi.org/10.1016/j.bioactmat.2021.01.014>
- Yu X., Zhao J., & Fan D. (2023). The Progress in the Application of Dissolving Microneedles in Biomedicine. *Polymers*, 15(20), 4059.
- Zhang, C., Vora, L. K., Tekko, I. A., Volpe-Zanutto, F., Peng, K., Paredes, A. J., McCarthy, H. O., & Donnelly, R. F. (2023). Development of dissolving microneedles for intradermal delivery of the long-acting antiretroviral drug bictegravir. *International Journal of Pharmaceutics*, 642.
- Zhang, N., Zhou, X., Liu, L., Zhao, L., Xie, H., & Yang, Z. (2021). Dissolving Polymer Microneedles for Transdermal Delivery of Insulin. *Frontiers in Pharmacology*, 12. <https://doi.org/10.3389/fphar.2021.719905>
- ., Zhou, J., Zou, A., Li, W., Yao, C., & Xie, S. (2010). an add-in program for modeling and comparison of drug profiles. *The AAPS Journal*, 12, 263–271.
- , Lei, L., Yang, Y., & Hu, T. (2022). Drug delivery systems ease applications. *Journal of Applied Oral Science*, 30. [org/10.1590/1678-7757-2021-0349](https://doi.org/10.1590/1678-7757-2021-0349)



Zhou, L., Zhang, P., Chen, Z., Cai, S., Jing, T., Fan, H., Mo, F., Zhang, J., & Lin, R. (2017). Preparation, characterization, and evaluation of amphotericin B-loaded MPEG-PCL-g-PEI micelles for local treatment of oral candida albicans. *International Journal of Nanomedicine*, 12, 4269–4283. <https://doi.org/10.2147/IJN.S124264>



Optimized using
trial version
www.balesio.com