

DAFTAR PUSTAKA

Anonim, 2021. <http://www.knowledgebank.irri.org/step-by-step-production/postharvest/rice-by-products>

Ajasuddin, saraf s. 2010. Application of Novel Drug Delivery system for formadabin, fitoterapia, vol 81 no7. 680

Bnovham M, Ziyat A, Mekhfi H, Tahri A, Legssyer A, Medicinal plants with potential antidiabetic activity- a review of recent years of herbal medicine research (1990-2000) *Int J Diabetes Metab*, 2006;14:1-25

Chitropas, P., Pripem, A., Siri, B., Khamlert, C., dan Sripanidkulchai, B. (2004). Factors affecting antioxidation and γ -oryzanol in developed Hom Dok Mali 105 rice bran tablets. *Warasan Wichai Mokho*.

Forster, G. M., Raina, K., Kumar, A., Kumar, S., Agarwal, R., Chen, M. H., dan Ryan, E. P. (2013). Rice varietal differences in bioactive bran components for inhibition of colorectal cancer cell growth. *Food chemistry*, 141(2), 1545-1552.

Frode TS, Medelros YS, Animal Model to test drugs with potential antidiabetic activity *J ethnopharmacol* 2008;115;173-83

Gandhi, A Dutta., Pal, A., N Balski, P, 2012, Recent Trends of itosome for daivering herbalekstrack with improved bioactivity, *Journal of pharmacologi*, Vo.1 No.4:6-13

Garofalo, S. F., Tommasi, T., dan Fino, D. (2020). A short review of green extraction technologies for rice bran oil. *Biomass Conversion and Biorefinery*, 1-19.

Ghatak SB, panchal SJ, γ -oryzanol -a multi- purpose Steryl ferulate, *Curr Nutr food Sci*, 2011; 7:10-20

Ghatak, S. B., dan Panchal, S. S. (2012). Anti-diabetic activity of oryzanol and its relationship with the anti-oxidant property. *International Journal of Diabetes in Developing Countries*, 32(4), 185-192

H, Morita, Y, Uno, T, Umemoto et al, "Effect of Gamma-amino butyric acid-rich germinated brown rice on Indexes of Life-style related diseases, "Japanese Journal Of geriatrics, Vol, 41 No, 2, PP, 211-216, 2004

H, Hagiwara, T, Seki, and T, Ariga, "The Effect Of Pregerminated brown rice Intake On γ glucose and PAI-1 levels In Streptozotocin- Induced diabetic rats," *Bio Sciene, Biothechnology and Biochemistry*, Vol, 682,



pp 444-447

International Diabetes Federation, Diabetes Atlas ; The Global Burden, 2011,
<http://www.idf.org/diabetesatlas/se/the-global-burden>

Inzucchi SE, Oral antihyperglycemic therapy for type 2 diabetes :scientific
review, J Am Med Assoc, 2002; 287:360-72

Jung, E. H., Ran Kim, S., Hwang, I. K., dan Youl Ha, T. (2007).
Hypoglycemic effects of a phenolic acid fraction of rice bran and
ferulic acid in C57BL/KsJ-db/db mice. *Journal of Agricultural and
Food Chemistry*, 55(24), 9800

Lerma — garcia Mj Herro-Martinez JM, Simo-Alfonso EF, Mendonca
CRB, Ramis-Ramos G composition, Industrial processing and
applications Of rice brain -Oryzanol Food Chem, 2009; 115-389-404

Lee SH, Chun HK, Chang SO, Lee YS, Effect Of Γ -ORYZANOL on blood
glucose In diabetic KK mice, J Korean SOC Food Sci, Nutr
2004;33;827-31

M,U, Imam,, A,S,N, Musa, N,H, Azmi, and I,Maznah, "Effect of White rice,
brown rice and germinated brown rice on antioxidant status of type 2
diabetic rats," *International Journal of Molecular Sciences*, vol, 13, pp,
12952-12969, 2012

M,Torimitsu, R,Nagase, M, Yanagi et al, "Replacing white rice pre-
germinated brown rice mildly ameliorates hyperglycemia and
imbalance of adipocytokine Levels In type 2 Diabetes Model
Fats," *Journal Of Nutritional Science and itamiology*, Vol, 56 ,No,5, PP
287-292,2010

Ohara K, Uchida A, Nagasaka R, Ushio H, Ohshima T, The effects of
hydroxy cinnamic acid derivatives on adiponectin secretion,
phytomedicine, 2009; 16 ; 130-7

Ramadhon, D, dan Nunim A, 2016, Pemanfaatan nanoteknologi dalam
system penghantaran obat baru untuk produk bahan alam .,jurnal
Kefarmasian Indonesia Vol.14,No.2.,121-123

Rawal, T., Mishra, N., Jha, A., Bhatt, A., Tyagi, R. K., Panchal, S., dan
Pantani, S. (2018). Chitosan nanoparticles of γ -oryzanol :
formulation, optimization, and in vivo evaluation of anti-
hyperlipidemic activity. *Aaps Pharmscitech*, 19(4), 1894-1907.



an, U., Pithanthanakul, U., Thisayakorn, K., Uttapap, D.,

Boonpisuttinant, K., Vatanyoopaisarn, S., ... dan Rungsardthong, V. (2021). Preparation and characterization of Γ -ORYZANOL loaded zein nanoparticles and its improved stability. *Food Science dan Nutrition*, 9(2), 616-624.

Shahbandeh M (2020) Top countries based on production of milled rice 2018/2019. Statista <https://www.statista.com/statistics/255945/top-countries-of-destination-for-us-rice-exports-2011/> accessed 11 Apr 2020

Sugano M, Kaba K, Tsuji E, Health benefits of rice bran Oil, *Anticancer Res*, 1999;19:3651-7

Son MJ, Rico Cw, Nam SH, Kang My, Effect Of Oryzanol and ferulic acid on the glucose Metabolism of mice fed with a high- fat diet , *J food Sci*, 2011; 76:H7-10

Susuki, Y, Y, Tsai, K, Morikawa et al., "IGF-I Induction by acylated steryl — glucosides found in a pregerminated brown rice diet reduces oxidative stress In Streptozotocin- Induced diabetes, " *plos One*, Vol, 6, no, 12, Article ID e28693, 2001

S, Usuki, Y, Ho, K, Morikawa et al, "Effect of pregerminated brown rice Intake On diabetic Neuro Pathy In Streptozotocin- Induced diabetic rats," *Nutrition and Metabolism*, Vol-4, article 25, 2007

T, F, HSU, M, Kise, M, F, Wang et al, "Effects Of Pregerminated brown rice blood glucose and lipid Level In Free- Living patients with Impaired fasting glukose Or type 2 diabetes, " *Journal Of Nutritional Sciene and vitaminology*, vol, 54, no, 2, pp, 163-168, 2008,

Trinder P, Determination Of blood glucose using on Oxidase-peoxidase system with a nano Carcinogenic Chromogen - *J Clin pathol*, (1969;22:158-6)

T, Seki, R, Nagase, M, Torimitsu et al, "Insoluble fiber is a Major Constituent responsible for Lowering the post-prandial blood glukocose Concentration In the pre-germinated brown rice, " *Biological and pharmaceutical Bulletin*, Vol, 28, No, 8, pp 1539- 1541, 2005



World Health Organization- Diabetes Feet Sheet, 2008, <http://www.who.int/media/centreforfaet/sheets/fs312/en/index.html>

S., Managit, C., Iamthanakul, L., Soparat, W., dan Kamkaen, N.

(2010). Examination of antioxidant activity and development of rice bran oil and γ -oryzanol microemulsion. *Journal of Health Research*, 24(2), 67-72.

Y,I, A,Mizukuchi, M, Kise et al, "Postprandial blood glucose and Insulin responses to pre-germinated brown rice In healty Subjects, "Journal of medical Investigation, Vol, 52, No, 3-4, PP, 159-164, 2005

