

## DAFTAR PUSTAKA

Abdollahpour, S., & Keramat, A. (2016). *The Impact of Perceived Social Support from Family and Empowerment on Maternal Wellbeing in the Postpartum Period*. *Journal of Midwifery and Reproductive Health*, 4(4), 779–787. <https://doi.org/10.22038/jmrh.2016.7612>.

Amayri, A., Khalayli, N., Haj Ali, D., & Kudsi, M. (2023). Low back pain in a sample of Syrian pregnant women: A cross-sectional study. *Health Science Reports*, 6(7). <https://doi.org/10.1002/hsr2.1389>.

American Psychiatric Association. Diagnostic and statistical manual of mental disorders. 5th ed. Association AP, editor. Washington, DC: American Psychiatric Association; 2013.

Bryndal, A., Majchrzycki, M., Grochulska, A., Glowinski, S., & Seremak-mrozikiewicz, A. (2020). *Risk factors associated with low back pain among a group of 1510 pregnant women*. *Journal of Personalized Medicine*, 10(2), 1–10. <https://doi.org/10.3390/jpm10020051>.

Bieñ A, Rzońca E, Kańczugowska A, Iwanowicz-Palus G. *Faktor-faktor yang memengaruhi kualitas hidup dan penerimaan penyakit pada ibu hamil penderita diabetes*. *Int J Environ Res Public Health*. 2015;13((1)):ijerph1301006. doi: 10.3390/ijerph13010068.

Chen L, Shortreed SM, Easterling T, et al.: *Identifying hypertension in pregnancy using electronic medical records: the importance of blood pressure values*. *Pregnancy Hypertens*. 2020, 19:112-18. 10.1016/j.preghy.2020.01.001.

Cleary, E. M., Racchi, N. W., Patton, K. G., Kudrimoti, M., Costantine, M. M., & Rood, K. M. (2023). *Trial of Intrapartum Extended-Release Nifedipine to Prevent Severe Hypertension among Pregnant Individuals with Preeclampsia with Severe Features*. *Hypertension*, 80(2), 335–342. <https://doi.org/10.1161/HYPERTENSIONAHA.122.19751>.

de Wit, L., Jelsma, J.G.M., van Poppel, M.N.M. et al. *Physical activity, depressed mood and pregnancy worries in European obese pregnant women: results from the DALI study*. *BMC Pregnancy Childbirth* **15**, 158 (2015). <https://doi.org/10.1186/s12884-015-0595-z>

Donnenwirth JA, Hess R, Ross R. Post-Traumatic Stress, Depression, and Quality of Life in Women with Peripartum Cardiomyopathy. *MCN Am J Matern Child Nurs*. 2020;45:176-182.



rkun, S. (2006). *Cross-cultural and social diversity of prevalence of depression and depressive symptoms*. *Journal of Affective Disorders*, 97–111. <https://doi.org/10.1016/j.jad.2005.12.051>.

D., Vogel, I., Franx, A., Duvekot, J. J., Steegers, E. A. P., & Raat, *or Health-related Quality of Life After Severe Preeclampsia*. *Birth*,

38(3), 246–255. <https://doi.org/10.1111/j.1523-536X.2011.00477.x>

Jikamo, B., Adefris, M., Azale, T., & Alemu, K. (2022). *Health-related quality of life among postpartum women with preeclampsia, southern Ethiopia: a prospective cohort study*. *Health and Quality of Life Outcomes*, 20(1), 1–13. <https://doi.org/10.1186/s12955-022-02061-2>.

K. H, Pallavi K. Comparative Study Of Labetalol And Nifedipine In Management Of Hypertensive Disorders Of Pregnancy. *Int J Curr Pharm Sci* [Internet]. 2024 Sep. 15 [cited 2024 Dec. 16];16(5):14-8. Available from: <https://journals.innovareacademics.in/index.php/ijcpr/article/view/52660>

Machado, M. de S. R., Bertagnolli, T. V., Veiga, E. C. de A., Ferreira, C. J. H., Duarte, G., Machado, J. de S. R., & Carvalho, R. (2020). *Multiprofessional care promotes of quality of life in pregnant women with preeclampsia: a cross-sectional study*. *Clinics*, 75(12), 1–5. <https://doi.org/10.6061/clinics/2020/e1951>.

Malaju MT, Alene GD, Bisetegn TA. *Longitudinal path analysis for the directional association of depression, anxiety and posttraumatic stress disorder with their comorbidities and associated factors among postpartum women in Northwest Ethiopia: a cross-lagged autoregressive modelling study*. *PLoS One*. 2022;17(8):e0273176. <https://doi.org/10.1371/journal.pone.0273176>.

Mourady, D., Richa, S., Karam, R., Papazian, T., Hajj, F., Osta, N. El, Kesrouani, A., Azouri, J., Jabbour, H., Hajj, A., & Khabbaz, L. R. (2017). *Associations between quality of life , physical activity , worry , depression and insomnia : A cross-sectional designed study in healthy pregnant women*. 1–15.

Nazanin R, Arman A, Razieh Z, Zinab S, Zahra T, Maryam R. *Maternal health-related quality of life and its predicting factors in the postpartum period in Iran*. *Scientifica*. 2016;7. <https://doi.org/10.1155/2016/8542147>

Oechsle K. *Palliative Care in Patients with Hematological Malignancies*. *Oncol Res Treat*. 2019;42(1-2):25-30.

Pan, Y., Ni, L., Fang, S., Zhang, J., Fan, W., & Shen, F. (2021). *Effect of comprehensive care on the negative emotions and life quality in parturients with postpartum depression and gestational hypertension*. 13(6), 7228–7234.

Peters, A. E. J., Verspeek, L. B., Nieuwenhuijze, M., Harskamp-van Ginkel, M. W., & Meertens, R. M. (2023). *The relation between sleep quality during pregnancy and health-related quality of life—a systematic review*. *Journal of Maternal-Fetal and Neonatal Medicine*, 36(1). <https://doi.org/10.1080/14767058.2023.2212829>.



Optimized using  
trial version  
[www.balesio.com](http://www.balesio.com)

Garzon E, Maguire Á, Matz S, & Huppert F. (2020). *Well-being is ppiness and life satisfaction: A multidimensional analysis of 21 alth and Quality of Life OutcomesHealth and Quality of Life vista en Internet* 2020 [acceso 4 de julio de 2021]; 18(1): 1-16. and Quality of Life Outcomes, 1–16. [bmedcentral.com/track/pdf/10.1186/s12955-020-01423-y.pdf](https://www.bmedcentral.com/track/pdf/10.1186/s12955-020-01423-y.pdf)

Sokoya M, Farotimi A, Ojewole F. *Persepsi perempuan terhadap dukungan suami selama kehamilan, persalinan, dan melahirkan*. J Nurs Heal Sci 2014;3:45-50. <https://doi.org/10.9790/1959-03314550> 10.9790/1959-03314550

Tola, Y., Ayele, G., Boti, N., Yihune, M., Gethahun, F., & Gebru, Z. (2021). *Health-related quality-of-life and associated factors among post-partum women in Arba Minch town*. *International Journal of Women's Health*, 13, 601–611. <https://doi.org/10.2147/IJWH.S295325>.

Wójcik, M., Aniśko, B., & Siatkowski, I. (2024). *Quality of life in women with normal pregnancy*. *Scientific Reports*, 14(1), 1–9. <https://doi.org/10.1038/s41598-024-63355-7>

