

DAFTAR PUSTAKA

- Adaszek, L., Gadomska, D., Mazurek, L., Lyp, P., Madany, J., & Winiarczyk, S. (2019). Properties of capsaicin and its utility in veterinary and human medicine. *Research in Veterinary Science*, 123, 14–19.
- Afriansyah, M. A., Kamaruddin, M., Ethica, S. N., & Aprianti, N. F. (2021). Aktivitas anti-biofilm bakteri dari produk alga coklat *Dictyota* sp. *Medika Alkhairaat: Jurnal Penelitian Kedokteran dan Kesehatan*, 3(3), 89–93.
- Akihary, V. C., & Kolondam, J. B. (2020). Pemanfaatan gen 16S rRNA sebagai perangkat identifikasi bakteri untuk penelitian-penelitian di Indonesia. *Pharmacon: Jurnal Ilmiah Farmasi*, 9(1), 16–22.
- Ambarwati, A., Wahyuono, S., Moeljopawiro, S., & Yuwono, T. (2020). Antimicrobial activity of ethyl-acetate extracts of *Streptomyces* sp. CRB46 and prediction of their bioactive-compound chemical structures. *Biodiversitas*, 21, Article 763. <https://doi.org/10.13057/biodiv/d210763>
- Anderson, M., Sansonetti, P. J., & Marteyn, B. S. (2016). *Shigella* diversity and changing landscape: Insights for the twenty-first century. *Frontiers in Cellular and Infection Microbiology*, 6, Article 45.
- Arora, D. S., & Chandra, P. (2010). Assay of antioxidant potential of two *Aspergillus* isolates by different methods under various physicochemical conditions. *Brazilian Journal of Microbiology*, 41, 765–777.
- Asmara, A. P., Prasansuklab, A., Tencomnao, T., & Ung, A. T. (2023). Identification of phytochemicals in bioactive extracts of *Acacia saligna* growing in Australia. *Molecules*, 28, 1028. <https://doi.org/10.3390/molecules28031028>
- Astuti, P., Pratoko, D. K., Rollando, Nugroho, W., Wahyuono, S., Hertiani, T., & Nurrochmad, A. (2021). Bioactivities of a major compound from *Arthrinium rasikravindrae*, an endophytic fungus of *Coleus amboinicus* Lour. *Journal of Pharmaceutical Sciences*, 46(1), 23–30.
- Astuti, A. D., Perdana, A. I., Natzir, R., Massi, N. M., & Alam, G. (2021). Compound analysis and genetic study of selected *Plectranthus scutellarioides* varieties from Indonesia. *Pharmacognosy Journal*, 13(6), 1516–1526. <https://doi.org/10.5530/pj.2021.13.193>
- Aulia, U. N. (2011). *Eksplorasi potensi dan fungsi senyawa bioaktif ascidian Didemnum molle sebagai antifouling* [Undergraduate thesis, Institut Pertanian Bogor].
- Ayuningrum, D., Kristiana, R., Nisa, A. A., Radjasa, S. K., Muchlissin, S. I., Radjasa, O. K., Sabdono, A., & Trianto, A. (2019a). Bacteria associated with tunicate *Polycarpa aurata* from Lease Sea, Maluku, Indonesia exhibiting anti-multidrug-resistant bacteria. *Biodiversitas*, 20, 954–964.
- Ayuningrum, D., Liu, Y., Riyanti, Sibero, M. T., Kristiana, R., Asagabaldan, M. A., Wuisan, Z. G., Trianto, A., Radjasa, O. K., & Sabdono, A. (2019b). Tunicate-associated bacteria show great potential for the discovery of antimicrobial compounds. *PLOS ONE*, 14, e0213797.
- Berlanga, M., & Guerrero, R. (2016). Living together in biofilms: The microbial cell factory and its biotechnological implications. *Microbial Cell Factories*, 15, 165.
- Boss, R., Overesch, G., & Baumgartner, A. (2016). Antimicrobial resistance of *Escherichia coli*, *Staphylococcus aureus*, *Pseudomonas aeruginosa*, and *Staphylococcus aureus* from raw fish and food imported into Switzerland. *Journal of Food Protection*, 79, 1240–1246. <https://doi.org/10.4315/0362-028X.JFP-15-463>
- I. H., & Koo, H. (2011). Biology of *Streptococcus mutans*-derived *glgC* gene: Role in extracellular-matrix formation of cariogenic biofilms. *Caries Research*, 45(1), 69–86.



- Cai, S., Meng, K., Liu, P., Cao, X., & Wang, G. (2021). Suppressive effects of gecko cathelicidin on biofilm formation and cariogenic virulence factors of *Streptococcus mutans*. *Archives of Oral Biology*, 129, 105205.
- Carrano, L., & Marinelli, F. (2015). The relevance of chemical dereplication in microbial natural-product screening. *Journal of Applied Bioanalysis*, 1, 55–67. <https://doi.org/10.17145/jab.15.010>
- Casertano, M., Imperatore, C., Luciano, P., Aiello, A., Putra, M. Y., Gimmelli, R., Ruberti, G., & Menna, M. (2019). Chemical investigation of the Indonesian tunicate *Polycarpa aurata* and evaluation of the effects against *Schistosoma mansoni* of the novel alkaloids polyaurines A and B. *Marine Drugs*, 17, 278.
- Casertano, M., Menna, M., & Imperatore, C. (2020). The ascidian-derived metabolites with antimicrobial properties. *Antibiotics*, 9, 510.
- Chan, B. K., & Abedon, S. T. (2015). Bacteriophages and their enzymes in biofilm control. *Current Pharmaceutical Design*, 21(1), 85–99.
- Chabib, L., Hamzah, H., Rahmah, W., Sammulia, F. C., Setyowati, E., & Nurfitriani, A. (2023). Tracking of the antibiofilm activities of lakum leaf extract (*Causonis trifolia* Linn.) against *Staphylococcus aureus*. *Pakistan Journal of Biological Sciences*, 26(2), 91–100. <https://doi.org/10.3923/pjbs.2023.91.100>
- CheBi. (2025). *Laboratory chemical safety summary (LCSS) datasheet*. <https://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:16335>
- Cherfia, R., Zaiter, A., Akkal, S., Chaimbault, P., Abdelwahab, A. B., Kirsch, G., & Kacem Chaouche, N. (2020). New approach in the characterization of bioactive compounds isolated from *Calycotome spinosa* (L.) Link leaves by negative electrospray ionization LIT-MS, LC-ESI-MS/MS, and NMR analysis. *Bioorganic Chemistry*, 96, 103535. <https://doi.org/10.1016/j.bioorg.2019.103535>
- Cragg, G. M., & Newman, J. D. (2013). Natural products: A continuing source of novel drug leads. *Biochimica et Biophysica Acta*, 1830(6), 3670–3695. <https://doi.org/10.1016/j.bbagen.2013.02.008>
- Credo, D., Mabiki, F. P., Machumi, F., & Cornett, C. (2022). Structural elucidation and toxicity evaluation of bioactive compounds from the leaves and stem woods of *Synadenium glaucescens* Pax. *Pharmaceutical Sciences and Research*, 9. <https://doi.org/10.7454/psr.v9i2.1262>
- Dawa, S. I., Shagal, M. H., Abdulrahman, F. I., Sodipo, O. A., Yakubu, J., & Mamza, U. T. (2023). Isolation and characterization of Bis(2-ethylhexyl) benzene-1,2-dicarboxylate from the roots of *Detarium microcarpum*. *European Journal of Medical and Health Research*, 1, 38–44.
- Das, S. C., & Kapoor, K. N. (2004). Effect of growth medium on hydrophobicity of *Staphylococcus epidermidis*. *Indian Journal of Medical Research*, 119, 107–109.
- Demiselle, J., ... & al. (2023). *Staphylococcus epidermidis* bloodstream infections are a cause of septic shock in intensive-care-unit patients. *International Journal of Infectious Diseases*, 135, 45–48. <https://doi.org/10.1016/j.ijid.2023.07.014>
- Dewi, M., Darmawi, Nurliana, Karmil, F. T., Helmi, Z. T., Fakhurrrazi, Erina, Abrar, M., Daud, M. A. K., & Admi, M. (2020). Antibiotic activities to *Staphylococcus aureus* biofilms of cattle preputium isolate. *Jurnal Sain Veteriner*, 38(1), 1–6. <https://doi.org/10.22146/jvs.35219>
- , Rahman, N. A. A., Peile, E., Rahman, M., Sartelli, M., Hassali, M. A., ... Haque, O20). Microbial resistance movements: An overview of global public-health threats d by antimicrobial resistance and how best to counter. *Frontiers in Public Health*, 8, 68.



- Diggle, P. S., & Whiteley, M. (2020). Microbe profile: *Pseudomonas aeruginosa*—Opportunistic pathogen and lab rat. *Microbiology*, 166, 30–33. <https://doi.org/10.1099/mic.0.000860>
- Dou, X., Dong, B., & colleagues. (2019). Origins and bioactivities of natural compounds derived from marine ascidians and their symbionts. *Marine Drugs*, 17, 670.
- Elisha, I. L., Botha, F. S., McGaw, L. J., & Eloff, J. N. (2017). The antibacterial activity of extracts of nine plant species with good activity against *Escherichia coli*, five other bacteria, and cytotoxicity of extracts. *BMC Complementary and Alternative Medicine*, 17, Article 1.
- Esmat, M. M., Abdelhamid, A. G., Abo-Elmaaty, S. A., Nasr-Eldin, M. A., Hassan, M. G., & Khattab, A. A. (2017). Antibiotics and phage sensitivity as interventions for controlling *Escherichia coli* isolated from clinical specimens. *Journal of Pure and Applied Microbiology*, 11(4), 1749–1755.
- Fair, R. J., & Tor, Y. (2014). Antibiotics and bacterial resistance in the 21st century. *Perspectives in Medicinal Chemistry*, 6, PMC-S14459.
- Farabi, K., Nurlelasari, N., Pratiwi, S. H., Harneti, D., Maharani, R., Safari, A., & Supratman, U. (2021). Steroids from the stem bark of *Aglaia grandis* (Meliaceae). *Al-Kimia*, 9, 44–49. <https://doi.org/10.24252/al-kimia.v9i1.17936>
- Furusawa, C., Horinouchi, T., & Maeda, T. (2018). Toward prediction and control of the antibiotic-resistance revolution. *Current Opinion in Biotechnology*, 54, 45–49. <https://doi.org/10.1016/j.copbio.2018.01.026>
- Ganesh, P. S., & Rai, V. R. (2018). Attenuation of quorum-sensing-dependent virulence factors and biofilm formation by medicinal plants against antibiotic-resistant *Pseudomonas aeruginosa*. *Journal of Traditional and Complementary Medicine*, 8(1), 170–177. <https://doi.org/10.1016/j.jtcme.2017.05.008>
- Gilbert, D. N., Chambers, H. F., Saag, M. S., Pavia, A. T., & Boucher, H. W. (2022). *The Sanford guide to antimicrobial therapy* (52nd ed.). BI Publications.
- Gökalsin, B., Berber, D., & Sesal, N. C. (2019). *Pseudomonas aeruginosa* quorum sensing and biofilm inhibition. In *Quorum sensing* (pp. 227–256). Academic Press. <https://doi.org/10.1016/B978-0-12-814905-8.00009-5>
- Gultom, R. (2016). Isolation of steroid compounds from *Gynura pseudochina* (Lour.) DC plants and analgesic activity in male mice. *Jurnal Ilmiah Keperawatan Imelda*, 2, 132–142.
- Gulve, R. M., & Deshmukh, A. M. (2012). Antimicrobial activity of marine actinomycetes. *International Multidisciplinary Research Journal*, 2.
- Hamka. (2019). Pemberdayaan masyarakat pesisir dengan mengubah cara pandang pembangunan ekonomi kelautan. *Journal of Public Policy Applied Administration*, 1(2), 85–93.
- Hamzah, H., Hertiani, T., Pratiwi, S. U. T., Nuryastuti, T., & Gani, A. P. (2020). Antibiofilm studies of zerumbone against polymicrobial biofilms of *Staphylococcus aureus*, *Escherichia coli*, *Pseudomonas aeruginosa*, and *Candida albicans*. *International Journal of Pharmaceutical Research*, 12, 1307–1314.
- Harper, D. R., Parracho, H. M. R. T., & Walker, J. (2014). Bacteriophages and biofilms. *Antibiotics*, 3, 270–284.
- Hatlen, T. I., & Miller, L. G. (2020). Staphylococcal skin and soft-tissue infections. *Infectious Disease Clinics of North America*, 35, 81–105.
- M. P. M. C., & Si, V. M. (2023). Senyawa metabolit sekunder (tanin) pada tanaman gaj antifungi. *Jurnal Embrio*, 15(1), 16–22.
- , Mufidah, & Rante, H. (2018). Isolasi dan karakterisasi molekuler mikroba endofit nan pegagan (*Centella asiatica* L.) sebagai penghasil antimikroba. *Majalah Farmasi Farmakologi*, 22(2), 56–60.



- Homenta, H. (2016). Infeksi biofilm bakterial. *Jurnal e-Biomedik*, 1(4), 1–11.
- Hsu, L. Y., Anucha, A., Erum, K., Nuntra, S., Abdul, G., & Anantharajah, T. P. (2017). Carbapenem-resistant *Acinetobacter baumannii* and *Enterobacteriaceae* in South and Southeast Asia. *Clinical Microbiology Reviews*, 30(1), 1–22.
- Izzati, F., Warsito, F. M., Bayu, A., Prasetyoputri, A., Atikana, A., Sukmarini, L., Rahmawati, I. S., & Putra, Y. M. (2021). Chemical diversity and biological activity of secondary metabolites isolated from Indonesian marine invertebrates. *Molecules*, 26, 1898. <https://doi.org/10.3390/molecules26071898>
- Jabir, N. B., Litaay, M., & Priosambodo, D. (2022). Tunicate diversity in Pannikiang Island, Barru Regency, South Sulawesi. *Jurnal Ilmu Alam dan Lingkungan*, 13, 40–44.
- Jahan, F., Chinni, S. V., Samuggam, S., Reddy, L. V., Solayappan, M., & Su Yin, L. (2022). The complex mechanism of *Salmonella typhi* biofilm formation that facilitates pathogenicity: A review. *International Journal of Molecular Sciences*, 23(12), 6462.
- Jain, A., & Parihar, D. K. (2018). Antibacterial, biofilm-dispersal, and antibiofilm potential of alkaloids and flavonoids of *Curcuma*. *Biocatalysis and Agricultural Biotechnology*, 16, 677–682. <https://doi.org/10.1016/j.bcab.2018.09.023>
- Jamal, M., Tasneem, U., Hussain, T., Andleeb, S., & colleagues. (2015). Bacterial biofilm: Its composition, formation, and role in human infections. *Journal of Microbiology & Biotechnology*, 4(3), 1–14.
- Javed, M. R., Salman, M., Tariq, A., Tawab, A., Zahoor, M. K., Naheed, S., ... Ali, H. (2022). The antibacterial and larvicidal potential of bis-(2-ethylhexyl) phthalate from *Lactiplantibacillus plantarum*. *Molecules*, 27, 7220.
- John, G. E., Okpo, E. A., Edeghor, U. O., Omang, P. A., Odok, E. A., & Odok, A. O. (2023). GC-MS analysis and antibacterial susceptibility pattern of crude extracts of *Gongronema latifolium* and *Allium sativum* on selected multidrug-resistant clinical isolates. *Malaysian Journal of Microbiology*, 19(2), 182–190.
- Kadarusman, Rachmawati, R., Setyawidati, R. A. N., Sektiana, P. S., Tapilatu, E. R., ... (2019). *Sumber daya hayati maritim* (Seri 2). Amafrad Press.
- Kabir, N., Umar, I. A., Dama, H. A., James, D. B., & Inuwa, H. M. (2021). Isolation and structural elucidation of novel antidiabetic compounds from leaves of *Momordica balsamina* Linn. and *Leptadenia hastata* (Pers.) Decne. *Iranian Journal of Pharmaceutical Research*, 20, 390–402. <https://doi.org/10.22037/ijpr.2020.113632.14440>
- Katade, R. S., Pawar, V. P., Tungikar, B. V., Tambe, S. M., Kalal, M. K., Wakharkar, D. R., and Deshpande R. N. (2006). Larvicidal Activity bis(2-ethylhexyl) benzene-1,2-dicarboxylate from *Sterculia gutatta* Seeds Against Two Mosquito Species. *Chemistry & Biodiversitas*, Vol.3. 49-53.
- Khalila, R., Fitri, L., & Suhartono. (2020). Isolation and characterization of thermophilic bacteria as cellulolytic-enzyme producers from the hot spring of Ie Seuum, Aceh Besar, Indonesia. *Journal of Microbiology Indonesia*, 14(1), 25–33. <https://doi.org/10.5454/mi.14.1.4>
- Khiralla, A., Spina, R., Varbanov, M., Philippot, S., Lemiere, P., Slezack-Deschaumes, S., André, P., Mohamed, I., Yagi, S. M., & Laurain-Mattar, D. (2020). Evaluation of antiviral, bacterial, and antiproliferative activities of the endophytic fungus *Curvularia vanderhoffii* and isolation of a new polyhydroxy acid. *Microorganisms*, 8, 1353. <https://doi.org/10.3390/microorganisms8091353>
- P., Bhat, R., Kush, A., & Ravikumar, P. (2012). Isolation and functional characterization of bacterial endophytes from *Carica papaya* fruits. *Journal of Applied Biology*, 113, 308–317. <https://doi.org/10.1111/j.1365-2672.2012.05340.x>



- Krzyściak, W., Jurczak, A., Kościelniak, D., Bystrowska, B., & Skalniak, A. (2014). The virulence of *Streptococcus mutans* and the ability to form biofilms. *European Journal of Clinical Microbiology & Infectious Diseases*, 33(4), 499–515.
- Kumayas, A. R., Wewengkang, D. S., & Sudewi, S. (2015). Antibacterial activity and functional-group characterization of *Polycarpa aurata* tunicates. *Pharmakon*, 4. <https://doi.org/10.35799/pha.4.2015.6481>
- Kurniawan, R. N., & Ersam, T. (2018). Isolation of rubrasanton and parvifolisanton C compounds from *Garcinia tetrandra* bark extract. *Jurnal Sains dan Seni ITS*, 1, 10–14.
- Lahiri, D., Dash, S., Dutta, R., & Nag, M. (2019). Elucidating the antibiofilm activity of bioactive compounds extracted from plants. *Journal of Biosciences*, 44, 52. <https://doi.org/10.1007/s12038-019-9868-4>
- Lee, A. S., de Lencastre, H., Garau, J., Kluytmans, J., Malhotra-Kumar, S., Peschel, A., & Harbarth, S. (2018). Methicillin-resistant *Staphylococcus aureus*. *Nature Reviews Disease Primers*, 4, 18033.
- Lee, J. H., Cho, M. H., & Lee, J. (2011). 3-Indolylacetonitrile decreases *Escherichia coli* O157:H7 biofilm formation and *Pseudomonas aeruginosa* virulence. *Environmental Microbiology*, 13(1), 62–73.
- Lee, N.-K., Kim, W.-S., & Paik, H.-D. (2019). *Bacillus* strains as human probiotics: Characterization, safety, microbiome, and probiotic carrier. *Food Science and Biotechnology*, 28(5), 1297–1305. <https://doi.org/10.1007/s10068-019-00691-9>
- Lestari, F. B., & Siti, I. O. S. (2015). Karakterisasi *Staphylococcus aureus* isolat susu sapi perah berdasarkan keberadaan protein A pada media serum-soft agar terhadap aktivitas fagositosis secara in-vitro. *Jurnal Sain Veteriner*, 33(20), 149–155.
- Litaay, M., Christine, G., Budji, R. G., & colleagues. (2015). Bioactivity of *Polycarpa aurata* tunicate symbionts as antimicrobials. In *Prosiding SEMNAS PBI ke-23*.
- Lopez, R. M., Monterio, R., Pizza, M., Desvaux, M., & Rosini, R. (2018). Intestinal pathogenic *Escherichia coli*: Insights for vaccine development. *Frontiers in Microbiology*, 9, 440.
- Lu, Q.-P., Huang, Y.-M., Liu, S.-W., Wu, G., Yang, Q., Liu, L.-F., Zhang, H.-T., Qi, Y., Wang, T., Jiang, Z.-K., Li, J.-J., Cai, H., Liu, X.-J., Luo, H., & Sun, C.-H. (2021). Metabolomics tools assisting classic screening methods in discovering new antibiotics from mangrove *Actinomycetia* in Leizhou Peninsula. *Marine Drugs*, 19, 688. <https://doi.org/10.3390/md19120688>
- Magdalena, S., Rustandi, N., & Yogiara. (2020). The in-vitro antibiofilm activity of bacteria isolated from waterfall and marine environments against human bacterial pathogens. *Al-Kauniah: Jurnal Biologi*, 13(2), 250–262.
- Manoppo, C. J., Yudistira, A., & Wewengkang, D. S. (2019). Antimicrobial activity of extracts and fractions of tunicates (*Polycarpa aurata*) collected in Lembeh Strait, Bitung, against *Escherichia coli*, *Staphylococcus aureus*, and *Candida albicans*. *Pharmakon*, 8, 243. <https://doi.org/10.35799/pha.8.2019.29259>
- Mansour, B. (2011). Antibiotic-resistance pattern of *Escherichia coli*, *Staphylococcus aureus*, and *Pseudomonas aeruginosa* isolated from burn patients in Urmia, Iran. *African Journal of Microbiology Research*, 5. <https://doi.org/10.5897/AJMR10.790>
- Marzuki, Noor, A., & La Nafie, N. (2018). Isolation and identification of amylase-enzyme-producing sponge symbiont bacteria from Melawai Beach, Balikpapan. <https://doi.org/10.17605/OSF.IO/R4JYA>
- Kamaruddin, M., & Ahmad, R. (2021). Identification of marine sponge-symbiotic bacteria and their application in degrading polycyclic aromatic hydrocarbons. *versitas*, 22(3).



- Menna, M., Fattorusso, E., & Imperatore, C. (2011). Alkaloids from marine ascidians. *Molecules*, 16, 8694–8732. <https://doi.org/10.3390/molecules16108694>
- Montero, A. D., Vidal, M. R., Velasco, J., George, S., Lucero, Y., Gómez, A. L., ... O’Ryan, M. (2023). *Vibrio cholerae*: Classification, pathogenesis, immune response, and trends in vaccine development. *Frontiers in Medicine*, 10, 1155751.
- Morkunas, B., Gal, B., Galloway, W. R. J. D., Hodgkinson, J. T., Ibbeson, B. M., Tan, Y. S., & Welch, M. (2016). Discovery of an inhibitor of production of the *Pseudomonas aeruginosa* virulence factor pyocyanin in wild-type cells. *Journal of Organic Chemistry*, 81, 1428–1433.
- Murray, C. J. L., Ikuta, K. S., Sharara, F., Swetschinski, L., ... et al. (2022). Global burden of bacterial antimicrobial resistance in 2019: A systematic analysis. *The Lancet*, 399, 629–655. [https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/10.1016/S0140-6736(21)02724-0)
- Nakano, M. (2018). Role of *Streptococcus mutans* surface proteins for biofilm formation. *Japanese Dental Science Review*, 54(1), 22–29.
- Nazir, S., & Azim, M. (2017). Assessment of antibiotic self-medication practice among the public in the north-western region of Pakistan. *European Journal of Hospital Pharmacy*, 24, 200–203. <https://doi.org/10.1136/ejhpharm-2015-000733>
- Nuryanti, S., Herwin, Fitriana, Sultan, S., & Nasir, R. (2023). Antibacterial activity of endophytic fungi isolated from *Portulaca oleracea* L. In *Young Scholar Symposium on Science and Mathematics Education and Environment* (pp. 1–6). <https://doi.org/10.1063/5.0124016>
- O’Neill, J. (2016). *Review on antimicrobial resistance: Tackling drug-resistant infections globally—Final report and recommendations*.
- Otto, M. (2009). *Staphylococcus epidermidis*—The ‘accidental’ pathogen. *Nature Reviews Microbiology*, 7, 555–567. <https://doi.org/10.1038/nrmicro2182>
- Palit, C., Sumilat, A. D., Rumengan, P. A., Boneka, B. F., Sinjal, L. A. C., & Lalita, J. (2022). Komunitas dan keanekaragaman ascidia di pesisir Minanga, Malalayang Satu, Kota Manado. *Jurnal Pesisir dan Laut Tropis*, 10(2), 115–121.
- Panaungi, N. S., & Sakka, L. (2022). Comparison of activity of kepok-kuning banana peel ethanol extract with raw kepok banana peel ethanol extract against *Salmonella typhi*. *Journal Syifa Sciences and Clinical Research*, 4(1), 101–107.
- Phongsopitanun, W., Suwanborirux, K., & Tanasupawat, S. (2019). Distribution and antimicrobial activity of Thai marine actinomycetes. *Journal of Applied Pharmaceutical Science*, 9(2), 129–134. <https://doi.org/10.7324/JAPS.2019.90218>
- Pokharel, P., Dhakal, S., & Dozois, M. C. (2023). The diversity of *Escherichia coli* pathotypes and vaccination strategies against this versatile bacterial pathogen. *Microorganisms*, 11, 344. <https://doi.org/10.3390/microorganisms11020344>
- Porto, Y. D., Fogaca, F. H., Andrade, O. O., da Silva, L. K. S., Lima, J. P., & da Silva, J. L., ... (2022). *Salmonella* spp. in aquaculture: An exploratory integrative-review analysis of microbiological diagnoses (2000–2020). *Animals*, 13(1), 27.
- Prasetya, A. A., Etikawati, N., & Susilowati, A. (2024). Antibacterial activities of combinations of areca nuts (*Areca catechu*), cardamom seeds (*Amomum compactum*), and green-betel leaves (*Piper betle*) ethanol extracts against *Staphylococcus aureus*. *Asian Journal of Natural Product Biochemistry*, 22.
- Zheng, Y., Opoku-Temeng, C., Du, Y., Bonsu, E., & Sintim, H. O. (2015). Agents inhibit bacterial biofilm formation. *Future Medicinal Chemistry*, 7(5), 647–671. <https://doi.org/10.4155/fmc.15.7>
- , Rozirwan, & Purwiyanto, A. I. S. (2019). Daya hambat senyawa bioaktif pada rove *Rhizophora* sp. sebagai antibakteri dari perairan Tanjung Api-API, Sumatera an. *Jurnal Penelitian Sains*, 21(3), 151–162. <https://doi.org/10.36706/jps.v21i3.544>



- Ramadhana, R. E., Herwin, & Nuryanti, S. (2024). Isolation of endophytic fungi from *Aloe vera* against bacteria that cause digestive-tract infections: TLC-bioautography and agar-diffusion methods. *Journal Microbiology Science*, 4(1), 1–10. <https://doi.org/10.56711/jms.v4i1.993>
- Rante, H., Alam, G., Usmar, U., Anwar, A. R., & Ali, A. (2022). Isolation of sponge-bacterial symbionts from Kodingareng Keke Island (Makassar, Indonesia) with potential as producers of antimicrobial compounds. *Journal of Pure and Applied Microbiology*, 16(1), 737–743. <https://doi.org/10.22207/JPAM.16.1.79>
- Risna, Fauziah, R., Djide, N., & Subehan. (2022). Isolasi dan karakterisasi senyawa bioaktif antibakteri metabolit bakteri yang berasosiasi spons laut (*Agelas oroides*). *Majalah Farmasi dan Farmakologi*, 26(3), 96–100. <https://doi.org/10.20956/mff.v26i3.18632>
- Rompas, T. A. S., Wewengkang, S. D., & Mpila, A. D. (2022). Antibacterial activity test of tunicates *Polycarpa aurata* against *Escherichia coli* and *Staphylococcus aureus*. *Pharmakon*, 11(1), 1271–1278. <https://doi.org/10.35799/pha.11.2022.39137>
- Rua, C. P. J., Trindade-Silva, A. E., Appolinario, L. R., Venas, T. M., Garcia, G. D., & Carvalho, L. S. (2014). Diversity and antimicrobial potential of culturable heterotrophic bacteria associated with the endemic marine sponge *Arenosclera brasiliensis*. *PeerJ*, 2, e419.
- Salsabila, S., Hartati, R., Al Muqarrabun, L. M. R., Qomaladewi, N. P., Haniffadli, A., Rosandy, A. R., Chahyadi, A., & Elfahmi. (2022). Isolation of bioactive compounds with tyrosinase-inhibitory activity from the methanol extract of meniran herb (*Phyllanthus niruri* L.). *Current Research in Bioscience and Biotechnology*, 3, 196–202. <https://doi.org/10.5614/crb.2022.3.2>
- Saputri, N. M. P. M., Putra, I. D. N. N., & Karim, W. (2018). Abundance and diversity of tunicates (Ascidiacea) in Jemeluk and Penuktukan waters, Bali. *Jurnal Marine and Aquatic Sciences*, 5, 11.
- Schmidt, E. W., Donia, M. S., McIntosh, J. A., Fricke, W. F., & Ravel, J. (2012). Origin and variation of tunicate secondary metabolites. *Journal of Natural Products*, 75, 295–304.
- Schnupf, P., & Sansonetti, J. P. (2019). *Shigella* pathogenesis: New insights through advanced methodologies. *Microbiology Spectrum*, 7(2). <https://doi.org/10.1128/microbiolspec.BAI-0023-2019>
- Selviati, R., Herwin, H., & Nuryanti, S. (2024). Antibacterial activity of tunicate ethanol extract *Polycarpa aurata* against *Escherichia coli* and *Salmonella typhi* by TLC-bioautography and agar diffusion. *Journal Microbiology Science*, 4(1), 128–140.
- Shah, A. A., Ahmad, I., Shafique, M., & Siddique, B. A. (2022). Antibacterial activity of silver nanoparticles against carbapenem-resistant *Acinetobacter baumannii* clinical isolates. *Pakistan Journal of Pharmaceutical Sciences*, 35(1), 203–208. <https://doi.org/10.36721/PJPS.2022.35.1.SUP.203-208.1>
- Shetty, P. R., Buddana, S. K., Tatipamula, V. B., Naga, Y. V. V., & Ahmad, J. (2014). Production of polypeptide antibiotic from *Streptomyces parvulus* and its antibacterial activity. *Brazilian Journal of Microbiology*, 45, 303–312. <https://doi.org/10.1590/S1517-83822014005000022>
- Sit, B., Fakoya, B., & Waldor, M. K. (2022). Emerging concepts in cholera-vaccine design. *Annual Review of Microbiology*, 76, 681–702. <https://doi.org/10.1146/annurev-micro-20-033201>
- /u, W., Liu, X., Zaleta-Pinet, D. A., & Clark, B. R. (2019). Bioactive compounds ed from marine-derived microbes in China (2009–2018). *Marine Drugs*, 17, 339.
- , Priyatno, T., Samudra, I. M., Susilowati, D., Patricia, & Irawati, W. (2013). kterisasi dan identifikasi isolat bakteri endofitik penghambat jamur patogen padi. *in Plasma Nutfah*, 19(1), 25–32.



- Syame, S. M., Mohamed, S. M., Elgabry, E. A., Darwish, Y. A. A., & Mansour, A. S. (2022). Chemical characterization, antimicrobial, antioxidant, and cytotoxic potentials of *Swietenia mahagoni*. *AMB Express*, 12, Article 1. <https://doi.org/10.1186/s13568-022-01406-w>
- Tejamukti, E. P., Setyaningsih, W., Irnawati, Yasir, B., Alam, G., & Rohman, A. (2020). Application of FTIR spectroscopy and HPLC combined with multivariate calibration for analysis of xanthenes in mangosteen extracts. *Scientia Pharmaceutica*, 88, 35.
- Tomou, E.-M., Chatziathanasiadou, M. V., Chatzopoulou, P., Tzakos, A. G., & Skaltsa, H. (2020). NMR-based chemical profiling, isolation, and evaluation of the cytotoxic potential of diterpenoid siderol from cultivated *Sideritis euboea* Heldr. *Molecules*, 25, 2382. <https://doi.org/10.3390/molecules25102382>
- Triana, E. (2018). Aktivitas antibiofilm bakteri *Escherichia coli* oleh bakteriofag secara in-vitro. *Berkala Biologi*, 17(1), 77–84.
- Tuon, F. F., Suss, P. H., Telles, J. P., Dantas, L. R., Borges, N. H., & Ribeiro, V. S. T. (2023). Antimicrobial treatment of *Staphylococcus aureus* biofilms. *Antibiotics*, 12(1), 87. <https://doi.org/10.3390/antibiotics12010087>
- Utamaningyas, A., Pramesti, T. H., & Balafif, F. F. (2022). The *Streptococcus mutans* ability to survive in biofilms and during dental-carries formation: Scoping review. *Journal of Syiah Kuala Dentistry Society*, 150–158.
- Villa-Rivera, M. G., & Ochoa-Alejo, N. (2020). Chili-pepper carotenoids: Nutraceutical properties and mechanisms of action. *Molecules*, 25(23), 5573.
- Vind, K., Maffioli, S., Fernandez Ciruelos, B., Waschulin, V., Brunati, C., Simone, M., Sosio, M., & Donadio, S. (2022). N-acetyl-cysteinyllated streptophenazines from *Streptomyces*. *Journal of Natural Products*, 85, 1239–1247. <https://doi.org/10.1021/acs.jnatprod.1c01123>
- Watters, D. J. (2018). Ascidian toxins with potential for drug development. *Marine Drugs*, 16, 162. <https://doi.org/10.3390/md16050162>
- Wessels, M., König, G. M., & Wright, A. D. (2001). New 4-methoxybenzoyl derivatives from the ascidian *Polycarpa aurata*. *Journal of Natural Products*, 64, 1556–1558.
- Widiani, P. I., & Pinatih, K. J. P. (2020). Uji daya hambat ekstrak etanol daun kelor (*Moringa oleifera*) terhadap pertumbuhan bakteri methicillin-resistant *Staphylococcus aureus* (MRSA). *Medika Udayana*, 9(3), 22–28.
- World Health Organization. (2014). *Antimicrobial resistance: Global report on surveillance 2014*.
- World Health Organization. (2017, February 27). *WHO publishes list of bacteria for which new antibiotics are urgently needed*. <https://www.who.int/news/item/27-02-2017-who-publishes-list-of-bacteria-for-which-new-antibiotics-are-urgently-needed>
- World Health Organization. (2019). *Antibacterial agents in clinical development: An analysis of the antibacterial clinical development pipeline*.
- Worthington, R. J., Richards, J. J., & Melander, C. (2014). Non-microbicidal control of bacterial biofilms with small molecules. *Anti-Infective Agents*, 12(1), 120–138.
- Wright, E. S., Yilmaz, L. S., & Noguera, D. R. (2012). DECIPHER, a search-based approach to chimera identification for 16S rRNA sequences. *Applied and Environmental microbiology*, 78(3), 717–725. <https://doi.org/10.1128/AEM.06516-11>
- ə, B., Yang, L., ... et al. (2011). Effects of ginseng on *Pseudomonas aeruginosa* ty and biofilm formation. *FEMS Immunology & Medical Microbiology*, 62(1), 49–56.
- i, X., Fatima, A., Zhang, L., Yuan, G., Lian, F., ... et al. (2024). Antibacterial activity mechanisms of plant flavonoids against Gram-negative bacteria based on an bacterial statistical model. *Pharmaceuticals*, 17(3), 292.



- Yanda, L., Tastimo, N. J. S., Tamokou, D. D. J., Takongmo, M. G., et.al. (2022). Antibacterial and Antioxidant Activities of Isolated Compounds from *Prosopis afrinana* Leaves, International Journal of Analytical Chemistry, 1-10. Doi: <https://doi.org/10.1155/2022/4205823>
- Yetti, E., Thontowi, A., & Lisdiyanti, P. (2015). Screening of marine bacteria capable of degrading various polyaromatic hydrocarbons. *Squalen Bulletin of Marine and Fisheries Postharvest Biotechnology*, 10(3), 121–127. <https://doi.org/10.15578/squalen.v10i3.123>
- Zhao, X. C., Liu, Z. H., Liu, Z. J., Meng, R. Z., Shi, C., & Chen, X. R. (2018). Phenotype- and RNA-seq-based transcriptome profiling of *Staphylococcus aureus* biofilms in response to tea-tree oil. *Microbial Pathogenesis*, 123, 304–313. <https://doi.org/10.1016/j.micpath.2018.07.027>
- Zia, A. M., Khosa, K. M., & Muneer, M. (2022). Antimicrobial, selective-antibiofilm, and antioxidant properties of plasticized PMMA/PVC and zinc-oxide nanofiller for biomedical applications. *Pakistan Journal of Pharmaceutical Sciences*, 35(1), 233–238. <https://doi.org/10.36721/PJPS.2022.35.1.SUP.233-238.1>

