

DAFTAR PUSTAKA

- Adjebeng-Danquah, J., Manu-Aduening, J., Asante, I. K., Agyare, R. Y., Gracen, V., & Offei, S. K. (2020). Genetic diversity and population structure analysis of Ghanaian and exotic cassava accessions using simple sequence repeat (SSR) markers. *Heliyon*, 6(1), e03154. <https://doi.org/10.1016/j.heliyon.2019.e03154>
- Al-daej, M. I., Rezk, A. A., El-Malky, M. M., Shalaby, T. A., & Ismail, M. (2023). Comparative Genetic Diversity Assessment and Marker–Trait Association Using Two DNA Marker Systems in Rice (*Oryza sativa* L.). *Agronomy*, 13(2), 1–15. <https://doi.org/10.3390/agronomy13020329>
- Arzam, S. T., Yasin, S. M., Sapareng, S., Rino, Idris, M. Y., & Yasmin. (2017). KARAKTERISTIK PADI LOKAL AROMATIK DI KECAMATAN SEKO. *Journal TABARO*, 1(2).
- Bin Rahman, A. N. M. R., & Zhang, J. (2023). Trends in rice research: 2030 and beyond. *Food and Energy Security*, 12(2), 1–17. <https://doi.org/10.1002/fes3.390>
- Budiwati, G. A. N., Kriswiyanti, E., & Astarini, I. A. (2020). Aspek Biologi Dan Hubungan Kekerabatan Padi Lokal (*Oryza sativa* L.) Di Desa Wongaya Gede Kecamatan Penebel, Kabupaten Tabanan, Bali. *Metamorfosa: Journal of Biological Sciences*, 6(2), 277. <https://doi.org/10.24843/metamorfosa.2019.v06.i02.p20>
- Caro, R. E. S., Cagayan, J., Gardoce, R. R., Manohar, A. N. C., Canama-Salinas, A. O., Rivera, R. L., Lantican, D. V., Galvez, H. F., & Reaño, C. E. (2022). Mining and validation of novel simple sequence repeat (SSR) markers derived from coconut (*Cocos nucifera* L.) genome assembly. *Journal of Genetic Engineering and Biotechnology*, 20(1), 71. <https://doi.org/10.1186/s43141-022-00354-z>
- Chaniago, N., Suliansyah, I., Chaniago, I., & Rozen, N. (2022). Morphological characteristics of local rice in Deli Serdang District, North Sumatra, Indonesia. *Biodiversitas*, 23(2), 883–894. <https://doi.org/10.13057/biodiv/d230229>
- Elkatry, H. O., El-Beltagi, H. S., Ahmed, A. R., Mohamed, H. I., Al-Otaibi, H. H., Ramadan, K. M. A., & Mahmoud, M. A. A. (2023). The potential use of Indian rice flour or husk in fortification of pan bread: assessing bread's quality using sensory, physicochemical, and chemometric methods. *Frontiers in Nutrition*, 10(September). <https://doi.org/10.3389/fnut.2023.1240527>
- Fahad, S., Adnan, M., Noor, M., Arif, M., Alam, M., Khan, I. A., Ullah, H., Wahid, F., Mian, I. A., Jamal, Y., Basir, A., Hassan, S., Saud, S., Amanullah, Riaz, M., Wu, C., Khan, M. A., & Wang, D. (2018). Major constraints for global rice production. In *Advances in Rice Research for Abiotic Stress Tolerance*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814332-2.00001-0>
- Gaballah, M. M., Attia, K. A., Ghoneim, A. M., Khan, N., El-Ezz, A. F., Yang, B., Xiao, L., Ibrahim, E. I., & Al-Doss, A. A. (2022). Assessment of Genetic Parameters and Gene Action Associated with Heterosis for Enhancing Yield Characters in Novel Hybrid Rice Parental Lines. *Plants*, 11(3). <https://doi.org/10.3390/plants11030266>
- Ghonaim, M. M., Attya, A. M., Aly, H. G., Mohamed, H. I., & Omran, A. A. A. (2023). Agromorphological, biochemical, and molecular markers of barley genotypes grown under salinity stress conditions. *BMC Plant Biology*, 23(1), 1–19. <https://doi.org/10.1186/s12870-023-04550-y>
- Hue, H. T., Nghia, L. T., Minh, H. T., Anh, L. H., Trang, L. T. T., & Khanh, T. D. (2018). Evaluation of Genetic Diversity of Local-Colored Rice Landraces Using SSR Markers. *International Letters of Natural Sciences*, 67, 24–34. <https://doi.org/10.56431/p-9083l3>

- Khairullah, I., Saleh, M., & Mawardi. (2021). The characteristics of local rice varieties of tidal swampland in South Kalimantan. *IOP Conference Series: Earth and Environmental Science*, 762(1). <https://doi.org/10.1088/1755-1315/762/1/012009>
- Li, R., Huang, Y., Yang, X., Su, M., Xiong, H., Dai, Y., Wu, W., Pei, X., & Yuan, Q. (2023). Genetic Diversity and Relationship of Shanlan Upland Rice Were Revealed Based on 214 Upland Rice SSR Markers. *Plants*, 12(15), 1–12. <https://doi.org/10.3390/plants12152876>
- Nachimuthu, V. V., Raveendran, M., Duraialaguraja, S., Sivakami, R., Pandian, B. A., Ponniah, G., Gunasekaran, K., Swaminathan, M., K K, S., & Sabariappan, R. (2015). Analysis of Population Structure and Genetic Diversity in Rice Germplasm Using SSR Markers: An Initiative Towards Association Mapping of Agronomic Traits in *Oryza Sativa*. *Rice*, 8(1). <https://doi.org/10.1186/s12284-015-0062-5>
- Narumol, P., Phormmard, W., Aesomnuk, W., Sreewongchai, T., Arikrit, S., & Malumpong, C. (2023). Evaluation of the agronomic and genotypic diversity of Thailand local rice (*Oryza sativa* L.) varieties under lowland conditions. *ScienceAsia*, 49(5), 744–753. <https://doi.org/10.2306/scienceasia1513-1874.2023.074>
- Omar, A. A., Zayed, E. M., Oraby, H. F., Elnaggar, N. Z., Elashtokhy, M. M. A., Basuoni, M. M., Osman, A., Shamseldin, S. A. M., Attia, K. A., & Mohamed, A. H. (2023). Description of phenotypic, grain quality, molecular fingerprinting, and biodiversity using DNA barcoding of some elite rice genotypes. *South African Journal of Botany*, 154, 289–299. <https://doi.org/10.1016/j.sajb.2023.01.045>
- Potts, J., Jangra, S., Michael, V. N., & Wu, X. (2023). Speed Breeding for Crop Improvement and Food Security. *Crops*, 3(4), 276–291. <https://doi.org/10.3390/crops3040025>
- Rezk, A. A., Mohamed, H. I., & El-Beltagi, H. S. (2024). Genetic variability and diversity analysis in *Oryza sativa* L. genotypes using quantitative traits and SSR markers. *Saudi Journal of Biological Sciences*, 31(3), 103944. <https://doi.org/10.1016/j.sjbs.2024.103944>
- Sabri, R. S., Rafii, M. Y., Ismail, M. R., Yusuff, O., Chukwu, S. C., & Hasan, N. (2020). Assessment of agro-morphologic performance, genetic parameters and clustering pattern of newly developed blast resistant rice lines tested in four environments. *Agronomy*, 10(8). <https://doi.org/10.3390/agronomy10081098>
- Sarif, H. M., Rafii, M. Y., Ramli, A., Oladosu, Y., Musa, H. M., Rahim, H. A., Zuki, Z. M., & Chukwu, S. C. (2020). Genetic diversity and variability among pigmented rice germplasm using molecular marker and morphological traits. *Biotechnology and Biotechnological Equipment*, 34(1), 747–762. <https://doi.org/10.1080/13102818.2020.1804451>
- Sudaryono, T., Prahardini, P. E. R., Purnama, S., & Fidiyawati, E. (2023). Performance of Five Superior Varieties of Rice in Specific Agroecology of Rice Land in Jombang Regency. *IOP Conference Series: Earth and Environmental Science*, 1172(1). <https://doi.org/10.1088/1755-1315/1172/1/012013>
- Afzal, I., Shinwari, Z. K., Sikandar, S., & Shahzad, S. (2019). Plant beneficial endophytic bacteria: Mechanisms, diversity, host range and genetic determinants. *Microbiological Research*, 221(February), 36–49. <https://doi.org/10.1016/j.micres.2019.02.001>
- Biswas, S., Philip, I., Jayaram, S., & Sarojini, S. (2023). Endophytic bacteria *Klebsiella* spp. and *Bacillus* spp. from *Alternanthera philoxeroides* in Madiwala Lake exhibit additive plant growth-promoting and biocontrol activities. *Journal of Genetic Engineering and Biotechnology*, 21(1), 153. <https://doi.org/10.1186/s43141-023-00620-8>

- Buckner, C. A., Lafrenie, R. M., Dénommée, J. A., Caswell, J. M., Want, D. A., Gan, G. G., Leong, Y. C., Bee, P. C., Chin, E., Teh, A. K. H., Picco, S., Villegas, L., Tonelli, F., Merlo, M., Rigau, J., Diaz, D., Masuelli, M., Korrapati, S., Kurra, P., ... Mathijssen, R. H. J. (2016). We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %. *Intech*, 11(tourism), 13. <https://doi.org/10.5772/intechopen.94593>
- Chen, J., Arafat, Y., Ud Din, I., Yang, B., Zhou, L., Wang, J., Letuma, P., Wu, H., Qin, X., Wu, L., Lin, S., Zhang, Z., & Lin, W. (2019). Nitrogen Fertilizer Amendment Alter the Bacterial Community Structure in the Rhizosphere of Rice (*Oryza sativa* L.) and Improve Crop Yield. *Frontiers in Microbiology*, 10(November), 1–15. <https://doi.org/10.3389/fmicb.2019.02623>
- Do, T. Q., Nguyen, T. T., & Dinh, V. M. (2023). Application of endophytic bacterium *Bacillus velezensis* BTR11 to control bacterial leaf blight disease and promote rice growth. *Egyptian Journal of Biological Pest Control*, 33(1). <https://doi.org/10.1186/s41938-023-00740-w>
- Ganie, S. A., Bhat, J. A., & Devoto, A. (2022). The influence of endophytes on rice fitness under environmental stresses. *Plant Molecular Biology*, 109(4–5), 447–467. <https://doi.org/10.1007/s11103-021-01219-8>
- Hapsoh, Wawan, Dini, I. R., & Ningsih, F. (2024). Utilization of solid organic waste as a biofertilizer formulation for upland rice plants supports sustainable rice farming. *IOP Conference Series: Earth and Environmental Science*, 1302(1), 1–8. <https://doi.org/10.1088/1755-1315/1302/1/012028>
- Ikiz, B., Dasgan, H. Y., & Gruda, N. S. (2024). Utilizing the power of plant growth promoting rhizobacteria on reducing mineral fertilizer, improved yield, and nutritional quality of Batavia lettuce in a floating culture. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-51818-w>
- Jayabalan, S., Rajakani, R., Kumari, K., Pulipati, S., Hariharan, R. V. G., Venkatesan, S. D., Jaganathan, D., Kancharla, P. K., Raju, K., & Venkataraman, G. (2022). Morpho-physiological, biochemical and molecular characterization of coastal rice landraces to identify novel genetic sources of salinity tolerance. *Plant Physiology and Biochemistry*, 187(February), 50–66. <https://doi.org/10.1016/j.plaphy.2022.07.028>
- Ma, Y., Rajkumar, M., Zhang, C., & Freitas, H. (2016). Beneficial role of bacterial endophytes in heavy metal phytoremediation. *Journal of Environmental Management*, 174, 14–25. <https://doi.org/10.1016/j.jenvman.2016.02.047>
- Oco, R. G., Devanadera, M. K., & De Grano, R. V. R. (2024). Utilization of *Nostoc piscinale* as Potential Biofertilizer to the Growth and Development of *Oryza sativa* L. *Caraka Tani: Journal of Sustainable Agriculture*, 39(1), 22–37. <https://doi.org/10.20961/carakatani.v39i1.77067>
- Omar, A. A., Zayed, E. M., Oraby, H. F., Elnaggar, N. Z., Elasztokhy, M. M. A., Basuoni, M. M., Osman, A., Shamseldin, S. A. M., Attia, K. A., & Mohamed, A. H. (2023). Description of phenotypic, grain quality, molecular fingerprinting, and biodiversity using DNA barcoding of some elite rice genotypes. *South African Journal of Botany*, 154, 289–299. <https://doi.org/10.1016/j.sajb.2023.01.045>
- Owen, N. L., & Hundley, N. (2005). *Endophytes – the chemical synthesizers inside plants*. 87(2004), 79–99.
- Puri, A., Padda, K. P., & Chanway, C. P. (2020). In vitro and in vivo analyses of plant-growth-promoting potential of bacteria naturally associated with spruce trees growing on nutrient-poor soils. *Applied Soil Ecology*, 149(November 2019), 103538. <https://doi.org/10.1016/j.apsoil.2020.103538>
- Sasmita, P., & Kodir, K. A. (2020). Inventory and morphological characterization of local upland rice in the highlands of South Sumatra province. *IOP Conference Series:*

- Earth and Environmental Science*, 482(1). <https://doi.org/10.1088/1755-1315/482/1/012049>
- Savary, S., Ficke, A., Aubertot, J. N., & Hollier, C. (2012). Crop losses due to diseases and their implications for global food production losses and food security. *Food Security*, 4(4), 519–537. <https://doi.org/10.1007/s12571-012-0200-5>
- Strobel, G. (2018). The emergence of endophytic microbes and their biological promise. *Journal of Fungi*, 4(2). <https://doi.org/10.3390/jof4020057>
- TANG, R., TIAN, Q., LIU, S., GONG, Y., LI, Q., CHEN, R., WANG, L., HU, F., HUANG, L., & QIN, S. (2023). Endophytic bacteria in different tissue compartments of African wild rice (*Oryza longistaminata*) promote perennial rice growth. *Journal of Integrative Agriculture*, 1–23. <https://doi.org/10.1016/j.jia.2023.11.031>
- Tu, C. K., Huang, W. Di, Wang, P. H., Lin, W. L., Chen, H. Y., Rau, S. T., Chang, T. C., Young, L. Sen, Wang, C. L., & Lee, M. H. (2024). The rice endophytic bacterium *Bacillus velezensis* LS123N provides protection against multiple pathogens and enhances rice resistance to wind with increase in yield. *Biological Control*, 192(March), 105507. <https://doi.org/10.1016/j.biocontrol.2024.105507>
- Wani, Z. A., Ashraf, N., Mohiuddin, T., & Riyaz-Ul-Hassan, S. (2015). Plant-endophyte symbiosis, an ecological perspective. *Applied Microbiology and Biotechnology*, 99(7), 2955–2965. <https://doi.org/10.1007/s00253-015-6487-3>
- White, J. F., Kingsley, K. L., Zhang, Q., Verma, R., Obi, N., Dvinskikh, S., Elmore, M. T., Verma, S. K., Gond, S. K., & Kowalski, K. P. (2019). Review: Endophytic microbes and their potential applications in crop management. *Pest Management Science*, 75(10), 2558–2565. <https://doi.org/10.1002/ps.5527>
- Younis, T., Rahman, S., Rahman, L., Iqar, I., & Shinwari, Z. K. (2024). Exploring the impact of endophytic bacteria on mitigating salinity stress in *Solanum lycopersicum* L. *Plant Stress*, 12(March), 100467. <https://doi.org/10.1016/j.stress.2024.100467>
- Zhao, G., Zhu, X., Zheng, G., Meng, G., Dong, Z., Baek, J. H., Jeon, C. O., Yao, Y., Xuan, Y. H., Zhang, J., & Jia, B. (2024). Development of biofertilizers for sustainable agriculture over four decades (1980–2022). *Geography and Sustainability*, 5(1), 19–28. <https://doi.org/10.1016/j.geosus.2023.09.006>
- Alfred BrownHeidi Smith. (2015). Benson's Microbiological Applications: Laboratory Manual in General Microbiology, Short Version. *Benson's Microbiological Applications*, 1, 481.
- Bao, J., & Bergman, C. J. (2018). Rice Flour and Starch Functionality. In *Starch in Food: Structure, Function and Applications: Second Edition*. <https://doi.org/10.1016/B978-0-08-100868-3.00010-X>
- Berg, G., Grube, M., Schlöter, M., & Smalla, K. (2014). Unraveling the plant microbiome: Looking back and future perspectives. *Frontiers in Microbiology*, 5(JUN), 1–7. <https://doi.org/10.3389/fmicb.2014.00148>
- Cappuccino JWelsh C. (2018). *Microbiology: A Laboratory Manual*.
- Cherchali, A., Boukhelata, N., Kaci, Y., Abrous-Belbachir, O., & Djebbar, R. (2019). Isolation and identification of a phosphate-solubilizing *Paenibacillus polymyxa* strain GOL 0202 from durum wheat (*Triticum durum* Desf.) rhizosphere and its effect on some seedlings morphophysiological parameters. *Biocatalysis and Agricultural Biotechnology*, 19. <https://doi.org/10.1016/j.bcab.2019.101087>
- Dash, C., & J Payyappilli, R. (2016). KOH string and Vancomycin susceptibility test as an alternative method to Gram staining. *Journal of International Medicine and Dentistry*, 3(2), 88–90. <https://doi.org/10.18320/JIMD/201603.0288>
- David, A. S., Seabloom, E. W., & May, G. (2016). Plant Host Species and Geographic Distance Affect the Structure of Aboveground Fungal Symbiont Communities,

- and Environmental Filtering Affects Belowground Communities in a Coastal Dune Ecosystem. *Microbial Ecology*, 71(4), 912–926. <https://doi.org/10.1007/s00248-015-0712-6>
- de Souza, R., Ambrosini, A., & Passaglia, L. M. P. (2015). Plant growth-promoting bacteria as inoculants in agricultural soils. *Genetics and Molecular Biology*, 38(4), 401–419. <https://doi.org/10.1590/S1415-475738420150053>
- Deepika, D. S., Sridevi, M., & Lavanya, J. (2023). Isolation, screening, and characterization of plant growth enhancing endophytic bacteria from halophytic *Heliotropium curassavicum* L. collected from salt stress areas of Srikakulam, Andhra Pradesh. *Journal of Applied and Natural Science*, 15(3), 1204–1211. <https://doi.org/10.31018/jans.v15i3.4727>
- Do, T. Q., Nguyen, T. T., & Dinh, V. M. (2023a). Application of endophytic bacterium *Bacillus velezensis* BTR11 to control bacterial leaf blight disease and promote rice growth. *Egyptian Journal of Biological Pest Control*, 33(1). <https://doi.org/10.1186/s41938-023-00740-w>
- Do, T. Q., Nguyen, T. T., & Dinh, V. M. (2023b). Application of endophytic bacterium *Bacillus velezensis* BTR11 to control bacterial leaf blight disease and promote rice growth. *Egyptian Journal of Biological Pest Control*, 33(1). <https://doi.org/10.1186/s41938-023-00740-w>
- Elbeltagy, A., Nishioka, K., Suzuki, H., Sato, T., Sato, Y. I., Morisaki, H., Mitsui, H., & Minamisawa, K. (2000). Isolation and characterization of endophytic bacteria from wild and traditionally cultivated rice varieties. *Soil Science and Plant Nutrition*, 46(3). <https://doi.org/10.1080/00380768.2000.10409127>
- Gary Strobel, daisy. (2003). Bioprospecting for microbial endophytes and their natural products. *NBU Journal of Plant Sciences*, 67(1), 1–13. <https://doi.org/10.55734/nbujps.2015.v09i01.001>
- Geddes BA, Ryu MH, Mus F, Garcia Costas A, Peters JW, V. C., & P, P. (2015). Use of plant colonizing bacteria as chassis for transfer of N₂-fixation to cereals. *Biotechnol*, 32, 216–222. <https://doi.org/https://doi.org/10.1016/j.copbio.2015.01.004>
- Glickmann, E., & Dessaux, Y. (1995). A critical examination of the specificity of the Salkowski reagent for indolic compounds produced by phytopathogenic bacteria. *Applied and Environmental Microbiology*, 61(2), 793–796. <https://doi.org/10.1128/aem.61.2.793-796.1995>
- Haerani, N., Syam'un, E., Rasyid, B., & Haring, F. (2021). Isolation and characterization of n-fixing and iaa producing rhizobacteria from two rice field agro-ecosystems in south sulawesi, Indonesia. *Biodiversitas*, 22(5), 2497–2503. <https://doi.org/10.13057/biodiv/d220506>
- Haider, I., Ullah, I., Khan, S. U., Munir, I., Mateen, A., AL-Kenani, N., Al Johny, B. O., Anwar, Y., Al-Solami, H. M., Alahmadi, T. M., Alsulami, N., Zari, A., Alghamdi, K. M. S., Alharbi, A. O. M., Siddiqui, M. F., & Naeem, I. (2022). Characterization and cadmium detoxification dynamics of endophytic bacteria, isolated from rice plants. *Journal of King Saud University - Science*, 34(4), 101992. <https://doi.org/10.1016/j.jksus.2022.101992>
- Hardoim, P. R., van Overbeek, L. S., Berg, G., Pirttilä, A. M., Compant, S., Campisano, A., Döring, M., & Sessitsch, A. (2015). The Hidden World within Plants: Ecological and Evolutionary Considerations for Defining Functioning of Microbial Endophytes. *Microbiology and Molecular Biology Reviews*, 79(3), 293–320. <https://doi.org/10.1128/mmb.00050-14>
- Hilbert, M., Voll, L. M., Ding, Y., Hofmann, J., Sharma, M., & Zuccaro, A. (2012). Indole derivative production by the root endophyte *piriformospora indica* is not required for growth promotion but for biotrophic colonization of barley roots. *New*

- Phytologist*, 196(2), 520–534. <https://doi.org/10.1111/j.1469-8137.2012.04275.x>
- Kumar, V., Jain, L., Jain, S. K., Chaturvedi, S., & Kaushal, P. (2020). Bacterial endophytes of rice (*Oryza sativa* L.) and their potential for plant growth promotion and antagonistic activities. *South African Journal of Botany*, 134, 50–63. <https://doi.org/10.1016/j.sajb.2020.02.017>
- Mitra D.Mondal A. K.Mukhopadhyay A. (2014). Isolation and Characterization of some intracellular pigmented bacteria isolated from Soil & Coal powder. *Research in Biotechnology*, 5, 24–32.
- Rosenblueth, M., & Martínez-Romero, E. (2006). Bacterial endophytes and their interactions with hosts. In *Molecular Plant-Microbe Interactions* (Vol. 19, Issue 8). <https://doi.org/10.1094/MPMI-19-0827>
- sahu, A. K. (2019). Isolation, Characterization of Endophytic Bacteria from Psidium Guajava Plant and Screening of their Antibiotic Activities. *International Journal for Research in Applied Science and Engineering Technology*, 7(1), 345–355. <https://doi.org/10.22214/ijraset.2019.1061>
- Scholthof, H. B. (2001). Molecular plant-microbe interactions that cut the mustard. *Plant Physiology*, 127(4), 1476–1483. <https://doi.org/10.1104/pp.010789>
- Sianipar, G. W. S., Sartini, S., & Riyanto, R. (2020). Isolasi dan Karakteristik Bakteri Endofit pada Akar Pepaya (*Carica papaya* L). *Jurnal Ilmiah Biologi UMA (JIBIOMA)*, 2(2), 83–92. <https://doi.org/10.31289/jibioma.v2i2.312>
- Simarmata, R., Widowati, T., JRL, S., FWP, R., Christita, M., Khairina, Y., Erdayani, E., & Khumairah, F. H. (2023). Rhizosphere bacteriome of *Allium cepa* after the application of chemical and endophyte-based fertilizer. *Acta Ecologica Sinica*, August. <https://doi.org/10.1016/j.chnaes.2023.08.009>
- Singha, K. M., Singh, B., & Pandey, P. (2021). Host specific endophytic microbiome diversity and associated functions in three varieties of scented black rice are dependent on growth stage. *Scientific Reports*, 11(1), 1–17. <https://doi.org/10.1038/s41598-021-91452-4>
- Sohel S. Shaikh , Riyaz Z. Sayyed, and M. S. R. (2016). *Plant Growth-Promoting Rhizobacteria: An Eco-friendly Approach for Sustainable Agroecosystem*. 1. https://doi.org/10.1007/978-3-319-27455-3_10
- Sudewi, S., Ala, A., Baharuddin, & Farid, M. (2020). The isolation, characterization endophytic bacteria from roots of local rice plant kamba in, central sulawesi, indonesia. *Biodiversitas*, 21(4), 1614–1624. <https://doi.org/10.13057/biodiv/d210442>
- Suhartanti, M., Sarjono, P. R., & Aminin, A. L. N. (2010). Studi Filogeni dan Uji Potensi Enzim Ekstraseluler (amilase, β -galaktosidase, protease, katalase) Isolat *Alicyclobacillus* sp. Gedong Songo. *Jurnal Kimia Sains Dan Aplikasi*, 13(3), 80–87. <https://doi.org/10.14710/jksa.13.3.80-87>
- Susilowati, D. N., Riyanti, E. I., Setyowati, M., & Mulya, K. (2018). Indole-3-acetic acid producing bacteria and its application on the growth of rice. *AIP Conference Proceedings*, 2002(August 2018). <https://doi.org/10.1063/1.5050112>
- Verma, D. K., & Srivastav, P. P. (2017). Proximate Composition, Mineral Content and Fatty Acids Analyses of Aromatic and Non-Aromatic Indian Rice. *Rice Science*, 24(1), 21–31. <https://doi.org/10.1016/j.rsci.2016.05.005>
- Weinand, T., El-Hasan, A., & Asch, F. (2023). Role of *Bacillus* spp. Plant Growth Promoting Properties in Mitigating Biotic and Abiotic Stresses in Lowland Rice (*Oryza sativa* L.). *Microorganisms*, 11(9). <https://doi.org/10.3390/microorganisms11092327>
- Wiratno, Syakir, M., Sucipto, I., & Pradana, A. P. (2019). Isolation and characterization of endophytic bacteria from roots of piper nigrum and their activities against

Fusarium oxysporum and *Meloidogyne incognita*. *Biodiversitas*, 20(3), 682–687.
<https://doi.org/10.13057/biodiv/d200310>