

DAFTAR PUSTAKA

- Abd El-Fattah, D. A., Eweda, W. E., Zayed, M. S., & Hassanein, M. K. (2013). Effect of carrier materials, sterilization method, and storage temperature on survival and biological activities of *Azotobacter chroococcum* inoculant. *Annals of Agricultural Sciences*, 58(2), 111–118. <https://doi.org/10.1016/j.aoas.2013.07.001>
- Abdullah, N., Sulaiman, F., Miskam, M. A., & Taib, R. M. (2014). Characterization of banana (*Musa spp.*) plantation wastes as a potential renewable energy source. *Engineering and Technology International Journal of Energy and Power Engineering*, 8(8), 815–819. <https://doi.org/10.1063/1.4803618>
- Abdullah, S. S. S., Shirai, Y., Ali, A. A. M., Mustapha, M., & Hassan, M. A. (2016). Case study: Preliminary assessment of integrated palm biomass biorefinery for bioethanol production utilizing non-food sugars from oil palm frond petiole. *Energy Conversion and Management*, 108, 233–242. <https://doi.org/10.1016/j.enconman.2015.11.016>
- Abdulsalam, A., Aliyu, S., Bashar, B., Danillela, U., Ahmad, Z., Aminu, M., & Gbadamosi, L. (2024). Bioethanol: A Sustainable Liquid Fuel as Substitute to Gasoline. *International Journal for Research in Applied Science and Engineering Technology*, 12(7), 360–371. <https://doi.org/10.22214/ijraset.2024.63555>
- Agustini, L., & Efiyanti, L. (2015). SELULOSA DAN PRODUKSI ETANOL DARI LIMBAH (The Effects of Delignification Treatments on Cellulose Hydrolysis and Ethanol Production from Lignocellulosic Wastes). *Jurnal Penelitian Hasil Hutan*, 33(1), 69–80.
- Aisah, M., Siti Norasmah, S., & Wan Asma, I. (2013). Renewable sugars hydrolyzed from banana pseudo-stem using different chemical pretreatments. *Applied Mechanics and Materials*, 372, 97–100. <https://doi.org/10.4028/www.scientific.net/AMM.372.97>
- Aksani, D., Surono, Ginting, R. C. B., & Purwani, J. (2021). The assay of carrier material and bacteria isolate formula as a biofertilizer on soybean in Inceptisols from West Java. *IOP Conference Series: Earth and Environmental Science*, 648(1). <https://doi.org/10.1088/1755-1315/648/1/012193>
- Alonso, S. (2016). Novel Preservation Techniques for Microbial Cultures. In K. S. Ojha & B. K. Tiwari (Eds.), *Novel Food Fermentation Technologies (Food Engineering Series)* (pp. 7–33). https://doi.org/10.1007/978-3-319-42457-6_2
- Araguirang, G. E., Arizala, A. J. R., Asilo, E. B. B., Batalon, J. L. S., Bello, E. B., Madigal, J. P. T., Monge, J. R., Sanchez, N. A. L., & Elegado, F. B. (2020). Pre-treatment and enzymatic hydrolysis of banana (*Musa acuminata* x *balbisiana*) pseudostem for ethanol production. *Agro Bali: Agricultural Journal*, 3(2), 98–107. <https://doi.org/10.37637/ab.v3i2.608>

- Arif, A. R., Erviani, A. E., Natsir, H., Haidir, I., & Affandy, M. A. (2018). Optimasi Pretreatment melalui Metode Hydrothermal Pressure dan Pelarut Alkali pada Produksi Bioetanol dari Lemna minor. *ALCHEMY Jurnal Penelitian Kimia*, 14(1), 95–106. <https://doi.org/10.20961/alchemy.14.1.15986.95-106>
- Arif, A. Bin, Budiyanto, A. ., Diyono, W. ., & Richana, N. . (2018). Optimasi Waktu Fermentasi Produksi Bioetanol Dari Dedak Sorghum Manis (Sorghum Bicolor L) Melalui Proses Enzimatis. *Jurnal Penelitian Pascapanen Pertanian*, 14(2), 67. <https://doi.org/10.21082/jpasca.v14n2.2017.67-78>
- Arsène, M. A., Bilba, K., Junior, H. S., & Ghavami, K. (2013). Treatments of non-wood plant fibres used as reinforcement in composite materials. *Materials Research*, 16(4), 903–923. <https://doi.org/10.1590/S1516-14392013005000084>
- Azizah, N., Al-bAARI, A., & Mulyani, S. (2012). Pengaruh Lama Fermentasi Terhadap Kadar Alkohol, pH, dan Produksi Gas pada Proses Fermentasi Bioetanol dari Whey dengan Substitusi Kulit Nanas. *Jurnal Aplikasi Teknologi Pangan*, 1(2), 72–77.
- Badan Pelaksana Penyuluhan Pertanian Grobogan. (2011). *Kedelai Hebat Varietas Grobogan*. <http://cybex.pertanian.go.id/artikel/17875/kedelai-hebat-varietas-grobogan/>
- Bai, F. W., Anderson, W. A., & Moo-Young, M. (2008). Ethanol fermentation technologies from sugar and starch feedstocks. *Biotechnology Advances*, 26(1), 89–105. <https://doi.org/10.1016/j.biotechadv.2007.09.002>
- Bhaskar, J. J., Mahadevamma, S., Chilkunda, N. D., & Salimath, P. V. (2012). Banana (Musa sp. var. elakki bale) flower and pseudostem: Dietary fiber and associated antioxidant capacity. *Journal of Agricultural and Food Chemistry*, 60(1), 427–432. <https://doi.org/10.1021/jf204539v>
- Binod, P., Janu, K. U., Sindhu, R., & Pandey, A. (2011). Hydrolysis of lignocellulosic biomass for bioethanol production. In *Biofuels* (1st ed., pp. 229–250). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-385099-7.00010-3>
- BP Energy. (2021). Statistical Review of World Energy 2021. In Statistical Review of World Energy (Ed.), *BP Energy outlook 2021* (70th ed., Vol. 70). Whitehouse Associates, London.
- Broda, M., Yelle, D. J., & Serwańska, K. (2022). Bioethanol Production from Lignocellulosic Biomass—Challenges and Solutions. *Molecules*, 27(24). <https://doi.org/10.3390/molecules27248717>
- Bu, Y., Alkotaini, B., Salunke, B. K., Deshmukh, A. R., Saha, P., & Kim, B. S. (2019). Direct ethanol production from cellulose by consortium of *Trichoderma reesei* and *Candida molischiana*. *Green Processing and Synthesis*, 8(1), 416–420. <https://doi.org/10.1515/gps-2019-0009>

- Buendia-Kandia, F., Rondags, E., Framboisier, X., Mauviel, G., Dufour, A., & Guedon, E. (2018). Diauxic growth of *Clostridium acetobutylicum* ATCC 824 when grown on mixtures of glucose and cellobiose. *AMB Express*, 8(1). <https://doi.org/10.1186/s13568-018-0615-2>
- Cao, Z., Yan, W., Ding, M., & Yuan, Y. (2022). Construction of microbial consortia for microbial degradation of complex compounds. *Frontiers in Bioengineering and Biotechnology*, 10(December), 1–14. <https://doi.org/10.3389/fbioe.2022.1051233>
- Ceaser, R., Montané, D., Constantí, M., & Medina, F. (2024). Current progress on lignocellulosic bioethanol including a technological and economical perspective. In *Environment, Development and Sustainability*. Springer Science and Business Media B.V. <https://doi.org/10.1007/s10668-024-04792-2>
- Chandel, A. K., Chandrasekhar, G., Silva, M. B., & Silvério Da Silva, S. (2012). The realm of cellulases in biorefinery development. *Critical Reviews in Biotechnology*, 32(3), 187–202. <https://doi.org/10.3109/07388551.2011.595385>
- Chang, V. S., & Holtzapple, M. T. (2000). Fundamental Factors Affecting Biomass Enzymatic Reactivity. *Applied Biochemistry and Biotechnology*, 84–86.
- Chaves, P. J. L., Cepeda, J. T. F. J. G. Á., & Orzáez, and M. J. H. (2020). Influence of Moisture, Temperature and Microbial Activity in Biomass Sustainable Storage. Special Focus on Olive Biomasses. *International Journal of Environmental Sciences & Natural Resources*, 25(3), 115–126. <https://doi.org/10.19080/ijesnr.2020.25.556165>
- Chemical Laboratory Safety and Security: A Guide to Developing Standard Operating Procedures. (2016). In *Chemical Laboratory Safety and Security*. <https://doi.org/10.17226/21918>
- Chidi, E. E., Oluwatisin, S. K., & Deborah, K. (2015). Microwave-alkaline assisted pretreatment of banana trunk for bioethanol production. *Journal of Energy and Power Engineering*, 9(8), 705–713. <https://doi.org/10.17265/1934-8975/2015.08.003>
- Chiemerie Obiora. (2022). Optimal Cost of Production of Bioethanol: A Review. *Social Science Research Network*, 1–13. <https://doi.org/https://dx.doi.org/10.2139/ssrn.4171036>
- Chittibabu, S., Saseetharan, M. K., Kalaivani, M. R., & Rajesh, M. P. (2014). Optimization of microwave-assisted alkali pretreatment and enzymatic hydrolysis of banana pseudostem. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 36(24), 2691–2698. <https://doi.org/10.1080/15567036.2011.574193>

- Chittibabu, S., Saseetharan, M. K., Rajendran, K., & Santhanamuthu, M. (2012). Optimization of alkali pretreatment and enzymatic hydrolysis of banana pseudostem for ethanol production by RSM. *IEEE-International Conference On Advances In Engineering, Science And Management (ICAESM -2012)*, 90–94.
- Chu, D., & Barnes, D. J. (2016). The lag-phase during diauxic growth is a trade-off between fast adaptation and high growth rate. *Scientific Reports*, 6(April), 1–15. <https://doi.org/10.1038/srep25191>
- Conway, T. (1992). The Entner-Doudoroff pathway: history, physiology and molecular biology. *FEMS Microbiology Letters*, 103(1), 1–28. <https://doi.org/10.1111/j.1574-6968.1992.tb05822.x>
- D. Nkosi, B., N. Ncobela, C., S. Thomas, R., M.M. Malebana, I., Muller, F., Álvarez, S., & Meeske, R. (2021). Microbial Inoculation to High Moisture Plant By-Product Silage: A Review. In László Babinszky, Juliana Oliveira, & Edson Mauro Santos (Eds.), *Advanced Studies in the 21st Century Animal Nutrition*. <https://doi.org/10.5772/intechopen.98912>
- Datta, R. (1981). Acidogenic fermentation of lignocellulose—acid yield and conversion of components. *Biotechnology and Bioengineering*, 23(9), 2167–2170. <https://doi.org/10.1002/bit.260230921>
- Dempfle, D., Kröcher, O., & Studer, M. H. P. (2021). Techno-economic assessment of bioethanol production from lignocellulose by consortium-based consolidated bioprocessing at industrial scale. *New Biotechnology*, 65, 53–60. <https://doi.org/10.1016/j.nbt.2021.07.005>
- Dewan Energi Nasional. (2022). Evaluasi Capaian Bauran Energi Nasional Tahun 2022. In *Sekretariat Jenderal Dewan Energi Nasional*.
- Dio Dananjaya, & Agung Kurniawan. (2023, October 10). Alasan Mengapa Pengembangan Bioetanol Belum Optimal. *Kompas.Com*. <https://otomotif.kompas.com/read/2023/10/10/100200215/alasan-mengapa-pengembangan-bioetanol-belum-optimal>
- Direktorat Jenderal Kesehatan Masyarakat. (2018). Tabel Komposisi Pangan Indonesia 2017. In *Direktorat Jenderal Kesehatan Masyarakat Direktorat Gizi Masyarakat*. Kementerian Kesehatan Republik Indonesia. <https://doi.org/10.29103/averrous.v2i2.412>
- Do Vale, L. H. F., Filho, E. X. F., Miller, R. N. G., Ricart, C. A. O., & de Sousa, M. V. (2014). Cellulase Systems in *Trichoderma*: An Overview. In *Biotechnology and Biology of Trichoderma* (pp. 229–244). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-59576-8.00016-3>
- Edeh, I. (2021). Bioethanol production: An overview. In F. Inambao (Ed.), *Bioethanol Technologies* (pp. 1–22). InTech. <https://doi.org/10.5772/intechopen.94895>

- Edison, H. S., Sutanto, A., Hermanto, C., Lakuy, H., & Rumsarwir, Y. (2002). *The exploration of Musaceae in Irian Jaya (Papua) 11 February - 5 March 2002*. Research Institute for Fruits Central Research Institute for Horticulture, INIBAB.
- Edison, H. S., Sutanto, A., Hermanto, C., Razak, N., & Uji, T. (1996). *The exploration of Musaceae in Maluku Islands, 18 November – 14 December 1996*. Research Institute for Fruits Central Research Institute for Horticulture, INIBAB.
- Efrinalia, W., Novia, N., & Melwita, E. (2022). Kinetic model for enzymatic hydrolysis of cellulose from pre-treated rice husks. *Fermentation*, 8(9), 417. <https://doi.org/10.3390/fermentation8090417>
- Eggeman, T., & Elander, R. T. (2005). Process and economic analysis of pretreatment technologies. *Bioresource Technology*, 96(18 SPEC. ISS.), 2019–2025. <https://doi.org/10.1016/j.biortech.2005.01.017>
- Fardiaz, S. (1993). *Analisis Mikrobiologi Pangan (Pertama)*. PT RajaGrafindo Persada.
- Fatehi, P. (2013). Production of biofuels from cellulose of woody biomass. In Theo van de Ven & John Kadla (Eds.), *Cellulose - Biomass Conversion* (pp. 45–74). InTech. <https://doi.org/10.5772/50740>
- Febrianti, F., Syamsu, K., & Rahayuningsih, M. (2017). BIOETHANOL PRODUCTION FROM TOFU WASTE BY SIMULTANEOUS SACCHARIFICATION AND FERMENTATION (SSF) USING MICROBIAL CONSORTIUM. *International Journal of Technology*, 5, 898–908.
- Francesca, G., Francesca, M., Tania, G., Marina, B., Maurizio, S., & Alessandra, M. (2010). Biochimica et Biophysica Acta Effect of different glucose concentrations on proteome of *Saccharomyces cerevisiae*. *BBA - Proteins and Proteomics*, 1804(7), 1516–1525. <https://doi.org/10.1016/j.bbapap.2010.03.008>
- García-García, N., Tamames, J., Linz, A. M., Pedrós-Alió, C., & Puente-Sánchez, F. (2019). Microdiversity ensures the maintenance of functional microbial communities under changing environmental conditions. *The ISME Journal*, 13(12), 2969–2983. <https://doi.org/10.1038/s41396-019-0487-8>
- Gozan, M. (2014). *Teknologi Bioetanol Generasi-Kedua* (L. Simarmata, Ed.). Penerbit Erlangga.
- Guerrero, A. B., Ballesteros, I., & Ballesteros, M. (2017). Optimal conditions of acid-catalysed steam explosion pretreatment of banana lignocellulosic biomass for fermentable sugar production. *Journal of Chemical Technology and Biotechnology*, 92(9), 2351–2359. <https://doi.org/10.1002/jctb.5239>
- Hamdi, G. M., Abbas, M. N., & Ali, S. A. K. (2024). Bioethanol Production From Agricultural Waste: a Review. *Journal of Engineering and Sustainable Development*, 28(2), 233–252. <https://doi.org/10.31272/jeasd.28.2.7>

- Hamdy, A., Elhafez, S. A., Hamad, H., & Ali, R. (2021). The interplay of autoclaving with oxalate as pretreatment technique in the view of bioethanol production based on corn stover. *Polymers*, 13(21). <https://doi.org/10.3390/polym13213762>
- Hasunuma, T., Okazaki, F., Okai, N., Hara, K. Y., Ishii, J., & Kondo, A. (2013). A review of enzymes and microbes for lignocellulosic biorefinery and the possibility of their application to consolidated bioprocessing technology. *Bioresource Technology*, 135, 513–522. <https://doi.org/10.1016/j.biortech.2012.10.047>
- Heng, J. L. S., & Hamzah, H. (2022). Effects of different parameters on cellulase production by *Trichoderma harzianum* TF2 using solid-state fermentation (SSF). *Indonesian Journal of Biotechnology*, 27(2), 80–86. <https://doi.org/10.22146/ijbiotech.66549>
- Horn, S. J., Vaaje-Kolstad, G., Westereng, B., & Eijsink, V. (2012). Novel enzymes for the degradation of cellulose. *Biotechnology for Biofuels*, 5(1), 45. <https://doi.org/10.1186/1754-6834-5-45>
- Hotmian, E., Suoth, E., Fatimawali, F., & Tallei, T. (2021). ANALISIS GC-MS (GAS CHROMATOGRAPHY - MASS SPECTROMETRY) EKSTRAK METANOL DARI UMBI RUMPUT TEKI (*Cyperus rotundus* L.). *Pharmacon*, 10(2), 849. <https://doi.org/10.35799/pha.10.2021.34034>
- Hute, T., Sanusi, I. A., Kana, E. B. G., Meyer, E. L., & Sewsynker-Sukai, Y. (2024). Comparative assessment of autoclave- and microwave-facilitated seawater pretreatments for the enhancement of sugar recovery from banana pseudostem. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-024-06231-8>
- Igwebuike, C. M., Awad, S., & Andrès, Y. (2024). Renewable Energy Potential: Second-Generation Biomass as Feedstock for Bioethanol Production. *Molecules*, 29(7). <https://doi.org/10.3390/molecules29071619>
- Ingale, S., Joshi, S. J., & Gupte, A. (2014). Production of bioethanol using agricultural waste: Banana pseudo stem. *Brazilian Journal of Microbiology*, 45(3), 885–892. <https://doi.org/10.1590/S1517-83822014000300018>
- Itelima, J., Onwuliri, F., Onwuliri, E., Onyimba, I., & Oforji, S. (2013). Bio-Ethanol Production from Banana, Plantain and Pineapple Peels by Simultaneous Saccharification and Fermentation Process. *International Journal of Environmental Science and Development*, January, 213–216. <https://doi.org/10.7763/ijesd.2013.v4.337>
- Jahnavi, G., Prashanthi, G. S., Sravanthi, K., & Rao, L. V. (2017). Status of availability of lignocellulosic feed stocks in India: Biotechnological strategies involved in the production of Bioethanol. *Renewable and Sustainable Energy Reviews*, 73(November 2016), 798–820. <https://doi.org/10.1016/j.rser.2017.02.018>

- JATENG, B. (2014). *Kumpulan Deskripsi Varietas Padi* (A. S. Romdon, E. Kurniyati, S. Bahri, & J. Pramono, Eds.; 2nd ed.). BPTP Jateng.
- Jayaprabha, J. S., Brahmakumar, M., & Manilal, V. B. (2011). Banana pseudostem characterization and its fiber property evaluation on physical and bioextraction. *Journal of Natural Fibers*, 8(3), 149–160. <https://doi.org/10.1080/15440478.2011.601614>
- Julaeha, E., Rustiyaty, S., Nurmaliah, F. N., Ramdlani, F., & Tantra, R. G. (2016). Pemanfaatan Tepung Gadung (*Dioscorea hispida* Dennst.) pada Produksi Amilase Menggunakan *Bacillus* sp. *Fortech*, 1(1), 46–51. <http://ejournal.upi.edu/index.php>
- Kebijakan Energi Nasional, Pub. L. No. No 79 Tahun 2014, Hukum Online 1 (2014).
- Khajeeram, S., & Unrean, P. (2017). Techno-economic assessment of high-solid simultaneous saccharification and fermentation and economic impacts of yeast consortium and on-site enzyme production technologies 3. *Energy*. <https://doi.org/10.1016/j.energy.2017.01.090>
- Khambhaty, Y., Upadhyay, D., Kriplani, Y., Joshi, N., Mody, K., & Gandhi, M. R. (2013). Bioethanol from Macroalgal Biomass: Utilization of Marine Yeast for Production of the Same. *Bioenergy Research*, 6(1), 188–195. <https://doi.org/10.1007/s12155-012-9249-4>
- Kulbeik, T., Scherzinger, M., Höfer, I., & Kaltschmitt, M. (2021). Autoclave pre-treatment of foliage – Effects of temperature, residence time and water content on solid biofuel properties. *Renewable Energy*, 171, 275–286. <https://doi.org/10.1016/j.renene.2021.02.090>
- Kurniasari, T. M., & Putra, S. R. (2011). KARAKTERISASI BERDASARKAN UJI ASPEK MORFOLOGI DAN BIOKIMIA SERTA PENGARUH AERASI TERHADAP PERTUMBUHAN *Zymomonas mobilis* GALUR LIAR (ZM JPG). *MJoCE*, 1(2), 129–141.
- Kusmiyati, & Sukmaningtyas, R. P. (2018). Pretreated of banana pseudo-stem as raw material for enzymatic hydrolysis and bioethanol production. *MATEC Web of Conferences*, 154, 8–11. <https://doi.org/10.1051/mateconf/201815401035>
- Kustyawati, M. E., Sari, M., & Haryati, T. (2013). Efek fermentasi dengan *Saccharomyces cerevisiae* terhadap karakteristik biokimia tapioka. *Jurnal Agritech*, 33(3), 281–287.
- Kusumaningati, M. A., Nurhatika, S., & Muhibuddin, S. (2013). Pengaruh Konsentrasi Inokulum Bakteri *Zymomonas mobilis* dan Lama Fermentasi Pada Produksi Etanol dari Sampah Sayur dan Buah. *Jurnal Sains Dan Seni Pomits*, 2(2), E-218-E-233.

- Laltha, M., Sewsynker-Sukai, Y., & Gueguim Kana, E. B. (2024). Innovative microwave-assisted iodized table salt or paper wastewater pretreatments for enhanced sugar recovery from banana pseudostem. *Biomass Conversion and Biorefinery*, 14(3), 4139–4153. <https://doi.org/10.1007/s13399-022-02630-x>
- Lee, J. M., Venditti, R. A., Jameel, H., & Kenealy, W. R. (2011). Detoxification of woody hydrolyzates with activated carbon for bioconversion to ethanol by the thermophilic anaerobic bacterium *Thermoanaerobacterium saccharolyticum*. *Biomass and Bioenergy*, 35(1), 626–636. <https://doi.org/10.1016/j.biombioe.2010.10.021>
- Legodi, L. M., LaGrange, D. C., van Rensburg, E. L. J., & Ncube, I. (2021). Enzymatic hydrolysis and fermentation of banana pseudostem hydrolysate to produce bioethanol. *International Journal of Microbiology*, 2021, 14. <https://doi.org/10.1155/2021/5543104>
- Leibbrandt, N. H., Knoetze, J. H., & Görgens, J. F. (2011). Comparing biological and thermochemical processing of sugarcane bagasse: An energy balance perspective. *Biomass and Bioenergy*, 35(5), 2117–2126. <https://doi.org/10.1016/j.biombioe.2011.02.017>
- Limayem, A., & Ricke, S. C. (2012). Lignocellulosic biomass for bioethanol production: Current perspectives , potential issues and future prospects. *Progress in Energy and Combustion Science*, 38(4), 449–467. <https://doi.org/10.1016/j.pecs.2012.03.002>
- Liu, Y., Yang, C., Chen, W., & Wei, Y. (2012). Producing bioethanol from cellulosic hydrolyzate via co-immobilized cultivation strategy. *Journal of Bioscience and Bioengineering*, 114(2), 198–203. <https://doi.org/10.1016/j.jbiosc.2012.03.005>
- Low, J. C., Halis, R., Kalsom, U., Shah, M., Tahir, P., Abood, F., Tukimin, T., Idris, M. D., Lanika, L., & Razali, N. (2015). Enhancing enzymatic digestibility of alkaline pretreated banana pseudostem for sugar production. *BioResources*, 10(1), 1213–1223. <https://doi.org/10.15376/biores.10.1.1213-1223>
- Mabazza, K. A. A., Requiso, P. J., Alfafara, C. G., Nayve Jr., F. R. P., & Ventura, J.-R. S. (2020). Steam explosion and sequential steam explosion – dilute acid pretreatment optimization of banana pseudostem for polyhydroxybutyrate (PHB) production. *Philippine Journal of Science*, 149(2), 285–297. <https://doi.org/10.56899/149.02.05>
- Maharani, D. M., & Rosyidin, K. (2018). Efek Pretreatment Microwave-NaOH Pada Tepung Gedebug Pisang Kepok terhadap Yield Selulosa. *AgriTECH*, 38(2), 133–139. <https://dev.jurnal.ugm.ac.id/agritech/article/view/16657>
- Maheshwari, D. K., Das, A., Dheeman, S., & Pandey, P. (2023). No Title. In *Microorganisms for Sustainability*. Springer, Singapore. https://doi.org/https://doi.org/10.1007/978-981-19-9570-5_1

- Miller, G. L. (1959). Use of Dinitrosalicylic Acid Reagent for Determination of Reducing Sugar. *Analytical Chemistry*, 31(3), 426–428. <https://doi.org/10.1021/ac60147a030>
- Mohd Azhar, S. H., Abdulla, R., Jambo, S. A., Marbawi, H., Gansau, J. A., Mohd Faik, A. A., & Rodrigues, K. F. (2017). Yeasts in sustainable bioethanol production: A review. *Biochemistry and Biophysics Reports*, 10(March), 52–61. <https://doi.org/10.1016/j.bbrep.2017.03.003>
- Mukhtar, S., Shahid, I., Mehnaz, S., & Malik, K. A. (2017). Assessment of two carrier materials for phosphate solubilizing biofertilizers and their effect on growth of wheat (*Triticum aestivum* L.). *Microbiological Research*, 205(May), 107–117. <https://doi.org/10.1016/j.micres.2017.08.011>
- Nambu-nishida, Y., Sakihama, Y., Ishii, J., Hasunuma, T., & Kondo, A. (2017). Selection of yeast *Saccharomyces cerevisiae* promoters available for xylose cultivation and fermentation. *Journal of Bioscience and Bioengineering*, xx(xx), 1–11. <https://doi.org/10.1016/j.jbiosc.2017.08.001>
- Nascimento, R. E. A., Carvalheira, M., Crespo, J. G., & Neves, L. A. (2023). Extraction and Characterization of Cellulose Obtained from Banana Plant Pseudostem. *Clean Technologies*, 5(3), 1028–1043. <https://doi.org/10.3390/cleantechnol5030052>
- National Institute of Standards and Technology. (n.d.). *NIST Chemistry WebBook*. <https://doi.org/10.18434/T4D303>
- National Institutes of Health. (n.d.). *PubChem*. <https://www.ncbi.nlm.nih.gov/>
- Norhaslida, R., Halis, R., Lakarim, L., Danial, M. I., Low, J. C., & Naimah, M. S. (2014). Chemical alteration of banana pseudostems by white rot fungi. *Biomass and Bioenergy*, 61, 206–210. <https://doi.org/10.1016/j.biombioe.2013.12.015>
- Nurita, S. (2018). *MENGENAL JAGUNG TONGKOL DUA NASA* 29. <http://cybex.pertanian.go.id/artikel/17219/mengenal-jagung-tongkol-dua-nasa-29/>
- Ojo, A. O. (2023). An overview of lignocellulose and its biotechnological importance in high-value product production. *Fermentation*, 9(11), 25. <https://doi.org/10.3390/fermentation9110990>
- Oliveira, L., Cordeiro, N., Evtuguin, D. V., Torres, I. C., & Silvestre, A. J. D. (2007). Chemical composition of different morphological parts from “Dwarf Cavendish” banana plant and their potential as a non-wood renewable source of natural products. *Industrial Crops and Products*, 26(2), 163–172. <https://doi.org/10.1016/j.indcrop.2007.03.002>

- Oliveira, L., Evtuguin, D. V., Cordeiro, N., Silvestre, A. J. D., & Da Silva, A. M. S. (2009). Chemical Composition and Lignin Structural Features of Banana Plant Leaf Sheath and Rachis. In T. Q. Hu (Ed.), *Characterization of Lignocellulosic Materials* (pp. 171–188). Blackwell Publishing Ltd. <https://doi.org/10.1002/9781444305425.ch10>
- Oswin, H. P., Haddrell, A. E., Hughes, C., Otero-Fernandez, M., Thomas, R. J., & Reid, J. P. (2023). Oxidative Stress Contributes to Bacterial Airborne Loss of Viability. *Microbiology Spectrum*, 11(2). <https://doi.org/10.1128/spectrum.03347-22>
- Pamungkas, W. A. (2017). *Produksi Bioetanol Berbahan Baku Pisang Dewaka (Musa sp.) pada Skala Laboratorium*. Universitas Musamus.
- Pasaribu, Y. P., Suryaningsih, N. L. S., & Wahida. (2016). Analysis of Glucose Contents in Dewaka Banana. *Journal of Basic and Applied Scientific Research*, 6(7), 40–44.
- Prabawati, S., Setyawati, & Setyabudi, D. A. (2008). *Teknologi Pascapanen dan Teknik Pengolahan BUAH PISANG* (W. Broto, Ed.). Balai Besar Penelitian dan Pengembangan Pascapanen Pertanian Badan Penelitian dan Pengembangan Pertanian.
- Razali, N. B. (2015). *Biological pre-treatment of banana pseudo stem with white rot fungi and its effects on pulp and paper properties* [Universiti Putra Malaysia]. <http://psasir.upm.edu.my/id/eprint/71087/1/FH%202015%2013%20IR.pdf>
- RESTEK Corporation. (1998). *Selection Guide for Polar WAX GC Column Phases: Vol. Lit. Cat. #59890*. RESTEK Corporation. www.restekcorp.com
- Rizaldi, L. H., -, M., Rinjani, F. U., & Amrullah, S. (2022). The effect of fermentation time on bioethanol levels from sugar cane (saccharum officinarum). *Jurnal Agrotek Ummat*, 9(3), 182. <https://doi.org/10.31764/jau.v9i3.8106>
- Rogers, P. L., Jeon, Y. J., Lee, K. J., & Lawford, H. G. (2007). Zymomonas mobilis for fuel ethanol and higher value products. *Advances in Biochemical Engineering/Biotechnology*, 108(May), 263–288. https://doi.org/10.1007/10_2007_060
- Rosyidin, K., Khaharudin, Y., Amin, R., Andriani, N. K., & Maharani, D. M. (2015). Assisted Pretreatment with Microwave Heating untuk Peningkatan Kadar Selulosa Batang Pisang pada Produksi Bioetanol. *Prosiding Simposium Nasional Inovasi Dan Pembelajaran Sains 2015*, 2015(Snips), 33–36.
- Safitri, R., Fauzana, N. A., & Fauziah, P. N. (2011). Pembuatan Starter Inokulum Jamur Aspergillus oryzae, Rhizopus oligosporus dan Trichoderma viridae untuk Bibit Fermentasi Kulit Pisang Kepok (Musa balbisiana Colla). In A. Ismail, A. Karuniawan, D. Ruswandi, F. Damayanti, H. M. R., N. Wicaksana, S. Amien, & W. Chandria (Eds.), *Prosiding Seminar Nasional Pemanfaatan Sumber Daya Genetik (SDG) Lokal Mendukung Industri Perbenihan Nasional dalam Rangka*

Purna Bakti Staf Pengajar Pemuliaan Tanaman UNPAD dan Kongres PERIPI Komda Jabar (pp. 249–261). Program Studi Pemuliaan Tanaman Fakultas Pertanian Universitas Padjadjaran.

Safitri, R., Miranti, M., Astuti, I. D., Kartiawati, L., & Nurhayati, J. (2017). Efficiency of Powder Inoculum and Microorganism Encapsulation on Hydrolyzate Sugar Fermentation of Newspaper Cellulose for Bioethanol Production. *Scientific Bulletin. Series F. Biotechnologies*, XXI, 216–222.

Sarante, J. (2024). *Energi Baru dan Terbarukan (EBT) Sebagai Teknologi Alternatif di Masa Depan dalam Mendukung Pertahanan Negara Ditekindhan Ditjen Pothan Kemhan*. Ditjen Pothan Kemhan. <https://www.kalderanews.com/2020/05/apa-sih-bedanya-energi-baru-dan-terbarukan/>

Seiboth, B., Ivanova, C., & Seidl-Seiboth, V. (2011). Trichoderma reesei: A fungal enzyme producer for cellulosic biofuels. In Marco Aurelio dos Santos Bernardes (Ed.), *Biofuel Production-Recent Developments and Prospects* (Issue September 2011, pp. 309–340). InTech. <https://doi.org/10.5772/16848>

Sekretariat Jenderal Dewan Energi Nasional. (2023a). *Laporan Analisis Neraca Energi 2023*. Sekretariat Jenderal Dewan Energi Nasional. <https://den.go.id/publikasi/neraca-energi>

Sekretariat Jenderal Dewan Energi Nasional. (2023b). *Outlook Energi Indonesia 2023*. <https://www.esdm.go.id/assets/media/content/content-outlook-energi-indonesia-2019-bahasa-indonesia.pdf>

Septian Farhan Nurhuda. (2024, September 14). Tebu-Jagung Masih Impor, BBM Bioetanol Diklaim Belum Ideal Dipakai di RI. *DetikOto*. <https://oto.detik.com/berita/d-7540796/tebu-jagung-masih-impor-bbm-bioetanol-diklaim-belum-ideal-dipakai-di-ri>

Shimizu, F. L., Monteiro, P. Q., Ghiraldi, P. H. C., Melati, R. B., Pagnocca, F. C., Souza, W. de, Sant'Anna, C., & Brienzo, M. (2018). Acid, alkali and peroxide pretreatments increase the cellulose accessibility and glucose yield of banana pseudostem. *Industrial Crops and Products*, 115, 62–68. <https://doi.org/10.1016/j.indcrop.2018.02.024>

Shukla, A., Kumar, D., Girdhar, M., Kumar, A., Goyal, A., Malik, T., & Mohan, A. (2023). Strategies of pretreatment of feedstocks for optimized bioethanol production: distinct and integrated approaches. *Biotechnology for Biofuels and Bioproducts*, 16(1), 1–33. <https://doi.org/10.1186/s13068-023-02295-2>

Silva, T. A. L., Zamora, H. D. Z., Varão, L. H. R., Prado, N. S., Baffi, M. A., & Pasquini, D. (2018). Effect of steam explosion pretreatment catalysed by organic acid and alkali on chemical and structural properties and enzymatic hydrolysis of sugarcane bagasse. *Waste and Biomass Valorization*, 9(11), 2191–2201. <https://doi.org/10.1007/s12649-017-9989-7>

- Soliman, S. A., El-Zawahry, Y. A., & El-Mougith, A. A. (2013). Fungal biodegradation of agro-industrial waste. In Theo van de Ven & John Kadla (Eds.), *Cellulose - Biomass Conversion* (pp. 77–100). InTech. <https://doi.org/10.5772/56464>
- Souza, E. L., Liebl, G. F., Marangoni, C., Sellin, N., & Millena, S. (2014). Bioethanol from fresh and dried banana plant pseudostem. *Chemical Engineering Transactions*, 38, 271–276. <https://doi.org/10.3303/CET1438046>
- Sprenger, G. A. (1996). A Catabolic Highway with Some Scenic Routes. *FEMS Microbiology Letters*, 145, 301–307.
- Srivastava, K. R., Singh, M. K., Mishra, P. K., & Srivastava, P. (2019). Pretreatment of banana pseudostem fibre for green composite packaging film preparation with polyvinyl alcohol. *Journal of Polymer Research*, 26(4), 95. <https://doi.org/10.1007/s10965-019-1751-3>
- Stanbury, P. F., Whitaker, A., & Hall, S. J. (2017a). Culture preservation and inoculum development. In *Principles of Fermentation Technology* (3rd ed., pp. 335–399). Elsevier. <https://doi.org/10.1016/B978-0-08-099953-1/00006-5>
- Stanbury, P. F., Whitaker, A., & Hall, S. J. (2017b). Media for industrial fermentations. In *Principles of Fermentation Technology* (3rd ed., pp. 213–272). Elsevier. <https://doi.org/10.1016/B978-0-08-099953-1/00004-1>
- Stanbury, P. F., Whitaker, A., & Hall, S. J. (2017c). Microbial growth kinetics. In *Principles of Fermentation Technology* (3rd ed., pp. 21–74). Elsevier. <https://doi.org/10.1016/B978-0-08-099953-1/00002-8>
- Su, T., Zhao, D., Khodadadi, M., & Len, C. (2020). Lignocellulosic biomass for bioethanol: Recent advances, technology trends, and barriers to industrial development. In *Current Opinion in Green and Sustainable Chemistry* (Vol. 24, pp. 56–60). Elsevier B.V. <https://doi.org/10.1016/j.cogsc.2020.04.005>
- Subsamran, K., Mahakhan, P., Vichitphan, K., Vichitphan, S., & Sawaengkaew, J. (2019). Potential use of vetiver grass for cellulolytic enzyme production and bioethanol production. *Biocatalysis and Agricultural Biotechnology*, 17(January, 2019), 261–268. <https://doi.org/10.1016/j.bcab.2018.11.023>
- Sudiyani, Y., Aiman, S., & Mansur, D. (2019). *Perkembangan Bioetanol G2: Teknologi dan Perspektif* (Y. Sudiyani, S. Aiman, & D. Mansur, Eds.). LIPI Press. <https://e-service.lipipress.lipi.go.id/press/catalog/book/199>
- Sukumaran, R. K., Singhanian, R. R., & Pandey, A. (2005). Microbial cellulases - Production, applications and challenges. *Journal of Scientific and Industrial Research*, 64(11), 832–844.
- Sulfiani, S., Karim, Abd., & Natsir, H. (2018). Utilization Soft Stem of Kepok Banana Waste (*Musa paradisiaca formatypica*) as A Basic Material for Making Bioetanol with Acid Hydrolysis Method And Fermentation. *Indonesia Chimica Acta*, 11(2), 11–16. <http://journal.unhas.ac.id/index.php/ica/article/view/6487>

- Suryaningsih, N. L. S., Mursalim, Laga, A., & Natsir, H. (2022). The potential of dewaka banana stems as raw materials for bioethanol. *IOP Conference Series: Earth and Environmental Science*, 1116(1). <https://doi.org/10.1088/1755-1315/1116/1/012055>
- Suryaningsih, N. L. S., & Pasaribu, Y. P. (2015). Dewaka Banana as an Alternative Energy Source. *Procedia Food Science*, 3, 211–215. <https://doi.org/10.1016/j.profoo.2015.01.023>
- Suryaningsih, N. L. S., Wahida, & Pasaribu, Y. P. (2018). Bioethanol from Dewaka banana waste as sustainable energy and environmental management. *International Journal of Mechanical Engineering and Technology*, 9(8), 787–793.
- Tan, H. T., Lee, K. T., & Mohamed, A. R. (2010). Second-generation bio-ethanol (SGB) from Malaysian palm empty fruit bunch: Energy and exergy analyses. *Bioresource Technology*, 101(14), 5719–5727. <https://doi.org/10.1016/j.biortech.2010.02.023>
- Tesfaw, A., & Assefa, F. (2014). Current Trends in Bioethanol Production by *Saccharomyces cerevisiae* : Substrate, Inhibitor Reduction, Growth Variables, Coculture, and Immobilization . *International Scholarly Research Notices*, 2014, 1–11. <https://doi.org/10.1155/2014/532852>
- Thakur, S., Shrivastava, B., Ingale, S., Kuhad, R. C., & Gupte, A. (2013). Degradation and selective ligninolysis of wheat straw and banana stem for an efficient bioethanol production using fungal and chemical pretreatment. *3 Biotech*, 3, 365–372. <https://doi.org/10.1007/s13205-012-0102-4>
- Tse, T. J., Wiens, D. J., & Reaney, M. J. T. (2021). Production of bioethanol—A review of factors affecting ethanol yield. *Fermentation*, 7(4), 268. <https://doi.org/10.3390/fermentation7040268>
- Vats, S., Maurya, D. P., Shaimoon, M., Agarwal, A., & Negi, S. (2013). Development of a microbial consortium for production of blend of enzymes for hydrolysis of agricultural wastes into sugars. *Journal of Scientific and Industrial Research*, 72(9–10), 585–590.
- Wilkins, M. R. (2009). Effect of orange peel oil on ethanol production by *Zymomonas mobilis*. *Biomass and Bioenergy*, 33(3), 538–541. <https://doi.org/10.1016/j.biombioe.2008.08.010>
- Yang, S., Mohagheghi, A., Franden, M. A., Chou, Y. C., Chen, X., Dowe, N., Himmel, M. E., & Zhang, M. (2016). Metabolic engineering of *Zymomonas mobilis* for 2,3-butanediol production from lignocellulosic biomass sugars. *Biotechnology for Biofuels*, 9(1), 1–15. <https://doi.org/10.1186/s13068-016-0606-y>

- Yuliatmoko, W., Murdiati, A., Pranoto, Y., & Marsono, Y. (2019). Chemical and Functional Properties of Cavendish Jepar 30 (*Musa cavendishii*) Banana Pseudostem Flour after Blanching and Soaking in Sodium Bisulphite Solution. *Pakistan Journal of Nutrition*, 18(10), 936–945. <https://doi.org/10.3923/pjn.2019.936.945>
- Zhang, C., Xia, S., & Ma, P. (2016). Facile pretreatment of lignocellulosic biomass using deep eutectic solvents. *Bioresource Technology*, July. <https://doi.org/10.1016/j.biortech.2016.07.026>
- Zuroff, T. R., Xiques, S. B., & Curtis, W. R. (2013). Consortia-mediated bioprocessing of cellulose to ethanol with a symbiotic *Clostridium* phytofermentans/yeast co-culture. *Biotechnology for Biofuels*, 6(1), 1–12. <https://doi.org/10.1186/1754-6834-6-59>