

DAFTAR PUSTAKA

- Abd-Elhakim, Y.M.; Khalil, S.R.; Awad, A.; Al-Ayadhi, L.Y. Combined cytogenotoxic effects of bee venom and bleomycin on rat lymphocytes: An in vitro study. *Biomed. Res. Int.* 2014, 2014, 173903.
- Aiken CT, Kaake RM, Wang X, Huang L. Oxidative stress-mediated regulation of proteasome complexes. *Molecular & Cellular Proteomics Mcp.* 2011; 10: 744-57.
- Alan Mitteer, R. et al. Proton beam radiation induces DNA damage and cell apoptosis in glioma stem cells through reactive oxygen species. *Sci. Rep.* 5, 13961–13972 (2015).
- Alteriet al, 2011. *Colorectal Cancer Facts & Figure 2011-2013*. Atlanta: American Cancer Society.
- Amizandeh MA, Nicholas SB, Norri KC, Vaziri ND. Role of impaired Nrf2 activation in the pathogenesis of oxidative stress and inflammation in chronic tubule-interstitial nephropathy. *Nephrol Dial transpl.* 2013.
- An, H.J.; Kim, J.Y.; Kim,W.H.; Gwon, M.G.; Gu, H.M.; Jeon, M.J.; Han, S.M.; Pak, S.C.; Lee, C.K.; Park, I.S.; et al. Therapeutic effects of bee venom and its major component, melittin, on atopic dermatitis in vivo and in vitro. *Br. J. Pharmacol.* 2018, 175, 4310–4324.
- Ankita Nandi, Liang-Jun Yan, Chandan Kumar J, & Nilanjana Das. Role of catalase in oxidative stress and age associated degenerative disease. *Oxidative Medicine and Cellular Longevity*. 2019 1-19.
- Asri Werdhasari. Peran Antioksidan Bagi Kesehatan. *Jurnal Biotek Medisiana Indonesia*. Vol. 3. No. 2. 2014. 59-68.
- Bedard K, Krause KH. The NOX family of ROS-generating NADPH oxidases: physiology and pathophysiology. *Physiological Reviews*. 2007; 87: 245-313.
- Bronchud MH, Foote MA, Giaccone G, et al. (Eds). 2008. Principles of Molecular Oncology Third Edition. Humana Press: New Jersey.p.239-51.
- Chen Y, Zhang H, Zhou HJ, Ji W, Min W. Mitochondrial Redox Signaling and Tumor Progression. *Cancers*. 2016; 8.
- Ciara D, Anabel S, Edina W, Emily G, Eleanor W, et al. 2020. Honeybee venom and melittin suppress growth factor receptor activation in HER2-enriched and triple-negative breast cancer. *Npj Precision Oncology*. (2020).
1. Patil VW, Ramraje NN, et al. Nitric oxide, carbonyl protein, lipid peroxidation and correlation between antioxidant vitamins in different categories of pulmonary and extra pulmonary tuberculosis. *Malays J Ed Sci.* 2013;20(1):21–30.



- El Gendy, A.; Saber, M.; Daoud, E.; Abdel-Wahhab, K.; el-Rahman, E.; Hegaz, A. Role of bee Venom Acupuncture in improving pain and life quality in Egyptian Chronic Low Back Pain patients. *J. Appl. Pharm. Sci.* 2017, 7, 168–174.
- Ernst J. Kuipers., William M. Grady., David Lieberman., Thomas Seufferlein., Joseph J. Sung., Petra G. Boelens., Cornelis J. H. van de Velde., and Toshiaki Watanabe. Colorectal Cancer. *Nat Rev Dis Primers*, 1: 15065. doi:10.1038/nrdp.2015.65.
- Farah Pratiwi Rischy. Kesintasan tiga tahun kanker kolorektal berdasarkan kadar vaskular endotelial growth factor (VEGF) dan carcinoembryonic antigen (CEA). Tesis. Fakultas Kedokteran, Universitas Hasanuddin Makassar. (2021).
- Fedirko V, et al. Alcohol drinking and colorectal cancer risk: an overall and dose-response meta-analysis of published studies. *Ann Oncol.* 2011; 22:1958–72. [PubMed: 21307158].
- Filbert, Harry SJK, Max RJR, & Vanda SK. Penentuan aktivitas antioksidan berdasarkan nilai IC₅₀ ekstrak metanol dan fraksi hasil partisinya pada kulit biji pinang yaki (*Areca vestiaria Giseke*). *Jurnal MIPA Unsrat*, 2014. 3(2): 149-154.
- Fleming M, Ravula S, Tatishchev SF, and Wang HL. Colorectal carcinoma : Pathologic aspects. *J Gastrointest Oncol.* 2012;3(3):153-73.
- Flohé RB. Tissue-specific functions of individual glutathione peroxidases. *Free Rad Biol Med.* 1999;27:951–65.
- Frangieh J, Salma Y, Haddad K, Mattei C, Legros C, Fajloun Z, El Obeid D. First Characterization of The Venom from *Apis mellifera syriaca*, A Honeybee from The Middle East Region. *Toxins (Basel)*. 2019 Mar 30;11(4):191. doi: 10.3390/toxins11040191. PMID: 30935025; PMCID: PMC6521255.
- Franklin, W. A., Aisner, D. L., Davies, K. D., Crooks, K., Post, M.D., Kleinschmidt-DeMasters, B. K., Varella-Garcia, M. (2020). Diagnosis of Cancer: Pathology, Biomarkers, and Molecular Diagnostics. In J. E. Niederhuber, J. O. Armitage, M. B. Kastan, K. H. Doroshow, & J. E. Tepper (Eds.), *Aberoff's Clinical Oncology* (6th ed., pp. 228-232). Philadelphia: Elsevier.
- Gajski G, Domijan A.M, Garaj-Vrhovac V, Alterations of GSH and MDA levels and their association with bee venom-induced DNA damage in human peripheral blood leukocytes, Environmental and molecular mutagenesis, 53, 2012, 469-477.
- Gao, D. et al. Melittin induces NSCLC apoptosis via inhibition of miR-183. *Onco. Targets Ther.* 11, 4511–4523 (2018).
- Giacco F, Brownlee M. Oxidative Stress and Diabetic Complications. *Circ Res* [serial online]. 2010 [disitasi tanggal 29 July 2013];107:1058-70.
- n. (2020). World. Retrieved from The Global Cancer Observatory ebsite:<https://gco.iarc.fr/today/data/factsheets/populations/900-world-fact-sheet.pdf>.



- Glynne J, Brow G, Chau I, Moran BJ. (2015). Colon and Rectum. In B. O'Sullivan JD, Brierly AK, D'Cruz MF, Fey R, Pollock JB, Vermorken. Manual of Clinical Oncology: 308-326. John Wiley & Sons.
- Gonzalez-Donquiles C, Alonso-Molero J, Fernandez-Villa T, Vilorio-Marqués L, Molina A, Martín V. The NRF2 transcription factor plays a dual role in colorectal cancer: a systematic review. PLoS One. 2017;12(5):e0177549. doi:10.1371/journal.pone.0177549.
- Guraya SY. Association of type 2 diabetes mellitus and the risk of colorectal cancer: A meta-analysis and systematic review. World J Gastroenterol. 2015; 21:6026–31. [PubMed: 26019469]
- Hait,W.N.; Grais, L.; Benz, C.; Cadman, E.C. Inhibition of growth of leukemic cells by inhibitors of calmodulin: Phenothiazines and melittin. Cancer Chemother. Pharmacol. 1985, 14, 202–205.
- Hao Liu, Xin Liu, Chundong Zhang, Huifang Zhu, Qian Xu, Youquan Bu, & Yunlong Lei. Redox Imbalance in the Development of Colorectal Cancer. *Journal of cancer* 2017 vol 7 2017; 8(9): 1586-1597. doi: 10.7150/jca.18735.
- Harahap, 2004. *Perawatan Pasien Dengan Kolostomi Pada Penderita Kanker Kolorektal* [online], cited 28 December 2019, available from: <http://www.digilib-usu.com>.
- He, F. & Zuo, L. Redox roles of reactive oxygen species in cardiovascular diseases. *Int. J. Mol. Sci.* 16, 27770–27780 (2015).
- He F, Ru X, Wen T. NRF2, A transcription factor for stress response and beyond. *Int J Mol Sci.* 2020;21(13):4777. doi:10.3390/ijms21134777
- Hong SN. (2018). Genetic and epigenetic alterations of colorectal cancer. *Intestinal Research* 16(3): 327–337. DOI: 10.5217/ir.2018.16.3.327.
- Ichikawa J, Tsuchimoto D, Oka S, et al. Oxidation of mitochondrial deoxynucleotide pools by exposure to sodium nitroprusside induces cell death. *DNA Repair (Amst)*. 2008;7(3):418–30.
- Jaramillo M, Zhang D. The emerging role of the NRF2–Keap1 signaling pathway in cancer. *Genes Dev.* 2013; 27:2179–91. <https://doi.org/10.1101/gad.225680>.
- Jess T, Rungoe C, Peyrin-Biroulet L. Risk of colorectal cancer in patients with ulcerative colitis: a meta-analysis of population-based cohort studies. *Clin Gastroenterol Hepatol.* 2012; 10:639–45. [PubMed: 22289873].
- Jiaxiang Li, Dan Wang, Yifei Liu, and Yanhing Zhou. Role of NRF2 in Colorectal Cancer Prevention and Treatment. *Technology in Cancer Research & Treatment*, 2022; 21: 1-8.
- Jo, M. et al. Anti-cancer effect of bee venom toxin and melittin in ovarian cancer cells through induction of death receptors and inhibition of 'AK2/STAT3 pathway. *Toxicol. Appl. Pharmacol.* 258, 72–81 (2012). .., Kim, HB., Piao, C. et al. The critical role of catalase in prooxidant and antioxidant function of p53. *Cell Death Differ* 20, 117–129 (2013). <https://doi.org/10.1038/cdd.2012.102>.



- Kementerian Kesehatan Republik Indonesia. Komite Penanggulangan Kanker Nasional. Panduan Pentalaksaan Kanker Kolorektal. 2015. <http://kanker.kemkes.go.id/guidelines/PNPKkolorektal.pdf>
- Kementerian Kesehatan Republik Indonesia Komite Penanggulangan Kanker Nasional (KPKN). Panduan Penatalaksanaan Kanker kolorektal. KPKN, 2015; p. 4.
- Kim HR, Kim S, Kim EJ, Park JH, Yang SH, Jeong ET, et al. Suppression of Nrf2- driven heme oxygenase-1 enhances the chemosensitivity of lung cancer A549 cells toward cisplatin. Lung Cancer 2008;60:47-56.
- Kim JH, Bogner PN, Ramnath N, Park Y, Yu J, Park YM. Elevated peroxiredoxin 1, but not NF-E2-related factor 2, is an independent prognostic factor for disease recurrence and reduced survival in stage I non-small cell lung cancer. Clin Cancer Res 2007;13:3875-82.
- Kim TH, Hur EG, Kang SJ, Kim JA, Thapa D, Mie Lee Y, et al. NRF2 blockade suppresses colon tumor angiogenesis by inhibiting hypoxia-induced activation of HIF-1 α . Cancer Res. 2011; 71(6):2260-75. <https://doi.org/10.1158/0008-5472>.
- Kimman et al, 2012. *The Burden of Cancer in Member Countries of the Association of Southeast Asian Nations (ASEAN)*. APJCP.13:416.
- Kirkali G, Keles D, Canda AE, Terzi C, Jaruga P, Dizdaroglu M, et al. Abstract 1496: Oxidatively induced DNA base damage in colorectal carcinoma. Cancer Research. 2011; 70: 1496-.
- Kobayashi M, Itoh K, Suzuki T, Osanai H, Nishikawa K, Katoh Y, et al. Identification of the interactive interface and phylogenetic conservation of the Nrf2-Keap1 system. Genes Cells 2002;7:807-20.
- Kobayashi M, Yamamoto M. Molecular mechanism activating the Nrf2-keap1 pathway of antioxidant gene regulation. Antioksidant and Redox Signaling, 2005; 7(3&4).
- Kumar V, Abbas AK, and Aster JC. (Eds). 2013. Robbins Basic Pathology. Elsevier: Philadelphia.p.596-600.
- Kuznetsov AV, Kehrer I, Kozlov AV, Haller M, Redl H, Hermann M, et al. Mitochondrial ROS production under cellular stress: comparison of different detection methods. Analytical and Bioanalytical Chemistry. 2011; 400: 2383-90.
- Layal, Kamalia. Peran Nrf2 dalam patogenesis stres oksidatif dan inflamasi pada penyakit ginjal kronik. Syifa' MEDIKA: Jurnal Kedokteran dan Kesehatan, 2016; 7(16).
- Lee, M.-T., Sun, T.-L., Hung, W.-C. & Huang, H. W. Process of inducing pores in membranes by melittin. Proc. Natl Acad. Sci. USA 110, 14243–14248 (2013).
- W, Zhang C, Huang X.Q, Han K.Q, Ling C.Q, Growth arrest and apoptosis of the human hepatocellular carcinoma cell line BEL-7402 induced by melittin, Onkologie, 29, 2006, 367-371.



- Li, J.; Ke, T.; He, C.; Cao, W.; Wei, M.; Zhang, L.; Zhang, J.X.; Wang, W.; Ma, J.; Wang, Z.R.; et al. The anti-arthritic effects of synthetic melittin on the complete Freund's adjuvant-induced rheumatoid arthritis model in rats. *Am. J. Chin. Med.* 2010, 38, 1039–1049.
- L. K. Habib, M. T. C. Lee, and J. Yang, “Inhibitors of catalaseamyloid interactions protect cells from β -amyloid induced oxidative stress and toxicity,” *Journal of Biological Chemistry*, vol. 285, no. 50, pp. 38933–38943, 2010.
- Li J, Wang D, Liu Y, Zhou Y. Role of NRF2 in Colorectal Cancer Prevention and Treatment. *Technol Cancer Res Treat*, 2022; 21.
- Lushchak VI. Free radicals, reactive oxygen species, oxidative stress and its classification. *Chemico-Biological Interactions*. 2014; 224: 164-75.
- Lyu, Y., Zhu, X., Xiang, N. & Narasimhan, G. Molecular Dynamics Study of Pore Formation by Melittin in a 1,2-Dioleoyl- sn -glycero-3-phosphocholine and 1,2-Di (9 Z -octadecenoyl)- sn -glycero-3-phospho-(1'-rac-glycerol) Mixed Lipid Bilayer. *Ind. Eng. Chem. Res.* 54, 10275–10283 (2015).
- Makkasau P, Syarifuddin W, Rosdiana N, dan Upik A.M. Selective cytotoxicity Assay in anticancer drug of Melittin Isolated from Bee Venom (*Apis cerana indica*) to several human cell lines: HeLa, WiDr and Vero. *Journal of Chemical and Pharmaceutical Sciences*, 2016; Vol. 9. No. 4.
- Makkasau P, Rosdiana N, Muhammad H.C, Marhaen H, Syarijuita, dan Gita V.S. Melittin-Induced Cell Death Through p53 and 8-OHdG in Breast Cell Cancer MCF-7. *Biomedical & Pharmacology Journal*, 2022. Vol. 15. No. 2: 978-983.
- Maryam, Siti. Kadar Antioksidan dan IC50 Tempe Kacang Merah (*Phaseolus vulgaris L*) yang Difermentasikan dengan Lama Fermentasi Berbeda. *Proceedings Seminar Nasional FMIPA UNDIKSHA V Tahun 2015*.
- Matosevic P, Klepac-Pulanic T, Kinda E, Augustin G, Brcic I, Jakic-Razumovic J. Immunohistochemical expression of 8-oxo-7,8-dihydro-2'-deoxyguanosine in cytoplasm of tumour and adjacent normal mucosa cells in patients with colorectal cancer. *World Journal of Surgical Oncology*. 2015; 13: 1-9.
- Mayer, R. J. (2017). Lower Gastrointestinal Cancers. In D. L. Kasper, S. L. Hauser, J. L. Jameson, A. S. Fauci, D. L. Longo, & J. Loscalzo (Eds.), *Harrison's Hematology and Oncology* (3rd ed., pp 551-560). New York. McGraw-Hill Education.
- Mersy S. Padang, & Luciana Rotty. Adenokarsinoma Kolon: Laporan Kasus. *e-CliniC, Volume 8, Nomor 2, Juli-Desember 2020, hlm. 229-36*
- S, Maksymilian S, Edyta J, Leslaw G, Ewelina S, Tomasz S, rzemyslaw S, et al. Melittin—A Natural Peptide from Bee Venom Which Induces Apoptosis in Human Leukaemia Cells. *Biomolecules*, 2020, 10, 247. 1-14.



- Minhajat R. Kanker Kolorektal: Patofisiologi, Gambaran Klinis dan Histologi. 2017. UPT Unhas Press: Makassar. p.53-5. 10.
- Minhajat R, Saleh S, Harjanti T, et al. Profiles of endoglin and vascular endothelial growth factor based on staging and histological grading of colorectal cancer and their relationship with bevacizumab therapy. *J Coloproctol*. 2021;1(41): 1-108.
- Mohammadi E, Vatanpour H, Shirazi F, Immunomodulatory Effects of Bee Venom in Human Synovial Fibroblast Cell Line, *Iranian Journal of Pharmaceutical Research*, 14, 2015, 313-320.
- Mohammad Reza S, Farhad J, Narges S, Mohammad Hossein S, Mosoud S, Vahid K, & Nasser S. Nrf2/P-glycoprotein axis is associated with clinicopathological characteristic in colorectal cancer. *Biomedicine & Pharmacotherapy*, 2018; 104: 458-464.
- Nair SP, Shah NC, Shah RM. 2012. Alteration in enzymatic antioxidant defense in diabetes mellitus. *Biomedical Research*. 23(3):402_404.
- Nussenbaum F and Herman IM. Tumor angiogenesis: insights and innovations. *J Oncol*. 2010; 132641.
- Ohta T, Iijima K, Miyamoto M, Nakahara I, Tanaka H, Ohtsuji M, et al. Loss of Keap1 function activates Nrf2 and provides advantages for lung cancer cell growth. *Cancer Res* 2008;68:1303-9
- Orsolic N, Bee venom in cancer therapy, *Cancer metastasis reviews*, 31, 2012, 173-194.
- Parencevich, M., Inra, J., & Syngal, S. (2017). Colon Cancer Screening. In R. C. Bast, M. Markman, & E. Hawk. *Biomarkers in Cancer Screening and Early Detection*. (1st ed., pp. 283-296). UK: John Wiley & Sons.
- Park MH, Choi MS, Kwak DH, Oh KW, Yoondo Y, Han SB, Song HS, Song MJ, Hong JT, Anti-cancer effect of bee venom in prostate cancer cells through activation of caspase pathway via inactivation of NF-kappaB, *The Prostate*, 71, 2011, 801-812.
- Park, S.-C. et al. Investigation of toroidal pore and oligomerization by melittin using transmission electron microscopy. *Biochem. Biophys. Res. Commun.* 343, 222–228 (2006).
- Pereira, C., Gracio, D., Teixeira, J. P. & Magro, F. Oxidative stress and DNA damage: implications in inflammatory bowel disease. *Inflamm. Bowel Dis.* 21, 2403–2417 (2015).
- P.Magliano, M. Flippihi, B. A. Arpat, S. Delessert, andY. Poirier, "Contributions of the peroxisome and β -oxidation cycle to biotin synthesis in fungi," *The Journal of Biological Chemistry*, vol. 286, no. 49, pp. 42133–42140, 2011.
- Premratanachai P, Chanchao C, Review of the anticancer activities of bee products, *Asian Pacific Journal of Tropical Biomedicine*, 4, 2014, ^37-344.
- Şik MP, Araźna M, Demkow U. Biochemistry of Oxidative Stress. Advances in Experimental Medicine & Biology. 2015; 35: 1058-71.



- Rady, I.; Siddiqui, I.A.; Rady, M.; Mukhtar, H. Melittin, a major peptide component of bee venom, and its conjugates in cancer therapy. *Cancer Lett.* 2017, 402, 16–31.
- Recio-Boiles A and Cagir B. (2021). *Colon Cancer*. StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470380/> (accessed 15 January 2022).
- Retno Nurul Latifah. Karakteristik Klinis Penderita Kanker Kolorektal di Indonesia – Suatu Studi Literatur. Fakultas Kedokteran, Universitas Hasanuddin Makassar. 2020.
- Reuter S, Gupta SC, Chaturvedi MM, Aggarwal BB. Oxidative stress, inflammation, and cancer: How are they linked? *Free Radical Biology & Medicine*. 2010; 49: 1603-16.
- Ribbati D and Vacca A. Overview of Angiogenesis during Tumor Growth. In: Figg WD and Folkman J. (Eds). *Angiogenesis: An Integrative Approach from Science to Medicine*. 2008. Springer: New York.p.161-66.
- Ruiz S, Pergola PE, Zager RA, Vaziri ND. Targeting the transcription factor Nrf2 to ameliorate oxidative stress and inflammation in chronic kidney disease, *Kidney Int*, 2013; 83(6): 1029-1041.
- Sabzevary-Ghahfarokhi M, Shohan M, Shirzad H, et al. The regulatory role of NRF2 in antioxidants phase2 enzymes and IL-17A expression in patients with ulcerative colitis. *Pathology – Research and Practice*. 2018;214(8):1149-1155. doi:10.1016/j.prp.2018.06.001.
- Salem ME, Weinberg BA, Xiu J, El-Dury WS, Hwang JJ, Gatalica Z, Philip PA, Shields AF, Lenz HJ, Marshall JL. (2017). Comparative Moleculer Analysis of Left Sided Colon, Right Sided Kolon, and Rectal Cancers. *Oncotarget* 8(49).
- Sanders, L. H. & Greenamyre, J. T. Oxidative damage to macromolecules in human Parkinson disease and the rotenone model. *Free Radical Biol. Med.* 62, 111– 120 (2013).
- Sanjaya, I.W.B., Asri, L., & Bharata, M.D.Y. Karakteristik klinis pada pasien kanker kolorektal yang menjalani kolonoskopi di RSUD Sanjiwani Gianyar Tahun 2019-2020. *e-Journal Aesculapius Medical Journal*. Vol 3. No. 1. 2023. 43-48.
- Sayuti, Muhammad & Nouva. Kanker Kolorektal. *Jurnal Averros*. Vol. 5. No2. 2019. 76-88.
- Schmitt M and Greten FR. (2021). The inflammatory pathogenesis of colorectal cancer. *Nature Reviews Immunology*. Nature Publishing Group: 1–15.
- Schulz WA. (Ed). 2005. Molecular Biology of Human Cancers. Springer: United State of America.Hamilton SR and Aaltonen LA.(Ed). 2000. *WHO Classification Tumours: Pathology and Genetics of Tumours of e Digestive System*. IARC Press: Lyon.p.105-19.
- . Radikal bebas, antioksidan, dan proses menua. Tinjauan Pustaka. edika 2003; 6:366-9.



- Shaposhnikova VV, Egorova M.V, Kudryavtsev A.A, Levitman M, Korystov Yu N, The effect of melittin on proliferation and death of thymocytes, FEBS letters, 410, 1997, 285-288.
- Sharma P, Jha AB, Dubey RS, Pessarakli M. Reactive Oxygen Species, Oxidative Damage, and Antioxidative Defense Mechanism in Plants under Stressful Conditions. Journal of Botany. 2012; 2012.
- Shihabi A, Li WG, Miller Jr FG, Weintraub NL. Antioxidant therapy for atherosclerotic vascular disease: the promise and the pitfalls. *Am J Physiol Heart Circ Physiol* [serial online]. 2002 [disitasi bulan Maret 2009]; 282 (3): 797-802.
- Sisakht, M. et al. Bee venom induces apoptosis and suppresses matrix metaloprotease-2 expression in human glioblastoma cells. *Braz. J. Pharmacogn.* 27, 324–328 (2017).
- Society AC. Colorectal Cancer Facts & Figures 2014-2016. Color Cancer Facts Fig. 2014;1–32.
- Small DM, Coombes JS, Bennet N, Johnson DW, Gobe GC. Oxidative stress, antioxidant therapies and chronic kidney disease. *Nephrol*, 2012; 17: 311-321.
- Stinzing S. Management of colorectal cancer. *F1000Prime Reports*. 2014;6:108.
- Suffnes M, Pezzuto J, Assays Related to Cancer Drug Discovery. In: Hostettmann K, in: Hostettmann (Ed.), Methods in Plant Biochemistry: Assays for Bioactivity, Academic Press, London, 1990, 71-133.
- Sun, D., Forsman, J. & Woodward, C. E. Multistep molecular dynamics simulations identify the highly cooperative activity of melittin in recognizing and stabilizing membrane pores. *Langmuir* 31, 9388–9401 (2015).
- Thanan, R. et al. Oxidative stress and its significant roles in neurodegenerative diseases and cancer. *Int. J. Mol. Sci.* 16, 193–217 (2015).
- Vasconcelos TBC, Josino ARNR, Macena JB, et al. Antioxidants and free radicals: peril or protection? UNOPAR Cient Ciênc Biol Saúde. 2014;16(3):213–9.
- Vasen HFA, Tomlinson I, Castells A. Clinical management of hereditary colorectal cancer syndromes. *Nat Rev Gastroenterol Hepatol*. 2015; 12:88–97.
- Vogel H, Incorporation of melittin into phosphatidylcholine bilayers. Study of binding and conformational changes, FEBS letters, 134, 1981, 37-42.
- Vurusanker B, Poli G, Basaga H. Tumor suppressor genes and ROS: complex networks of interactions. *Free Radical Biology & Medicine*. 2012; 52: 7-18.
- C. et al. Melittin-induced long non-coding RNA NONHSAT105177 inhibits proliferation and migration of pancreatic ductal adenocarcinoma. *Cell Death Dis*. 9, 940 (2018).



- Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. (2012). Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chinese medicine*, 7, 1-7.
- W. Gehrmann and M. Elsner, "A specific fluorescence probe for hydrogen peroxide detection in peroxisomes," *Free Radical Research*, vol. 45, no. 5, pp. 501–506, 2011.
- World Health Organization (a). Colorectal Cancer. International Agency for Research on Cancer. 2021. [online] <https://gco.iarc.fr/today/data/factsheets/cancers/8-Colon-fact-sheet.pdf>.
- World Health Organization (b). Indonesia. International Agency for Research on Cancer. 2021. [online] <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf>.
- Xiangcheng Q, Deyao S, Xiao L, Caichuan W, Songfreng C, & Zengwu S. Prognostic significance of 8-hydroxy-2'- deoxyguanosine in solid tumors: a metaanalysis. Qing et al. *BMC Cancer* (2019) 19:997 <https://doi.org/10.1186/s12885-019-6189-9>.
- Xi Y, Xu P. (2021). Global colorectal cancer burden in 2020 and projections to 2040. *Translational Oncology* 14(10). DOI: [10.1016/j.tranon.2021.101174](https://doi.org/10.1016/j.tranon.2021.101174).
- Yang HY, Chay KO, Kwon J, Kwon SO, Park YK, Lee TH. Comparative proteomic analysis of cysteine oxidation in colorectal cancer patients. *Molecules & Cells*. 2013; 35: 533-42.
- Yoon Jin L, Woo II K, Jin Ho B, Moon Kyun C, Sang Han L, Hae Seon N, et al. Overexpression of Nrf2 promotes colon cancer progression via ERK and AKT signaling pathways. *Annals of Surgical Treatment and Research*, 2020; 98(4): 159-167.
- Zarrinnahad, H. et al. Apoptotic effect of melittin purified from iranian honey bee venom on human cervical cancer Hela cell line. *Int. J. Pept. Res. Ther.* 24, 563–570 (2018).
- Zhang, S.; Liu, Y.; Ye, Y.; Wang, X.R.; Lin, L.T.; Xiao, L.Y.; Zhou, P.; Shi, G.X.; Liu, C.Z. Bee venom therapy: Potential mechanisms and therapeutic applications. *Toxicon* 2018, 148, 64–73.
- Zhang DD. Mechanistic studies of the Nrf2-Keap1 signaling pathway. *Drug Metab Rev* 2006;38:769-89.
- Zhiqi W, Sai L, Yu C, Xuefel T, Rong Z, Duan-Fang L, & Deliang C. Oxidative Stress and Carbonyl Lesions in Ulcerative Colitis and Associated Colorectal Cancer. Hindawi Publishing Corporation Oxidative Medicine and Cellular Longevity Volume 2016, Article ID 9875298, 15 pages <http://dx.doi.org/10.1155/2016/9875298>

