

DAFTAR PUSTAKA

1. Yusuf Y, Yoshii T, Iyori M, Mizukami H, Fukumoto S, Yamamoto DS, et al. A Viral-Vectored Multi-Stage Malaria Vaccine Regimen With Protective and Transmission-Blocking Efficacies. *Front Immunol.* 2019 Oct 15;10.
 2. CDC. Malaria [Internet]. 2024 [cited 2024 Mar 24]. Available from: <https://www.cdc.gov/dpdx/malaria/index.html>
 3. WHO. World malaria report 2022 [Internet]. 2022. Available from: <https://www.who.int/teams/global-malaria-programme>
 4. Health Organization W. WHO guidelines for malaria, 16 October 2023 [Internet]. 2023. Available from: <http://apps.who.int/bookorders>.
 5. Kementrian Kesehatan Republik Indonesia. Laporan Tahunan 2022 Malaria. 2022.
 6. Kemkes RI. Malaria [Internet]. Kementrian Kesehatan Republik Indonesia. 2023 [cited 2024 Mar 30]. Available from: <malaria.kemkes.go.id>
 7. Yusuf Y. Bukti munculnya malaria resisten artemisinin di asia. *J Bionature.* 2011;14(2).
 8. Phyto AP, Nkhoma S, Stepniewska K, Ashley EA, Nair S, McGready R, et al. Emergence of artemisinin-resistant malaria on the western border of Thailand: A longitudinal study. *The Lancet.* 2012;379(9830).
 9. Uwimana A, Legrand E, Stokes BH, Ndikumana JLM, Warsame M, Umulisa N, et al. Emergence and clonal expansion of in vitro artemisinin-resistant Plasmodium falciparum kelch13 R561H mutant parasites in Rwanda. *Nat Med.* 2020 Oct 1;26(10):1602–8.
 10. Miotto O, Sekihara M, Tachibana SI, Yamauchi M, Pearson RD, Amato R, et al. Emergence of artemisinin-resistant Plasmodium falciparum with kelch13 C580Y mutations on the island of New Guinea. *PLoS Pathog.* 2020;16(12).
 11. Bezerra JJL, Pinheiro AAV, Dourado D. Antimalarial potential of *Moringa oleifera* Lam. (Moringaceae): A review of the ethnomedicinal, pharmacological, toxicological, and phytochemical evidence. Vol. 29, *J Venom Anim Toxins Incl Trop Dis.* 2023.
 12. Daskum AM, Godly C, Qadeer MA. Antiplasmodial activities of crude *Moringa oleifera* leaves extracts on chloroquine sensitive *Plasmodium falciparum* (3D7). *Bayero Journal of Pure and Applied Sciences.* 2020;12(1).
- GI, Ayanda OI, Egwari LO, Ajayi AA, Awofeso T. In vivo antimalarial activity of crude ethanolic and n-hexane extracts of *Moringa oleifera* leaves. *Int J Agric Biol.* 2016;18(5).
- Adetuyi FC, Omoya FO, Odediran SA, Hassan-olajokun EA, et al. Antiplasmodial, Antipyretic, Haematological and Antidiarrhoeal Effects of the Leaf Extracts of *Moringa oleifera* in



- Plasmodium berghei berghei Infected Mice. J Adv Med Med Res. 2019;
15. Yusuf Y, Asri RM, Go R, Zuhair MN, Kharuddin KM, Parenden MDK, et al. Synergism of Anti-Malarial Effect of Carica papaya L. and Moringa oleifera Leaf Extract in Mice. Trad Med J. 2024;29(1):100–6.
 16. A Review of Moringa oleifera (Miracle tree) and its Potential Phytochemistry, Traditional, Health Benefits, Pharmacological Applications. Letters in Applied NanoBioScience. 2025 Mar 30;14(1):13.
 17. Bialangi MS, Lilies L, Mawaddah H, Potutu H. Benefits of Moringa oleifera Lam. leaves as a healthy drink. Inornatus: Biology Education Journal. 2024 Oct 11;4(2):113–22.
 18. Kashyap P, Kumar S, Riar CS, Jindal N, Baniwal P, Guiné RPF, et al. Recent Advances in Drumstick (Moringa oleifera) Leaves Bioactive Compounds: Composition, Health Benefits, Bioaccessibility, and Dietary Applications. Antioxidants (Basel). 2022 Feb 16;11(2).
 19. Hadju V, Dassir M, Putranto A, Sadapotto A. Chemical composition of Moringa oleifera and Honey from three different Areas in South Sulawesi, Indonesia. Gac Sanit. 2021;35:S396–9.
 20. Goswami R, Arya D, Siddiqui R, Kumar S, Sarma O, Arora N. The Multifaceted Benefits and Applications of Moringa oleifera: A Comprehensive Review. Eur J Nutr Food Saf. 2024 Jul 12;16(8):1–13.
 21. Fordjour PA, Adjimani JP, Asare B, Duah-Quashie NO, Quashie NB. Anti-malarial Activity Of Phenolic Acids Is Structurally Related. 2020.
 22. Yasir M, Park J, Han ET, Park WS, Han JH, Kwon YS, et al. Virtual Screening of Flavonoids against Plasmodium vivax Duffy Binding Protein Utilizing Molecular Docking and Molecular Dynamic Simulation. Curr Comput Aided Drug Des. 2023;20(5).
 23. Owoloye AJ, Ligali FC, Enejoh OA, Musa AZ, Aina O, Idowu ET, et al. Molecular docking, simulation and binding free energy analysis of small molecules as PfHT1 inhibitors. PLoS One. 2022 Aug 26;17(8):e0268269.
 24. Horata N, Suttirat S, Panpanich T, Siriphor A, Navaprayoonvach B, Suwanwisolkij N, et al. In Vitro Antimalarial Activity and Cytotoxicity of 20 Ethanolic Crude Extracts from Thai Herbs Against Plasmodium Falciparum TM267. Songklanagarind Medical Journal. 2017 May 2;35(2):109.
 25. Centers for Disease Control and Prevention (CDC). Malaria 22 [cited 2025 Mar 18]. Available from: [cdc.gov/dpdx/malaria/index.html](https://www.cdc.gov/dpdx/malaria/index.html)
- , Somsak V. Synergistic antimalarial treatment of berghei infection in mice with dihydroartemisinin and odorom leaf extract. BMC Complement Med Ther. 2023;20.



27. Azizah IH, Bahi SF, Arwati H, Mufassirin M. Correlation of Parasitaemia and Anemia in Mice Infected with Plasmodium berghei ANKA. Medical Laboratory Technology Journal. 2023 Mar 11;
28. Tadege G, Dagne A, Bizuneh GK, Abebe D, Nureye D. Efficacy of Albizia malacophylla (A.Rich.) Walp. (Leguminosae) methanol (80%) leaf extract and solvent fractions against Plasmodium berghei-induced malaria in mice model. J Ethnopharmacol. 2024 Oct;333:118413.
29. Booms ZC, Hainline R V, Venn EC, Terrazas IB, Barraza D, Geisen TK, et al. Incidence of Intra-abdominal Adhesions Following Intraperitoneal Injection of Hemostatic Products in Rabbits. Mil Med. 2024 Aug 19;189(Supplement_3):99–105.
30. Michael LO, Joshua PE, Amah CC, Okoro IJ, Felix JO. Antimalarial effect of ethanol extract of Parinari curatellifolia stem-bark in Plasmodium berghei-NK 65 infected mice. 2023.
31. Ameja CN, Ogbe PD, Ibubeleye VT, Georgewill UO. Evaluation of the Efficacy of Artemether/Lumefantrine/Doxycycline Combination against Plasmodium berghei in Mice. EAS Journal of Parasitology and Infectious Diseases. 2023 Aug 31;5(04):26–42.
32. Jones WP, Kinghorn AD. Extraction of plant secondary metabolites. Methods in Molecular Biology. 2012;864:341–66.
33. Robert Omondi, Richard Mukabana, Catherine Lukhoba, Jeremiah Gathirwa. Anti-plasmodial effectiveness and Hematological effects of combined extracts of Toddalia asiatica and Carica papaya, in Plasmodium berghei infected mice. World Journal of Advanced Research and Reviews. 2024 Jun 30;22(3):1429–36.
34. Abubakar AR, Haque M. Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. Vol. 12, Journal of Pharmacy and Bioallied Sciences. Wolters Kluwer Medknow Publications; 2020. p. 1–10.
35. Mogaka S, Mulei I, Njoki P, Ogila K, Waihenya R, Onditi F, et al. Antimalarial Efficacy and Safety of *Senna occidentalis* (L.) Link Root Extract in *Plasmodium berghei* -Infected BALB/c Mice. Biomed Res Int. 2023 Jan 7;2023(1).
36. Ogundapo, S.S. 1, Ezeanyika, L.U.S. 2, Uzoegwu PN, Soniran OT, Okoro DO, Okoronkwo I, et al. Evaluation of Moringa oleifera as anti-plasmodial agents in the control of malaria Evaluation of Moringa oleifera as anti-plasmodial agents in the control of malaria. Nigerian Journal of Parasitology. 2015;36(1).



Kesehatan RI. Farmakope Herbal Indonesia Herbal. Book of Nonhuman Primate Clinical Medicine. 2017; aeroun AR, Hamed Alqamoudy ABA, Mohamed uri Kushlaf NA, Akram Almabrouk misbah AME Zuhur rajab Almes STO. Thin Layer Chromatography nyochemical Analysis of Moringa Oleifera Methanol,

- Ethanol, Water and Ethyl Acetate Extracts. Saudi Journal of Medical and Pharmaceutical Sciences. 2019 Oct 31;05(10):817–20.
39. Francis P, Suseem S. Antimalarial Potential of Isolated Flavonoids-A Review. Res J Pharm Technol. 2017;10(11):4057.
 40. Oktaviana SM, Hajrin W, Hanifa NI. Solvent optimization of flavonoid extraction from *Moringa oleifera* L. using simplex lattice design. Acta Pharm Indo. 2022 Jun 26;10(1):5271.
 41. Daghaghele S, Kiasat AR, Safieeddin Ardebili SM, Mirzajani R. Intensification of Extraction of Antioxidant Compounds from *Moringa Oleifera* Leaves Using Ultrasound-Assisted Approach: BBD-RSM Design. Int J Fruit Sci. 2021;21(1).
 42. Sugihartini N, Mugita Sari DE, Bachri MS, Yuliani S. The Amount of β -Carotene, Total Phenolic and Total Flavonoid of Ethanol Extract of Leaf *Moringa Oleifera* with Variation Concentration of Solvent. In: Dordr: Atlantis Press. 2019.
 43. Dondee K, Borkaew P, Klubsri C, Bootprom P, Saiphet B, Somsak V. The protective effect of *Moringa oleifera* leaf extract on liver damage in mice infected with *Plasmodium berghei* ANKA. J Coast Life Med. 2016;4(9).
 44. Ajayi CO, Elujoba AA, Okella H, Oloro J, Raymond A, Weisheit A, et al. In vivo Antimalarial Activities of Five Ugandan Medicinal Plants on *Plasmodium berghei* in Mice. European J Med Plants. 2020;
 45. Somsak V, Borkaew P, Klubsri C, Dondee K, Bootprom P, Saiphet B. Antimalarial Properties of Aqueous Crude Extracts of *Gynostemma pentaphyllum* and *Moringa oleifera* Leaves in Combination with Artesunate in *Plasmodium berghei* -Infected Mice. J Trop Med. 2016;2016.
 46. Haroen U, Syafwan S, Kurniawan K, Budiansyah A. Determination of nutrient content, β -carotene, and antioxidant activity of *Moringa oleifera* extraction using organic solution. J adv vet anim res. 2022;9(2):246.
 47. Bennour N, Mighri H, Bouhamda T, Mabrouk M, Apohan E, Yesilada O, et al. *Moringa oleifera* leaves: could solvent and extraction method affect phenolic composition and bioactivities? Prep Biochem Biotech. 2021;51(10):1018–25.
 48. Oladipo B, Betiku E. Process optimization of solvent extraction of seed oil from *Moringa oleifera*: An appraisal of quantitative and qualitative process variables on oil quality using D-optimal design. Biocatalysis Biotechnol. 2019 Jul;20:101187.
- Wahasiwi MS, Nurkhasanah, Yuliani S, Purwaningsih Y, Profiling of Active Compounds of Extract Ethanol, n-yl Acetate and Fraction Ethanol of Star Anise (*Illicium f.*) and Determination of Total Flavonoids, Total d Their Potential as Antioxidants. Sci technol Indones.



50. Hamed YS, Abdin M, Rayan AM, Saleem Akhtar HM, Zeng X. Synergistic inhibition of isolated flavonoids from *Moringa oleifera* leaf on α -glucosidase activity. LWT. 2021 Apr 1;141.
51. Somsak V, Damkaew A, Onrak P. Antimalarial Activity of Kaempferol and Its Combination with Chloroquine in *Plasmodium berghei* Infection in Mice . J Pathog. 2018;2018.
52. Amiri M, Nourian A, Khoshkam M, Ramazani A. Apigenin inhibits growth of the *Plasmodium berghei* and disrupts some metabolic pathways in mice. Phytother Res. 2018;32(9).
53. Ali AH, Sudi S, Shi-Jing N, Hassan WRM, Basir R, Agustar HK, et al. Dual Anti-Malarial and GSK3 β -Mediated Cytokine-Modulating Activities of Quercetin Are Requisite of Its Potential as a Plant-Derived Therapeutic in Malaria. Pharm. 2021 Mar 9;14(3):248.
54. Bhatt D, Kumar S, Kumar P, Bisht S, Kumar A, Maurya AK, et al. Rutin ameliorates malaria pathogenesis by modulating inflammatory mechanism: an in vitro and in vivo study. Inflammopharmacology. 2022;30(1).
55. Asuquo Andong B, Johnson EC, Abraham Eseyin O, Bassey Asuquo A, Samuel Onyeka O, Ekemini Victor E, et al. Molecular Docking and Antimalarial Evaluation of Natural Phenolics and Their Derivatives on *Plasmodium falciparum* Lactate Dehydrogenase as Schizonticidal Drug Candidates [Internet]. Vol. 11, Nigerian Journal of Pharmaceutical and Applied Science Research. 2022. Available from: <http://mgltools.scripps.edu/>



Optimized using
trial version
www.balesio.com