

DAFTAR PUSTAKA

- Afriadi Afriadi, Begum Suroyo, R., & Haharap, J. (2020). Evaluasi Pelaksanaan Program Eliminasi Malaria di Kabupaten Aceh Singkil Tahun 2018. *Jurnal Keperawatan Priority*, 3(1), 1–12. <https://doi.org/10.34012/JUKEP.V3I1.757>
- Alafo, C., Martí-Soler, H., Máquina, M., Malheia, A., Aswat, A. S., Koekemoer, L. L., Colborn, J., Lobo, N. F., Tatarsky, A., Williams, Y. A., Marrenjo, D., Cuamba, N., Rabinovich, R., Alonso, P., Aide, P., Saúte, F., & Paaijmans, K. P. (2022). To spray or target mosquitoes another way: focused entomological intelligence guides the implementation of indoor residual spraying in southern Mozambique. *Malaria Journal*, 21(1), 1–15. <https://doi.org/10.1186/S12936-022-04233-3/TABLES/3>
- Arwati, H., Yotopranoto, S., Rohmah, E. A., & Syafruddin, D. (2018). Submicroscopic malaria cases play role in local transmission in Trenggalek district, East Java Province, Indonesia. *Malaria Journal*, 17(1), 1–6. <https://doi.org/10.1186/S12936-017-2147-7/FIGURES/1>
- Asih, P. B., Rozi, I. E., Herdiana, Pratama, N. R., Hidayati, A. P., Marantina, S. S., Kosasih, S., Chand, K., Wangsamuda, S., Rusdjy, F. A., Sumiwi, M. E., Imran, A., Yuniarti, T., Sianturi, T., Nur, J., Barussanah, C., Yani, M., Ainun, C., Jamil, K., ... Syafruddin, D. (2012). The baseline distribution of malaria in the initial phase of elimination in Sabang Municipality, Aceh Province, Indonesia. *Malaria Journal*, 11. <https://doi.org/10.1186/1475-2875-11-291>
- Ávila, M. I., Vajda, É. A., Jeffrey Gutiérrez, E., Gibson, D., Renteria, M. M., Presley, N., O'Reilly, D., Tatarsky, A., & Lobo, N. F. (2023). Entomological Surveillance Planning Tool (ESPT)-generated actionable evidence on human and vector behaviours optimizes present interventions and reduces exposure to Anopheles vectors in two communities of Guna Yala, Panamá. *Malaria Journal*, 22(1), 1–11. <https://doi.org/10.1186/S12936-023-04453-1/FIGURES/3>

|



ospasial Republik Indonesia. (2015). *Peta Rupabumi Digital Indonesia*. donesia.go.id/portal-web/

- Badan Pusat Statistik Provinsi Papua. (2023). *Provinsi Papua Dalam Angka 2023*.
<https://papua.beta.bps.go.id/publication/2023/02/28/68b848a54207a64d0c42ddb6/provinsi-papua-dalam-angka-2023.html>
- Baird, J. K., Bangs, M. J., Maguire, J. D., & Barcus, M. J. (2002). Epidemiological measures of risk of malaria. Dalam D. L. Doolan (Ed.), *Methods in molecular medicine - Malaria Methods and Protocols* (Vol. 72, hlm. 13–22). Humana Press. <https://doi.org/10.1385/1-59259-271-6:13/TABLES/1>
- Beebe, N. W., Russell, T., Burkot, T. R., & Cooper, R. D. (2015). Anopheles punctulatus group: Evolution, distribution, and control*. *Annual Review of Entomology*, 60, 335–350. <https://doi.org/10.1146/ANNUREV-ENTO-010814-021206>
- Beebe, N. W., & Saul, A. (1995). Discrimination of all Members of the Anopheles punctulatus Complex by Polymerase Chain Reaction-Restriction Fragment Length Polymorphism Analysis. *The American Journal of Tropical Medicine and Hygiene*, 53(5), 478–481. <https://doi.org/10.4269/AJTMH.1995.53.478>
- Bonne-Wepster, J., & Swellengrebel, N. H. (1953). *The Anopheline Mosquitoes of the Indo-Australian Region*. (4Th ed.). Amsterdam, J. H. de Bussy.
- Bousema, T., Griffin, J. T., Sauerwein, R. W., Smith, D. L., Churcher, T. S., Takken, W., Ghani, A., Drakeley, C., & Gosling, R. (2012). Hitting Hotspots: Spatial Targeting of Malaria for Control and Elimination. *PLOS Medicine*, 9(1), e1001165. <https://doi.org/10.1371/JOURNAL.PMED.1001165>
- BPS - Statistics of Papua Province. (2021). *Number Of Rainy Day According to the Meteorology, Climate and Geophysics Agency Station in Papua Province - Statistical Data* -. Statistics of Papua Province. <https://papua.bps.go.id/en/statistics-table/2/NjY3IzI=/jumlah-hari-hujan-menurut-stasiun-pengamatan-badan-meteorologi-klimatologi-dan-geofisika-bmkg-di-provinsi-papua.html>
- BPS Kabupaten Keerom. (2020). *Distrik Arso Timur Dalam Angka 2020*.
<https://keeromkab.bps.go.id/publication/2020/09/28/29a5a435bb1495fa4c92399c/distrik-angka-2020.html>
- | rom. (2024). *Kabupaten Keerom Dalam Angka 2024*, Keerom Regency



<https://keeromkab.bps.go.id/publication/2024/02/28/75fdab889736a184d0d0480f/kabupaten-keerom-dalam-angka-2024.html>

BRYAN, J. H. (1974). Morphological studies on the *Anopheles punctulatus* Dönitz complex. *Transactions of the Royal Entomological Society of London*, 125(4), 413–435.

<https://doi.org/10.1111/J.1365-2311.1974.TB02307.X>

Bugoro, H., Cooper, R. D., Butafa, C., Iro’Ofa, C., MacKenzie, D. O., Chen, C. C., & Russell, T. L. (2011). Bionomics of the malaria vector *Anopheles farauti* in Temotu Province, Solomon Islands: Issues for malaria elimination. *Malaria Journal*, 10(1), 1–11.

<https://doi.org/10.1186/1475-2875-10-133/TABLES/5>

Bugoro, H., Iro’Ofa, C., MacKenzie, D. O., Apairamo, A., Hevalao, W., Corcoran, S., Bobogare, A., Beebe, N. W., Russell, T. L., Chen, C. C., & Cooper, R. D. (2011). Changes in vector species composition and current vector biology and behaviour will favour malaria elimination in Santa Isabel Province, Solomon Islands. *Malaria Journal*, 10(1), 1–11. <https://doi.org/10.1186/1475-2875-10-287/COMMENTS>

Burkot, T. R., Graves, P. M., Paru, R., & Lagog, M. (1988). Mixed Blood Feeding by the Malaria Vectors in the *Anopheles punctulatus* Complex (Diptera: Culicidae). *Journal of Medical Entomology*, 25(4), 205–213. <https://doi.org/10.1093/JMEDENT/25.4.205>

Centers for Disease Control and Prevention. (2020). *CDC - Malaria - About Malaria - Biology*. <https://www.cdc.gov/malaria/about/biology/index.html>

Charlwood, J. D., & Graves, P. M. (1987). The effect of permethrin-impregnated bednets on a population of *Anopheles farauti* in coastal Papua New Guinea. *Medical and Veterinary Entomology*, 1(3), 319–327. <https://doi.org/10.1111/J.1365-2915.1987.TB00361.X>

Chisanga, B., Bulte, E., Kassie, M., Mutero, C., Masaninga, F., & Sangoro, O. P. (2023). The economic impacts of house screening against malaria transmission: Experimental evidence from eastern Zambia. *Social Science & Medicine*, 321, 115778.

<https://doi.org/10.1016/J.SOCSCIMED.2023.115778>

Debebe, Y., Hill, S. R., Tekie, H., Dugassa, S., Hopkins, R. J., & Ignell, R. (2020). Malaria ed from the perspective of ecological theory underlying insect foraging. *Entomophaga*, 10(1). <https://doi.org/10.1038/S41598-020-78021-X>

Iwa, M., & Widawati, M. (2019). Individual and contextual factors reported malaria among adults in eastern Indonesia: Findings from

- Indonesian community-based survey. *Malaria Journal*, 18(1), 1–17.
<https://doi.org/10.1186/S12936-019-2758-2/TABLES/3>
- Dinas Kesehatan Provinsi Papua. (2023). *Profil Kesehatan Provinsi Papua Tahun 2022*.
<https://dinkes.papua.go.id/informasi-publik/informasi-berkala/>
- Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. (2010). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 374/MENKES/PER/III/2010 tentang Pengendalian Vektor*.
- Dominggus Mobilala, F., Rantetampang, A. L., Sandjaja, B., Pontiku, A., Tingginehe, R., Makaba, S., & Mallongi, A. (2019). Study of Successful Malaria Elimination Program at Teluk Bintuni District. *International Journal of Science and Healthcare Research*, 4(1), 232. www.ijshr.com
- Duffield, G. E., Acri, D. J., George, G. F., Sheppard, A. D., Beebe, N. W., Ritchie, S. A., & Burkot, T. R. (2019). Diel flight activity of wild-caught *Anopheles farauti* (s.s.) and *An. hinesorum* malaria mosquitoes from northern Queensland, Australia. *Parasites and Vectors*, 12(1), 1–14. <https://doi.org/10.1186/S13071-018-3271-0/FIGURES/5>
- Durnez, L., & Coosemans, M. (2013). Residual Transmission of Malaria: An Old Issue for New Approaches. *Anopheles mosquitoes - New insights into malaria vectors*.
<https://doi.org/10.5772/55925>
- Dusfour, I., Blondeau, J., Harbach, R. E., Vythilingham, I., Baimai, V., Trung, H. D., Sochanta, T., Bangs, M. J., Manguin, S., & Med Entomol, J. (2007). Polymerase Chain Reaction Identification of Three Members of the *Anopheles sundaicus* (Diptera: Culicidae) Complex, Malaria Vectors in Southeast Asia. *Journal of Medical Entomology*, 44(5), 723–731. <https://doi.org/10.1093/JMEDENT/44.5.723>
- Elyazar, I. R. F., Hay, S. I., & Baird, J. K. (2011). Malaria Distribution, Prevalence, Drug Resistance and Control in Indonesia. *Advances in parasitology*, 74(C), 41.
<https://doi.org/10.1016/B978-0-12-385897-9.00002-1>
- Elyazar, I. R. F., Sinka, M. E., Gething, P. W., Tarmidzi, S. N., Surya, A., Kusriastuti, R., J. K., Hay, S. I., & Bangs, M. J. (2013). The distribution and bionomics of malaria vector mosquitoes in Indonesia. Dalam *Advances in Parasitology* Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-407705-8.00003-3>



- Fillinger, U., & Lindsay, S. W. (2011). Larval source management for malaria control in Africa: myths and reality. *Malaria Journal*, 10, 353. <https://doi.org/10.1186/1475-2875-10-353>
- Filmer, D., & Pritchett, L. (1994). Estimating Wealth Effects without Expenditure Data or Tears. *Policy Research Working Paper, October*.
- Foley, D. H., Rueda, L. M., & Wilkerson, R. C. (2007). Insight into Global Mosquito Biogeography from Country Species Records. *Journal of Medical Entomology*, 44(4), 554–567. <https://doi.org/10.1093/JMEDENT/44.4.554>
- Fornace, K. M., Drakeley, C. J., Lindblade, K. A., Jelip, J., & Ahmed, K. (2023). Zoonotic malaria requires new policy approaches to malaria elimination. *Nature Communications* 2023 14:1, 1–3. <https://doi.org/10.1038/s41467-023-41546-6>
- Furnival-Adams, J., Olanga, E. A., Napier, M., & Garner, P. (2020). House modifications for preventing malaria. *Cochrane Database of Systematic Reviews*, 2020(10). https://doi.org/10.1002/14651858.CD013398.PUB2/MEDIA/CDSR/CD013398/REL0002/CD013398/IMAGE_T/TCD013398-CMP-001.06.PNG
- Gani, A., & Budiharsana, M. P. (2018). *The Consolidated Report on Indonesia Health Sector Review 2018*. 56.
- Garjito, T. A., Jastal, J., Wijaya, Y., Lili, L., Chadijah, S., Erlan, A., Rosmini, R., Samarang, S., Udin, Y., & Labatjo, Y. (2012). Studi Bioekologi Nyamuk Anopheles di Wilayah Pantai Timur Kabupaten Parigi-Moutong, Sulawesi Tengah. *Buletin Penelitian Kesehatan*; Vol 32, No 2 Jun (2004). <https://doi.org/10.22435/BPK.V32I2>
- Garrett-Jones, C., & Shidrawi, G. R. (1969). Malaria Vectorial Capacity of a Population of Anopheles gambiae An Exercise in Epidemiological Entomology. *Bull. Org. mond. Sante*), 40, 531–545.
- Global Malaria Programme (GMP). (2023). *World malaria report 2023* (World Health Organization, Ed.). <https://www.who.int/publications/i/item/9789240086173>
- Hartung, C., Anokwa, Y., Brunette, W., Lerer, A., Tseng, C., & Borriello, G. (2010). Open data kit: Tools to build information services for developing regions. *ACM International Proceeding Series*. <https://doi.org/10.1145/2369220.2369236>
- | Groneberg, D. A., Kuch, U., & Müller, R. (2019). Social determinants of demic area of Indonesia. *Malaria Journal*, 18(1), 1–11. <https://doi.org/10.1186/S12936-019-2760-8/TABLES/2>



- Hasyimi, M., Waris, L., Senewe, F. P., & Uniplaita, Y. E. O. (2016). Tahapan Eliminasi Malaria di Kabupaten Kepulauan Aru Provinsi Maluku, Tahun 2014. *Jurnal Ekologi Kesehatan*, 14(2). <https://doi.org/10.22435/JEK.V14I2.4666.116-123>
- Hay, S. I., Rogers, D. J., Toomer, J. F., & Snow, R. W. (2000). Annual Plasmodium falciparum entomological inoculation rates (EIR) across Africa: literature survey, internet access and review. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 94(2), 113–127. [https://doi.org/10.1016/S0035-9203\(00\)90246-3](https://doi.org/10.1016/S0035-9203(00)90246-3)
- Herdiana, H., Fuad, A., Asih, P. B., Zubaedah, S., Arisanti, R. R., Syafruddin, D., Kusnanto, H., Sumiwi, M. E., Yuniarti, T., Imran, A., Rahmadyani, R., Yani, M., Kusriastuti, R., Tarmizi, S. N., Laihad, F. J., & Hawley, W. A. (2013). Progress towards malaria elimination in Sabang Municipality, Aceh, Indonesia. *Malaria journal*, 12(May 2014). <https://doi.org/10.1186/1475-2875-12-42>
- Herdiana, H., Irnawati, I., Coutrier, F. N., Munthe, A., Mardiati, M., Yuniarti, T., Sariwati, E., Sumiwi, M. E., Noviyanti, R., Pronyk, P., & Hawley, W. A. (2018). Two clusters of Plasmodium knowlesi cases in a malaria elimination area, Sabang Municipality, Aceh, Indonesia. *Malaria Journal*, 17(1), 1–10. <https://doi.org/10.1186/s12936-018-2334-1>
- Hii, J., Hustedt, J., & Bangs, M. J. (2021). Residual Malaria Transmission in Select Countries of Asia-Pacific Region: Old Wine in a New Barrel. *The Journal of Infectious Diseases*, 223(Suppl 2), S111. <https://doi.org/10.1093/INFDIS/JIAB004>
- Ho, D. T., Van Bortel, W., Sochantha, T., Keokenchanh, K., Briët, O. J. T., & Coosemans, M. (2005). Behavioural heterogeneity of Anopheles species in ecologically different localities in Southeast Asia: A challenge for vector control. *Tropical Medicine and International Health*, 10(3), 251–262. <https://doi.org/10.1111/j.1365-3156.2004.01378.x>
- Ipa, M., Widawati, M., Laksono, A. D., Kusrini, I., & Dhewantara, P. W. (2020). Variation of preventive practices and its association with malaria infection in eastern Indonesia: Findings from community-based survey. *PLOS ONE*, 15(5), e0232909. <https://doi.org/10.1371/JOURNAL.PONE.0232909>
- |  ; M. (2016). Why is changing health-related behaviour so difficult? 36, 109–116. <https://doi.org/10.1016/J.PUHE.2016.03.030>
- | **itan Republik Indonesia. (2017). Peraturan Menteri Kesehatan Republik**
| **ir 50 Tahun 2017 tentang Standar Baku Mutu Kesehatan Lingkungan**

dan Persyaratan Kesehatan untuk Vektor dan Binatang Pembawa Penyakit serta Pengendaliannya.

Kementerian Kesehatan Republik Indonesia. (2023). Profil Kesehatan Indonesia Tahun 2022. Dalam *Kementerian Kesehatan Republik Indonesia*. <https://kemkes.go.id/id/profil-kesehatan-indonesia-2022>

Kent, R. J., & Norris, D. E. (2005). IDENTIFICATION OF MAMMALIAN BLOOD MEALS IN MOSQUITOES BY A MULTIPLEXED POLYMERASE CHAIN REACTION TARGETING CYTOCHROME B. *The American journal of tropical medicine and hygiene*, 73(2), 336. <https://doi.org/10.4269/ajtmh.2005.73.336>

Keputusan Menteri Kesehatan Republik Indonesia Nomor 293/MENKES/SK/IV/2009 Tentang Eliminasi Malaria Di Indonesia (2009).

Keven, J. B., Katusele, M., Vinit, R., Rodriguez-Rodriguez, D., Hetzel, M. W., Robinson, L. J., Laman, M., Karl, S., Foran, D. R., & Walker, E. D. (2021). Nonrandom Selection and Multiple Blood Feeding of Human Hosts by Anopheles Vectors: Implications for Malaria Transmission in Papua New Guinea. *The American Journal of Tropical Medicine and Hygiene*, 105(6), 1747–1758. <https://doi.org/10.4269/AJTMH.21-0210>

Keven, J. B., Reimer, L., Katusele, M., Koimbu, G., Vinit, R., Vincent, N., Thomsen, E., Foran, D. R., Zimmerman, P. A., & Walker, E. D. (2017). Plasticity of host selection by malaria vectors of Papua New Guinea. *Parasites and Vectors*, 10(1), 1–11. <https://doi.org/10.1186/S13071-017-2038-3/FIGURES/5>

Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 111–120. <https://doi.org/10.1007/BF01731581/METRICS>

Lalandos, N., Kepel, B. J., & Umboh, J. M. L. (2019). Evaluasi Pelaksanaan Program Eliminasi Malaria di Kabupaten Kepulauan Talaud. *Graha Medika Nursing Journal*, 2(1), 54–62. <https://journal.iktgm.ac.id/index.php/nursing/article/view/67>

Lee, D. J., & Woodhill, A. R. (1944). *The anopheline mosquitoes of the Australasian region*. London, Australasian Medical Publishing Company.
Liu, M., Paine, K., Pinder, M., Walraven, G. E. L., & Emerson, P. M. (2013). Indoor house design reduce exposure to malaria mosquitoes. *Tropical Medicine & International Health*, 18(1), 10–16. <https://doi.org/10.1046/j.1365-1755.2002.00913.x>

- Medicine and International Health*, 8(6), 512–517. <https://doi.org/10.1046/j.1365-3156.2003.01059.x>
- Lindsay, S. W., Thomas, M. B., & Kleinschmidt, I. (2021). Threats to the effectiveness of insecticide-treated bednets for malaria control: thinking beyond insecticide resistance. *The Lancet Global Health*, 9(9), e1325–e1331. [https://doi.org/10.1016/S2214-109X\(21\)00216-3](https://doi.org/10.1016/S2214-109X(21)00216-3)
- Lusiyana, N. (2020). Challenges of malaria elimination in Indonesia. *Indonesian Journal of Medicine and Health*, 11(3), 222–223. <https://doi.org/10.20885/JKKI.VOL11.ISS3.ART2>
- Mahdalena, V., & Wurisastuti, T. (2020). Gambaran Distribusi Spesies Anopheles dan Perannya Sebagai Vektor Malaria di Provinsi Nusa Tenggara Timur, Papua dan Papua Barat. *SPIRAKEL*, 12(1), 46–59. <https://doi.org/10.22435/SPIRAKEL.V12I1.3441>
- Mahendradhata, Y., Trisnantoro, L., Listyadewi, S., Soewondo, P., MArthias, T., Harimurti, P., & Prawira, J. (2017). *The Republic of Indonesia Health System Review* (Vol. 7, Nomor 1).
- Malaria Elimination Initiative. (2020). Entomological Surveillance Planning Tool. Dalam *The Global Health Group, University of California, San Francisco*.
- Mathania, M. M., Munisi, D. Z., & Silayo, R. S. (2020). Spatial and temporal distribution of Anopheles mosquito's larvae and its determinants in two urban sites in Tanzania with different malaria transmission levels. *Parasite Epidemiology and Control*, 11, e00179. <https://doi.org/10.1016/J.PAREPI.2020.E00179>
- Mattah, P. A. D., Futagbi, G., Amekudzi, L. K., Mattah, M. M., De Souza, D. K., Kartey-Attipoe, W. D., Bimi, L., & Wilson, M. D. (2017). Diversity in breeding sites and distribution of Anopheles mosquitoes in selected urban areas of southern Ghana. *Parasites and Vectors*, 10(1), 1–15. <https://doi.org/10.1186/S13071-016-1941-3/TABLES/5>
- Monroe, A., Mihayo, K., Okumu, F., Finda, M., Moore, S., Koenker, H., Lynch, M., Haji, K., Abbas, F., Ali, A., Greer, G., & Harvey, S. (2019). Human behaviour and residual malaria transmission in Zanzibar: Findings from in-depth interviews and direct observation of ts. *Malaria Journal*, 18(1), 1–13. <https://doi.org/10.1186/s12936-019-0714-1>



Monroe, A., Moore, S., Okumu, F., Kiware, S., Lobo, N. F., Koenker, H., Sherrard-Smith, E., Gimnig, J., & Killeen, G. F. (2020a). Erratum: Methods and indicators for measuring patterns of human exposure to malaria vectors (*Malar J* (2020) 19: 207 DOI: 10.1186/s12936-020-03271-z). *Malaria Journal*, 19(1), 12936.

<https://doi.org/10.1186/s12936-020-03308-3>

Monroe, A., Moore, S., Okumu, F., Kiware, S., Lobo, N. F., Koenker, H., Sherrard-Smith, E., Gimnig, J., & Killeen, G. F. (2020b). Methods and indicators for measuring patterns of human exposure to malaria vectors. *Malaria Journal*, 19(1), 1–14.

<https://doi.org/10.1186/S12936-020-03271-Z/FIGURES/2>

Monroe, A., Moore, S., Olapeju, B., Merritt, A. P., & Okumu, F. (2021). Unlocking the human factor to increase effectiveness and sustainability of malaria vector control. *Malaria Journal*, 1–6. <https://doi.org/10.1186/s12936-021-03943-4>

Monroe, A., Msaky, D., Kiware, S., Tarimo, B. B., Moore, S., Haji, K., Koenker, H., Harvey, S., Finda, M., Ngowo, H., Mihayo, K., Greer, G., Ali, A., & Okumu, F. (2020a). Patterns of human exposure to malaria vectors in Zanzibar and implications for malaria elimination efforts. *Malaria Journal*, 19(1), 212. <https://doi.org/10.1186/s12936-020-03266-w>

Monroe, A., Msaky, D., Kiware, S., Tarimo, B. B., Moore, S., Haji, K., Koenker, H., Harvey, S., Finda, M., Ngowo, H., Mihayo, K., Greer, G., Ali, A., & Okumu, F. (2020b). Patterns of human exposure to malaria vectors in Zanzibar and implications for malaria elimination efforts. *Malaria Journal*, 19(1), 1–14. <https://doi.org/10.1186/S12936-020-03266-W/FIGURES/8>

Moshi, I. R., Manderson, L., Ngowo, H. S., Mlacha, Y. P., Okumu, F. O., & Mnyone, L. L. (2018). Outdoor malaria transmission risks and social life: A qualitative study in South-Eastern Tanzania. *Malaria Journal*, 17(1), 1–11. <https://doi.org/10.1186/s12936-018-2550-8>

Murhandarwati, E. E. H., Fuad, A., Sulistyawati, Wijayanti, M. A., Bia, M. B., Widartono, B. Lobo, N. F., Supargiyono, & Hawley, W. A. (2015). Change of strategy alaria elimination: A case study in Purworejo District, Central Java esia. *Malaria Journal*, 14(1), 1–14. <https://doi.org/10.1186/s12936-015-0500-0>



Mwema, T., Lukubwe, O., Joseph, R., Maliti, D., Iitula, I., Katokele, S., Uusiku, P., Walusimbi, D., Ogoma, S. B., Tambo, M., Gueye, C. S., Williams, Y. A., Vajda, E., Tatarsky, A., Eiseb, S. J., Mumbengegwi, D. R., & Lobo, N. F. (2022). Human and vector behaviors determine exposure to *Anopheles* in Namibia. *Parasites & Vectors*, 15(1).
<https://doi.org/10.1186/S13071-022-05563-6>

Ndiaye, A., Amadou Niang, E. H., Diène, A. N., Nourdine, M. A., Sarr, P. C., Konaté, L., Faye, O., Gaye, O., & Sy, O. (2020). Mapping the breeding sites of *Anopheles gambiae* s. l. in areas of residual malaria transmission in central western Senegal. *PLoS ONE*, 15(12), e0236607. <https://doi.org/10.1371/JOURNAL.PONE.0236607>

Ochomo, E. O., Gimnig, J. E., Awori, Q., Abong'o, B., Oria, P., Ashitiba, N. K., Polo, B., Moshi, V., Otanga, H., Adung'o, F., Ouma, E. A., Outa, S., Ramaita, E., Levine, R., Odongo, W., Harvey, S. A., Monroe, A., Hudson, A., Sandberg, B., ... Grieco, J. P. (2024). Effect of a spatial repellent on malaria incidence in an area of western Kenya characterised by high malaria transmission, insecticide resistance, and universal coverage of insecticide treated nets (part of the AEGIS Consortium): a cluster-randomised, controlled trial. *Lancet (London, England)*, 405(10473), 147–156.
[https://doi.org/10.1016/S0140-6736\(24\)02253-0](https://doi.org/10.1016/S0140-6736(24)02253-0)

Odero, J. I., Abong'o, B., Moshi, V., Ekodir, S., Harvey, S. A., Ochomo, E., Gimnig, J. E., Achee, N. L., Grieco, J. P., Oria, P. A., & Monroe, A. (2024). Early morning anopheline mosquito biting, a potential driver of malaria transmission in Busia County, western Kenya. *Malaria Journal* 2024 23:1, 23(1), 1–13. <https://doi.org/10.1186/S12936-024-04893-3>

Paaijmans, K. P., & Lobo, N. F. (2023). Gaps in protection: the actual challenge in malaria elimination. *Malaria Journal*, 22(1), 1–4. <https://doi.org/10.1186/S12936-023-04473-X>

Pates, H., & Curtis, C. (2004). MOSQUITO BEHAVIOR AND VECTOR CONTROL.
<https://doi.org/10.1146/annurev.ento.50.071803.130439>, 50, 53–70.



0.1146/ANNUREV.ENTO.50.071803.130439
Sehatan Republik Indonesia Nomor 41 Tahun 2018 Tentang
Teksi Dini Dan Pemberian Obat Anti Malaria Oleh Kader Malaria Pada
Situasi Khusus (2018).

Permana, D. H., Zubaidah, S., Syahrani, L., Asih, P. B. S., Syafruddin, D., Rozi, I. E., Hidayati, A. P. N., Kosasih, S., Dewayanti, F. K., Rachmawati, N., Risandi, R., Bangs, M. J., Bøgh, C., Davidson, J. R., Hendershot, A. L., Burton, T. A., Grieco, J. P., Eugenio, E. C., Liu, F., ... Lobo, N. F. (2022). Impact of a spatial repellent product on Anopheles and non-Anopheles mosquitoes in Sumba, Indonesia. *Malaria Journal*, 21(1), 1–13.
<https://doi.org/10.1186/S12936-022-04185-8/TABLES/7>

Posit team. (2023). *RStudio: Integrated Development Environment for R*. Posit Software, PBC. <http://www.posit.co/>

Protopopoff, N., Van Bortel, W., Speybroeck, N., Van Geertruyden, J. P., Baza, D., D'Alessandro, U., & Coosemans, M. (2009). Ranking Malaria Risk Factors to Guide Malaria Control Efforts in African Highlands. *PLoS ONE*, 4(11), e8022.
<https://doi.org/10.1371/JOURNAL.PONE.0008022>

Puji Astuti, E., Ipa, M., Ginanjar, A., Wahono Loka Litbangkes Pangandaran, T., & Litbangkes Kementerian Kesehatan, B. (2019). Upaya Pengendalian Malaria Dalam Rangka Pre-Eliminasi di Kabupaten Garut: Sebuah studi kualitatif. *Buletin Penelitian Sistem Kesehatan*, 22(4), 255–264. <https://doi.org/10.22435/HSR.V22I4.1761>

QGIS.org. (2023). *QGIS Geographic Information System*. QGIS Association. qgis.org

R Core Team. (2021). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. <https://www.r-project.org/>

Renwarin, V. M. V. Umboh,) J M L, Kandou,) G D, Kesehatan, D., Sosial, D., Tomohon, K., Kesehatan, F., Universitas, M., Manado, S. R., Kedokteran, F., Sam, U., & Manado, R. (2014). Analisis Pelaksanaan Program Eliminasi Malaria di Kota Tomohon. *JIKMU*, 4(4). <https://ejournal.unsrat.ac.id/index.php/jikmu/article/view/7684>

Rodríguez-Rodríguez, D., Katusele, M., Auwun, A., Marem, M., Robinson, L. J., Laman, M., Hetzel, M. W., & Pulford, J. (2021). Human Behavior, Livelihood, and Malaria Transmission in Two Sites of Papua New Guinea. *The Journal of Infectious Diseases*, 223(Suppl 2), S171. <https://doi.org/10.1093/INFDIS/JIAA402>

Γ Rukmini, R. (2013). Analisis Implementasi Kebijakan Eliminasi Malaria *Buletin Penelitian Sistem Kesehatan*, 15(2), 143–153.



ROZEBOOM, L. E., & KNIGHT, K. L. (1946). The punctulatus complex of Anopheles (Diptera: Culicidae). *The Journal of parasitology*, 32, 95–131.

<https://doi.org/10.2307/3272584>

Rozi, I. E., Permana, D. H., Syahrani, L., Asih, P. B. S., Zubaidah, S., Risandi, R., Wangsamuda, S., Dewayanti, F. K., Demetouw, M. R., Mabui, S., Robaha, M. M. F., Sumiwi, M. E., Bangs, M. J., Lobo, N. F., Hawley, W. A., & Syafruddin, D. (2024). Rapid entomological assessment in eight high malaria endemic regencies in Papua Province revealed the presence of indoor and outdoor malaria transmissions. *Scientific Reports* 2024 14:1, 14(1), 1–14. <https://doi.org/10.1038/s41598-024-64958-w>

Rozi, I. E., Syahrani, L., Permana, D. H., Asih, P. B. S., Hidayati, A. P. N., Kosasih, S., Dewayanti, F. K., Risandi, R., Zubaidah, S., Bangs, M. J., Bøgh, C., Grieco, J. P., Baus, J. E., Eugenio, E., Monroe, A., Liu, F., Achee, N. L., Syafruddin, D., & Lobo, N. F. (2022a). Human behavior determinants of exposure to Anopheles vectors of malaria in Sumba, Indonesia. *PLOS ONE*, 17(11), e0276783.

<https://doi.org/10.1371/JOURNAL.PONE.0276783>

Rozi, I. E., Syahrani, L., Permana, D. H., Asih, P. B. S., Hidayati, A. P. N., Kosasih, S., Dewayanti, F. K., Risandi, R., Zubaidah, S., Bangs, M. J., Bøgh, C., Grieco, J. P., Baus, J. E., Eugenio, E., Monroe, A., Liu, F., Achee, N. L., Syafruddin, D., & Lobo, N. F. (2022b). Human behavior determinants of exposure to Anopheles vectors of malaria in Sumba, Indonesia. *PLOS ONE*, 17(11), e0276783.

<https://doi.org/10.1371/JOURNAL.PONE.0276783>

Russell, T. L., Beebe, N. W., Bugoro, H., Apairamo, A., Collins, F. H., Cooper, R. D., Lobo, N. F., & Burkot, T. R. (2016). Anopheles farauti is a homogeneous population that blood feeds early and outdoors in the Solomon Islands. *Malaria Journal*, 15(1), 1–7.

<https://doi.org/10.1186/S12936-016-1194-9/TABLES/2>

Russell, T. L., Beebe, N. W., Cooper, R. D., Lobo, N. F., & Burkot, T. R. (2013). Successful malaria elimination strategies require interventions that target changing vector



The DHS: Approaches for Rural and Urban Areas. *DHS Working Papers*. <https://www.dhsprogram.com/pubs/pdf/WP60/WP60.pdf>

- Rutstein, S. O., & Staveteig, S. (2014). Making the Demographic and Health Surveys Wealth Index comparable. Dalam *DHS Methodological Reports* (Nomor No. 9).
- Salim, L., Oktavian, A., Kawulur, H., & Sandy, S. (2018). *Peta Anopheles di Provinsi Papua, Papua Barat dan Maluku*.
- Sandy, S. (2014). BIONOMI VEKTOR MALARIA KELOMPOK Anopheles punctulatus (Anopheles farauti, Anopheles koliensis, Anopheles punctulatus) DI PROVINSI PAPUA. *BALABA: JURNAL LITBANG PENGENDALIAN PENYAKIT BERSUMBER BINATANG BANJARNEGARA*, 10(01), 47–52. <https://doi.org/10.22435/BLB.V10I01.757>
- Sa-ngamuang, C., Lawpoolsri, S., Su Yin, M., Barkowsky, T., Cui, L., Prachumsri, J., & Haddawy, P. (2023). Assessment of malaria risk in Southeast Asia: a systematic review. *Malaria Journal*, 22(1), 1–20. <https://doi.org/10.1186/S12936-023-04772-3>
- Shaukat, A. M., Breman, J. G., & McKenzie, F. E. (2010). Using the entomological inoculation rate to assess the impact of vector control on malaria parasite transmission and elimination. *Malaria Journal*, 9, 122. <https://doi.org/10.1186/1475-2875-9-122>
- Singh, B., Bobogare, A., Cox-Singh, J., Snounou, G., Abdullah, M. S., & Rahman, H. A. (1999). A genus- and species-specific nested polymerase chain reaction malaria detection assay for epidemiologic studies. *The American Journal of Tropical Medicine and Hygiene*, 60(4), 687–692. <https://doi.org/10.4269/AJTMH.1999.60.687>
- Sinka, M. E., Bangs, M. J., Manguin, S., Chareonviriyaphap, T., Patil, A. P., Temperley, W. H., Gething, P. W., Elyazar, I. R., Kabaria, C. W., Harbach, R. E., & Hay, S. I. (2011). The dominant Anopheles vectors of human malaria in the Asia-Pacific region: occurrence data, distribution maps and bionomic précis. *Parasites & Vectors* 2011 4:1, 4(1), 1–46. <https://doi.org/10.1186/1756-3305-4-89>
- Snounou, G., Viriyakosol, S., Jarra, W., Thaithong, S., & Brown, K. N. (1993). Identification of the four human malaria parasite species in field samples by the polymerase chain reaction and detection of a high prevalence of mixed infections. *Molecular and Biochemical Parasitology*, 58(2), 283–292. [https://doi.org/10.1016/0166-6851\(93\)90050-0](https://doi.org/10.1016/0166-6851(93)90050-0)



atman, S., Asih, P. B. S., Bretz, D., Mueller, J., Miller, H. C., Baharuddin, A., Ngai, M., Laihad, F., Syafruddin, D., Hawley, W. A., Collins, F. H., (2016). Behaviour and molecular identification of Anopheles malaria

- vectors in Jayapura district, Papua province, Indonesia. *Malaria Journal*, 15(1), 1–8. <https://doi.org/10.1186/S12936-016-1234-5/TABLES/3>
- Suci Bestari, R., Mulyani, A. S., & Bestari, R. S. (2022). The Role of Larval Source Management (LSM) as Malaria Elimination. *Community Medicine and Education Journal*, 3(1), 209–216. <https://doi.org/10.37275/CMEJ.V3I1.170>
- Syafruddin, D., Asih, P. B. S., Rozi, I. E., Permana, D. H., Hidayati, A. P. N., Syahrani, L., Zubaidah, S., Sidik, D., Bangs, M. J., Bøgh, C., Liu, F., Eugenio, E. C., Hendrickson, J., Burton, T., Baird, J. K., Collins, F., Grieco, J. P., Lobo, N. F., & Achee, N. L. (2020). Efficacy of a Spatial Repellent for Control of Malaria in Indonesia: A Cluster-Randomized Controlled Trial. *The American Journal of Tropical Medicine and Hygiene*, 103(1), 344. <https://doi.org/10.4269/AJTMH.19-0554>
- Syafruddin, D., Bangs, M. J., Sidik, D., Elyazar, I., Asih, P. B. S., Chan, K., Nurleila, S., Nixon, C., Hendarto, J., Wahid, I., Ishak, H., Bøgh, C., Grieco, J. P., Achee, N. L., & Baird, J. K. (2014). Impact of a spatial repellent on malaria incidence in two villages in Sumba, Indonesia. *American Journal of Tropical Medicine and Hygiene*, 91(6), 1079–1087. <https://doi.org/10.4269/ajtmh.13-0735>
- Takken, W., Snellen, W. B., Verhave, J. P., Knols, B. G. J., & Atmoedjono, S. (1990). *Environmental measures for malaria control in Indonesia. A historical review on species sanitation*. Wageningen Agricultural University. <https://research.wur.nl/en/publications/environmental-measures-for-malaria-control-in-indonesia-a-histori>
- Tamura, K. (1992). Estimation of the number of nucleotide substitutions when there are strong transition-transversion and G+C-content biases. *Molecular Biology and Evolution*, 9(4), 678–687. <https://doi.org/10.1093/OXFORDJOURNALS.MOLBEV.A040752>
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/MOLBEV/MSAB120>
- Van den Berg, H., A. N., McCann, R. S., van den Berg, H., Van Vugt, M., & Phiri, K. S. (2011). The Impact of Global Climate Change on Efforts for Malaria. *Current Tropical Medicine Reports*, 5(1), 41–50. <https://doi.org/10.1007/S40475-018-0133-Y/METRICS>



- Tulak, N., Handoko, Hidayati, R., Kesumawati Hadi, U., & Hakim, L. (2018). Karakteristik dan Distribusi Spasial Habitat Positif Larva Nyamuk Anopheles spp. Berdasarkan Curah Hujan. *Media Kesehatan Masyarakat Indonesia*, 14(3), 285–296.
<https://doi.org/10.30597/MKMI.V14I3.3307>
- Tusting, L. S., Thwing, J., Sinclair, D., Fillinger, U., Gimnig, J., Bonner, K. E., Bottomley, C., & Lindsay, S. W. (2013). Mosquito larval source management for controlling malaria. *The Cochrane Database of Systematic Reviews*, 2013(8).
<https://doi.org/10.1002/14651858.CD008923.PUB2>
- UNICEF. (2022). *Village Malaria Cadres and Consultants Role on Malaria Control and Elimination in Eastern Indonesia*. <https://www.unicef.org/indonesia/reports/village-malaria-cadres-and-consultants-role-malaria-control-and-elimination-eastern>
- Villarreal-Treviño, C., Penilla-Navarro, R. P., Vázquez-Martínez, M. G., Moo-Llanes, D. A., Ríos-Delgado, J. C., Fernández-Salas, I., & Rodríguez, A. D. (2015). Larval habitat characterization of Anopheles darlingi from its northernmost geographical distribution in Chiapas, Mexico. *Malaria Journal*, 14(1), 1–9. <https://doi.org/10.1186/S12936-015-1037-0/TABLES/3>
- Wahono, T., Astuti, E. P., Ruliansyah, A., Ipa, M., & Riandi, M. U. (2021). Studi Kualitatif Implementasi Kebijakan Eliminasi Malaria di Wilayah Endemis Rendah Kabupaten Pangandaran dan Pandeglang. *ASPIRATOR - Journal of Vector-borne Disease Studies*, 13(1), 55–68. <https://doi.org/10.22435/ASP.V13I1.4683>
- Wang, H., Wang, Y., Cheng, P., Wang, H., Wang, H., Liu, H., Zhang, C., & Gong, M. (2021). The Larval Density of Mosquitos (Diptera: Culicidae) in Jiaxiang County, Shandong Province, China: Influence of Bacterial Diversity, Richness, and Physicochemical Factors. *Frontiers in Ecology and Evolution*, 9, 82.
<https://doi.org/10.3389/FEVO.2021.616769/BIBTEX>
- Weihs, C., Ligges, U., Luebke, K., & Raabe, N. (2005). klaR Analyzing German Business Cycles. Dalam *Data Analysis and Decision Support* (hlm. 335–343). Springer-Verlag.
https://doi.org/10.1007/3-540-28397-8_36
-  | technical strategy for malaria 2016-2030, 2021 update. Dalam *World Health Organization Global Technical Strategy for Malaria 2016-2030, 2021 update*. Dalam *World Health Organization Global Technical Strategy for Malaria 2016-2030, 2021 update*. <https://apps.who.int/iris/rest/bitstreams/1357541/retrieve>

WHO Division of Malaria and Other parasitic Diseases. (1975). Manual on practical entomology in malaria. I. Vector bionomics and organization of anti malaria activities. *WHO OFFSET PUBL.*, No. 13.

WHO Global Malaria Programme. (2022). *WHO Guidelines for malaria* (World Health Organization, Ed.). <https://www.who.int/publications/i/item/guidelines-for-malaria>

Williams, J., & Pinto, J. (2012). *Training Manual on Malaria Entomology for Entomology and Vector Control Technicians (Basic Level)*. PAHO/WHO Pan American Health Organization. <https://www.paho.org/en/documents/training-manual-malaria-entomology-entomology-and-vector-control-technicians-basic-0>

World Health Organization. (t.t.). *Malaria*. Diambil 2 September 2022, dari https://www.who.int/health-topics/malaria#tab=tab_1

World Health Organization. (2013a). *Larval source management: a supplementary malaria vector control measure: an operational manual*. <https://apps.who.int/iris/handle/10665/85379>

World Health Organization. (2013b). *Malaria entomology and vector control*. World Health Organization.

World Health Organization. (2013c). *Training module on malaria control: Malaria entomology and vector control. Guide for participants*. <http://www.who.int/malaria>

Xie, K., Marathe, A., Deng, X., Ruiz-Castillo, P., Imputiuia, S., Elobolobo, E., Mutepa, V., Sale, M., Nicolas, P., Montana, J., Jamisse, E., Munguambe, H., Materrula, F., Casellas, A., Rabinovich, R., Saute, F., Chaccour, C. J., Sacoor, C., & Rist, C. (2023). Alternative approaches for creating a wealth index: the case of Mozambique. *BMJ Global Health*, 8(8). <https://doi.org/10.1136/BMJGH-2023-012639>

