

DAFTAR PUSTAKA

- Aase, K., Hovde, K., Böcker, U., Gizachew, S., Lindberg, D., Jarle, S., & Kristian, N. (2019). FTIR-based hierarchical modeling for prediction of average molecular weights of protein hydrolysates. *Talanta*, 205(June), 120084. <https://doi.org/10.1016/j.talanta.2019.06.084>
- Aditia, R. P., Desniar, D., & Trilaksani, W. (2018). Aktivitas Antioksidan dan Antibakteri Hidrolisat Protein Hasil Fermentasi Telur Ikan Cakalang. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1), 1–12. <https://doi.org/10.17844/jphpi.v21i1.21256>
- Admassu, H., Gasmalla, M. A. A., Yang, R., & Zhao, W. (2018). Evaluation of the in vitro α -Amylase Enzyme Inhibition Potential of Commercial Dried Laver (*Porphyra* Species) Seaweed Protein Hydrolysate. *Turkish Journal of Fisheries and Aquatic Sciences*, 18(4), 547–556. <https://doi.org/10.4194/1303-2712-v18>
- Ahmad, M., & Benjakul, S. (2011). Characteristics of gelatin from the skin of unicorn leatherjacket (*Aluterus monoceros*) as influenced by acid pretreatment and extraction time. *Food Hydrocolloids*, 25(3), 381–388. <https://doi.org/10.1016/j.foodhyd.2010.07.004>
- Ahn, C. B., Je, J. Y., & Cho, Y. S. (2012). Antioxidant and anti-inflammatory peptide fraction from salmon byproduct protein hydrolysates by peptic hydrolysis. *Food Research International*, 49(1), 92–98. <https://doi.org/10.1016/j.foodres.2012.08.002>
- Aissaoui, N., Chobert, J. M., Haertlé, T., Marzouki, M. N., & Abidi, F. (2017). Purification and Biochemical Characterization of a Neutral Serine Protease from *Trichoderma harzianum*. Use in Antibacterial Peptide Production from a Fish By-Product Hydrolysate. *Applied Biochemistry and Biotechnology*, 182(2), 831–845. <https://doi.org/10.1007/s12010-016-2365-4>
- Ardiansyah, A., Rasyid, A., & Nugroho, A. (2019). Uji Antioksidan dan Uji BSLT pada Ekstrak Kasar *Holothuria scabra* dengan Berbagai Pelarut. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 11(3), 627–636.
- Ariandi. (2016). Pengenalan Enzim Amilase (Alpha-Amylase) dan Reaksi Enzimatiknya Menghidrolisis Amilosa Pati Menjadi Glukosa. *Jurnal Dinamika*, 07(1), 74–82.
- Asmi, N., Ahmad, A., Natsir, H., Massi, M. N., Karim, H., Madhyastha, H., Madhyastha, R., Nakajima, Y., & Maruyama, M. (2021). Proportion of anticancer activity of protein and protein hydrolysate from epiphytic bacteria. *Rasayan Journal of Chemistry*, 14(3), 1594–1599. <https://doi.org/10.31788/RJC.2021.1436313>
- Badan Pusat Statistik. 2023. Produksi Perikanan Budidaya Menurut Komoditas Utama (Ton) 2017-2020. Badan Pusat Statistik Indonesia, Jakarta.
- Dai, Y., Cai, X., Shi, W., Bi, X., Su, X., & Pan, M. (2017). Pro - apoptotic cationic host defense peptides rich in lysine or arginine to reverse drug resistance by

- disrupting tumor cell membrane. *Amino Acids*, 49, 1601–1610. <https://doi.org/10.1007/s00726-017-2453-y>
- Dolganyuk, V., Sukhikh, S., Kalashnikova, O., Ivanova, S., Kashirskikh, E., Prosekov, A., Michaud, P., & Babich, O. (2023). Food Proteins: Potential Resources. In *Sustainability (Switzerland)* (Vol. 15, Issue 7). MDPI. <https://doi.org/10.3390/su15075863>
- Fadhli, I., Dewi, E. N., & Fahmi, A. S. (2022). Aplikasi Methyl Red sebagai Label Indikator Kesegaran Ikan Bandeng (*Chanos chanos*) pada Suhu Penyimpanan Dingin yang Berbeda. *Jurnal Ilmu Dan Teknologi Perikanan*, 4(1), 15–23.
- Fatimah, R., & Santoso, B. S. A. (2020). Toksisitas Akut Dekok Daun Kersen (*Muntingia calabura*) Menggunakan Metode BSLT (Brine Shrimp Lethality Test). *Pharmacy Medical Journal*, 3(3), 47–52. <https://doi.org/10.31857/s0044467720030107>
- Fikayuniar, L., Abriyani, E., Irwandira, F., Bela, S., & Dewi, S. (2022). Uji Toksisitas Menggunakan Metode BSLT dan Skrining Fitokimia Ekstrak (*Melastoma malabathricum* L.). *Jurnal Buana Farma*, 2(2), 67–71.
- Fitriyanti, D., Tutik, & Ulfa, A. M. (2024). Uji Toksisitas BSLT (Brine Shrimp Lethality Test) Terhadap Larva Udang Ekstrak Metanol Kulit Bawang Merah (*Allium Cepa* L.) dengan Metode Ekstraksi Sokletasi dan Refluks. *Jurnal Farmasi Malahayati*, 7(1), 95–104.
- Gao, R., Yu, Q., Shen, Y., Chu, Q., Chen, G., Fen, S., Yang, M., Yuan, L., McClements, D. J., & Sun, Q. (2021). Production, bioactive properties, and potential applications of fish protein hydrolysates: Developments and challenges. *Trends in Food Science and Technology*, 110(October 2020), 687–699. <https://doi.org/10.1016/j.tifs.2021.02.031>
- Gaspersz, N., Fransina, E. G., & Ngarbingan, A. R. (2022). Uji Aktivitas Penghambatan Enzim α -Amilase dan Glukoamilase dari Ekstrak Etanol Daun Kirinyuh (*Chromolaena odorata* L.). *Jurnal Kimia Mulawarman*, 19(2), 51–57.
- Ghosh, B. C., Prasad, L. N., & Saha, N. P. (2017). Enzymatic hydrolysis of whey and its analysis. *Journal of Food Science and Technology*, 54(6), 1476–1483. <https://doi.org/10.1007/s13197-017-2574-z>
- Henriques, A., Vázquez, J. A., Valcarcel, J., Mendes, R., Bandarra, N. M., & Pires, C. (2021). Characterization of protein hydrolysates from fish discards and by-products from the north-west Spain fishing fleet as potential sources of bioactive peptides. *Marine Drugs*, 19(6), 1–19. <https://doi.org/10.3390/md19060338>
- International Diabetes Federation. 2021. IDF Diabetes Atlas 10th ed. International Diabetes Federation, Belgia.
- Jafar, I. (2024). Karakterisasi dan Uji Aktivitas Antioksidan Hidrolisat Protein dari Ikan Bandeng (*Chanos chanos*). Tesis. Universitas Hasanuddin, Makassar, Indonesia.

- Katrin, D., Idiawati, N., & Sitorus, B. (2015). Uji Akitivitas Antibakteri dari Ekstrak Daun Malek (*Litsea gracieae* vidal) terhadap Bakteri *Stapylococcus aureus* dan *Escherichia coli*. *Jurnal Kimia Khatulistiwa*, 4(1), 7–12.
- Lestari, D., & Giordan, E. (2020). Peptida Bioaktif Kasein Susu Kambing sebagai Agen Antibakteri terhadap *Staphylococcus aureus*. *Jurnal Agroindustri Halal*, 6(1), 28–38.
- Mæhre, H. K., Dalheim, L., Edvinsen, G. K., Elvevoll, E. O., & Jensen, I. J. (2018). Protein determination—method matters. *Foods*, 7(1). <https://doi.org/10.3390/foods7010005>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). Indonesian Journal of Science & Technology How to Read and Interpret FTIR Spectroscop of Organic Material. *Indonesian Journal of Science & Technology*, 4(1), 97–118.
- Nasiro, S., Anjulita, R., Setiawan, E., Afriyandi, A., & Situmeang, B. (2023). jurnal β eta kimia. *Jurnal Beta Kimia*, 3(November), 67–74.
- Natsir, N. A., & Latifa, S. (2018). Analisis Kandungan Protein Total Ikan Kakap Merah dan Ikan Kerapu Bebek. *Jurnal Biology Science & Education* 2018, 7(1), 49–55.
- Ngoh, Y. Y., & Gan, C. Y. (2016). Enzyme-assisted extraction and identification of antioxidative and α -amylase inhibitory peptides from Pinto beans (*Phaseolus vulgaris* cv. Pinto). *Food Chemistry*, 190, 331–337. <https://doi.org/10.1016/J.FOODCHEM.2015.05.120>
- Nhàn, N. T. T., Yamada, T., & Yamada, K. H. (2023). Peptide-Based Agents for Cancer Treatment: Current Applications and Future Directions. *International Journal of Molecular Sciences*, 24(16), 1–35. <https://doi.org/10.3390/ijms241612931>
- Ningdyah, A. W., Alimuddin, A. H., & Jayuska, A. (2015). Uji Toksisitas dengan Metode BSLT (Brine Shrimp Lethality Test) Terhadap Hasil Fraksinasi Ekstrak Kulit Buah Tampoi (*Baccaurea macrocarpa*). *Jurnal Kimia Khatulistiwa*, 4(1), 75–83.
- Noman, A., Ali, A. H., Al-Bukhaiti, W. Q., Mahdi, A. A., & Xia, W. (2020). Structural and physicochemical characteristics of lyophilized Chinese sturgeon protein hydrolysates prepared by using two different enzymes. *Journal of Food Science*, 85(10), 3313–3322. <https://doi.org/10.1111/1750-3841.15345>
- Nurhayati, L. S., Yahdiyani, N., & Hidayatulloh, A. (2020). Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41–46. <https://doi.org/10.24198/jthp.v1i2.27537>
- Nusantari, E., Abdul, A., & Harmain, R. M. (2016). Ikan Bandeng Tanpa Duri (*Chanos chanos*) sebagai Peluang Bisnis Masyarakat Desa Mootinelo, Kabupaten Gorontalo Utara, Provinsi Gorontalo. *Agrokreatif: Jurnal Ilmiah Pengabdian Kepada Masyarakat*, 3(1), 78–87.
- Ovando, C. A., Carvalho, J. C. de, Vinícius de Melo Pereira, G., Jacques, P.,

- Soccol, V. T., & Soccol, C. R. (2018). Functional properties and health benefits of bioactive peptides derived from *Spirulina*: A review. *Food Reviews International*, 34(1), 34–51. <https://doi.org/10.1080/87559129.2016.1210632>
- Prastari, C., Yasni, S., & Nurilmala, M. (2017). Karakteristik Protein Ikan Gabus Yang Berpotensi Sebagai Antihiperglikemik. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(2), 413–423.
- Saputri, M. A., Pratiwi, G., Shiyan, S., Arina, Y., & Trisakti, I. (2023). Profil Spektra FTIR (Fourier Transform Infrared Spectroscopy) Sari Ikan Gabus (*Channa striata*) dengan Variasi Metode Ekstraksi. *Babul Ilmi_Jurnal Ilmiah Multi Science Kesehatan*, 15(2), 59–75.
- Siddik, M. A. B., Howieson, J., Fotedar, R., & Partridge, G. J. (2021). Enzymatic fish protein hydrolysates in finfish aquaculture: a review. *Reviews in Aquaculture*, 13(1), 406–430. <https://doi.org/10.1111/raq.12481>
- Slizyte, R., Rommi, K., Mozuraityte, R., Eck, P., Five, K., & Rustad, T. (2016). Bioactivities of fish protein hydrolysates from defatted salmon backbones. *Biotechnology Reports*, 11, 99–109. <https://doi.org/10.1016/J.BTRE.2016.08.003>
- Srikanya, A., Dhanapal, K., Sravani, K., Madhavi, K., & Kumar, G. P. (2017). A Study on Optimization of Fish Protein Hydrolysate Preparation by Enzymatic Hydrolysis from Tilapia Fish Waste Mince. *International Journal of Current Microbiology and Applied Sciences*, 6(12), 3220–3229. <https://doi.org/10.20546/ijcmas.2017.612.375>
- Suryani, A. I., Pringgenies, D., & Setyati, W. A. (2024). Potensi Antioksidan dan Karakterisasi Pada Kolagen Teripang (*Stichopus horrens*). *Jurnal Kelautan Tropis*, 27(3), 499–506.
- Syachriyani, & Firmansyah. (2022). Potensi Antihiperglikemik Ekstrak Kulit Buah Semangka (*citrullus lanatus* linn .) terhadap Diabetes Mellitus Melalui Penghambatan Aktivitas Enzim Alfa Glukosidase. *Jurnal Mandala Pharmacon Indonesia*, 8(2), 243–251.
- Wahdaningsih, S., Nugraha, F., Kurniawan, H., Marselia, A., & Sari, D. novita. (2022). Identifikasi Gugus Fungsi Fraksi Etil Asetat dan Fraksi n-Heksan *Hylocereus polyrhizus*. *Jurnal Pharmascience*, 9(1), 113–123.
- Wan, P., Cai, B., Chen, H., Chen, D., Zhao, X., Yuan, H., Huang, J., Chen, X., Luo, L., & Pan, J. (2023). Antidiabetic effects of protein hydrolysates from *Trachinotus ovatus* and identification and screening of peptides with α -amylase and DPP-IV inhibitory activities. *Current Research in Food Science*, 6(January), 100446. <https://doi.org/10.1016/j.crfs.2023.100446>
- Wang, T. Y., Hsieh, C. H., Hung, C. C., Jao, C. L., Chen, M. C., & Hsu, K. C. (2015). Fish skin gelatin hydrolysates as dipeptidyl peptidase IV inhibitors and glucagon-like peptide-1 stimulators improve glycaemic control in diabetic rats: A comparison between warm- and cold-water fish. *Journal of Functional Foods*, 19, 330–340. <https://doi.org/10.1016/j.jff.2015.09.037>

- World Health Organization. 2022. Global Cancer Observatory. International Agency for Research on Cancer. Prancis.
- Wijayanti, I., Romadhon, R., & Rianingsih, L. (2016). Karakteristik Hidrolisat Protein Ikan Bandeng (*Chanos chanos* Forsk) dengan Konsentrasi Enzim Bromelin yang Berbeda. *SAINTEK PERIKANAN: Indonesian Journal of Fisheries Science and Technology*, 11(2), 129. <https://doi.org/10.14710/ijfst.11.2.129-133>
- Wilapangga, A., & Syaputra, S. (2018). Analisis Antibakteri Metode Agar Cakram dan Uji Toksisitas menggunakan BSLT (Brine Shrimp Lethality Test) dari Ekstrak Metanol Daun Salam (*Eugenia polyantha*). *Indonesian Journal of Biotechnology and Biodiversity*, 2(2), 50–56.
- Witono, Y., Windrati, W. S., Taruna, I., Afriliana, A., & Assadam, A. (2014). *Production and Characterization of Protein Hydrolyzate from “ Bibisan Fish ” (Apogon Albimaculosus) as an Indigenous Flavor by Enzymatic Hydrolysis*. 6(12), 1348–1355.
- Wulandari, L., Nugraha, A. S., & Azhari, N. P. (2020). Penentuan Aktivitas Antioksidan dan Antidiabetes Ekstrak Daun Kepundung (*Baccaurea racemosa* Muell . Arg .) secara In Vitro. *Jurnal Sains Dan Farmasi & Klinis*, 7(1), 60–66. <https://doi.org/10.25077/jsfk.7.1.60-66.2020>
- Yathisha, U. G., Vaidya, S., & Bangera, M. (2022). Functional Properties of Protein Hydrolyzate from Ribbon Fish (*Lepturacanthus Savala*) as Prepared by Enzymatic hydrolysis Functional Properties of Protein Hydrolyzate from Ribbon Fish (*Lepturacanthus Savala*) as Prepared by Enzymatic hydrolysis. *International Journal of Food Properties*, 25(1), 187–203. <https://doi.org/10.1080/10942912.2022.2027964>
- Yu, Z., Yin, Y., Zhao, W., Liu, J., & Chen, F. (2012). Anti-diabetic activity peptides from albumin against α -glucosidase and α -amylase. *Food Chemistry*, 135(3), 2078–2085. <https://doi.org/10.1016/j.foodchem.2012.06.088>
- Zhang, W., Zhang, Y., Wang, R., Zhang, P., Zhang, Y., Randell, E., Zhang, M., & Jia, Q. (2022). A review: Development and application of surface molecularly imprinted polymers toward amino acids, peptides, and proteins. *Analytica Chimica Acta*, 1234(August), 340319. <https://doi.org/10.1016/j.aca.2022.340319>
- Zhang, Y., Wang, C., Zhang, W., & Li, X. (2023). Bioactive peptides for anticancer therapies. *Biomaterials Translational*, 4(1), 5–17. <https://doi.org/10.12336/biomatertransl.2023.01.003>
- Zhou, H., Safdar, B., Li, H., Yang, L., Ying, Z., & Liu, X. (2023). Identification of a novel α -amylase inhibitory activity peptide from quinoa protein hydrolysate. *Food Chemistry*, 403, 134434. <https://doi.org/10.1016/J.FOODCHEM.2022.134434>
- Zhou, Q. Q., Xiao, H. T., Yang, F., Wang, Y. D., Li, P., & Zheng, Z. G. (2023). Advancing targeted protein degradation for metabolic diseases therapy. *Pharmacological Research*, 188, 106627. <https://doi.org/10.1016/J.PHRS.2022.106627>