

DAFTAR PUSTAKA

- Adamic, K. J., Greenbaum, S. G., Abraham, K. M., Alamgir, M., Wintersgill, M. C., & Fontanella, J. J. (1991). Lithium-7 NMR study of polymer electrolytes based on composites of poly[bis((methoxyethoxy)ethoxy)phosphazene] and poly(ethylene oxide). *Chemistry of Materials*, 3(3), 534–538. <https://doi.org/10.1021/cm00015a032>
- Agarwal, A. et al. (2011) "Polymeric materials for chronic wound and burn dressings," *Advanced Wound Repair Therapies*, hal. 186–208. Tersedia pada: <https://doi.org/10.1533/9780857093301.2.186>.
- Alhajj, M. dan Goyal, A. (2022) "Physiology, Granulation Tissue," *StatPearls* [Internet]. Treasure Island (FL): StatPearls Publishing [Preprint].
- Al-Nimry, S., Dayah, A. A., Hasan, I., & Daghmash, R. (2021). Cosmetic, biomedical and pharmaceutical applications of fish gelatin/hydrolysates. *Marine Drugs*, 19(3), 145.
- Andriani, D. H. (2018). Pengaruh Gelatin Patin (*Pangasius djambal*) terhadap Ekspresi Vascular Endothelial Growth Factor pada Luka Pasca Pencabutan Gigi Tikus Putih (*Rattus norvegicus*). Universitas Brawijaya.
- Bagchi, D., Das, A., & Roy, S. (2020). *Wound Healing, Tissue Repair and Regeneration in Diabetes*. Academic Press.
- Becchetti, A., & Arcangeli, A. (2010). Integrins and Ion Channels in Cell Migration: Implications for Neuronal Development, Wound Healing and Metastatic Spread. In A. Becchetti & A. Arcangeli (Eds.), *Integrins and Ion Channels* (Vol. 674, pp. 107–123). Springer New York. https://doi.org/10.1007/978-1-4419-6066-5_10
- Bello, A. B., Kim, D., Kim, D., Park, H., & Lee, S.-H. (2020). Engineering and Functionalization of Gelatin Biomaterials: From Cell Culture to Medical Applications. *Tissue Engineering Part B: Reviews*, 26(2), 164–180. <https://doi.org/10.1089/ten.teb.2019.0256>
- Boateng, J. (2020). *Therapeutic Dressings and Wound Healing Applications*. John Wiley & Sons.
- Bryan, J. (2004). Moist wound healing: a concept that changed our practice. *Journal of Wound Care*, 13(6), 227–228. doi: 10.12968/jowc.2004.13.6.26625
- Cao, H. et al. (2024) "Gelatin-based biomaterials and gelatin as an additive for chronic wound repair," *Frontiers in Pharmacology*, 15(May), hal. 1–15. Tersedia pada: <https://doi.org/10.3389/fphar.2024.1398939>.
- Catalano, E., Cochis, A., Varoni, E., Rimondini, L., & Azzimonti, B. (2013). Tissue-engineered skin substitutes: An overview. *Journal of Artificial Organs*, 16(4), 397–403. <https://doi.org/10.1007/s10047-013-0734-0>
- Chen, J., Wang, H., Mei, L., Wang, B., Huang, Y., Quan, G., Lu, C., Peng, T., Pan, X., & Wu, C. (2020). A pirfenidone loaded spray dressing based on lyotropic liquid crystals for deep partial thickness burn treatment: Healing promotion and scar prophylaxis. *Journal of Materials Chemistry B*, 8(13), 2573–2588. <https://doi.org/10.1039/C9TB02929J>
- Dhivya, S., Padma, V. V., & Santhini, E. (2015). Wound dressings – a review. *BioMedicine*, 5(4), 22. <https://doi.org/10.7603/s40681-015-0022-9>
- Diegelmann, R. F., Schultz, G. S, & Chin, G. A. (2005). *Cellular and Molecular Regulation*

- of Wound Healing. In *Wound Healing*. CRC Press.
- Dogan, K. H. (2019). *Wound Healing: Current Perspectives*.
- Falanga, V. (2005). Wound healing and its impairment in the diabetic foot. *The Lancet*, 366(9498), 1736–1743. [https://doi.org/10.1016/S0140-6736\(05\)67700-8](https://doi.org/10.1016/S0140-6736(05)67700-8)
- Fan, W., Zhang, Z., Liu, Y., Wang, J., Li, Z., & Wang, M. (2021). Shape memory polyacrylamide/gelatin hydrogel with controllable mechanical and drug release properties potential for wound dressing application. *Polymers*, 226, 123786.
- Febrianti, N., Tahir, T., & Yusuf, S. (2019). Study Literature Peran Epidermal Growth Factor dalam Proses Penyembuhan Luka. *Jurnal Keperawatan Muhammadiyah*, 4(1).
- Fujimoto, Y., Shimooka, N., Ohnishi, Y., & Yoshimine, T. (2008). Clinical evaluation of hydrocolloid dressings for neurosurgical wounds. *Surgical Neurology*, 70(2), 217–220. doi: 10.1016/j.surneu.2007.06.091
- Garabet, W. et al. (2023) "Effect of Gelatin-Based Hemostats on Fibroblasts and Relevant Growth Factors in Wound Healing," *Gels*, 9(6), hal. 1–11. Tersedia pada: <https://doi.org/10.3390/gels9060504>.
- Gaspar-Pintilieșcu, A., Stanciuc, A.-M., & Craciunescu, O. (2019a). Natural composite dressings based on collagen, gelatin and plant bioactive compounds for wound healing: A review. *International Journal of Biological Macromolecules*, 138, 854–865.
- Gaspar-Pintilieșcu, A., Stanciuc, A.-M., & Craciunescu, O. (2019b). Natural composite dressings based on collagen, gelatin and plant bioactive compounds for wound healing: A review. *International Journal of Biological Macromolecules*, 138, 854–865. <https://doi.org/10.1016/j.ijbiomac.2019.07.155>
- Gnavi, S. et al. (2014) "Gelatin-based hydrogel for vascular endothelial growth factor release in peripheral nerve tissue engineering," *J Tissue Eng Regen Med*, 12(3), hal. 181–204. Tersedia pada: <https://doi.org/10.1002/term>.
- Grubbs, H. dan Manna, B. (2023) "Wound Physiology," *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing [Preprint].
- Guo, S., & Dipietro, L. A. (2010). Factors affecting wound healing. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>
- Hanifatunnisa, L. S. (2020). Pengaruh Fibroin Spons Dibanding Absorbable Hemostat Gelatin Spons Terhadap Proses Osteogenesis Pada Penyembuhan Luka Pasca Ekstraksi Gigi. Universitas Muhammadiyah Yogyakarta.
- Huang, R., Hua, Z., Li, L., Zhou, Y., Xu, Y., & Zhang, T. (2023). Effect of hydrocolloid dressings in the management of different grades of pressure wound ulcers in critically ill adult subjects: A meta-analysis. *International Wound Journal*, 20(10), 3981–3989. doi: 10.1111/iwj.14286
- Islam, M. S., Islam, J. M., Rahman, M. F., Rahman, M. M., & Khan, M. A. (2021). Gelatin-based instant gel-forming volatile spray for wound-dressing application. *Progress in Biomaterials*, 10(3), 235–243.
- Jaipan, P., Nguyen, A., & Narayan, R. J. (2017). Gelatin-based hydrogels for biomedical applications. *MRS Communications*, 7(3), 416–426. <https://doi.org/10.1557/mrc.2017.92>
- Johnson, B. Z., Stevenson, A. W., Prêlle, C. M., Fear, M. W., & Wood, F. M. (2020). The

- Role of IL-6 in Skin Fibrosis and Cutaneous Wound Healing. *Biomedicines*, 8(5), 101. <https://doi.org/10.3390/biomedicines8050101>
- Johnson, B.Z. et al. (2020) "The role of IL-6 in skin fibrosis and cutaneous wound healing," *Biomedicines*, 8(5), hal. 1–18. Tersedia pada: <https://doi.org/10.3390/BIOMEDICINES8050101>.
- Johnson, K.E. dan Wilgus, T.A. (2014) "Vascular Endothelial Growth Factor and Angiogenesis in the Regulation of Cutaneous Wound Repair," *Advances in Wound Care*, 3(10), hal. 647–661. Tersedia pada: <https://doi.org/10.1089/wound.2013.0517>.
- Jørgensen, L.B. et al. (2016) "Methods to assess area and volume of wounds – a systematic review," *International Wound Journal*, 13(4), hal. 540–553. Tersedia pada: <https://doi.org/10.1111/iwj.12472>.
- Kang, J. I., & Park, K. M. (2021). Advances in gelatin-based hydrogels for wound management. *Journal of Materials Chemistry B*, 9(6), 1503–1520.
- Kardikadewi, V. A. W. (2019). Pengaruh Gelatin Ikan Patin (*Pangasius djambal*) terhadap ekspresi Epidermal Growth Factor pada luka pasca pencabutan gigi tikus putih (*Rattus norvegicus*). Universitas Brawijaya.
- Kazemi, M., Mohammadifar, M., Aghadavoud, E., Vakili, Z., Aarabi, M. H., & Talaei, S. A. (2020). Deep skin wound healing potential of lavender essential oil and licorice extract in a nanoemulsion form: Biochemical, histopathological and gene expression evidences. *Journal of Tissue Viability*, 29(2), 116–124.
- Khan, M. A., Islam, J. M. M., Rahman, Md. A., & Shekhar, H. U. (2010). Preparation and In Vivo Study of an Anti-Infective Highly Volatile Wound Dressing Material. *Advanced Materials Research*, 123–125, 355–358. <https://doi.org/10.4028/www.scientific.net/AMR.123-125.355>
- Lee, J. M., Chan, E.-S., Nagasundara Ramanan, R., & Ooi, C. W. (2020). Liquid-liquid equilibria of aqueous two-phase systems made of polyethylene glycol and gelatin systems and their application in emulsion formation. *Fluid Phase Equilibria*, 508, 112441. <https://doi.org/10.1016/j.fluid.2019.112441>
- Lee, Y.-S., Wysocki, A., Warburton, D., & Tuan, T.-L. (2012). Wound healing in development. *Birth Defects Research. Part C, Embryo Today: Reviews*, 96(3), 213–222. <https://doi.org/10.1002/bdrc.21017>
- Li, T., Sun, M., & Wu, S. (2022a). State-of-the-art review of electrospun gelatin-based nanofiber dressings for wound healing applications. *Nanomaterials*, 12(5), 784.
- Li, T., Sun, M., & Wu, S. (2022b). State-of-the-Art Review of Electrospun Gelatin-Based Nanofiber Dressings for Wound Healing Applications. *Nanomaterials*, 12(5), 784. <https://doi.org/10.3390/nano12050784>
- Li, Y., Leng, Q., Pang, X., Shi, H., Liu, Y., Xiao, S., Zhao, L., Zhou, P., & Fu, S. (2021). Therapeutic effects of EGF-modified curcumin/chitosan nano-spray on wound healing. *Regenerative Biomaterials*, 8(2), rbab009. <https://doi.org/10.1093/rb/rbab009>
- Liesenfeld B, Moore D, Mikhaylova A, Vella J, Carr R, Schultz G, & Olderman G. (2009). Antimicrobial wound dressings-mechanism and function. In: Symposium on advanced wound care.
- Masson-Meyers, D. S., Andrade, T. A. M., Caetano, G. F., Guimaraes, F. R., Leite, M.

- N., Leite, S. N., & Frade, M. A. C. (2020). Experimental models and methods for cutaneous wound healing assessment. *International Journal of Experimental Pathology*, 101(1–2), 21–37. <https://doi.org/10.1111/iep.12346>
- Mubarokah, R. A. L. (2019). Pengaruh Pemberian Gelatin Ikan Patin (*Pangasius Djambal*) Terhadap Alkaline Phosphatase (ALP) Pada Penyembuhan Luka Pasca Pencabutan Gigi Tikus Putih (*Rattus Norvegicus*) Strain Wistar. Universitas Brawijaya.
- Mustamu, A. C., Mustamu, H. L., & Hasim, N. H. (2020). Peningkatan Pengetahuan & Skill Dalam Merawat Luka. *Jurnal Pengabdian Masyarakat Sasambo*, 1(2), 103–109.
- Naomi, R. et al. (2021) “Natural-based biomaterial for skin wound healing (Gelatin vs. collagen): Expert review,” *Polymers*, 13(14), hal. 1–20. Tersedia pada: <https://doi.org/10.3390/polym13142319>.
- Neves, N. M., & Reis, R. L. (2016). *Biomaterials from nature for advanced devices and therapies*. John Wiley et Sons, Inc.
- Patel, S., Maheshwari, A., & Chandra, A. (2016). Biomarkers for wound healing and their evaluation. *Journal of Wound Care*, 25(1), 46–55. <https://doi.org/10.12968/jowc.2016.25.1.46>
- Philip Bao et al. (2009) “The Role of Vascular Endothelial Growth Factor in Wound Healing,” *J Surg Res*, 153(2), hal. 1–7. Tersedia pada: <https://doi.org/10.1016/j.jss.2008.04.023>.The.
- Primadina, N., Basori, A., & Perdanakusuma, D. S. (2019). Proses penyembuhan luka ditinjau dari aspek mekanisme seluler dan molekuler. *Qanun Medika: Jurnal Kedokteran Fakultas Kedokteran Universitas Muhammadiyah Surabaya*, 3(1), 31–43.
- Putrianirma, R., Triakoso, N., Yunita, M. N., Yudaniyanti, I. S., Hamid, I. S., & Fikri, F. (2019). Efektivitas Ekstrak Daun Afrika (*Vernonia amygdalina*) Secara Topikal Untuk Reepitelisasi Penyembuhan Luka Insisi Pada Tikus Putih (*Rattus novergicus*). *Med Vet*, 2(1), 30–35.
- Retnowati, D., Sari, R., Hendradi, E., & Septiani, S. (2021). The stability and irritability study of the chitosan– Aloe vera spray gel as wound healing. *Journal of Basic and Clinical Physiology and Pharmacology*, 32(4), 651–656. <https://doi.org/10.1515/jbcpp-2020-0407>
- Salsabillah, A. (2021). Uji Efektivitas Sediaan Gel Kolagen Kulit Ikan Gabus (*Channa striata* Bloch, 1793) Terhadap Penyembuhan Luka Diabetes. Universitas Andalas.
- Şelaru, A., Drăguşin, D.-M., Olăreţ, E., Serafim, A., Steinmüller-Nethl, D., Vasile, E., Iovu, H., Stancu, I.-C., Costache, M., & Dinescu, S. (2019). Fabrication and Biocompatibility Evaluation of Nanodiamonds-Gelatin Electrospun Materials Designed for Prospective Tissue Regeneration Applications. *Materials*, 12(18), 2933. <https://doi.org/10.3390/ma12182933>
- Shah, J. Mohd. Y., Omar, E., Pai, D. R., & Sood, S. (2012). Cellular events and biomarkers of wound healing. *Indian Journal of Plastic Surgery: Official Publication of the Association of Plastic Surgeons of India*, 45(2), 220–228. <https://doi.org/10.4103/0970-0358.101282>

- Shukla, S. K., Sharma, A. K., Gupta, V., & Yashavarddhan, M. (2019). Pharmacological control of inflammation in wound healing. *Journal of tissue viability*, 28(4), 218–222.
- Snyder, R. J., Lantis, J., Kirsner, R. S., Shah, V., Molyneaux, M., & Carter, M. J. (2016a). Macrophages: A review of their role in wound healing and their therapeutic use: Review of macrophages in wound healing. *Wound Repair and Regeneration*, 24(4), 613–629. <https://doi.org/10.1111/wrr.12444>
- Snyder, R. J., Lantis, J., Kirsner, R. S., Shah, V., Molyneaux, M., & Carter, M. J. (2016b). Macrophages: A review of their role in wound healing and their therapeutic use: Review of macrophages in wound healing. *Wound Repair and Regeneration*, 24(4), 613–629. <https://doi.org/10.1111/wrr.12444>
- Sulaiman, S., Chowdhury, S. R., Fauzi, M. B., Rani, R. A., Yahaya, N. H. M., Tabata, Y., Hiraoka, Y., Binti Haji Idrus, R., & Min Hwei, N. (2020). 3D Culture of MSCs on a Gelatin Microsphere in a Dynamic Culture System Enhances Chondrogenesis. *International Journal of Molecular Sciences*, 21(8), 2688. <https://doi.org/10.3390/ijms21082688>
- Takeuchi, T. et al. (2020) “Hydrocolloid dressing improves wound healing by increasing M2 macrophage polarization in mice with diabetes,” *Nagoya Journal of Medical Science*, 82(3), hal. 487–498. Tersedia pada: <https://doi.org/10.18999/nagjms.82.3.487>.
- Tanaka, A., Nagate, T., & Matsuda, H. (2005). Acceleration of wound healing by gelatin film dressings with epidermal growth factor. *Journal of Veterinary Medical Science*, 67(9), 909–913.
- Tarmidzi, F. M., Maharsih, I. K., Jannah, T. R., & Wahyuni, C. S. (2020). Sintesis Hidrogel Pektin–Gelatin dengan Penambahan Ekstrak Kulit Buah Naga Sebagai Kandidat Pembalut Luka Bakar. *Tek. Kim. Dan Lingkungan*, 4(1), 53.
- Thomas, S. (1996). Vapour-permeable film dressings. *Journal of Wound Care*, 5(6), 271–274. doi: 10.12968/jowc.1996.5.6.271
- Tort, S., Demiröz, F. T., Cevher, Ş. C., Sarıbaş, S., Özoğul, C., & Acartürk, F. (2020). The effect of a new wound dressing on wound healing: Biochemical and histopathological evaluation. *Burns*, 46(1), 143–155.
- Tottoli, E. M., Dorati, R., Genta, I., Chiesa, E., Pisani, S., & Conti, B. (2020). Skin wound healing process and new emerging technologies for skin wound care and regeneration. *Pharmaceutics*, 12(8), 735.
- Tsioli, V. et al. (2018) “The effect of a hydrocolloid dressing on second intention wound healing in cats,” *Journal of the American Animal Hospital Association*, 54(3), hal. 125–131. Tersedia pada: <https://doi.org/10.5326/JAAHA-MS-6604>.
- Vachhrajani, V., & Khakhkhar, P. (2020). *Science of Wound Healing and Dressing Materials*. Springer Singapore. <https://doi.org/10.1007/978-981-32-9236-9>
- Vaidyanathan, L. (2021). Growth Factors in Wound Healing – A Review. *Biomedical and Pharmacology Journal*, 14(3), 1469–1480. <https://doi.org/10.13005/bpj/2249>
- Wayal, V., Nagasree, K., & Vishwanath, B. A. (2021). Design, Development and Evaluation of Silk Based Film Forming Spray for Wound Healing. *Journal of Drug Delivery and Therapeutics*, 11(3-S), 15–18. <https://doi.org/10.22270/jddt.v11i3-S.4812>

- Weller, C. (2009) Interactive dressings and their role in moist wound management, *Advanced Textiles for Wound Care: A Volume in Woodhead Publishing Series in Textiles*. Woodhead Publishing Limited. Tersedia pada: <https://doi.org/10.1533/9781845696306.1.97>.
- Wilgus, T.A. (2019) "Vascular Endothelial Growth Factor and Cutaneous Scarring," *Advances in Wound Care*, 8(12), hal. 671–678. Tersedia pada: <https://doi.org/10.1089/wound.2018.0796>.
- Wong, C.C.Q., Tomura, K. dan Yamamoto, O. (2023) "Wound Healing Performance in a Moist Environment of Crystalline Glucose/Mannose Film as a New Dressing Material Using a Rat Model: Comparing with Medical-Grade Wound Dressing and Alginate," *Pharmaceuticals*, 16(11). Tersedia pada: <https://doi.org/10.3390/ph16111532>.
- Xiao, H. et al. (2023) "Recent advances in decellularized biomaterials for wound healing," *Materials Today Bio*, 19(October 2022), hal. 100589. Tersedia pada: <https://doi.org/10.1016/j.mtbio.2023.100589>.
- Xu, R. et al. (2016) "Controlled water vapor transmission rate promotes wound-healing via wound re-epithelialization and contraction enhancement," *Scientific Reports*, 6(November 2015), hal. 1–12. Tersedia pada: <https://doi.org/10.1038/srep24596>.
- Zaman, H. U., Islam, J. M. M., Khan, M. A., & Khan, R. A. (2011). Physico-mechanical properties of wound dressing material and its biomedical application. *Journal of the Mechanical Behavior of Biomedical Materials*, 4(7), 1369–1375. <https://doi.org/10.1016/j.jmbbm.2011.05.007>
- Zeng, Y., Zhu, L., Han, Q., Liu, W., Mao, X., Li, Y., Yu, N., Feng, S., Fu, Q., Wang, X., Du, Y., & Zhao, R. C. (2015). Preformed gelatin microcryogels as injectable cell carriers for enhanced skin wound healing. *Acta Biomaterialia*, 25, 291–303. <https://doi.org/10.1016/j.actbio.2015.07.042>.
- Zhang, W. et al. (2024) "Layered Double Hydroxide for Wound Healing," hal. 1–13