

DAFTAR PUSTAKA

- Alonso-Pandavenes, O., Bernal, D., Torrijo, F. J., & Garzón-Roca, J. (2023). A Comparative Analysis for Defining the Sliding Surface and Internal Structure in an Active Landslide Using the HVSr Passive Geophysical Technique in Pujilí (Cotopaxi), Ecuador. *Land*, 12(5), 961.
- Arai, H. (2005). S-Wave Velocity Profiling by Joint Inversion of Microtremor Dispersion Curve and Horizontal-to-Vertical (H/V) Spectrum. *Bulletin of the Seismological Society of America*, 95(5), 1766–1778. <https://doi.org/10.1785/0120040243>
- Arsyad, U., & Hikmah, S. N. (2023). Analysis of Landslide Susceptibility Using Frequency Ratio Methods in the Lisu Watershed, Barru Regency. *IOP Conference Series: Earth and Environmental Science*, 1277(1), 012020. <https://doi.org/10.1088/1755-1315/1277/1/012020>
- Del Gaudio, V., Coccia, S., Wasowski, J., Gallipoli, M. R., & Mucciarelli, M. (2008). Detection of directivity in seismic site response from microtremor spectral analysis. *Natural Hazards and Earth System Sciences*, 8(4), 751–762.
- Derakhshan-Babaei, F., Nosrati, K., Tikhomirov, D., Christl, M., Sadough, H., & Egli, M. (2020). Relating the spatial variability of chemical weathering and erosion to geological and topographical zones. *Geomorphology*, 363, 107235.
- Di Giacomo, D., Gallipoli, M. R., Mucciarelli, M., Parolai, S., & Richwalski, S. M. (2005). Analysis and modeling of HVSr in the presence of a velocity inversion: The case of Venosa, Italy. *Bulletin of the Seismological Society of America*, 95(6), 2364–2372.
- Fidan, S., Tanyaş, H., Akbaş, A., Lombardo, L., Petley, D. N., & Görüm, T. (2024). Understanding fatal landslides at global scales: A summary of topographic, climatic, and anthropogenic perspectives. *Natural Hazards*, 120(7), 6437–6455. <https://doi.org/10.1007/s11069-024-06487-3>
- Foti, S., Lai, C. G., Rix, G. J., & Strobbia, C. (2014). *Surface wave methods for near-surface site characterization*. CRC press. [https://books.google.com/books?hl=en&lr=&id=QmkLBAAQBAJ&oi=fnd&pg=PP1&dq=Foti,+S.,+Lai,+C.+G.,+Rix,+G.+J.,+%26+Strobbia,+C.+\(2014\).+Surface+Wave+Methods+for+Near-Surface+Site+Characterization.+Boca+Raton,+FL:+CRC+Press,+Taylor+%26+Francis+Group&ots=-7liN5M0Y5&sig=_VhYR1xeWG5pSetUnP2KkfZfASI](https://books.google.com/books?hl=en&lr=&id=QmkLBAAQBAJ&oi=fnd&pg=PP1&dq=Foti,+S.,+Lai,+C.+G.,+Rix,+G.+J.,+%26+Strobbia,+C.+(2014).+Surface+Wave+Methods+for+Near-Surface+Site+Characterization.+Boca+Raton,+FL:+CRC+Press,+Taylor+%26+Francis+Group&ots=-7liN5M0Y5&sig=_VhYR1xeWG5pSetUnP2KkfZfASI)
- Haskell, N. A. (1990). The dispersion of surface waves on multilayered media. In A. Ben-Menahem (Ed.), *Vincit Veritas: A Portrait of the Life and Work of Norman Abraham Haskell, 1905–1970* (pp. 86–103). American Geophysical Union. <https://doi.org/10.1029/SP030p0086>
- He, J., Qi, S., Wang, Y., & Saroglou, C. (2020). Seismic response of the Lengzhuguan slope caused by topographic and geological effects. *Engineering Geology*, 265, 105431. <https://doi.org/10.1016/j.enggeo.2019.105431>
- Horike, M. (1985). Inversion of phase velocity of long-period microtremors to the S-wave-velocity structure down to the basement in urbanized areas. *Journal of Physics of the Earth*, 33(2), 59–96.
- Imposa, S., Grassi, S., Fazio, F., Rannisi, G., & Cino, P. (2017). Geophysical surveys to study a landslide body (north-eastern Sicily). *Natural Hazards*, 86(S2), 327–343. <https://doi.org/10.1007/s11069-016-2544-1>
- Jurkevics, A. (1988). Polarization analysis of three-component array data. *Bulletin of the Seismological Society of America*, 78(5), 1725–1743.
- Kanasewich, E. R. (1981). *Time sequence analysis in geophysics*. University of Alberta.
- Kazemnia Kakhki, M., Del Gaudio, V., Rezaei, S., & Mansur, W. J. (2021). Directional variations of site response in a landslide area using ambient noise analysis via

- Nakamura's and polarization-based method. *Soil Dynamics and Earthquake Engineering*, 141, 106492. <https://doi.org/10.1016/j.soildyn.2020.106492>
- Kumar, S., Singh, P., Sushil, R., Singh, P., & Tiwari, A. (2021). Microtremor measurement to evaluate site characteristics by horizontal to vertical spectral ratio technique in Sikkim, Northeast Himalayas, India. *Quaternary International*, 585, 134–142.
- Kusnana, K., & Mangga, S. A. (2007). Hubungan Lingkungan Pengendapan Formasi Malawa Dan Keterdapatan Batubara Di Daerah Soppeng, Sulawesi Selatan. *Jurnal Geologi Dan Sumberdaya Mineral*, 17(4), 218–232.
- Liu, P.-H., Wu, J.-H., Lee, D.-H., & Lin, Y.-H. (2023). Detecting landslide vulnerability using anisotropic microtremors and vulnerability index. *Engineering Geology*, 323, 107240. <https://doi.org/10.1016/j.enggeo.2023.107240>
- Luzi, L., Puglia, R., Pacor, F., Gallipoli, M. R., Bindi, D., & Mucciarelli, M. (2011). Proposal for a soil classification based on parameters alternative or complementary to Vs,30. *Bulletin of Earthquake Engineering*, 9(6), 1877–1898. <https://doi.org/10.1007/s10518-011-9274-2>
- Ma, N., Wang, G., Kamai, T., Doi, I., & Chigira, M. (2019). Amplification of seismic response of a large deep-seated landslide in Tokushima, Japan. *Engineering Geology*, 249, 218–234.
- Maresca, R., Guerriero, L., Ruzza, G., Mascellaro, N., Guadagno, F. M., & Revellino, P. (2022). Monitoring ambient vibrations in an active landslide: Insights into seasonal material consolidation and resonance directivity. *Journal of Applied Geophysics*, 203, 104705.
- Mase, L. Z., Likitlersuang, S., Tobita, T., Chaiprakaikeow, S., & Soralump, S. (2020). Local site investigation of liquefied soils caused by earthquake in Northern Thailand. *Journal of Earthquake Engineering*, 24(7), 1181–1204.
- Massinai, M. A., Massinai, M. F. I., & Syamsuddin, E. (2023). Land subsidence assessment on karst based on resistivity and geotechnical parameters. *Journal of Degraded & Mining Lands Management*, 10(2).
- Molnar, S., Cassidy, J. F., Castellaro, S., Cornou, C., Crow, H., Hunter, J. A., Matsushima, S., Sánchez-Sesma, F. J., & Yong, A. (2018). Application of Microtremor Horizontal-to-Vertical Spectral Ratio (MHVSR) Analysis for Site Characterization: State of the Art. *Surveys in Geophysics*, 39(4), 613–631. <https://doi.org/10.1007/s10712-018-9464-4>
- Morino, C., Coratza, P., & Soldati, M. (2022). Landslides, a Key Landform in the Global Geological Heritage. *Frontiers in Earth Science*, 10, 864760. <https://doi.org/10.3389/feart.2022.864760>
- Nakamura, Y. (2000). Clear identification of fundamental idea of Nakamura's technique and its applications. *Proceedings of the 12th World Conference on Earthquake Engineering*, 2656, 1–8.
- Nishimura, I., Noguchi, T., Ono, Y., & Kohno, M. (2022). Subsurface Structures Based on Microtremor Observations in Landslide Area of Tandikat, West Sumatra, Indonesia. *GEOMATE Journal*, 22(90), 57–62.
- Nogoshi, M., & Igarashi, T. (1970). On the propagation characteristics of microtremors. *J. Seism. Soc. Japan*, 23, 264–280.
- Nugroho, N. E., & Kristanto, W. A. D. (2020). Kajian Tingkat Risiko Tanah Longsor Desa Hargomulyo, Kecamatan Kokap, Kabupaten Kulonprogo. *Jurnal Ilmiah Lingkungan Kebumihan*, 1(2), 9–25.
- Okada, H., & Suto, K. (2003). *The microtremor survey method*. Society of Exploration Geophysicists.
- Olafsdottir, E. A. (2014). Multichannel analysis of surface waves methods for dispersion analysis of surface wave data. *University of Iceland, Reykjavik, Iceland*.

- Park, C. B., & Carnevale, M. (2010). Optimum MASW survey—Revisit after a decade of use. In *GeoFlorida 2010: Advances in Analysis, Modeling & Design* (pp. 1303–1312).
- Park, C. B., Miller, R. D., & Xia, J. (1998). Imaging dispersion curves of surface waves on multi-channel record. *SEG Technical Program Expanded Abstracts 1998*, 1377–1380. <https://doi.org/10.1190/1.1820161>
- Park, C. B., Miller, R. D., Xia, J., & Ivanov, J. (2007). Multichannel analysis of surface waves (MASW)—Active and passive methods. *The Leading Edge*, 26(1), 60–64.
- Patial, S., Mahajan, A. K., Sharma, H., & Negi, S. (2023). Evaluation of landslides using ambient noise measurements: A case study of Soldha Landslide, Northwest Himalaya, India. *Arabian Journal of Geosciences*, 16(8), 449.
- Paudyal, Y. R., Bhandary, N. P., & Yatabe, R. (2012). Seismic Microzonation of Densely Populated Area of Kathmandu Valley of Nepal using Microtremor Observations. *Journal of Earthquake Engineering*, 16(8), 1208–1229. <https://doi.org/10.1080/13632469.2012.693242>
- Perrone, A., Canora, F., Calamita, G., Bellanova, J., Serlenga, V., Panebianco, S., Tragni, N., Piscitelli, S., Vignola, L., Doglioni, A., Simeone, V., Sdao, F., & Lapenna, V. (2021). A multidisciplinary approach for landslide residual risk assessment: The Pomarico landslide (Basilicata Region, Southern Italy) case study. *Landslides*, 18(1), 353–365. <https://doi.org/10.1007/s10346-020-01526-z>
- Putri, I. H. S., Buchori, I., & Handayani, W. (2023). Land use change and precipitation implication to hydro-meteorological disasters in Central Java: An overview. *International Journal of Disaster Resilience in the Built Environment*, 14(1), 100–114. <https://doi.org/10.1108/IJDRBE-12-2020-0125>
- Risa, I. N., Maison, M., & Dewi, I. K. (2023). Analisis Kerentanan Tanah Berdasarkan Pengukuran Mikrotremor di Desa Jati Mulyo, Tanjung Jabung Timur. *JGE (Jurnal Geofisika Eksplorasi)*, 9(1), 18–31. <https://doi.org/10.23960/jge.v9i1.236>
- Sapiie, B., Nugraha, M. A., Wardana, R. K., & Rifiyanto, A. (2017). Fracture Characteristics of Melange Complex Basement in Bantimala Area, South Sulawesi, Indonesia. *Indonesian Journal on Geoscience*, 4(3), 121–141.
- Stanko, D., Markušić, S., Strelec, S., & Gazdek, M. (2016). Seismic response and vulnerability of historical Trakošćan Castle, Croatia using HVSR method. *Environmental Earth Sciences*, 75, 1–14.
- Sultana, N., & Tan, S. (2021). Landslide mitigation strategies in southeast Bangladesh: Lessons learned from the institutional responses. *International Journal of Disaster Risk Reduction*, 62, 102402. <https://doi.org/10.1016/j.ijdrr.2021.102402>
- Thomson, W. T. (1950). Transmission of elastic waves through a stratified solid medium. *Journal of Applied Physics*, 21(2), 89–93.
- TSUBOI, S., & SAITO, M. (1983). Partial derivatives of Rayleigh wave particle motion. *Journal of Physics of the Earth*, 31(2), 103–113.
- Tunas, I. G., Tanga, A., & Oktavia, S. (2020). Impact of Landslides Induced by the 2018 Palu Earthquake on Flash Flood in Bangga River Basin, Sulawesi, Indonesia. *Journal of Ecological Engineering*, 21(2), 190–200. <https://doi.org/10.12911/22998993/116325>
- Van Leeuwen, T., Allen, C. M., Kadarusman, A., Elburg, M., & Palin, J. M. (2007). Petrologic, isotopic, and radiometric age constraints on the origin and tectonic history of the Malino Metamorphic Complex, NW Sulawesi, Indonesia. *Journal of Asian Earth Sciences*, 29(5–6), 751–777.
- Wakita, K., Sopaheluwakan, J., Miyazaki, K., Zulkarnain, I., & Munasri. (1996). Tectonic evolution of the Bantimala Complex, South Sulawesi, Indonesia. *Geological Society, London, Special Publications*, 106(1), 353–364. <https://doi.org/10.1144/GSL.SP.1996.106.01.23>

- Wang, H., Cui, S., Pei, X., Zhu, L., Yang, Q., & Huang, R. (2022). Geology amplification of the seismic response of a large deep-seated rock slope revealed by field monitoring and geophysical methods. *Environmental Earth Sciences*, 81(7), 191. <https://doi.org/10.1007/s12665-022-10314-y>
- Wang, L., Chen, C., Bian, A., & Song, X. (2023). Numerical investigation of influence of near-surface lateral heterogeneities on propagation of Rayleigh waves. *Journal of Applied Geophysics*, 105098.
- Xia, J., Miller, R. D., & Park, C. B. (1999). Estimation of near-surface shear-wave velocity by inversion of Rayleigh waves. *GEOPHYSICS*, 64(3), 691–700. <https://doi.org/10.1190/1.1444578>
- Xia, J., Miller, R. D., Park, C. B., Hunter, J. A., Harris, J. B., & Ivanov, J. (2002). Comparing shear-wave velocity profiles inverted from multichannel surface wave with borehole measurements. *Soil Dynamics and Earthquake Engineering*, 22(3), 181–190. [https://doi.org/10.1016/S0267-7261\(02\)00008-8](https://doi.org/10.1016/S0267-7261(02)00008-8)
- Xia, J., Miller, R. D., Xu, Y., Luo, Y., Chen, C., Liu, J., Ivanov, J., & Zeng, C. (2009). High-frequency Rayleigh-Wave method. *Journal of Earth Science*, 20(3), 563–579. <https://doi.org/10.1007/s12583-009-0047-7>
- Xu, R., & Wang, L. (2021). The horizontal-to-vertical spectral ratio and its applications. *EURASIP Journal on Advances in Signal Processing*, 2021(1), 75. <https://doi.org/10.1186/s13634-021-00765-z>
- You, Z., Xu, P., Qian, J., Cao, L., Du, Y., & Fu, Q. (2022). Frequency-Bessel Transform Based Microtremor Survey Method and Its Engineering Application. *International Journal of Environmental Research and Public Health*, 19(20), 13484. <https://doi.org/10.3390/ijerph192013484>
- Zhang, G., Tu, F., Tang, Y., Chen, X., Xie, K., & Dai, S. (2023). Application of geophysical prospecting methods ERT and MASW in the landslide of Daofu County, China. *Frontiers in Earth Science*, 10, 1054394. <https://doi.org/10.3389/feart.2022.1054394>
- Zhou, Z., Shen, J., Li, Y., Duan, W., Yang, R., Shu, J., Li, H., Tao, S., & Zheng, S. (2021). Mechanism of colluvial landslide induction by rainfall and slope construction: A case study. *Journal of Mountain Science*, 18(4), 1013–1033. <https://doi.org/10.1007/s11629-020-6048-9>