

DAFTAR PUSTAKA

- Aarthi, P., Harini, R., Sowmiya, M., Malathi, J., Therese, K. L., & Madhavan, H. N. (2011). Identification of bacteria in culture negative and polymerase chain reaction (PCR) positive intraocular specimen from patients with infectious endophthalmitis. *Journal of Microbiological Methods*, 85(1), 47–52. <https://doi.org/10.1016/j.mimet.2011.01.010>
- Bhende, M., Raman, R., Jain, M., Shah, P. K., Sharma, T., Gopal, L., Bhende, P. S., Srinivasan, S., & Jambulingam, M. (2018). Incidence, microbiology, and outcomes of endophthalmitis after 111,876 pars plana vitrectomies at a single, tertiary eye care hospital. *PLoS ONE*, 13(1). <https://doi.org/10.1371/journal.pone.0191173>
- Bhoomibunchoo, C., Ratanapakorn, T., Sinawat, S., Sanguansak, T., Moontawee, K., & Yospaiboon, Y. (2013). Infectious endophthalmitis: Review of 420 cases. *Clinical Ophthalmology*, 7, 247–252. <https://doi.org/10.2147/OPTH.S39934>
- Chiquet, C., Cornut, P. L., Benito, Y., Thuret, G., Maurin, M., Lafontaine, P. O., Pechinot, A., Palombi, K., Lina, G., Bron, A., Denis, P., Carricajo, A., Creuzot, C., Romanet, J. P., & Vandenesch, F. (2008). Eubacterial PCR for bacterial detection and identification in 100 acute postcataract surgery endophthalmitis. *Investigative Ophthalmology and Visual Science*, 49(5), 1971–1978. <https://doi.org/10.1167/iovs.07-1377>
- Chiquet, C., Lina, G., Benito, Y., Cornut, P. L., Etienne, J., Romanet, J. P., Denis, P., & Vandenesch, F. (2007). Polymerase chain reaction identification in aqueous humor of patients with postoperative endophthalmitis. *Journal of Cataract and Refractive Surgery*, 33(4), 635–641. <https://doi.org/10.1016/j.jcrs.2006.12.017>
- Deshmukh, D., Joseph, J., Chakrabarti, M., Sharma, S., Jayasudha, R., Sama, K. C., Sontam, B., Tyagi, M., Narayanan, R., & Shivaji, S. (2019). New insights into culture negative endophthalmitis by unbiased next generation sequencing. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-018-37502-w>
- Dimacali, V. G., & Lim Bon Siong, R. (2020). Infectious endophthalmitis at a Philippine tertiary hospital: a ten-year retrospective study. *Journal of Ophthalmic Inflammation and Infection*, 10(1). <https://doi.org/10.1186/s12348-020-00208-0>
- Huang, Q., Fu, A., Wang, Y., Zhang, J., Zhao, W., & Cheng, Y. (2021). Microbiological diagnosis of endophthalmitis using nanopore targeted sequencing. *Clinical and Experimental Ophthalmology*, 49(9), 1060–1068. <https://doi.org/10.1111/ceo.13992>
- Jayasudha, R., Narendran, V., Manikandan, P., & Prabakaran, S. R. (2014). Identification of polybacterial communities in patients with postoperative, posttraumatic, and endogenous Endophthalmitis through 16S rRNA gene

- libraries. *Journal of Clinical Microbiology*, 52(5), 1459–1466.
<https://doi.org/10.1128/JCM.02093-13>
- Kosacki, J., Boisset, S., Maurin, M., Cornut, P. L., Thuret, G., Hubanova, R., Vandenesch, F., Carricajo, A., Aptel, F., & Chiquet, C. (2020). Specific PCR and Quantitative Real-Time PCR in Ocular Samples from Acute and Delayed-Onset Postoperative Endophthalmitis. *American Journal of Ophthalmology*, 212, 34–42. <https://doi.org/10.1016/j.ajo.2019.11.026>
- Li, X., Li, Z., Wang, M., Fu, A., Hao, X., Guo, X., Gu, J., Jin, W., & Yang, A. (2023). The diagnostic utility of nanopore targeted sequencing in suspected endophthalmitis. *International Ophthalmology*, 43(8), 2653–2668.
<https://doi.org/10.1007/s10792-023-02665-7>
- Melo, G. B., Bispo, P. J. M., Yu, M. C. Z., Pignatari, A. C. C., & Höfling-Lima, A. L. (2011). Microbial profile and antibiotic susceptibility of culture-positive bacterial endophthalmitis. *Eye*, 25(3), 383–387.
<https://doi.org/10.1038/eye.2010.236>
- Mishra, D., Satpathy, G., Chawla, R., Paliwal, D., & Panda, S. K. (2021). Targeted metagenomics using next generation sequencing in laboratory diagnosis of culture negative endophthalmitis. *Heliyon*, 7(4).
<https://doi.org/10.1016/j.heliyon.2021.e06780>
- Mishra, D., Satpathy, G., Chawla, R., Venkatesh, P., Ahmed, N. H., & Panda, S. K. (2019). Utility of broad-range 16S rRNA PCR assay versus conventional methods for laboratory diagnosis of bacterial endophthalmitis in a tertiary care hospital. *British Journal of Ophthalmology*, 103(1), 152–156.
<https://doi.org/10.1136/bjophthalmol-2018-312877>
- Mitra, S., Agarwal, T., Naik, A., Padhi, T. R., Basu, S., & Behera, U. C. (2021). Post-Traumatic Endophthalmitis: Clinico-Microbiological Profile, Antimicrobial Susceptibility and Prognostic Factors at a Tertiary Eye Care Centre in Eastern India. *Seminars in Ophthalmology*, 36(8), 742–750.
<https://doi.org/10.1080/08820538.2021.1900290>
- Muda, R., Vayavari, V., Subbiah, D., Ishak, H., Adnan, A., & Mohamed, S. O. (2018). Endogenous endophthalmitis: a 9-year retrospective study at a tertiary referral hospital in Malaysia. *Journal of Ophthalmic Inflammation and Infection*, 8(1). <https://doi.org/10.1186/s12348-018-0158-3>
- Naik, P., Gandhi, J., & Joseph, J. (2023). Recent Advances and Ongoing Challenges in the Diagnosis of Culture Negative Endophthalmitis. In *Seminars in Ophthalmology* (Vol. 38, Issue 1, pp. 92–98). Taylor and Francis Ltd.
<https://doi.org/10.1080/08820538.2022.2113101>
- Navarro-Noya, Y., Hernández-Rodríguez, C., Zenteno, J. C., Buentello-Volante, B., Cancino-Díaz, M. E., Jan-Roblero, J., & CCancino-Díaz, J. (2012). 16S rRNA Gene-Based Identification Of Bacteria In Postoperative Endophthalmitis By PCR-Denaturing Gradient Gel Electrophoresis (PCR-DGGE) Fingerprinting. *Brazilian Journal of Microbiology*, 283–287.
- Pongsachareonnont, P., Honglertnapakul, W., & Chatsuwan, T. (2017). Comparison of methods for identifying causative bacterial microorganisms in presumed

- acute endophthalmitis: Conventional culture, blood culture, and PCR. *BMC Infectious Diseases*, 17(1). <https://doi.org/10.1186/s12879-017-2264-5>
- Ranjan, R., Agarwal, M., Singh, S., Mayor, R., Paul, L., Gandhi, A., & Sapra, N. (2021). Microbiological and Antibiotic Sensitivity Profile of Postoperative Endophthalmitis in a Tertiary Eye Care Hospital of North India. *Nepalese Journal of Ophthalmology*, 13(2), 3–10. <https://doi.org/10.3126/nepjoph.v13i2.29255>
- Regan, K. A., Radhakrishnan, N. S., Hammer, J. D., Wilson, B. D., Gadkowski, L. B., & Iyer, S. S. R. (2020). Endogenous Endophthalmitis: Yield of the diagnostic evaluation. *BMC Ophthalmology*, 20(1). <https://doi.org/10.1186/s12886-020-01418-9>
- Sjoholm-Gomez de Liano, C., Soberon-Ventura, V. F., Salcedo-Villanueva, G., Santos-Palacios, A., Guerrero-Naranjo, J. L., Fromow-Guerra, J., García-Aguirre, G., Morales-Canton, V., & Velez-Montoya, R. (2017). Sensitivity, specificity and predictive values of anterior chamber tap in cases of bacterial endophthalmitis. *Eye and Vision*, 4(1). <https://doi.org/10.1186/s40662-017-0083-9>
- Therese, K. L., Anand, A. R., & Madhavan, H. N. (1998). Polymerase chain reaction in the diagnosis of bacterial endophthalmitis. In *Br J Ophthalmol* (Vol. 82). <http://bjo.bmj.com/>
- Vedantham, V., Nirmalaan, P. K., Ramasany, K., Prakash, K., & Namperumalsamy, P. (2006). Clinico-microbiological profile and visual outcomes of post-traumatic endophthalmitis at a tertiary eye care center in South India. *Indian Journal of Ophthalmology*, 54, 5–10. <http://www.ijo.in>
- Wade, C. I., Whitescarver, T. D., Ashcroft, C. R., Hobbs, S. D., Purt, B., Reddy, A. K., Colyer, M. H., & Justin, G. A. (2021). Endophthalmitis: a bibliographic review. *International Ophthalmology*, 41(12), 4151–4161. <https://doi.org/10.1007/s10792-021-01967-y>