

DAFTAR PUSTAKA

1. Singer, M. *et al.* (2016) ‘The third international consensus definitions for sepsis and septic shock (sepsis-3)’, *JAMA*, 315(8), p. 801. doi:10.1001/jama.2016.0287.
2. Guarino, M. *et al.* (2023) ‘2023 update on sepsis and septic shock in adult patients: Management in the emergency department’, *Journal of Clinical Medicine*, 12(9), p. 3188. doi:10.3390/jcm12093188.
3. Evans, L. *et al.* (2021) ‘Surviving sepsis campaign: International guidelines for management of sepsis and septic shock 2021’, *Critical Care Medicine*, 49(11). doi:10.1097/ccm.0000000000005337.
4. Seymour, C.W. *et al.* (2016) ‘Assessment of clinical criteria for sepsis’, *JAMA*, 315(8), p. 762. doi:10.1001/jama.2016.0288.
5. Gameiro, J. *et al.* (2020) ‘Neutrophil, lymphocyte and platelet ratio as a predictor of mortality in septic-acute kidney injury patients’, *Nefrología*, 40(4), pp. 461–468. doi:10.1016/j.nefro.2019.11.006.
6. Shi, Y. *et al.* (2022) ‘Predictive value of neutrophil-to-lymphocyte and platelet ratio in in-hospital mortality in septic patients’, *Heliyon*, 8(11). doi:10.1016/j.heliyon.2022.e11498.
7. López-Escobar, A. *et al.* (2021) ‘Hemogram as marker of in-hospital mortality in COVID-19’, *Journal of Investigative Medicine*, 69(5), pp. 962–969. doi:10.1136/jim-2021-001810.
8. Jarczak, D., *et al.* (2021) ‘Sepsis—pathophysiology and therapeutic concepts’, *Frontiers in Medicine*, 8. doi:10.3389/fmed.2021.628302.
9. Chiu, C. *et al.* (2021) ‘Epidemiology of sepsis and Septic shock’, *Current Opinion in Anaesthesiology*, 34(2), pp. 71–76. doi:10.1097/aco.0000000000000958.



47

10. Tirupakuzhi Vijayaraghavan, *et al.* (2022) ‘Sepsis epidemiology and outcomes in Asia: Advancing the needle’, *American Journal of Respiratory and Critical Care Medicine*, 206(9), pp. 1059–1060. doi:10.1164/rccm.202207-1257ed.
11. Agnello, L. *et al.* (2021) ‘The value of a complete blood count (CBC) for sepsis diagnosis and prognosis’, *Diagnostics*, 11(10), p. 1881. doi:10.3390/diagnostics11101881.
12. Guntur, A. (2007) ‘Sepsis’ dalam Buku Ajar Ilmu Penyakit Dalam Jilid III Edisi VI. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI. Pp: 4108-114
13. Huang, M., *et al.* (2019) ‘The pathogenesis of sepsis and potential therapeutic targets’, *International Journal of Molecular Sciences*, 20(21), p. 5376. doi:10.3390/ijms20215376.
14. Van der Poll, T., *et al.* (2021) ‘The immunology of sepsis’, *Immunity*, 54(11), pp. 2450–2464. doi:10.1016/j.jimmuni.2021.10.012.
15. McConnell, K.W., *et al.* (2016) ‘Pathophysiology of septic shock: From bench to bedside’, *La Presse Médicale*, 45(4). doi:10.1016/j.lpm.2016.03.003.
16. Evans, L. *et al.* (2021a) ‘Surviving sepsis campaign: International guidelines for management of sepsis and septic shock 2021’, *Intensive Care Medicine*, 47(11), pp. 1181–1247. doi:10.1007/s00134-021-06506-y.
17. Moor, M. *et al.* (2021) *Predicting sepsis in multi-site, multi-national intensive care cohorts using Deep Learning*, arXiv.org. Available at: <https://arxiv.org/abs/2107.05230> (Accessed: 29 November 2023).
18. Ferreira, F.L. (2001) ‘Serial evaluation of the SOFA score to predict outcome in critically ill patients’, *JAMA*, 286(14), p. 1754. doi:10.1001/jama.286.14.1754.
19. Iskandar, A. *et al.* (2020) ‘Analisis Hubungan Sequential Organ Failure Assessment (SOFA) score dengan mortalitas Pasien sepsis’, *Jurnal Kesehatan Andalas*, 9(2), p. 168. doi:10.25077/jka.v9i2.1221.



48

20. Lu, B. *et al.* (2023) ‘Development of a nomogram for predicting mortality risk in sepsis patients during hospitalization: A retrospective study’, *Infection and Drug Resistance*, Volume 16, pp. 2311–2320. doi:10.2147/idr.s407202.
21. Mehta, A., *et al.* (2017) ‘Predictors of mortality of severe sepsis among adult patients in the Medical Intensive Care Unit’, *Lung India*, 34(4), p. 330. doi:10.4103/lungindia.lungindia_54_16.
22. Shen, X. *et al.* (2017) ‘Neutrophil dysregulation during sepsis: An overview and update’, *Journal of Cellular and Molecular Medicine*, 21(9), pp. 1687–1697. doi:10.1111/jcmm.13112.
23. Orfanou, A.E. *et al.* (2017) ‘The importance of haemogram parameters in the diagnosis and prognosis of septic patients’, *The Journal of Critical Care Medicine*, 3(3), pp. 105–110. doi:10.1515/jccm-2017-0019.
24. Wang, G. *et al.* (2022) ‘Prognostic value of platelet to lymphocyte ratio in sepsis: A systematic review and meta-analysis’, *BioMed Research International*, 2022, pp. 1–11. doi:10.1155/2022/9056363.
25. Can, E., *et al.* (2018) ‘The value of neutrophil to lymphocyte ratio and platelet to lymphocyte ratio for detecting early-onset neonatal sepsis’, *Journal of Pediatric Hematology/Oncology*, 40(4). doi:10.1097/mpo.0000000000001059.
26. Shen, Y., *et al.* (2019) ‘Platelet-to-lymphocyte ratio as a prognostic predictor of mortality for sepsis: Interaction effect with disease severity—a retrospective study’, *BMJ Open*, 9(1). doi:10.1136/bmjopen-2018-022896.
27. Karamouzos, V. *et al.* (2022) ‘Neutrophil to lymphocyte ratio and platelet to lymphocyte percentage ratio as predictors of in-hospital mortality in sepsis. an observational cohort study’, *Materia Socio Medica*, 34(1), p. 33. doi:10.5455/msm.2022.33.33-36.



49

28. Ham, S.Y. *et al.* (2020) ‘Prognostic value of Neutrophil/lymphocyte ratio and mean platelet volume/platelet ratio for 1-year mortality in critically ill patients’, *Scientific Reports*, 10(1). doi:10.1038/s41598-020-78476-y.
29. Dursun, A., *et al.* (2018) ‘Neutrophil-to-lymphocyte ratio and mean platelet volume can be useful markers to predict sepsis in children’, *Pakistan Journal of Medical Sciences*, 34(4). doi:10.12669/pjms.344.14547.
30. KESKİN, S. *et al.* (2022) ‘One year analysis of hematological and inflammatory parameters to predict the severity of COVID-19 infection in pregnant women’, *Middle Black Sea Journal of Health Science*, 8(1), pp. 146–157. doi:10.19127/mbsjohs.1064479.
31. Xia, W. *et al.* (2022) ‘Predictive value of systemic immune-inflammation index and neutrophil-to-lymphocyte ratio in patients with severe COVID-19’, *Clinical and Applied Thrombosis/Hemostasis*, 28, p. 107602962211113. doi:10.1177/10760296221111391.
32. Mohammed, A.A. *et al.* (2022) ‘Combination of white blood cell count to mean platelet volume ratio and neutrophil-to-platelet ratio predicts long-term adverse events in patients with minoca’, *Mediators of Inflammation*, 2022, pp. 1–11. doi:10.1155/2022/5642406.
33. Gameiro, J. *et al.* (2020) ‘Neutrophil, lymphocyte and platelet ratio as a predictor of mortality in septic-acute kidney injury patients’, *Nefrología*, 40(4), pp. 461–468. doi:10.1016/j.nefro.2019.11.006.
34. Velazquez, S. *et al.* (2021) ‘Hemogram-derived ratios as prognostic markers of ICU admission in covid-19’, *BMC Emergency Medicine*, 21(1). doi:10.1186/s12873-021-00480-w.
35. Li, Y. *et al.* (2023) ‘A high neutrophil-to-platelet ratio is associated with hematoma expansion in patients with spontaneous intracerebral hemorrhage: A retrospective study’, *BMC Neurology*, 23(1). doi:10.1186/s12883-023-03055-3.



50

36. Alagbe, A.E. *et al.* (2022) ‘Hemograms and serial hemogram-derived ratios in survivors and non-survivors of covid-19 in Campinas, Brazil’, *Hematology, Transfusion and Cell Therapy* [Preprint]. doi:10.1016/j.htct.2022.11.003.
37. Spoto, S. *et al.* (2021) ‘Diagnostic accuracy and prognostic value of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios in septic patients outside the Intensive Care Unit’, *Medicina*, 57(8), p. 811. doi:10.3390/medicina57080811.
38. van ’t Veer, C., *et al.* (2014) ‘The role of platelets in sepsis’, *Thrombosis and Haemostasis*, 112(10), pp. 666–677. doi:10.1160/th14-02-0126.
39. Yeter, H.H, *et al.* (2022) ‘The significance of systemic immune-inflammatory index and platelet-neutrophil ratio on early mortality in septic shock patients and their association with Vitamin D and parathyroid hormone ratio’, *Acta Medica*, 53(4), pp. 384–393. doi:10.32552/2022.actamedica.856.
40. Zhang, Y., *et al.* (2024) ‘The prognostic value of the combined neutrophil-to-lymphocyte ratio (NLR) and neutrophil-to-platelet ratio (NPR) in sepsis’, *Scientific Reports*, 14(1). doi:10.1038/s41598-024-64469-8.
41. Yildirim Akan, *et al.* (2020) ‘Effects of neutrophil/monocyte, Neutrophil/lymphocyte, neutrophil/platelet ratios and C-reactive protein levels on the mortality and intensive care need of the patients with covid-19’, *Eurasian Journal of Medical Investigation* [Preprint]. doi:10.14744/ejmi.2021.14888.
42. Martin, G.S. , *et al.* (2006) ‘The effect of age on the development and outcome of adult sepsis*’, *Critical Care Medicine*, 34(1), pp. 15–21. doi:10.1097/01.ccm.0000194535.82812.ba.
43. Kang C, *et al.* (2024) ‘Prevalence and outcomes of chronic comorbid conditions in patients with sepsis in Korea: a nationwide cohort study from 2011 to 2016.’ *BMC Infect Dis.* p 12;24(1):184. doi: 10.1186/s12879-024-09081-x.



51

44. Esper AM, *et al.* (2006). 'The role of infection and comorbidity: Factors that influence disparities in sepsis.' *Crit Care Med.* p34(10):2576-82. doi: 10.1097/01.CCM.0000239114.50519.0E.



52