

DAFTAR PUSTAKA

1. Yayan AI, *Stroke*, Fakultas Kedokteran Universitas Riau. 2008 [cited 2012 September 9]. Available from : <http://Yayanakhyar.Files.Wordpress.Com/2009/01/Case-S-T-R-O-K-E.Pdf>
2. Gandana MA, *Hubungan Umur, hipertensi, dan Diabetes mellitus dengan kejadian Stroke Di RSUD Syamsudin Sukabumi Periode 1 Mei–30 April 2010*, 2011, Universitas Muhammadiyah Semarang, 2011 [cited 2012 September 9]. Available from : <http://digilib.unimus.ac.id/files/disk1/128/jtptunimus-gdl-adammiciga-6398-2-babipe-n.pdf>
3. Ritarwan, *Gambaran Lipid Profile terhadap pasien stroke iskemik yang dirawat di bagian neurologi RSUP H.Adam Malik*, 2012 [cited 2012 September 9]. Available from : <http://repository.usu.ac.id/bitstream/123456789/31672/5/Chapter%20I.pdf>
4. Cristi, *Hubungan anatara Genotip Apo-E dengan fungsi kognitif pada pasien pasca strok iskemik*, 2011 [cited 2012 September 9]. Available from : http://eprints.undip.ac.id/33923/3/Bab_2.pdf
5. Immamura.T., Tanizaki.Y., Kubo.K., Yutaka, Ibayashi.S.,and Hatta.J., et al, *LDL Cholesterol and the Development of Stroke Subtypes and Coronary Heart Disease*, 2008 [cited 2012 September 9]. Available from : <http://stroke.ahajournals.org/cgi/reprint/40/2/382?maxtoshow=&hits=10&RESULTFORMAT=&fulltext=LDL+cholesterol+and+Risk+of+ischemic+stroke &searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>
6. Amarenco.P., Goldstein.B., and Szarek.M.,Sillesen.H, *Effects of Intense Low Density Lipoprotein Cholesterol Reduction in Patients With Stroke or Transient Ischemic Attack: The Stroke Prevention by Aggressive Reduction in Cholesterol Levels*, 2007 [cited 2012 September 9]. Available from : <http://stroke.ahajournals.org/cgi/reprint/38/12/3198?maxtoshow=&hits=10&RESULTFORMAT=&fulltext=LDL+cholesterol+and+Risk+of+ischemic+stroke&searchid=1&FIRSTINDEX=0&resourcetype=HWCIT>
7. Seimbiring, *Faktor Risiko Terjadinya Stroke Iskemik*, Fakultas Kedokteran Universitas Sumatera Utara. 2011 [cited 2012 September 9]. Available from : <http://repository.usu.ac.id/bitstream/123456789/21463/4/Chapter%20II.pdf>

8. Anonim, *Faktor risiko stroke terkini*, Bethesda Stroke Center 2010, [cited 2012 September 9]. Available from : http://www.strokebethesda.com/component/option,com_docman/task,doc_download/gid,32/Itemid,26/
9. Goldstein LB, Adams R, Alberts MJ, Appel LJ, Brass LM, Bushnell CD, Culebras A, DeGraba TJ, Gorelick PB, Guyton JR, Hart RG, Howard G, Kelly-Hayes M, Nixon JV, Sacco RL. *Premiary Prevention Of Stroke, AHA/ASA Guideline*, 2006 [cited 2012 September 9]. Available from : <http://stroke.ahajournals.org/cgi/content/full/37/6/1583>
10. Sidharta P and Mardjono M, *Neurologi Klinis Dasar*. Jakarta : Dian Rakyat, 2008 ; p:190.
11. Siagian, *Perbandingan Kejadian Pneumonia Nosokomial Pada Pasien Stroke Yang Dirawat di Stroke Corner Dengan Yang Dirawat Di Bangsal Rindu A4 RSUP. H. Adam Malik Medan*, 2010, [cited 2012 September 10] Available from : <http://repository.usu.ac.id/bitstream/123456789/19551/4/Chapter%20II.pdf>
12. Turana Y, *Stroke the Silent Killer*, 2011, [cited 2012 September 10] Available from : <http://medicastore.com/stroke.html>
13. Anonim, *Stroke*, 2008, [cited 2012 September 10] Available from : <http://www.neurologychannel.com/stroke/diagnosis.shtml>
14. Anonim, *Standar Pelayanan Medik Neurologik*, Bagian Ilmu Penyakit saraf Fakultas kedokteran Universitas hasanuddin/ RSUP Dr. Wahidin Sudirohusodo Makassar, 2008. p.2-8.
15. Hasibuan, *Analisa Kadar Lipid Profil Pada Darah Secara Spektrofotometer Microlab 300*, Fakultas kedokteran Universitas Sumatera utara, 2011, [cited 2012 September 10] Available from : <http://repository.usu.ac.id/bitstream/123456789/23207/4/Chapter%20II.pdf>
16. Harefa K, *Pengaruh Aktifitas Fisik Dan Ekstrak Teh Hijau (Camellia Sinensis) Terhadap Profil Lipid Mencit Jantan (Mus Musculus) Strain Dd Webster Dengan Pakan Tinggi Lemak*, Fakultas kedokteran Universitas Sumatera utara 2011 [cited 2012 September 10] Available from : <http://repository.usu.ac.id/bitstream/123456789/23207/4/Chapter%20II.pdf>
17. Anonim, *What Your Cholesterol Levels Mean*, American Heart Association, 2010, [cited 2012 September 10] Available from :

http://www.heart.org/HEARTORG/Conditions/Cholesterol/AboutCholesterol/What-Your-Cholesterol-Levels-Mean_UCM_305562_Article.jsp

18. Gerald H. Tomkin and Daphne Owens. *LDL as a Cause of Atherosclerosis. The Open Atherosclerosis & Thrombosis Journal*, 2012, [cited 2012 September 10] Available from : <http://benthamscience.com/open/toathertj/articles/V005/13TOATHERTJ.pdf>
19. Anonim, *Pola makan dan profil lipid lakil-laki etnik Minangkabau. Majalah Kedokteran Andalas No. 2. Vol.27. Juli– Desember, 2003*, [cited 2012 September 28] Available from : [:http%3A%2F%2Frepository.unand.ac.id%2F186%2F2%2FHal70_no.2_Vol.27_2003_Profil_Lipid_-_Isi.doc&ei=0k11ULL4IY3irAeS4YCYAg&usg=AFQjCNH9qa-a5x0DFcx41iV5Kb1Rw6pMqA](http%3A%2F%2Frepository.unand.ac.id%2F186%2F2%2FHal70_no.2_Vol.27_2003_Profil_Lipid_-_Isi.doc&ei=0k11ULL4IY3irAeS4YCYAg&usg=AFQjCNH9qa-a5x0DFcx41iV5Kb1Rw6pMqA)
20. Anonim, *FDA Menyetujui Pemberian Rosuvastatin Pada Pasien Dengan Kadar LDL Normal*, 2011 [cited 2012 September 28] Available from : <http://www.kusehat.com/HealthAZ/AllNews/tabid/64/articleType/ArticleView/articleId/70/FDA-Menyetujui-Pemberian-Rosuvastatin-pada-Pasien-dengan-Kadar-LDL-Normal.aspx>
21. Prasetyo, *Aspek Seluler Dan Molekuler Aterosklerosis*, 2006 [cited 2012 September 10] Available from : http://eprints.undip.ac.id/1488/1/artikel_terkini_full_text_08.htm
22. Truelsen T, Begg S and Mathers, *The Global Burden Of Cerebrovascular Disease*, 2000, [cited 2012 Oktober 6] Available from : http://www.who.int/healthinfo/statistics/bod_cerebrovascular diseasestroke.pdf
23. Anonim, *International Task Force for Prevention of Coronary Heart Disease Stroke -Slide Kit 2: Etiology and epidemiology of stroke*, 2000, [cited 2012 Oktober 5] Available from : http://www.chd-taskforce.com/pdf/sk_stroke_02.pdf
24. Anonim, *Faktor Risiko Stroke Usia Muda*, 2010 [cited 2012 September 6] Available from: http://www.strokebethesda.com/component/option,com_docman/task_doc_download/gid,33/Itemid,26/
25. Soebroto. *Hubungan Antara Kadar Ldl Kolesterol Pada Penderita Stroke Di Rumah Sakit Dr. Moewardi Surakarta*, 2010. [cited 2012 September 6] Available from: <http://eprints.uns.ac.id/176/1/166060109201010431.pdf>

26. González S, Fernández O, Fernández R, Menéndez C, Maza J, González-Quevedo A, Buergo MA., *Association between Blood Lipids and Types of Stroke*. 2008 [cited 2012 September 6] Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21483365>
27. Goldstein LB, *The Complex Relationship Between Cholesterol and Brain Hemorrhage*, 2009, [cited 2012 September 6] Available from: <http://circ.ahajournals.org/content/119/16/2131.full.pdf>

Lampiran 1. Data penelitian

**DATA PENELITIAN HUBUNGAN KADAR KOLESTEROL LDL
DENGAN TIPE STROKE DI RSUP DR WAHIDIN SUDIROHUSODO
MAKASSAR PERIODE JANUARI – JUNI 2011**

N O	NAM A	RM	JK	UMU R	TIP E	LDL	Klasifikasi LDL	Hiperte nsi
1	Syms	454341.0	L	50.0	NHS	409.0	tinggi	Ya
2	Ms	469931.0	P	47.0	NHS	227.0	tinggi	Ya
3	Yns	465612.0	L	35.0	NHS	120.0	normal	Ya
4	Mng	422132.0	P	53.0	NHS	130.0	tinggi	Tidak
5	Nrn	466232.0	P	44.0	NHS	164.0	tinggi	Tidak
6	Brhnd	468582.0	L	51.0	NHS	128.0	normal	Ya
7	Trs	463204.0	P	43.0	HS	159.0	tinggi	Ya
8	Rmt	469494.0	L	44.0	NHS	132.0	tinggi	Ya
9	Mhd	446536.0	L	41.0	NHS	222.0	tinggi	Ya
10	Sml	468176.0	L	40.0	NHS	153.0	tinggi	Ya
11	Rbh	462866.0	P	39.0	NHS	140.0	tinggi	Ya
12	Msbr	464726.0	L	52.0	NHS	176.0	tinggi	Ya
13	As	453205.0	P	53.0	NHS	136.0	tinggi	Ya
14	Mfr	468865.0	P	44.0	NHS	142.0	tinggi	Ya
15	Tt	462775.0	L	50.0	HS	123.0	normal	Ya
16	Ns	469195.0	L	53.0	NHS	134.0	tinggi	Tidak
17	Flx	453358.0	L	49.0	NHS	178.0	tinggi	Ya
18	Isy	458041.0	P	45.0	NHS	171.0	tinggi	Ya
19	Rsln	464371.0	P	51.0	NHS	96.0	normal	Ya
20	haris	453371.0	L	44.0	NHS	116.0	normal	Ya
21	Fu	453987.0	L	53.0	NHS	219.0	tinggi	Tidak

22	Mnk	460167.0	P	46.0	NHS	115.0	normal	Tidak
23	Hld	466729.0	L	42.0	HS	153.0	tinggi	Ya
24	Mdr	468597.0	P	46.0	HS	150.0	tinggi	Ya
25	Mrw	468826.0	P	54.0	HS	144.0	tinggi	Ya
26	Nsr	467156.0	L	53.0	HS	170.0	tinggi	Ya
27	Smn	455626.0	P	48.0	HS	151.0	tinggi	Ya
28	Mg	468650.0	L	50.0	HS	164.0	tinggi	Ya
29	Odg	471731.0	P	48.0	HS	238.0	tinggi	Ya
30	Nsr	457371.0	L	51.0	HS	135.0	tinggi	Ya
31	Tjd	447081.0	L	34.0	HS	114.0	normal	Ya
32	Rhn	458603.0	P	48.0	HS	238.0	tinggi	Ya
33	Mdsr	471513.0	L	41.0	HS	135.0	tinggi	Tidak
34	Sym	455620.0	P	42.0	HS	122.0	normal	Ya
35	Dgbj	463720.0	P	50.0	HS	170.0	tinggi	Ya
36	Dnt	457620.0	P	43.0	HS	117.0	normal	Ya
37	Ars	463516.0	L	43.0	HS	181.0	tinggi	Ya
38	Nrht	462416.0	P	42.0	HS	135.0	tinggi	Tidak
39	Dgsg	460806.0	P	50.0	HS	147.0	tinggi	Tidak
40	Msdn	452512.0	P	48.0	HS	120.0	normal	Ya
41	Nw	452512.0	L	52.0	HS	91.0	normal	Ya
42	Rmwt	456594.0	P	40.0	HS	152.0	tinggi	Ya
43	Slh	469474.0	P	50.0	HS	287.0	tinggi	Ya
44	Tsk	471564.0	L	52.0	HS	140.0	tinggi	Ya
45	Fmwt	462242.0	P	42.0	HS	165.0	tinggi	Ya

46	Pln	461422.0	P	50.0	HS	127.0	normal	Ya
47	Rsmw	466684.0	P	26.0	HS	118.0	normal	Ya
48	Srp	463422.0	P	42.0	HS	125.0	normal	Ya
49	Nby	463365.0	P	43.0	HS	183.0	tinggi	Ya
50	Bhrd	462472.0	L	45.0	HS	128.0	normal	Tidak
51	Dn	458792.0	P	44.0	HS	163.0	tinggi	Ya
52	Rsm	456304.0	P	41.0	HS	318.0	tinggi	Ya
53	Eds	460894.0	L	50.0	HS	61.0	normal	Ya
54	Cdg	454505.0	P	48.0	HS	120.0	normal	Ya
55	Ekp	468772.0	L	24.0	HS	136.0	tinggi	Tidak
56	Pyd	461098.0	L	51.0	HS	102.0	normal	Tidak
57	Bhr	459418.0	L	41.0	HS	118.0	normal	Ya
58	Rl	459418.0	L	39.0	HS	173.0	tinggi	Ya
59	Hng	460218.0	L	50.0	HS	138.0	tinggi	Ya
60	Ksm	467337.0	L	45.0	HS	108.0	normal	Ya
61	Hsn	463147.0	P	50.0	HS	110.0	normal	Ya
62	arnt	462399.0	L	36.0	HS	437.0	tinggi	Ya
63	Hwbs	457947.0	L	54.0	HS	135.0	tinggi	Ya
64	Hsn	453699.0	P	55.0	HS	355.0	tinggi	Ya
65	At	461409.0	P	39.0	NHS	110.0	normal	Ya
66	Arfd	457340.0	L	53.0	NHS	159.0	tinggi	Ya
67	Ds	470513.0	P	48.0	NHS	167.0	tinggi	Tidak
68	Mm	465578.0	P	40.0	NHS	184.0	tinggi	Ya
69	Bl	457929.0	P	53.0	NHS	130.0	tinggi	Ya

70	Smrn	471701.0	P	47.0	NHS	156.0	tinggi	Ya
71	Pgl	314404.0	L	49.0	NHS	168.0	tinggi	Ya
72	Rp	458356.0	L	52.0	NHS	213.0	tinggi	Tidak
73	Smrt	469731.0	P	54.0	NHS	174.0	tinggi	Tidak
74	Hrpt	467355.0	P	45.0	NHS	219.0	tinggi	Ya
75	Drm	463206.0	P	50.0	NHS	221.0	tinggi	Ya
76	Hlj	453394.0	P	40.0	NHS	134.0	tinggi	Ya
77	Ajs	454586.0	L	22.0	NHS	218.0	tinggi	Ya
78	Ftm	470142.0	P	55.0	NHS	266.0	tinggi	Ya

Lampiran 2. Data penelitian

```

FREQUENCIES VARIABLES=tipe_stroke
  /NTILES=4
  /STATISTICS=MEAN MEDIAN SUM

/ORDER=ANALYSIS.

FREQUENCIES VARIABLES=Jenis_kelamin
  /NTILES=4
  /STATISTICS=MEAN MEDIAN SUM

/ORDER=ANALYSIS.

FREQUENCIES VARIABLES=UMUR_1
  /NTILES=4
  /STATISTICS=MEAN MEDIAN SUM

/ORDER=ANALYSIS.

FREQUENCIES VARIABLES=klasifikasi_hipertensi
  /NTILES=4
  /STATISTICS=MEAN MEDIAN SUM

/ORDER=ANALYSIS.

FREQUENCIES VARIABLES=kadar_LDL
  /NTILES=4
  /STATISTICS=MEAN MEDIAN SUM

/ORDER=ANALYSIS.

CROSSTABS
  /TABLES=kadar_LDL BY tipe_stroke
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ RISK
  /CELLS=COUNT EXPECTED

/COUNT ROUND CELL.

```

[DataSet1] D:\PROPOSAL\Hub kadar LDL dgn tipe stroke.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
klasifikasi kadar LDL * tipe stroke	78	100.0%	0	.0%	78	100.0%

klasifikasi kadar LDL * tipe stroke Crosstabulation

			tipe stroke		Total
			hemoragik	iskemik	
klasifikasi kadar LDL	normal	Count	16	6	22
		Expected Count	12.4	9.6	22.0
	tinggi	Count	28	28	56
		Expected Count	31.6	24.4	56.0
Total		Count	44	34	78
		Expected Count	44.0	34.0	78.0

Chi-Square Tests

	Value	Df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.318 ^a	1	.069		
Continuity Correction ^b	2.458	1	.117		
Likelihood Ratio	3.431	1	.064		
Fisher's Exact Test				.081	.057
N of Valid Cases ^b	78				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.59.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for klasifikasi kadar LDL (normal / tinggi)	2.667	.911	7.810
For cohort tipe stroke = hemoragik	1.455	1.009	2.098

For cohort tipe stroke = iskemik	.545	.263	1.133
N of Valid Cases	78		

Statistics

klasifikasi kadar LDL

N	Valid	78
	Missing	0

klasifikasi kadar LDL

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid normal	22	28.2	28.2	28.2
tinggi	56	71.8	71.8	100.0
Total	78	100.0	100.0	

Statistics

klasifikasi_hipertensi

N	Valid	78
	Missing	0

klasifikasi_hipertensi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Hipertensi	70	89.7	89.7	89.7
Tidak	8	10.3	10.3	100.0
Total	78	100.0	100.0	

Statistics

SUmur klasifikasi

N	Valid	78
	Missing	0

Umur klasifikasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	20 - 24	2	2.6	2.6	2.6
	25 - 29	1	1.3	1.3	3.8
	30 - 34	1	1.3	1.3	5.1
	35 - 39	5	6.4	6.4	11.5
	40 - 44	22	28.2	28.2	39.7
	40 - 49	16	20.5	20.5	60.3
	50 - 55	31	39.7	39.7	100.0
	Total	78	100.0	100.0	

Statistics

Jenis kelamin

N	Valid	78
	Missing	0

Jenis kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	laki-laki	35	44.9	44.9	44.9
	perempuan	43	55.1	55.1	100.0
	Total	78	100.0	100.0	

Statistics

tipe stroke

N	Valid	78
	Missing	0

tipe stroke

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	hemoragik	44	56.4	56.4	56.4
	iskemik	34	43.6	43.6	100.0
Total		78	100.0	100.0	