

DAFTAR PUSTAKA

1. Shribmann AJ.SG., Achola KJ. Cardiovascular and catecholamine responses to laryngoscopy with and without tracheal intubation. Br J Anaesth. 1987;59:295-9
2. Ghignone M., Quintin L., Duke P.C., Kehle C.H. and Callvillo O. Effects of clonidine on narcotic requirements and haemodynamic response during induction of fentanyl anaesthesia and endotracheal intubation Anaesthesiology 1986;64; 36-42.
3. Nishikawa T., Tauguchi M, Kimura T., Taguchi N, Sato Y. and Dai M. Effects of oral clonidine premedication upon haemodynamic changes associated with laryngoscopy and tracheal intubation Masui 1991; July 40(7) 1083-8.
4. Hayashi Y, Maze M. Alpha, adrenoceptor agonists and anaesthesia.Br J Anaesth 1993;71:108-18.
5. Carabine UA, Wright PM, Howe JP, Moore J. Cardiovascular effects of intravenous clonidine. Partial attenuation of the pressor response to intubation by clonidine. Anaesthesia 1991;46:634 -7.
6. Zalunardo MP, Zollinger A, Spahn DR, et al. Effect of intravenous and oral clonidine on hemodynamic and plasmacatecholamine response due to endotracheal intubation. J Clin Anesth 1997;9:143-7.
7. Richards MJ, Skues MA, Jarvis AI, Prys-Roberts C. Total i.v.anaesthesia with propofol and alfentanil: dose requirements for propofol and the effect of premedication with clonidine. Br J Anaesth 1990;65:157-63.

8. Helbo-Hansen S, Fletcher R, Lundberg D, et al. Clonidine and the sympathoadrenal response to coronary artery bypass surgery. *Acta Anaesthesiol Scand* 1986;30:235-42.
9. Hill AJ, Feneck RO, Underwood SM, et al. The haemodynamic effects of bronchoscopy: comparison of propofol and thiopentone with and without alfentanil pretreatment. *Anaesthesia* 1991;46:266 –70.
10. Wark KJ, Lyons J, Feneck RO. The haemodynamic effects of bronchoscopy: effect of pretreatment with fentanyl and alfentanil. *Anaesthesia* 1986;41:162–7.
11. Strong MS, Vaughn CW, Mahler DL, et al. Cardiac complications of microsurgery of the larynx: etiology, incidence and prevention. *Laryngoscope* 1974;84:908 –13.
12. Wright PMC, Moore JA. Preanaesthetic medication with clonidine: a dose-response study. *Br J Anaesth* 1991;67:79–83.
13. Kulka PJ, Tryba M, Zens M. Dose-response effects of intravenous clonidine on stress response during induction of anesthesia in coronary artery bypass graft patients. *Anesth Analg* 1995;80:263– 8.
14. Sameenakousar, Mahesh, K.V. Srinivasan. Comparison of fentanyl and clonidine for Attenuation of the Haemodynamic Response to laryngoscopy and endotracheal intubation in *Joun. Clin.and Diag.Resec.* oct.28.2012. (cited 20-6-13).available from.www.jcdr.net 2012.
15. Triptahi,DC,Hah KS, Dubey RS, Doshi SM, Raval PV. Hemodynamic stress response during laparoscopic cholecystectomy : Effect of two

- different doses of intravenous clonidine premedication. *J Anaesth Clin Pharmacol* 2011;27:475-80.
16. Gal T. Airway management in Miller's Anaesthesia, R Miller, Editor 2005; Elsevier. Philadelphia:1628-9
 17. Widdicombe J. Pulmonary and respiratory tract receptors. *J Exp Biol* 1982;100:41-57
 18. Hamaya Y, DS. Differences in cardiovascular response to airway stimulation at different sites and blockade of the response by lidocaine. *Anesthesiology* 2000;93(1)
 19. Kaplan J, Schuster DP. Physiologic consequences of tracheal intubation. *Clin Chest Med* 1991;12(3):425-32
 20. Zalunardo MP, ZA, Spahn DR, Seifert B, Radjaipour M, Gautschi K, Pasch T. Effects of intravenous and oral clonidine on hemodynamic and plasma-catecholamine response due to endotracheal intubation. *J Clin Anesth* 1997;9(2):143-7
 21. Derbyshire D, Chmielewski A, Fell D, Vater M, Achola K, Smith G. Plasma catecholamine responses to tracheal intubation. *Br J Anaesth* 1983;55:725-39
 22. Russel WJ, MR, Frewin DB. Changes in plasma catecholamine concentration during endotracheal intubation. *Br J Anaesth* 1981;53:837-9
 23. Stoelting R. Circulatory changes during direct laryngoscopy and tracheal intubation. Influence of duration of laryngoscopy with and without prior lidocaine. *Anesth Analg* 1977;56:618-21
 24. Aantaa R, Scheinin M. Alpha-2 adrenergic agents in anaesthesia. *Acta Anaesthesiol Scand* 1993;37:433– 48.

25. Bergendahl H. Clonidine in paediatric anaesthesia: Pharmacokinetic and pharmacodynamic aspects in Department of Surgical Sciences 2002, Karolinska Institute: Stockholm.
26. Maze M, T.W. Alpha-2 adrenoreceptor agonists: Defining the role in clinical anesthesia. *Anesthesiology* 1991;74:581-605
27. Maze M, S.I., Bloor BC. Clonidine and other alpha-2 adrenergic agonists: Strategies for the rational use of these novel anesthetic agents. *J Clin Anesth* 1998;1:146-157
28. Khan Z, Ferguson CN, Jones RM. Alpha-2 and imidazoline receptor agonists. *Anaesthesia* 1999;54:146-165
29. Carlsson C, Smith DS, Keykak M, Englebach I, Harp JR. The effects of high dose fentanyl on cerebral circulation and metabolism in rats. *Anesthesiology* 1982;57:375-80
30. Tagaito Y. Upper airway reflexes during a combination of propofol and fentanyl anesthesia. Copyright 2008 INIST-CNRS
31. Fukuda K. Intravenous opioid anesthetics in Miller's Anesthesia, RD Miller, Editor 2005. Elsevier, Pennsylvania:379-424
32. Way WL, FH, Schumacher MA. Opioid analgesics & antagonists in Basic & clinical pharmacology K BG. Editor. 2001;McGraw-Hill New York:512-31
33. Zalunardo MP, ZA, Szelloe P, Spahn DR ; Cardiovasculer stress protection following anaesthesia induction. Comparison of clonidine and esmolol. *Anaesthesia* 2001 Jan ;50(1) : 21-5.
34. Astawa I, Tanggapan kardiovaskuler akibat laringoskopi dan intubasi orotrakea : Perbandingan premedikasi kloniidin intravena dengan

- morfin intavean , In bagian Anestesiologi dan Terapi Intensif. 2001, FKUI; Jakarta
35. Chrisma A, Perbandingan efek klonidin intravena dan fentanyl intravena sebagai salah satu komponen premedikasi terhadap tanggapan kardiovaskuler akibat laringoskopi dan intubasi orotrakea, In bagian Anestesiologi dan Terapi Intensif. 2006, FKUI; Jakarta
 36. Herawaty B, Efektifitas premedikasi klonidin 1 mcg/kgBB dan klonidin 1,5 mcg/kgBB intravena sebagai adjuvant untuk teknik hipotensi kendali pada bedah sinus endoskopik fungsional, In Bagian Anestesi, Perawatan Intensif dan Manajemen Nyeri. 2012, FKUH; Makassar.
 37. Jabalameli, M. et al. Oral Clonidine Premedication Decrease Intraoperative Bleeding in Patients Undergoing Endoscopic Sinus Surgery. J of research in med science. 2005; 1: 25-30.
 38. Lemes, E.T. et al. Preoperative Intravenous Clonidine in The Surgical Treatment of Cataract : Evaluation of The Clinical Benefits. Rev Bras Anesthesiol. 2005; 58 : 342 – 353.
 39. Strebel, S.J.A. et al. Small-Dose Intrathecal Clonidine and Isobaric Bupivacaine for Orthopedic Surgery : A Dose-Response Study. Anesth Analg. 2004; 99 : 1231-1238.
 40. Sung CS, Lin SH, Chan KH, Chang WK, Chow LH, Lee TY. Effect of Oral Clonidine Premedication on Perioperative hemodynamic Response and Postoperative Analgesic Requirement for Patients Undergoing Laparoscopic Cholecystectomy. Acta Anaesthesiol Sin. 2000; 38 : 23 – 29

41. Talebi,H, Nourozi A, Fateh S, Mohamadzadeh A, Jabbari S, Kalantarian M. Effects of Oral Clonidine Premedication on Hemodynamic Response to Laryngoscopy and Tracheal Intubation : A Clinical Trial. J Biol Sci. 2010;13(23):1146-50.
42. Wallenborn, J. et al. Effects of Clonidine and Superficial Cervical Plexus Block on Hemodynamic Stability After Carotid Endarterectomy. J Cardiothorac Vasc Anesth.2008; 22 : 84 – 89.

LAMPIRAN 1

PERSETUJUAN SETELAH PENJELASAN

MENILAI EFEK PREMEDIKASI KLONIDIN 1,5 mcg/kgBB INTRAVENA DIBANDINGKAN DENGAN PREMEDIKASI FENTANIL 2 mcg/kgBB INTRAVENA TERHADAP RESPON HEMODINAMIK AKIBAT TINDAKAN LARINGOSKOPI DAN INTUBASI ENDOTRAKEAL

Yang bertandatangan dibawah ini :

Nama/Umur :
A l a m a t :
No. Rekam Medis :

Menyatakan dengan sesungguhnya bahwa saya telah mendapatkan penjelasan dan kesempatan bertanya hal-hal yang belum saya mengerti tentang penelitian ini. Penjelasan tersebut meliputi manfaat dan keuntungan serta efek samping dari pemberian klonidin 1,5 mcg/kgbb intravena sebagai kelompok perlakuan selama prosedur anestesi umum dengan pemasangan pipa khusus ke saluran pernapasan yang akan saya dapatkan selama penelitian ini sedangkan pemberian fentanil 2 mcg.kgBB intravena sebagai kelompok control dan merupakan obat standar yang digunakan pada tindakan laringoskopi dan intubasi endotrakeal.

Efek samping yang mungkin ditimbulkan dari obat ini adalah penurunan tekanan darah dan laju jantung selama periode pemasangan selang nafas dan selama prosedur anestesi umum berlangsung. Bila terjadi demikian peneliti akan melakukan tindakan terhadap efek samping tersebut dan memberikan obat-obatan sebagai penanganannya.

Setelah mendapat penjelasan tersebut, dengan ini saya menyatakan secara sukarela ikut serta dalam penelitian ini dan saya berhak mengundurkan diri bila ada alasan sehubungan dengan kesehatan saya. Demikian pula jika terjadi perselisihan saya akan melakukan musyawarah dengan peneliti untuk mencari jalan keluar yang terbaik tentang perselisihan tersebut.

Demikian pernyataan ini saya buat dengan sebenarnya, dengan penuh kesadaran dan tanpa paksaan.

Makassar, 2013

Saksi,

Tanda Tangan

Yang Menyatakan,

1. _____

2. _____ (.....)

Penanggung Jawab Medik,
Prof.dr. A. Husni Tanra,Ph.D, SpAn
Tlp. 0816251597
Jl. Hertasing Blok E7/15
Makassar

Penanggung Jawab Penelitian,
dr. Agus Susanto Daud Lindu
Tlp. 085395116999
Graha kampus blok A No 3
Makassar

Lampiran 2

LEMBAR PENGAMATAN

Data Pribadi Pasien

TANGGAL	:
RM	:

I. Identitas Pasien

Nama	:	Umur	:	thn
Pendidikan	:	BB	:	kg
Alamat	:	TB	:	cm
Pekerjaan	:	BMI	:	kg/m ²

II. Data Klinis

1. Diagnosis prabedah :
2. ASA PS :
3. Tanda Vital : TD = mmHg N = x/mnt
P = x/mnt S = °C
VAS =
4. Mulai anestesi :
5. Mulai induksi :
6. Laringoskopi/Intubasi endotrakeal :
7. Mulai operasi :
8. Selesai operasi :
9. Efek Samping : Peningkatan/penurunan >25%

a. Tekanan darah

b. Laju jantung

LEMBAR PENGAMATAN

Pengamatan				
Waktu	T0	T1	T2	T3
TDS				
TDD				
TAR				
LJ				

SETELAH INTUBASI SETIAP 1 MENIT

Pengamatan					
Waktu	T4a	T4b	T4c	T4d	T4e
TDS					
TDD					

TAR					
LJ					

**PENGAMATAN KEBUTUHAN OBAT ANESTESI SAAT
LARINGOSKOPI DAN INTUBASI**

Menit											Jumlah
Fentanil											
Isofluran											

EFEK SAMPING

Menit											
Hipotensi											
Hipertensi											
Bradikardi											

Takikardi											
-----------	--	--	--	--	--	--	--	--	--	--	--

RESCUE

Menit											
Efedrin											
Sulfas Atropin											

LAMPIRAN 3

ADVERSE EVENT FORM

Identitas

Nama (Inisial) / Umur :

No. MR :

Diagnosis :

EFEK SAMPING

MENIT								
Hipotensi								
Bradikardi								

RESCUE

MENIT							
Efedrin							
Sulfat atropin							

Peneliti,

dr. Agus Susanto Daud Lindu