

DAFTAR PUSTAKA

1. Verma A, Singh D. "Myopia, Phakic IOL." eMedicine.com. August 19, 2005.
2. Saw, Seang-Mei Saw. 1996. *Epidemiology of Myopia*. The Johns Hopkins University School of Hygiene and Public Health. Epidemiol Rev Vol. 18, No. 2, 1996.
3. Saw S.M., Gazzard G., Koh D. dkk. 2002. Prevalence Rates of Refractive Errors in Sumatra, Indonesia. Invest Ophtalmol Vis Sci; 43: 3170-80 [diakses 24 Februari 2013]. Available from URL: <http://www.iovs.org/content/46/5/5626.full>.
4. Mutti, Donald O.; G. Lynn Mitchell, Melvin L. Moeschberger, Lisa A. Jones, and Karla Zadnik (2002). "Parental Myopia, Near Work, School Achievement, and Children's Refractive Error". Investigative Ophthalmology & Visual Science 43 (12).
5. Hasibuan FS. 2010. Hubungan Faktor Keturunan, Lamanya Bekerja Jarak Dekat Dengan Miopia Pada Mahasiswa FK USU. Medan: Fakultas Kedokteran Sumatera Utara
6. Hussin DA, Omar R, Knight VF. Causes of visual impairment among pre-school children in Sitiawan District, Perak, Malaysia. *Sains Malaysiana*. 2009;38(6):959-964.
7. Chung, K.M., Yeow, P.T., Norhani, M. & O'Leary, D.J. 1995. The association between gender and myopia in Chinese school children. *Sains Malaysiana* 24(3): 67-71.
8. Wensor, M., McCarthy, C.A. & Taylor, H.R. 1999. Prevalence and risk factors of myopia in Victoria, Australia. *Arch Ophtalmol*. 117: 658-663.
9. Konstantopoulos A, Yadegarfar G, Elgohary M: Near work, education, family history, and myopia in Greek conscripts. *Eye* 2008, 22, 542-546.
10. Wong L, Coggon D, Hwang CH: Education, reading, and familial tendency as risk factors for myopia in Hong Kong fishermen. *Journal of Epidemiology and Community Health* 1993, 47, 50-53.
11. McCredie J. 2008. Outdoor time could cut risk of childhood myopia [Online]. [diakses 24 Februari 2013]. Available from URL: <http://www.australiandoctor.com.au>
12. Anatomy of the eye [online]. [diakses 24 Februari 2013]. Available from URL: <http://www.pilotfriend.com/aeromed/medical/cataracts.htm>
13. Anatomi Mata-Kornea[online]. [diakses 24 Februari 2013]. Available from URL: <http://optikonline.info/2008/06/11/anatomi-mata-kornea.html>

14. Ilyas S. 2006b. *Kelainan Refraksi dan Kacamata Edisi ke 2*. Jakarta: FK UI
15. Vaughan D., Asbury T. 2008. *Oftalmologi Umum Edisi 17*. Jakarta: ECG
16. Retina [online]. [diakses 24 Februari 2013]. Available from URL: <http://www.stlukeseye.com/anatomy/retina.html>
17. Sherwood L., 2007. *Fisiologi Manusia Dari Sel ke Sistem*. Jakarta: ECG
18. The Errors of Refraction [online]. [diakses 24 Februari 2013]. Available from URL: <http://www.eyequestions.com/re.htm>
19. Schmid K., 2010. *Myopia Manual* [Online]. [diakses 24 Februari 2013]. Available from URL: <http://www.myopia-manual.de/private/manual-2010-jan-red.pdf>.
20. Fredrick DR (May 2002). "Myopia". *BMJ* 324 (7347): 1195–9. doi:10.1136/bmj.324.7347.1195. PMID 12016188. PMC 1123161. <http://bmj.com/cgi/pmidlookup?view=long&pmid=12016188>.
21. Yingyong P. 2012. Risk Factors for Refractive Errors in Primary School Children (6-12 Years Old) in Nakhon Pathom Province. *J Med Assoc Thai*. 93 (11): 1288-93
22. Lu B., Congdon N., Liu X., dkk. Associations Between Near Work, Outdoor Activity, and Myopia Among Adolescent Students in Rural China. *Arch Ophthalmol*; 127 (6): 169-775
23. Goss D. 2006. American Optometric Association. Optometric clinical practice guideline Care og the Patient with Myopia [online]. [diakses 24 Februari 2013]. Available from URL: <http://www.aoa.org/documents/CPG-15.pdf>.
24. Ilyas S. 2006a. *Penuntun Ilmu Penyakit Mata Edisi ke 3*. Jakarta: FK UI
25. Fachrian D., Rahayu A.R., Naseh A.P dkk. 2009. Prevalensi Kelainan Tajam Penglihatan pada Pelajar SD "X" Jatinegara Jakarta Timur. *Jurnal Kedokteran Indonesia*, 59:6.
26. Launardo A.V, Afifudin A., Syamsu N. dkk. Kelainan Refraksi Pada Anak Usia 3-6 Tahun di Kecamatan Tallo Kota Makassar [Online]. [diakses 27 Maret 2013]. Available from URL: <http://pasca.unhas.ac.id/jurnal/files/af8b92fcf01bd15f027a70f7122e1ea4.pdf>
27. Rose K.A, Morgan I.G, Ip I dkk. 2008. Outdoor Activity Reduces the Prevalence of Myopia in Children. *American Academy of Ophthalmology*; 115(8): 1279-1285
28. Mutti D.O. Can We Conquer Myopia?[Online]. 2001. [diakses 27 Maret 2013]. Available from URL: http://www.revoptom.com/index.asp?ArticleType=SiteSpec&page=osc/apr01/lesson_0401.htm

29. Parekh P., Jain M., Jadeja J.M., Comparative Study od Prevalence of Myopia in Medical Students & Students of Arts Stream [Online]. [diakses 27 Maret 2013]. Available from URL:
http://www.themedicalacademy.in/fxconsult1/userfiles/21_%20COMPARATIVE%20STUDY%20OF%20PREVALENCE%20OF%20MYOPIA%20IN%20MEDICAL%20STUDENTS%20&%20STUDENTS%20OF%20ARTS%20%20STREAM.pdf
30. Taurizinanda M.R. Hubungan Antara Lamanya Aktivitas Melihat Dekat dan Miopia pada Mahasiswa Tingkat IV FK UPN “Veteran” Jakarta [Online]. 2011. [diakses 27 Maret 2013]. Available from URL:
<http://www.library.upnvj.ac.id/pdf/4s1kedokteran/207311102.pdf>
31. Myopia have anything to do with the computer? [Online]. [diakses 27 Maret 2013] Available from URL: <http://www.hbfd.org/diseases-of-eyes/myopia/myopia-have-anything-to-do-with-the-computer.html>
32. Saw S.M, Nieto F.J, Katz J. dkk. 2000. Factors Related to the Progression of Myopia in Singaporean Children. *American Academy of Optometry*; 77 (10): 549-554

BORANG KUISIONER

HUBUNGAN ANTARA JENIS KELAMIN, FAKTOR GENETIK DAN AKTIVITAS MELIHAT JARAK DEKAT DENGAN KEJADIAN MIOPIA PADA PELAJAR KELAS 5 SMK. ST. PATRICK DI SABAH, MALAYSIA

SILA ISIKAN ATAU TANDAKAN JAWAPAN YANG SESUAI DENGAN YANG BERKENAAN.

1. Siapakah nama anda? (sila isi nama samaran jika ingin merahsiakan identiti anda)

2. Jantina: Lelaki Perempuan
3. Anak yang ke-___ daripada ___ orang bersaudara.
4. Berapakah jarak mata anda terhadap buku ketika anda membaca? ___cm
5. Berapa lama waktu yang anda habiskan untuk membaca buku dalam sehari secara terus menerus tanpa berehat? ____ jam
6. Berapakah jarak mata anda dengan layar televisi ketika anda sedang menonton? ____ cm
7. Berapa lama waktu yang anda habiskan untuk menonton televisi dalam sehari secara terus menerus tanpa berehat? ____ jam
8. Berapakah jarak mata anda dengan komputer ketika anda sedang menggunakan komputer? ____ cm
9. Berapa lama waktu yang anda habiskan untuk menggunakan komputer dalam sehari secara terus menerus tanpa berehat? ____ jam
10. Berapakah jarak mata anda dengan televisi ketika anda sedang bermain *video game*? ____ cm
11. Berapa lama waktu yang anda habiskan untuk bermain *video game* dalam sehari secara terus menerus tanpa berehat? ____ jam
12. Apakah anda memiliki anggota keluarga(Ayah/ibu, datuk/nenek, pakcik/ makcik/ saudara) yang memakai kacamata rabun jauh?
 Ya Tidak

Lampiran 6. Uji Statistics

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Miopia	49	1	2	1.57	.500
JenisKelamin	49	1	2	1.61	.492
FaktorGenetik	49	1	2	1.14	.354
MembacaBuku	49	1	2	1.41	.497
MenontonTV	49	1	2	1.35	.481
BermainKomputer	49	1	2	1.24	.434
BermainVideoGame	49	1	2	1.35	.481
Valid N (listwise)	49				

Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JenisKelamin * Miopia	49	100.0%	0	.0%	49	100.0%
FaktorGenetik * Miopia	49	100.0%	0	.0%	49	100.0%
MembacaBuku * Miopia	49	100.0%	0	.0%	49	100.0%
MenontonTV * Miopia	49	100.0%	0	.0%	49	100.0%
BermainKomputer * Miopia	49	100.0%	0	.0%	49	100.0%

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
JenisKelamin * Miopia	49	100.0%	0	.0%	49	100.0%
FaktorGenetik * Miopia	49	100.0%	0	.0%	49	100.0%
MembacaBuku * Miopia	49	100.0%	0	.0%	49	100.0%
MenontonTV * Miopia	49	100.0%	0	.0%	49	100.0%
BermainKomputer * Miopia	49	100.0%	0	.0%	49	100.0%
BermainVideoGame * Miopia	49	100.0%	0	.0%	49	100.0%

JenisKelamin * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
JenisKelamin	Lak-laki	9	10	19
	Perempuan	12	18	30
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.258 ^a	1	.612		
Continuity Correction ^b	.045	1	.832		
Likelihood Ratio	.257	1	.612		
Fisher's Exact Test				.768	.415
Linear-by-Linear Association	.253	1	.615		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.14.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for JenisKelamin (Lak-laki / Perempuan)	1.350	.423	4.304
For cohort Miopia = Miopia	1.184	.621	2.258
For cohort Miopia = Bukan Miopia	.877	.523	1.471
N of Valid Cases	49		

FaktorGenetik * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
FaktorGenetik	Ya	20	22	42
	Tidak	1	6	7
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.722 ^a	1	.099		
Continuity Correction ^b	1.531	1	.216		
Likelihood Ratio	3.054	1	.081		
Fisher's Exact Test				.214	.106
Linear-by-Linear Association	2.667	1	.102		
N of Valid Cases	49				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 3.00.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for FaktorGenetik (Ya / Tidak)	5.455	.603	49.321
For cohort Miopia = Miopia	3.333	.528	21.032
For cohort Miopia = Bukan Miopia	.611	.402	.928
N of Valid Cases	49		

MembacaBuku * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
MembacaBuku	Tidak mengikut syarat	18	11	29
	Mengikut syarat	3	17	20
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.708 ^a	1	.001		
Continuity Correction ^b	8.872	1	.003		
Likelihood Ratio	11.521	1	.001		
Fisher's Exact Test				.001	.001
Linear-by-Linear Association	10.490	1	.001		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.57.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for MembacaBuku (Tidak mengikut syarat / Mengikut syarat)	9.273	2.200	39.076
For cohort Miopia = Miopia	4.138	1.403	12.202
For cohort Miopia = Bukan Miopia	.446	.270	.736
N of Valid Cases	49		

MenontonTV * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
MenontonTV	Tidak mengikut syarat	19	13	32
	Mengikut syarat	2	15	17
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	10.276 ^a	1	.001		
Continuity Correction ^b	8.424	1	.004		
Likelihood Ratio	11.380	1	.001		
Fisher's Exact Test				.002	.001
Linear-by-Linear Association	10.066	1	.002		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.29.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for MenontonTV (Tidak mengikut syarat / Mengikut syarat)	10.962	2.136	56.249
For cohort Miopia = Miopia	5.047	1.331	19.140
For cohort Miopia = Bukan Miopia	.460	.293	.725
N of Valid Cases	49		

BermainKomputer * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
BermainKomputer	Tidak mengikut syarat	15	22	37
	Mengikut syarat	6	6	12
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.331 ^a	1	.565		
Continuity Correction ^b	.057	1	.811		
Likelihood Ratio	.329	1	.566		
Fisher's Exact Test				.739	.403
Linear-by-Linear Association	.324	1	.569		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.14.

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.331 ^a	1	.565		
Continuity Correction ^b	.057	1	.811		
Likelihood Ratio	.329	1	.566		
Fisher's Exact Test				.739	.403
Linear-by-Linear Association	.324	1	.569		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.14.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for BermainKomputer (Tidak mengikuti syarat / Mengikuti syarat)	.682	.184	2.522
For cohort Miopia = Miopia	.811	.408	1.612
For cohort Miopia = Bukan Miopia	1.189	.636	2.222
N of Valid Cases	49		

BermainVideoGame * Miopia

Crosstab

Count

		Miopia		Total
		Miopia	Bukan Miopia	
BermainVideoGame	Tidak mengikut syarat	14	18	32
	Mengikut syarat	7	10	17
Total		21	28	49

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.030 ^a	1	.862		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.030	1	.862		
Fisher's Exact Test				1.000	.553
Linear-by-Linear Association	.029	1	.864		
N of Valid Cases	49				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 7.29.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for BermainVideoGame (Tidak mengikut syarat / Mengikut syarat)	1.111	.337	3.659
For cohort Miopia = Miopia	1.063	.533	2.120
For cohort Miopia = Bukan Miopia	.956	.579	1.579
N of Valid Cases	49		