

DAFTAR PUSTAKA

- Abensperg-Traun, M. and Perry, D.H. 1998. Distribution and characteristics of mound-building termites (Isoptera). *Journal of the Royal Society of Western Australia*. 81(2): 191-200.
- Ahmad, M., 1950. The phylogeny of termite genera based on imago-worker mandibles. *Bulletin of the American Museum of Natural History*. 95(2): 37-86.
- Aini, N.S., 2005. Perlindungan investasi konstruksi terhadap serangan organisme perusak. Kolokium & Open House - Meningkatkan kualitas infrastuktur bidang pemukiman melalui pengembangan teknologi tepat guna. Pusat Penelitian dan Pengembangan Pemukiman. Badan Penelitian dan Pengembangan Departemen Pekerjaan Umum. Bandung 8-9 Desember 2005. pp: 1- 21.
- Aldrich, B.T., Dowell, F.E., Maghirang, E.B. and Kambhampati, S. 2007. Identification of termite species and subspecies of the genus *Zootermopsis* using near-infrared reflectance spectroscopy. *Journal of Insect Science*. 7(18): 1-7.
- Apolinário, F.E. and Martius, C. 2004. Ecological role of termites (Insecta, Isoptera) in tree trunks in central Amazonian rain forests. *Forest Ecology and Management*. 194: 23-28.
- Arab, A. and Costa-Leonardo, A.M. 2005. Effect of biotic and abiotic factors on the tunneling behavior of *Coptotermes gestroi* and *Heterotermes tenuis* (Isoptera: Rhinotermitidae). Behavioural Processes. 70(1): 32-40.
- Arif, A., Muin, M. dan Tagoe, S.Y. 2009. Intensitas dan derajat biodeteriorasi pada bangunan rumah modern. Prosiding Seminar Nasional Masyarakat Peneliti Kayu Indonesia (Mapeki) XII. Masyarakat Peneliti Kayu Indonesia. Bandung 23-25 Juli 2009.
- Arif, A., Taskirawati, I. and Affandi. 2010. Morphometric analysis of *Coptotermes* sp. population from two different nests. *Jurnal Perennial*. 6(2): 60-69.
- Asawalam, D.O. and Johnson, S. 2007. Physical and chemical characteristics of soils modified by earthworms and termites. *Communications in Soil Science and Plant Analysis*. 38(3): 513-521.

- Attignon, S.E., Lachat, T., Sinsin, B., Nagel, P. and Peveling, R. 2005. Termite assemblages in a West-African semi-deciduous forest and teak plantations. *Agriculture, Ecosystems & Environment*. 110(3-4): 318-326.
- Austin, J.W., Szalanski, A.L., and Cabrera, B.J. 2004a. A Phylogenetic analysis of the subterranean termite Family Rhinotermitidae (Isoptera). *Annals of the Entomological Society of America*. 97: 584-555.
- Austin, J.W., Szalanski, A.L. and Messenger, M.T. 2004b. Mitochondrial DNA variation and distribution of the subterranean termite genus *Reticulitermes* (Isoptera: Rhinotermitidae) in Arkansas and Louisiana. *The Florida Entomologist*. 87(4): 473-480.
- Austin, J.W., Szalanski, A.L., Scheffrahn, R.H., Messenger, M.T., McKern, J.A. and Gold, R.E. 2006. Genetic evidence for two introductions of the Formosan subterranean termite, *Coptotermes formosanus* (Isoptera: Rhinotermitidae), to the United States. *The Florida Entomologist*. 89(2): 183-193.
- Austin, J.W., Szalanski, A.L., Uva, P., Bagnères, A.-G. and Kence, A. 2002. A Comparative genetic analysis of the subterranean termite genus *Reticulitermes* (Isoptera: Rhinotermitidae). *Annals of the Entomological Society of America*. 95(6): 753-760.
- [AWPA] American Wood-Preservers' Association. 2007. AWPA E1-06: Standard method for laboratory evaluation to determine resistance to subterranean termites. American Wood-Preservers' Association, Alabama, USA.
- Baker, P.B. and Marchosky, R.J.J. 2005. Arizona termites of economic importance. College of Agriculture and Life Sciences. Tucson: The University of Arizona. 19p.
- Ball, J. 1997. Soil and water relationships. The Samuel Roberts Nobel Foundation, Inc.
- Bergamaschi, S., 2005. A Multidisciplinary approach to taxonomy and phylogeny of Australian isoptera. PhD Dissertation. Bologna: Univ. Degli Studi. 142p.
- Bergamaschi, S., Dawes-Gromadzki, T.Z., Luchetti, A., Marini, M., and Mantovani, B. 2007. Molecular taxonomy and phylogenetic relationships among Australian *Nasutitermes* and *Tumulitermes*

- genera (Isoptera, Nasutitermitinae) inferred from mitochondrial COII and 16S sequences. *Molecular Phylogenetics and Evolution*. 45: 813-821.
- Bignell, D.E. and Eggleton, P. 1998. Termites. In: Calow, P. (Ed.), Encyclopedia of ecology and environmental management. Oxford: Blackwell Scientific. pp. 744-746.
- Boore, J.L., 1999. Animal mitochondrial genomes. *Nucleic Acids Research*. 27(8): 1767-1780.
- Borror, D.J., Triplehorn, C.A. and Johnson, N.F. 2007. Pengenalan pelajaran serangga (terjemahan). Yogyakarta: Gadjah Mada University Press.
- [BPS] Badan Pusat Statistik Provinsi Sulawesi Selatan. 2013. Keadaan geografis dan batas administrasi wilayah Provinsi Sulawesi Selatan. [Http://sulsel.bps.go.id/subyek/1/50/keadaan-geografis-dan-batas-administrasi-wilayah-provinsi-sulawesi-selatan](http://sulsel.bps.go.id/subyek/1/50/keadaan-geografis-dan-batas-administrasi-wilayah-provinsi-sulawesi-selatan). [diakses 11 Juni 2013].
- Brune, A., 2006. Symbiotic associations between termites and prokaryotes. *Prokaryotes*. 1: 439–474.
- Brune, A. and Friedrich, M. 2000. Microecology of the termite gut: structure and function on a microscale. *Current Opinion in Microbiology*. 3: 263-269.
- Buburuzan, L., Gorgan, L.D. and Bara, I.I. 2007. Types of DNA used in speciation and phylogeny studies. Analele Științifice ale Universității „Alexandru Ioan Cuza”, Secțiunea Genetică și Biologie Moleculară, TOM VIII. pp: 25-30.
- Bunn, S.E. 1983. Termite (Isoptera) fauna of jarrah forest in the Wagerup-Willowdale region, Western Australia: relevance to the rehabilitation of bauxite minesites. *Forest Ecology and Management*. 6(2): 169-177.
- Cabrera, B.J., Su, N.-Y. and Scheffrahn, R. 2005. Asian subterranean termite discovered in Ft. Lauderdale and Riviera Beach, Florida. http://entomology.ifas.ufl.edu/pestalert/asian_termite.htm. UF/IFAS Pest Alert, Florida. [diakses 05 Januari 2011]
- Chalermso, Y., Sarnthoy, O. and Kirtibutr, N. 2003. Belt-transect: a sampling device for termite community study. *Kasetsart Journal*. 37(2): 150-156.

- Clément, J.-L., Bagnères, A.-G., Uva, P., Wilfert, L., Quintana, A., Reinhard, J. and Dronnet, S. 2001. Biosystematics of *Reticulitermes* termites in Europe: morphological, chemical and molecular data. *Insectes Sociaux*. 48: 202-215.
- Constantino, R. 1998. Catalog of the living termites of the new world (Insecta: Isopter). *Arquivos de Zoologia*. 35: 135-230.
- Cookson, L.J. 2004. The In-ground Natural Durability of Australian Timbers. Forest and Wood Products Research and Development Corporation. Victoria, Australia. p.12.
- Cornelius, M.L. and Osbrink, W.L.A. 2010. Effect of soil type and moisture availability on the foraging behavior of the Formosan subterranean termite (Isoptera: Rhinotermitidae). *Journal of Economic Entomology*. 103: 799-807.
- Davies, R.G., 2002. Feeding group responses of a Neotropical termite assemblage to rain forest fragmentation. *Oecologia*. 133: 233-242
- Donovan, S.E., Eggleton, P. and Bignell, D.E. 2001. Gut content analysis and a new feeding group classification of termites. *Ecological Entomology*. 26: 356-366.
- Donovan, S.E., Jones, D.T., Sands, W.A. and Eggleton, P. 2000. Morphological phylogenetics of termites (Isoptera). *Biological Journal of the Linnean Society*. 70(3): 467-513.
- Eggleton, P. 2001. Termites and trees: a review of recent advances in termite phylogenetics. *Insectes Sociaux*. 48(3): 187-193.
- Eggleton, P. 2011. An introduction to termites: biology, taxonomy, and functional morphology. In: Bignell, D.E., Roisin, Y., Lo, N. (Eds.), Biology of termites: a modern synthesis. Dordrecht: Springer. pp. 1-26.
- Eggleton, P., Bignell, D.E., Hauser, S., Dibog, L., Norgrove, L. and Madong, B. 2002. Termite diversity across an anthropogenic disturbance gradient in the humid forest zone of West Africa. *Agriculture, Ecosystems & Environment*. 90(2): 189-202.
- Eggleton, P., Williams, P.H. and Gaston, K.J. 1994. Explaining global termite diversity - productivity or history?. *Biodiversity and Conservation*. 3(4): 318-330.

- Evans, T.A., Forschler, B.T., and Grace, J.K. 2013. Biology of invasive termites: a worldwide review. *Annual Review of Entomology*. 58: 455–474.
- Forestry Image. 2013. Forest pest. Center for Invasive Species and Ecosystem Health, USDA Forest Service and International Society of Arboriculture. The University of Georgia - Warnell School of Forestry and Natural Resources and College of Agricultural and Environmental Sciences. [Http://www.forestryimages.org/browse/detail.cfm?imgnum=0014113](http://www.forestryimages.org/browse/detail.cfm?imgnum=0014113). [diakses 11 Juni 2013].
- Fumapest. 2013. Fumapest Termite & Pest Control Shoalhaven 1300 241 500. [Http://www.fumapest.com.au/termites-white-ants-nowra-shoalhaven.html](http://www.fumapest.com.au/termites-white-ants-nowra-shoalhaven.html). [diakses 11 Juni 2013]
- Fusheng, H., Shimo, Z., Guixiang, L., 1988. The morphology of termite (Isoptera) and its taxonomic system. *Zoological Research*. 9(5): 301-307.
- Gathorne-Hardy, F. 2001. A review of the South-East Asian Nasutitermitinae (Isoptera: Termitidae), with descriptions of one new genus and a new species and including a key to the genera. *Journal of Natural History*. 35(10): 1485-1506.
- Gathorne-Hardy, F., Syaukani, Eggleton, P., 2001. The effects of altitude and rainfall on the composition of the termites (Isoptera) of the Leuser ecosystem (Sumatra, Indonesia). *Journal of Tropical Ecology*. 17(3): 379-393.
- Gautam, B.K., Henderson, G., 2011. Effects of sand moisture level on food consumption and distribution of Formosan subterranean termites (Isoptera: Rhinotermitidae) with different soldier proportions. *Journal of Entomological Science*. 46: 1-13.
- Gay, F.J., 1963. The synonymy, distribution, and biology of *Coptotermes eliase* (Desneux). *Pacific Insects*. 5(2): 421-123.
- Gold, R.E., Howell, H.N.J. and Glenn, G.J. 1914. Subterranean termites. In: T.T.A.M.U. (Ed.), System. Texas Agricultural Extension Service. Agricultural Communications, The Texas A&M University System, Texas, pp. 1-8.
- Gray, M.W., 1989. Origin and evolution of mitochondrial DNA. *Annual Review of Cell Biology*. 5: 25-50.

- Green, F., Arango, R.A. and Lebow, S.T. 2010. Field testing of the experimental wood preservative N'Nnaphtaloylhydroxylamine: five and eight years results. In: McCown, C. (Ed.), One hundred sixth Annual Meeting of the American Wood Protection Association. American Wood Protection Association. Birmingham, Alabama, USA, Hyatt Regency Riverfront Savannah, Georgia
- Hardjowigeno, S. 1987. Ilmu tanah. Jakarta: PT Mediyatama Sarana Perkasa.
- Harris, W.V., 1971. Termites: their recognition and control. London: Longman Group Ltd.
- Haverty, M.I., Nelson, L.J., Thorne, B.L., Collins, M.S., Darlington, J.P.E.C. and Page, M. 1992. Cuticular hydrocarbon for species determination of tropical termites. USDA Forest Service Gen. Tech. Rep. PSW-129. pp: 58-66.
- Higashi, M., Abe, T. and Burn, T.P. 1992. Carbon-nitrogen balance and termite ecology. Proceedings of the Royal Society of London. *Biological Sciences*. 249(1326): 303-308.
- Holt, J.A., 1996. Mound-building termites and soil microbial biomass: an interaction influencing termite abundance. *Insectes Sociaux*. 43: 427-434.
- Hongguang, S., Yaping, Z., Xin, K., Qiaoyun, Y., and Wenyi, Y. 2000. Sequence of mitochondrial DNA cytochrome oxidase II in *Cryptopygus nanjiensis* and phylogeny of apterygota. *Science in China*. 43: 589-596.
- Honigberg, B.M. 1970. Protozoa associated with termites and their role in digestion. In: Krishna, K., Weesner, F.M. (Eds.), Biology of termites. New York: Academic Press. pp. 1-36.
- Hostettler, N.C., Hall, D.W. and Scheffrahn, R.H. 1995. Intracolony morphometric variation and labral shape in Florida *Reticulitermes* (Isoptera: Rhinotermitidae) soldiers: significance for identification. *The Florida Entomologist*. 78(1): 119-129.
- Hubbell, S.P. 2001. The unified neutral theory of biodiversity and biogeography. Princeton, N.J.: Princeton University Press.
- Hungate, R.E. 1939. Experiments on the nutrition of Zootermopsis - III. The anaerobic carbohydrate dissimilation by the intestinal protozoa. *Ecology*. 20: 230-245.

- Inward, D.J.G., Vogler, A.P. and Eggleton, P. 2007. A comprehensive phylogenetic analysis of termites (Isoptera) illuminates key aspects of their evolutionary biology. *Molecular Phylogenetics and Evolution*. 44(3): 953-967.
- Jenkins, T.M., Dean, R.E. and Forschler, B.T. 2002. DNA technology, interstate commerce, and the likely origin of Formosan subterranean termite (Isoptera: Rhinotermitidae) infestation in Atlanta, Georgia. *Journal of Economic Entomology*. 95(2): 381-389
- Jenkins, T.M., Jones, S.C., Lee, C.-Y., Forschler, B.T., Chen, Z., Lopez-Martinez, G., Gallagher, N.T., Brown, G., Neal, M., Thistleton, B. and Kleinschmidt, S. 2007. Phylogeography illuminates maternal origins of eotic *Coptotermes gestroi* (Isoptera: Rhinotermitidae). *Molecular Phylogenetics and Evolution*. 42(3): 612-621.
- Jones, D.T. 2000. Termite assemblages in two distinct montane forest types at 1000 m elevation in the Maliau Basin, Sabah. *Journal of Tropical Ecology*. 16: 271-286.
- Jones, D.T. and Prasetyo, A.H. 2002. A survey of the termites (Insecta : Isoptera) of Tabalong District, South Kalimantan, Indonesia. *Raffles Bulletin of Zoology*. 50: 117-128.
- Jones, D.T., Susilo, F.X., Bignell, D.E., Hardiwinoto, S., Gillison, A.N. and Eggleton, P. 2003. Termite assemblage collapse along a land-use intensification gradient in lowland central Sumatra, Indonesia. *Journal of Applied Ecology*. 40(2): 380-391.
- Jones, S.C., Nalepa, C.A., McMahan, E.A. and Torres, J.A. 1995. Survey and Ecological Studies of the Termites (Isoptera: Kalotermitidae) of Mona Island. *The Florida Entomologist*. 78(2), 305-313.
- Jouquet, P., Boulain, N., Gignoux, J. and Lepage, M. 2004. Association between subterranean termites and grasses in a West African savanna: spatial pattern analysis shows a significant role for *Odontotermes n. pauperans*. *Applied Soil Ecology*. 27(2): 99-107.
- Kaib, M., Brandl, R. and Bagine, R.K.N. 1991. Cuticular hydrocarbon profiles: a valuable tool in termite taxonomy. *Naturwissenschaften*. 78(4): 176-179.
- Kalshoven, L.G.E. 1981. The pests of crops in Indonesia. Jakarta: PT Ichtiar Baru van Hoeve.

- Kambhampati, S., Eggleton, P., 2000. Taxonomy and phylogeny of termites. In: Abe, T., Bignell, D.E., Higashi, M. (Eds.), *Termites: evolution, sociality, symbioses, ecology*. Dordrecht: Kluwer Academic Publishers. pp. 1-23.
- Kartal, S.N. and Ayrilmis, N. 2005. Blockboard with boron-treated veneers: laboratory decay and termite resistance tests. *International Biodeterioration & Biodegradation*. 55(2): 93-98.
- Kartal, S.N., Ayrilmis, N. and Imamura, Y. 2007. Decay and termite resistance of plywood treated with various fire retardants. *Building and Environment*. 42(3): 1207-1211.
- Kartika, T., Suciatmih, Tarmadi, D., Guswenrivo, I., Prianto, A.H., dan Yusuf, S. 2006. Daya patogenitas cendawan *Cunninghamella* sp. terhadap rayap tanah *Coptotermes* sp. *Journal of Tropical Wood Science and Technology*. 4(1): 24-27.
- Katsumata, N., Yoshimura, T., Tsunoda, K. and Imamura, Y. 2007. Termite feeding preference to four wood species after gamma irradiation. *Journal of Wood Science*. 53(4): 361-364.
- Kirton, L.G. and Brown, V.K. 2003. The taxonomic status of pest species of *Coptotermes* in Southeast Asia: Resolving the paradox in the pest status of the termites, *Coptotermes gestroi*, *C. havilandi* and *C. travians* (Isoptera: Rhinotermitidae). *Sociobiology*. 42(1), 43-63.
- Klass, K.-D. and Meier, R. 2006. A phylogenetic analysis of Dictyoptera (Insecta) based on morphological characters. *Entomologische Abhandlungen*. 63(1-2): 3–50.
- Klass, K.-D., Nalepa, C., Lo, N., 2007. Wood-feeding cockroaches as models for termite evolution (Insecta: Dictyoptera): *Cryptocercus* vs. *Parasphaeria boleiriana*. *Molecular Phylogenetics and Evolution*. 46(3): 809-817.
- Korb, J. 2008. The Ecology of social evolution in termites. In: Korb, J., Heinze, J. (Eds.), *Ecology of social evolution*. Heidelberg: Springer-Verlag. pp. 151-174.
- Korb, J. and Linsenmair, K.E. 2001. The causes of spatial patterning of mounds of a fungus-cultivating termite: results from nearest-neighbour analysis and ecological studies. *Oecologia*. 127: 324–333.

- Krishna, K. 1970. Taxonomy, phylogeny, and distribution of termite. In: Krisna, K., Weesner, F.M. (Eds.), *Biology of termites*. New York: Academic Press. pp. 127-152.
- Lee, C.-Y. 2002. Subterranean termite pests and their control in the urban environment in Malaysia. *Sociobiology*. 40(1): 3-9.
- Lee, C.-Y., Forschler, B.T. and Jenkins, T.M. 2005. Taxonomic questions on Malaysian termites (Isoptera: Termitidae) answered with morphology and DNA biotechnology. Proceedings of the Fifth International Conference on Urban Pests. Chow-Yang Lee and William H. Robinson (ed.).
- Lee, C.-Y., Vongkaluang, C. and Lenz, M. 2007. Challenges to subterranean termite management of multi-genera faunas in Southeast Asia and Australia. *Sociobiology*. 50(1): 213-221.
- Lenz, M., Creffield, J.W., Evans, T.A., Kard, B., Vongkaluang, C., Sornnuwat, Y., Lee, C.-Y., Yoshimura, T. and Tsunoda, K. 2012. Resistance of polyamide and polyethylene cable sheathings to termites in Australia, Thailand, USA, Malaysia and Japan: a comparison of four field assessment methods. *International Biodeterioration & Biodegradation*. 66: 53-62.
- Lima, A. 2000. Effect of selective logging intensity on two termite species of the genus *Syntermes* in Central Amazonia. *Forest Ecology and Management*. 137(1-3): 151-154.
- Liu, H. and Beckenbach, A.T. 1992. Evolution of the mitochondrial cytochrome oxidase II gene among 10 orders of insects. *Molecular Phylogenetics and Evolution*. 1(1): 41-52.
- Lo, N., Bandi, C., Watanabe, H., Nalepa, C. and Beninati, T. 2003. Evidence for co-cladogenesis between diverse dictyopteran lineages and their intracellular endosymbionts. *Molecular Biology and Evolution*. 20(6): 907-913.
- Lo, N., Eldridge, R.H. and Lenz, M. 2006. Phylogeny of Australian *Coptotermes* (Isoptera: Rhinotermitidae) species inferred from mitochondrial COII sequences. *Bulletin of Entomological Research*. 96(4): 433-437.
- Lo, N., Kitade, O., Miura, T., Constantino, R., and Matsumoto, T. 2004. Molecular phylogeny of the Rhinotermitidae. *Insectes Sociaux*. 51: 365-371.

- Lo, N., Tokuda, G., Watanabe, H., Rose, H., Slaytor, M., Maekawa, K., Bandi, C. and Noda, H. 2000. Evidence from multiple gene sequences indicates that termites evolved from wood-feeding cockroaches. *Current Biology*. 10: 801–804.
- Lopulisa, C. 2004. Tanah-tanah utama dunia: ciri, genesa dan klasifikasinya. Makassar: Lephas.
- Luchetti, A., Trenta, M., Mantovani, B., and Marini, M. 2004. Taxonomy and phylogeny of north mediterranean *Reticulitermes* termites (Isoptera, Rhinotermitidae): a new insight. *Insectes Sociaux*. 51: 117-122.
- Maekawa, K., Lo, N., Kitade, O., Miura, T., and Matsumoto, T. 1999. Molecular phylogeny and geographic distribution of wood-feeding cockroaches in East Asian Islands. *Molecular Phylogenetics and Evolution*. 13: 360-376.
- Manzoor, F. 2002. Morphometric studies on the termite genus *Odontotermes* Holmgren. PhD Dissertation. Departement of Zoology. Lahore: University of the Punjab. Pakistan, p. 657.
- Marini, M. and Mantovani, B. 2002. Molecular relationships among European samples of *Reticulitermes* (Isoptera, Rhinotermitidae). *Molecular Phylogenetics and Evolution*. 22(3): 454-459.
- Martins, C., Fontes, L.R., Bueno, O.C. and Marti, V.G. 2010. *Coptotermes gestroi* (Isoptera: Rhinotermitidae) in Brazil: possible origins inferred by mitochondrial cytochrome oxidase II gene sequences. *Genome*. 53: 651-657.
- Matsui, T., Tokuda, G. and Shinzato, N. 2009. Termites as Functional Gene Resources. *Recent Patents on Biotechnology*. 3: 10-18.
- McSweeney, K. 1999. Soil morphology, classification, and mapping. University of Wisconsin-Madison, Department of Soil Science, Madison, USA.
- Myles, T.G. 1988. Termite social evolution. PhD Dissertation. Department of Entomology. Arizona: The University of Arizona, p. 318.
- Nakayama, F.S. and Osbrink, W.L. 2010. Evaluation of kukui oil (*Aleurites moluccana*) for controlling termites. *Industrial Crops and Products*. 31(2): 312-315.

- Nalepa, C.A. 1998. Distribution of *Kalotermes approximatus* (Isoptera: Kalotermitidae) in North Carolina. *The Florida Entomologist*. 81(2): 251- 254.
- Nandika, D., Rismayandi, Y. dan Diba, F. 2003. Rayap: biologi dan pengendaliannya. Surakarta: Muhammadiyah Univ. Press.
- Ohkuma, M., Yuzawa, H., Amornsak, W., Sornnuwat, Y., Takematsu, Y., Yamada, A., Vongkaluang, C., Sarnthoy, O., Kirtibutr, N., Noparatnaraporn, N., Kudo, T., and Inoue, T. 2004. Molecular phylogeny of Asian termites (Isoptera) of the families Termitidae and Rhinotermitidae based on mitochondrial COII sequences. *Molecular Phylogenetics and Evolution*. 31: 701-710.
- Pardeshi, M. and Prusty, B.A.K. 2010. Termites as ecosystem engineers and potentials for soil restoration. *Current Science*. 99(1): 11-11.
- Peter, B.C. and Fitzgerald, C.J. 2008. Giant nothern termite: gold coast inspection report. Report of Department of Primary Industries and Fisheries, Queensland Government. Australia.
- Pemberton, C.E., 1928. Nematodes associated with termites in Hawaii, Borneo and Celebes. Proceedings of the Hawaiian Entomological Society. 7: 148-150
- Prasetyo, K.W. and Yusuf, S., 2005. Mencegah dan membasi rayap secara ramah lingkungan dan kimiawi. Jakarta: Agromedia Pustaka.
- Primanda, A., Ischak, T.M. and Basukriadi, A. 2003. Termite species richness on the Campus of Universitas Indonesia, Depok. *Makara Sains*. 7(1): 9-14 .
- Roonwal, M.L., 1970. Biology of Termites. New York and London: Academic Press.
- Scheffrahn, R.H., Krecek, J., Chase, J.A., Maharajh, B. and Mangold, J.R. 2006. Taxonomy, biogeography, and notes on termites (Isoptera: Kalotermitidae, Rhinotermitidae, Termitidae) of the Bahamas and Turks and Caicos Islands. *Annals of the Entomological Society of America*. 99(3): 463-486.
- Scheffrahn, R.H., Křecěk, J., Ripa, R. and Luppichini, P. 2009. Endemic origin and vast anthropogenic dispersal of the West Indian drywood termite. *Biological Invasions*. 11(4): 787–799.

- Scheffrahn, R.H. and Su, N.-Y. 2005. Distribution of the termite genus *Coptotermes* (Isoptera: Rhinotermitidae) in Florida. *The Florida Entomologist*. 88(2): 201-203.
- Scheffrahn, R.H. and Su, N.-Y. 1994. Keys to soldier and winged adult termites in (Isoptera) of Florida. *The Florida Entomologist*. 77(4): 460-474.
- Simon, C., Frati, F., Beckenbach, A., Crespi, B., Liu, H. and Flook, P. 1994. Evolution, weighting, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals of the Entomological Society of America*. 87: 651-701.
- Sobti, R.C., Kumari, M., Sharma, V.L., Sodhi, M., Mukesh, M., and Shouche, Y. 2009. Sequence Analysis of a Few Species of Termites (Order: Isoptera) on the Basis of Partial Characterization of COII Gene. *Molecular and Cellular Biochemistry*. 331: 145-151.
- Sornnuwat, Y., Vongkaluang, C. and Takematsu, Y. 2004. A systematic key to termites of Thailand. *Kasetsart J. (Nat. Sci.)*. 38(3): 349 - 368.
- Su, N.-Y., Ban, P.M., Scheffrahn, R.H., 1993. Foraging population and territories of the eastern subterranean termite (Isoptera: Rhinotermitidae) in Southeastern Florida. *Environmental Entomology*. 22(5): 1113-1117.
- Su, N.-Y. and Scheffrahn, R.H. 2000. Termites as pests of buildings. In: Abe, T., Bignell, D.E., Higashi, M. (Eds.), *Termites: evolution, sociality, symbioses, ecology*. Dordrecht: Kluwer Academic Publishers. Netherlands. pp. 437-453.
- Subekti, N. 2004. Keragaman genetik rayap tanah genus *Coptotermes* (Isoptera: Rhinotermitidae) di Pulau Jawa. Tesis Program Studi Biologi. Bogor: Institut Pertanian Bogor.
- Sumardi dan Widyastuti, S.M. 2004. Dasar-dasar perlindungan hutan. Yogyakarta: Gadjah Mada University Press.
- Szalanski, A.L., Austin, J.W., and Owens, C.B. 2003. Identification of *Reticulitermes* spp. (Isoptera: Reticulitermatidae) from South Central United States by PCR-RFLP. *Journal of Economic Entomology*. 96: 1514-1519.

- Szalanski, A.L., Austin, J.W., Scheffrahn, R.H. and Messenger, M.T. 2004. Molecular diagnostics of the Formosan subterranean termite (Isoptera: Rhinotermitidae). *The Florida Entomologist*. 87(2): 145-151.
- Szent-Ivany, J.J.H. 1959. Host plant and distribution records of some insect in New Guinea. *Pacific Insects*. 1(4): 423-429.
- Takematsu, Y., Yoshimura, T., Takahashi, M., Yusuf, S. and Sukartana, P. 2000. Present status of an important pest termite genus, *Coptotermes*, in Indonesia. Proceeding on the Third International Wood Science Symposium □ Sustainable Utilization of Forest Products: Sosio-Economical and Ecological Management of Tropical Forest. JSPS-LIPI Core University Program in Field of Wood Science 1995-2006. Uji, Kyoto, Japan 1-2 November 2000. pp. 161-166.
- Takematsu, Y., Yoshimura, T., Yusuf, S., Yanase, Y., Kambara, K., Tashiro, A., Doi, S., Takeshi, M., Sukartana, P., Inoue, T., Yuzawa, H., Kudo, T., Sornnuwat, Y. and Vongkaluang, C. 2006. Termite assemblages in urban areas of South East Asia: diversity and economic impacts. In: Imamura, Y. (Ed.), Sustainable Development and utilization of Tropical Forest Resources. Report of JSPS-LIPI Core University Program in Field of Wood Science 1995-2006, Kyoto, Japan, pp. 84-91.
- Takematsu, Y. and Vongkaluang, C. 2012. A taxonomic review of the Rhinotermitidae (Isoptera) of Thailand. *Journal of Natural History*. 46(17-18): 1079-1109.
- Tarumingkeng, R. 2001. Biologi dan prilaku rayap. Bogor: Pusat Studi Ilmu Hayat Institut Pertanian Bogor.
- Tho, Y.P., 1992. Termites of Peninsular Malaysia. Malayan Forest Record No. 36. Forest Research Institute Malaysia, p. 224.
- Thompson, G.J., Kitade, O., Lo, N. and Crozier, R.H. 2000. Phylogenetic evidence for a single, ancestral origin of a 'true' worker caste in termites. *Journal of Evolutionary Biology*. 13: 869-881.
- Tracy, K.N., Golden, D.M. and Crist, T.O. 1998. The spatial distribution of termite activity in grazed and ungrazed Chihuahuan Desert grassland. *Journal of Arid Environments*. 40(1): 77-89.
- Unsal, O., Kartal, S.N., Candan, Z., Arango, R.A., Clausen, C.A. and Green, F. 2009. Decay and termite resistance, water absorption

- and swelling of thermally compressed wood panels. *International Biodeterioration & Biodegradation*. 63(5): 548-552.
- [USDA] United States Department of Agriculture. 2013. *Coptotermes formosanus* Shiraki: Formosan termites (Isoptera: Rhinotermitidae). [Http://www.sel.barc.usda.gov/selhome/gbu/coptotermes.html](http://www.sel.barc.usda.gov/selhome/gbu/coptotermes.html). [diakses 11 Juni 2013].
- Vargo, E.L. and Husseneder, C. 2009. Biology of subterranean termites: insights from molecular studies of *Reticulitermes* and *Coptotermes*. *Annual Review of Entomology*. 54(1): 379-403.
- Wang, C.L. and Powell, J. 2001. Survey of termites in the Delta Experimental Forest of Mississippi. *The Florida Entomologist*. 84(2): 222-226.
- Weesner, F.M., 1969. External anatomy. In: Krishna, K. and Weesner, F.M. (Eds.), Biology of termites. Volume I. New York and London: Academic Press. pp: 19-48.
- Ye, W., Lee, C.-Y., Scheffrahn, R.H., Aleong, J.M., Su, N.-Y., Bennett, G.W., and Scharf, M.E. 2004. Phylogenetic relationships of Nearctic *Reticulitermes* species (Isoptera: Rhinotermitidae) with particular reference to *Reticulitermes arenicola* Goellner. *Molecular Phylogenetics and Evolution*. 30: 815-822.
- Yeap, B.-K., Othman, A.S. and Lee, C.-Y. 2009. Molecular systematics of *Coptotermes* (Isoptera: Rhinotermitidae) from East Asia and Australia. *Annals of the Entomological Society of America*. 102(6): 1077-1090.
- Yoshimura, T. 1995. Contribution of the protozoan fauna to nutritional physiology of the lower termite, *Coptotermes formosanus* Shiraki (Isoptera: Rhinotermitidae). PhD Dissertation. Kyoto: Kyoto University, Japan. p. 112.

LAMPIRAN

Lampiran 1. Peta survey rayap *Coptotermes* di Sulawesi Selatan

