

## **Daftar Pustaka**

1. Seidell JC, and Halberstadt J. The global burden of obesity and the challenges of prevention. *Ann of Nutri Metabol* 2015; 66( 2): 7- 12.
2. Munro, Irene A, Garg LM. Weight loss and metabolic profiles in obese individuals using two different approaches. *Food & Function*.2011; 2: 611-16.
3. Hruby A, Hu FB. The Epidemiology of Obesity: A Big Picture. *PharmacoEconomics*. 2015 ;33 (7) :673-689
4. RISKESDAS 2018. Riset Kesehatan Dasar. Badan Penelitian Dan Pengembangan Kesehatan. Jakarta: Kementerian Kesehatan RI. 2018
5. Hajian-Tilaki K and Heidari B. Is waist circumference a better predictor of diabetes than body mass index or waist-to-height ratio in Iranian adults. *Int J Prev Med*. 2015 :11 – 16
6. Gokulakrishnan K, Deepa M, Monickaraj F, et al. Relationship of body fat with insulin resistance and cardiometabolic risk factors among normal glucose-tolerant subjects. *J Postgrad Med*. 2011; 57 (3) :184 -188.
7. Furukawa S, Fujita T, Shimabukuro M, et al. . Increased oxidative stress in obesity and its impact on metabolic syndrome. *J Clin Invest* 2004;114:1752–1761
8. Cerf, Marlon E. Beta Cell Dysfuntion and Insulin Resistance. *Front Endocrinol*; 2013;4 : 37
9. Sherwani SI, Khan HA, Ekhzaimy A, Masood A, Sakharkar MK. Significance of HbA1c Test in Diagnosis and Prognosis of Diabetic Patients. *Biomark Insights*. 2016;11:95-104.
10. Kusnanto, Widyanata KAJ, Suprajitno,et al. DM-calendar app as a diabetes self-management education on adult type 2 diabetes mellitus: a randomized controlled trial. *J Diabetes Metab Disord*. 2019;18(2):557-563.
11. Shariq, sherwani, haseeb a,et al. Significance of HbA1c Test in Diagnosis and Prognosis of Diabetic Patients. *Biomarker Insights* 2016:11 95–104

12. Gadwalkar AS, Prabhakar K, Raveesha A, Ghungroo S. HbA1c as a prognostic indicator in predabetics with acute coronary syndrome. *Int J Res Med Sci* 2020 ;8 :2004-12.
13. Ikeda M, Shimazawa R. Challenges to hemoglobin A1c as a therapeutic target for type 2 diabetes mellitus. *J Gen Fam Med.* 2019;20(4):129-138.
14. Skogberg, Laatikainen, Eero Lilja et al. The association between anthropometric measures and glycated haemoglobin (HbA1c) is different in Russian, Somali and Kurdish origin migrants compared with the general population in Finland: a crosssectional population-based study.*BMC Public Health.*2019 ;19:391
15. Boye, K.S., Lage, M.J., Shinde, S. *et al.* Trends in HbA1c and Body Mass Index Among Individuals with Type 2 Diabetes: Evidence from a US Database 2012–2019. *Diabe Ther.* 2021;12: 2077–2087
16. Ghazanfari Z, Niknami S, Ghofranipour F, Larijani B, Agha-Alinejad H, Montazeri A. Determinants of glycemic control in female diabetic patients: a study from Iran. *Lipids Health Dis.* 2010;9:83. Published 2010 Aug 11. doi:10.1186/1476-511X-9-83
17. Bower JK, Meadows RJ, Foster MC, et al. The Association of Percent Body Fat and Lean Mass With HbA<sub>1c</sub> in US Adults. *J Endocr Soc.* 2017;1(6):600-608.
18. Ana V, Manuel B, Rui Duarte, et al. Body Composition and Different Criteria for Obesity Evaluation in Type 2 Diabetic Patients with and Without Angiopathy. *Open Acc J Bio Sci.*2019; 1(2): 47-56
19. Haghigatdoost F, Amini M, Feizi A, et al. Are body mass index and waist circumference significant predictors of diabetes and predabetes risk: Results from a population based cohort study. *World J Diabetes.* 2017; 8 (7) : 365-373.
20. Putri yusran fadila, Decroli Eva dan Narul Ellyza. Hubungan Derajat Obesitas dengan Kadar Gula Darah Puasa pada Masyarakat di Kelurahan Batung Taba dan Kelurahan Korong Gadang, Kota Padang. *Jurnal Kesehatan Andalas.* 2015; 4(3) :707-711
21. Hebebrand J, Hinney A. Environmental and genetic risk factors in obesity. *Child Adolesc Psychiatr Clin N Am.* 2009 Jan;18(1):83-94.

22. Mariam Diah ayu, Larasati TA. Obesitas anak dan peranan orangtua. *Majority*. 2016; 5(5):161-65
23. Sudikno, Syarief H, Dwiriani CM, et al. Faktor risiko obesitas sentral pada orang dewasa umur 25 – 65 tahun di Indonesia. Analisis data Riset Kesehatan Dasar 2013. Penelitian Gizi dan Makanan, 2015; 38(2) :111-360
24. Azkia, Fara Irdini. Hubungan Pola Konsumsi Makanan Berisiko Dengan Obesitas Sentral Pada Wanita Usia 25-65 Tahun Di Bogor Tahun 2011-2012. Department of Epidemiology, FoPH, UI, 2019; 2:1-18
25. Dinsa G, Goryakin Y, Fumagalli E, et al. Obesity and socioeconomic status in developing countries : a systematic review. *Obesity Reviews*. 2012;13(11):1067–1079.
26. Christakis NA, Fowler JH. The spread of obesity in a large social network over 32 years. *N Engl J Med*. 2007;357(4):370–379.
27. Wharton S, Raiber L, Serodio K, et al. Medications that cause weight gain and alternatives in Canada: a narrative review', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*. 2018;11:427–438.
28. Wharton S, Raiber L, Serodio K, et al. Medications that cause weight gain and alternatives in Canada: a narrative review', *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*. 2018;11:427–438.
29. Nadimin, Ayumar, Fajarwati .Obesitas pada orang dewasa anggota keluarga miskin dikecamatan lembang kabupaten pinrang. *MKMI*. 2015; 11: 147-153
30. World Health Organization. Body Mass Index - BMI. <https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi>
31. World Health Organization. Waist Circumference and Waist-hip Ratio: Report of A WHO Expert Consultation. Geneva: WHO ; 2008.
32. Patil Chaitanya, Deshmukh jyotsna, Yadav Shivani,et al. Neck circumference: A novel anthropometric tool for screening obesity in adults. *International Journal of Collaborative Research on Internal Medicine & Public Health*. 2017; 7 (9) :711-719

33. Rutherford, W. J, Gary A. Diemer and E. D. Scott. Comparison of Bioelectrical Impedance and Skinfolds with Hydrodensitometry in the Assessment of Body Composition in Healthy Young Adults. 2011;6(2); 56-60
34. Al-Goblan, Al-Alfi, M. A, Khan M, et al. Mechanism linking diabetes mellitus and obesity, Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy. 2014. 587–591
35. Al-Goblan, Al-Alfi, M. A, Khan M, et al. Mechanism linking diabetes mellitus and obesity, Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy. 2014. 587–591
36. Septryaningrum N, Martini S. Lingkar Perut Mempunyai Hubungan Paling Kuat Dengan Kadar Gula Darah. Jurnal Berkala Epidemiologi. 2014; 2 (1): 48-58
37. Zulissetiana, Eka , Faddiasya, Elsafani ,Nasution, et al. Peningkatan Kadar Hemoglobin Terglikasi (HbA1c) pada Remaja. Jurnal Kedokteran dan Kesehatan : Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya. 2020;7: 31-37
38. Babikr WG, Alshahrani AS, Hamid HG, et al. The correlation of HbA1c with body mass index and HDL-cholesterol in type 2 diabetic patients. Biomed Res. 2016 ; 27(4) : 1280-3.
39. Csongová M, Volkovová K, Gajdoš M,et al. Gender-associated differences in the prevalence of central obesity using waist circumference and waist-to-height ratio, and that of general obesity, in Slovak adults. Cent Eur J Public Health. 2018 ;26(3) :228-233.
40. Kuan PX, Ho HL, Shuhaili MS, et al. Gender differences in body mass index, body weight perception and weight loss strategies among undergraduates in Universiti Malaysia Sarawak. Malays J Nutr. 2011 ;17(1):67-75.
41. Zhang ZQ, Deng J, He LP, et al. Comparison of various anthropometric and body fat indices in identifying cardiometabolic disturbances in Chinese men and women. *PLoS One*. 2013; 8(8): e70893.
42. Stevens, Katz, Eva, et al. Association between gender, age and waist circumference. Eur J Clin Nutr.2009; 64: 6-15

43. Tomić M, Tamara P, Pavlic-Renar I, Metelko Ž. Obesity-risk factor for microvascular and neuropatic complication in diabetes. *Diabetologia Croatica*. 2003 Jan 1;32(3):73
44. Rakesh K. Sisodia, Mahendra Chouhan . The study of correlation between Body Mass Index and glycemic control-HbA1c in diabetes type 2 patients . *Int J Adv Med*. 2019 Dec;6(6):1788-1791
45. Ghazanfari, Zeinab, Shamshaddin, et al. Determinants of glycemic control in female diabetic patients: a study from Iran. *Lipid Health and Dis.* 2010; (9 ):83
46. Chen Y, Zhang X, Yuan J, et al. Association of body mass index and age with incident diabetes in Chinese adults: a population-based cohort study . *BMJ Open* 2018;8: e021768
47. Papaetis,G.S., Papakyriakou,P., Panagiotou,T.N. Central obesity, type 2 diabetes and insulin: exploring a pathway full of thorns. *Archives of Medical Science : AMS*. 2015; 11(3), 463–482
48. Saputra I, Esfandiari F, Marhayuni E, et al. Body Mass Index with Hb-A1c Levels in Type II Diabetes Mellitus Patients. *jiskh*.2020 ; 9(2):597-03.
49. Sucitawati GPD, Santhi D, Subawa N. Hubungan antara obesitas sentral dengan kadar Hba1c pada penduduk usia 30-50 tahun di Lingkungan Batursari Desa Bitera,2019. *Intisari medis Journal*. Volume 10(3); 766-771p
50. Vazquez G, Duval S, Jacobs DR, Silventoinen K. Comparison of body mass index, waist circumference, and waist/hip ratio in predicting incident diabetes: a meta-analysis. *Epidemiol Rev* 2007; 29: 115-
51. Jekal Y, Lee MK, Park S, et al. Association between Obesity and Physical Fitness, and Hemoglobin A1c Level and Metabolic Syndrome in Korean Adults. *Korean Diab J*.2010 ; 34(4): 265
52. Tramunt B, Smati S, Grandgeorge N. *et al*. Sex differences in metabolic regulation and diabetes susceptibility. *Diabetologia*.2020; (63) : 453–61
53. Macotela Y, Boucher J, Tran TT, Kahn CR. Sex and depot differences in adipocyte insulin sensitivity and glucose metabolism. *Diabetes*. 2009;58(4):803-812.

54. Syafiq, W. M., Dwipayana, I. M. P, Saraswati, M. R, et al. Correlation between waist circumference and glycated haemoglobin (HbA1c) among type 2 diabetes mellitus patients in Diabetic Polyclinic Sanglah General Hospital. *Neurologico Spinale Medico Chirurgico*. 2020; 3(2): 66-70.
55. Boy L.K, Bahrin U, Hatta M, et al. Body Mass, Total Body Fat Percentage, and Visceral Fat Level Predict Insulin Resistance Better Than Waist Circumference and Body Mass Index in Healthy Young Male Adults in Indonesia. *J Clin Med*. 2018;7 (96): 1-6
56. Maruo, S, Motoyama, K, Hirota, T. *et al*. Visceral adiposity is associated with the discrepancy between glycated albumin and HbA1c in type 2 diabetes. *Diabetol Int*. 2020 : 368–375
57. Spiegel K, Leproult R, and Van Cauter EV. Impact of sleep debt on metabolic and endocrine function. 2009; 354: 1435–9
58. Espelt A, Borrel C, Roskam AJ, Rodriguez-Sanz M, Stirbu I, Dalmau-Bueno A, et al. Socio-economic inequalities in diabetes mellitus across Europe at the beginning of the 21st century. *Diabetologia*. 2008; 51(11): 1971-9.
59. Gardiarini P, Sudargo T, Pramantara IDP . Association of Diet Quality, Sosio-demography and Family Support and Blood Glucose Control in Type 2 Diabetes Mellitus Patient in Kanujoso Djatiwibowo Hospital, Balikpapan. *Gizi Indon* 2017, 40(2):89-100



KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN  
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN  
 KOMITE ETIK PENELITIAN KESEHATAN  
 RSPTN UNIVERSITAS HASANUDDIN  
 RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR  
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
 JALAN RINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, M.Med.PD, Sp.GK Telp. 081241850850, 0411 5780103, Fax: 0411-381431

### REKOMENDASI PERSETUJUAN ETIK

Nomor : 91/UN4.6.4.5.31/ PP36/ 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH20110630	No Sponsor	
Peneliti Utama	dr. Wa Ode Sarning S	Sponsor	
Judul Penelitian	Analisa Berbagai Indeks pengukuran Obesitas ( IMT, LP, BIA) Dengan HbA1c Pada Subjek Dewasa Muda Non Diabetes		
No Versi Protokol	2	Tanggal Versi	11 Februari 2021
No Versi PSP	2	Tanggal Versi	11 Februari 2021
Tempat Penelitian	RS Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 15 Februari 2021 sampai 15 Februari 2022	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan 	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan 	

#### Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan