

Daftar Pustaka

- Ahmad, S. T., Arjumand, W., Nafees, S., Seth, A., Ali, N., Rashid, S., & Sultana, S. (2012). Hesperidin alleviates acetaminophen induced toxicity in wistar rats by abrogation of oxidative stress, apoptosis and inflammation. *Toxicology Letters*, 208(2), 149–161.
<https://doi.org/https://doi.org/10.1016/j.toxlet.2011.10.023>
- A. Leiherer, K. Stoemmer, A. Muendlein et al., “Quercetin impacts expression of metabolism- and obesity-associated genes in SGBS adipocytes,” *Nutrients*, vol. 8, no. 5, p. 282, 2016.
- Ahn, J.; Lee, H.; Kim, S.; Park, J.; Ha, T. The anti-obesity effect of quercetin is mediated by the AMPK and MAPK signaling pathways. *Biochem. Biophys. Res. Commun.* 2008, 373, 545–549.
- Alam, M. Ashraful Nusrat Subhan, M.Mahbubur Rahman, Shaikh J. Uddin, Hasan M. Reza, and Sayajit D Sarker(2014). Advances in Nutrition an International Review Journal. *Adv. Nutr.* 5; 404-417, 2014
- Apovian, C.M.; Aronne, L.J.; Bessesen, D.H.; McDonnell, M.E.; Murad, M.H.; Pagotto, U.; Ryan, D.H.; Still, C.D. Pharmacological management of obesity: An endocrine society clinical practice guideline. *J. Clin. Endocr. Metab.* 2015, 100, 342–362
- Aycan, Z, Berberoglu M, Ocal G, et al.: Relationship between plasma leptin, insulin and tumor necrosis factor alpha in obese children. *J Pediatr Endocrinol Metab*, 2005. 18(3): p. 275-84.
- Aydin, S. (2014). Three new players in energy regulation: Preptin, adropin and irisin. *Peptides*, 56(Supplement C), 94–110.
<https://doi.org/https://doi.org/10.1016/j.peptides.2014.03.021>
- Bajzer, M., & Seeley, R. J. (2006). Physiology: Obesity and gut flora. *Nature*, 444(7122), 1009–1010. Retrieved from <http://dx.doi.org/10.1038/4441009a>
- Banack, H. R., & Kaufman, J. S. (2015). Does selection bias explain the obesity paradox among individuals with cardiovascular disease? *Annals of Epidemiology*, 25(5), 342–349.
<https://doi.org/10.1016/j.annepidem.2015.02.008>
- Banegas, J. R., López-García, E., Graciani, A., Guallar-Castillón, P., Sierra-Verdú, M., Hierrez-Fisac, J. L., Alonso, J., & Rodríguez-Artalejo, F. (2007). Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. *European Journal of Cardiovascular Prevention & Rehabilitation*, 14(3), 456–462.



<https://doi.org/10.1097/HJR.0b013e3280803f29>

Baranowska, B, Wolinska-Witort E, Wasilewska-Dziubinska E, et al.: The role of neuropeptides in the disturbed control of appetite and hormone secretion in eating disorders. *Neuro Endocrinol Lett*, 2003. 24(6): p. 431-4

Belza, A.; Frandsen, E.; Kondrup, J. Body fat loss achieved by stimulation of thermogenesis by a combination of bioactive food ingredients: A placebo-controlled, double-blind 8-week intervention in obese subjects. *Int. J. Obes.* 2007, 31, 121–130

Bischoff, S. C., Boirie, Y., Cederholm, T., Chourdakis, M., Cuerda, C., Delzenne, N. M., ... Barazzoni, R. (2017). Towards a multidisciplinary approach to understand and manage obesity and related diseases. *Clinical Nutrition*, 36(4), 917–938.
<https://doi.org/https://doi.org/10.1016/j.clnu.2016.11.007>

Bray, G.A, Contemporary Diagnosis and Management of Obesity and The Metabolic Syndrome. Third Edition ed. 2003, Newtown, Pennsylvania: Handbooks in Health Care, Co. 328.

Brown, R. E., & Kuk, J. L. (2015). Consequences of obesity and weight loss: A devil's advocate position. *Obesity Reviews*, 16(1), 77–87.
<https://doi.org/10.1111/obr.12232>

BPOM. Laporan survei kepuasan masyarakat Biro Hukum dan Humas. Jakarta:BPOM; 2013

Boström K. Consumer behaviour of pharmacy customers: Choice of pharmacy and over-the-counter medicines [thesis]. Helsinki: Arcada University of Applied Sciences; 2011.

Buettner, C., Muse, E. D., Cheng, A., Chen, L., Scherer, T., Pocai, A., ... Rossetti, L. (2008). Leptin controls adipose tissue lipogenesis via central, STAT3-independent mechanisms. *Nature Medicine*, 14, 667. Retrieved from <https://doi.org/10.1038/nm1775>

Bordicchia, M.; Pocognoli, A.; D'Anzeo, M.; Siquini, W.; Minardi, D.; Muzzonigro, G.; Dessì-Fulgheri, P.; Sarzani, R. Nebivolol induces, via α_3 adrenergic receptor, lipolysis, uncoupling protein 1, and reduction of lipid droplet size in human adipocytes. *J. Hypertens.* 2014, 32, 380–396.



Hill, P. J., Carlson, M. G., Hill, J. O., & Nurjhan, N. (2006). Regulation of free fatty acid metabolism by insulin in humans: role of lipolysis and reesterification. *American Journal of Physiology-*

Endocrinology and Metabolism, 263(6), E1063–E1069.
<https://doi.org/10.1152/ajpendo.2006.263.6.E1063>

Cardoso, D. A., B Moreira, A. S., M de Oliveira, G. M., Raggio Luiz, R., Rosa, G., & Bello Moreira, A. (2015). A coconut extra virgin oil-rich diet increases HDL cholesterol and decreases waist circumference and body mass in coronary artery disease patients. 32(5).
<https://doi.org/10.3305/nh.2015.32.5.9642>

Carey, V. J., Walters, E. E., Colditz, G. A., Solomon, C. G., Willett, W. C., Rosner, B. A., ... Manson, J. E. (1997). Body fat distribution and risk of non-insulin-dependent diabetes mellitus in women. The Nurses' Health Study. Am J Epidemiol, 145.

Cases, JA, Gabriely I, Ma XH, et al.: Physiological increase in plasma leptin markedly inhibits insulin secretion in vivo. Diabetes, 2001. 50(2): p. 348-52.

Castaneda, TR, Jurgens H, Wiedmer P, et al.: Obesity and the neuroendocrine control of energy homeostasis: the role of spontaneous locomotor activity. J Nutr, 2005. 135(5): p. 1314-9.

Cederholm, T., Barazzoni, R., Austin, P., Ballmer, P., Biolo, G., Bischoff, S. C., ... Singer, P. (2017). ESPEN guidelines on definitions and terminology of clinical nutrition. Clinical Nutrition, 36(1), 49–64.
<https://doi.org/10.1016/j.clnu.2016.09.004>

Chandrasekaran, C. V, Vijayalakshmi, M. A., Prakash, K., Bansal, V. S., Meenakshi, J., & Amit, A. (2012). Review Article: Herbal Approach for Obesity Management. American Journal of Plant Sciences, 3(July), 1003–1014. <https://doi.org/10.4236/ajps.2012.327119>

Chambers, L.; McCrickerd, K.; Yeomans, M.R. Optimising foods for satiety. Trends Food Sci. Technol. 2015, 41, 149–160.

Christakis, N. A., & Fowler, J. H. (2007). The Spread of Obesity in a Large Social Network over 32 Years. New England Journal of Medicine, 357(4), 370–379. <https://doi.org/10.1056/NEJMsa066082>

Cummings, DE, Purnell JQ, Frayo RS, et al.: A preprandial rise in plasma ghrelin levels suggests a role in meal initiation in humans. Diabetes, 2001. 50(8): p. 1714-9.



C., Gerbi, A., Tenca, G., Juchaux, F., & Bernard, F.-X. (2008). Polytic effect of a polyphenolic citrus dry extract of red orange, tangerine, grapefruit, orange (SINETROL) in human body fat adipocytes. Mechanism of action by inhibition of cAMP-phosphodiesterase (PDE).

Phytomedicine, 15(10), 783–792.
<https://doi.org/https://doi.org/10.1016/j.phymed.2008.05.006>

Dallman, MF, la Fleur SE, Pecoraro NC, et al.: Minireview: glucocorticoids-food intake, abdominal obesity, and wealthy nations in 2004. Endocrinology, 2004. 145(6): p. 2633-8.

Di Cesare, M., Bentham, J., Stevens, G. A., Zhou, B., Danaei, G., Lu, Y., ... Cisneros, J. Z. (2016). Trends in adult body-mass index in 200 countries from 1975 to 2014: A pooled analysis of 1698 population-based measurement studies with 19.2 million participants. The Lancet, 387(10026), 1377–1396. [https://doi.org/10.1016/S0140-6736\(16\)30054-X](https://doi.org/10.1016/S0140-6736(16)30054-X)

Dianingati, R. S., Novarina, A., Hana, A. K., & Muntafi, L. (2013). Fortifikasi Ekstrak Kulit Jeruk Bali pada Susu Tinggi Kalsium : Terobosan Baru Dalam Pengatasan Osteoporosis pada Wanita Menopause , Teruji in Vivo Dan Molecular Docking. Fortifikasi Ekstrak Kulit Jeruk Bali Pada Susu Tinggi Kalsium : Terobosan Baru Dalam Pengatasan Osteoporosis Pada Wanita Menopause , Teruji in Vivo Dan Molecular Docking.

Drapeau, V, Therrien F, Richard D, et al.: Is visceral obesity a physiological adaptation to stress? Panminerva Med, 2003. 45(3): p. 189-95.

Dudhia Z, Louw J, Muller C, et al. Cyclopia maculata and Cyclopia subternata (honeybush tea) inhibits adipogenesis in 3T3-L1 preadipocytes. Phytomedicine. 2013;20(5):401–408. doi:10.1016/j.phymed.2012.12.002

Duncan, D. T., Sharifi, M., Melly, S. J., Marshall, R., Sequist, T. D., Rifas-Shiman, S. L., & Taveras, E. M. (2014, December). Characteristics of Walkable Built Environments and BMI z-Scores in Children: Evidence from a Large Electronic Health Record Database. Environmental Health Perspectives, Vol. 122, pp. 1359–1365.
<https://doi.org/10.1289/ehp.1307704>

Dokumacioglu E, Iskender H, Musmul A. Effect of hesperidin treatment on α-Klotho/FGF-23 pathway in rats with experimentally- induced diabetes. Biomed Pharmacother. 2019;109:1206– 1210. doi:10.1016/j.biopha.2018.10.192



Lapidus R, McEwen B, et al.: Stress may add bite to appetite in men: a laboratory study of stress-induced cortisol and eating behavior. Psychoneuroendocrinology, 2001. 26(1): p. 37-49.

- Faraj, M., & Cianflone, K. (2004). Differential regulation of fatty acid trapping in mouse adipose tissue and muscle by ASP. American Journal of Physiology-Endocrinology and Metabolism, 287(1), E150–E159. <https://doi.org/10.1152/ajpendo.00398.2003>
- Fjeldstad, C., Fjeldstad, A. S., Acree, L. S., Nickel, K. J., & Gardner, A. W. (2008). The influence of obesity on falls and quality of life. Dynamic Medicine, 7(1), 4. <https://doi.org/10.1186/1476-5918-7-4>
- Fontaine K R, & Barofsky I. (2001). Obesity and health- related quality of life. Obesity Reviews, 2(3), 173–182. <https://doi.org/10.1046/j.1467-789x.2001.00032.x>
- Fukuchi, Y., Hiramitsu, M., Okada, M., Hayashi, S., & Nabeno, Y. (2008). Lemon 589 polyphenols suppress diet-induced obesity by up-regulating of mRNA levels of the 590 enzymes involved in beta-oxidation in mouse white adipose tissue. Journal of Clinical Biochemistry and Nutrition, 43(November), 201–209.
- Garg, A., Garg, S., Zaneveld, L. J. D., & Singla, A. K. (2001). Chemistry and pharmacology of the Citrus bioflavonoid hesperidin. Phytotherapy Research, 15(8), 655–669. <https://doi.org/10.1002/ptr.1074>
- Ghasemi, K., Sciences, S. A., Ghasemi, Y., & Ebrahimzadeh, M. A. (2009). Antioxidant activity , phenol and flavonoid contents of 13 Citrus species peels and tissues ANTIOXIDANT ACTIVITY , PHENOL AND FLAVONOID CONTENTS OF 13 CITRUS SPECIES PEELS AND TISSUES. (April 2014). Retrieved from https://www.researchgate.net/profile/Mohammad_Ebrahimzadeh/publication/26317573_Antioxidant_activity_phenol_and_flavonoid_contents_of_13_Citrus_species_peels_and_tissues/links/0deec535a940ae0d0d000000/Antioxidant-activity-phenol-and-flavonoid-contents-of-
- Ginsberg, H. N. (2000). Insulin resistance and cardiovascular disease. The Journal of Clinical Investigation, 106(4), 453–458. <https://doi.org/10.1172/JCI10762>
- Giorgino, F, Laviola L, and Eriksson JW: Regional differences of insulin action in adipose tissue: insights from in vivo and in vitro studies. Acta Physiol Scand, 2005. 183(1): p. 13-30.

Goff, D. C., Lloyd-Jones, D. M., Bennett, G., Coady, S., D'Agostino, R. B., Gibbons, R., ... Wilson, P. W. F. (2014). 2013 ACC/AHA Guideline on Assessment of Cardiovascular Risk: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. Journal of the American College of Cardiology, 25, Part B), 2935–2959.



<https://doi.org/https://doi.org/10.1016/j.jacc.2013.11.005>

Guh, D. P., Zhang, W., Bansback, N., Amarsi, Z., Birmingham, C. L., & Anis, A. H. (2009). The incidence of co-morbidities related to obesity and overweight: A systematic review and meta-analysis. *BMC Public Health*, 9(1), 88. <https://doi.org/10.1186/1471-2458-9-88>

Green LW. Toward cost–benefit evaluations of health education: some concepts, methods, and examples. *Health Education and Behavior*. Monogr 2 (Suppl 2). 1974;34–64.

Hansen, TK: Pharmacokinetics and acute lipolytic actions of growth hormone. Impact of age, body composition, binding proteins, and other hormones. *Growth Horm IGF Res*, 2002. 12(5): p. 342-58.

Holm, C. (2003). Molecular mechanisms regulating hormone-sensitive lipase and lipolysis. *Biochemical Society Transactions*, 31(6), 1120–1124. <https://doi.org/10.1042/bst0311120>

Hough, G., & Sosa, M. (2015). Food choice in low income populations - A review. *Food Quality and Preference*, 40(PB), 334–342.
<https://doi.org/10.1016/j.foodqual.2014.05.003>

Hsu, W. C., Araneta, M. R. G., Kanaya, A. M., Chiang, J. L., & Fujimoto, W. (2014). BMI Cut Points to Identify At-Risk Asian Americans for Type 2 Diabetes Screening. *Diabetes Care*, 38(1), 150–158.
<https://doi.org/10.2337/dc14-2391>

Iacobellis, G, Ribaldo MC, Zappaterreno A, et al.: Relationship of thyroid function with body mass index, leptin, insulin sensitivity and adiponectin in euthyroid obese women. *Clin Endocrinol (Oxf)*, 2005. 62(4): p. 487-91.

J.L. Liesveld, C.N. Abboud, C. Lu, C. McNair, A. Menon, A. Smith, K. Rosell, A.P. Rapoport, Flavonoid effects on normal and leukemic cells, *Leuk. Res.* 27 (2003) 517–527.

Jensen, M. D., Ryan, D. H., Donato, K. A., Apovian, C. M., Ard, J. D., Comuzzie, A. G., ... Yanovski, S. Z. (2014). Guidelines (2013) for the Management of Overweight and Obesity in Adults. *Obesity*, 22(November 2013), S1–S410. <https://doi.org/10.1002/oby.20821>

Jonsson, S., Hedblad, B., Engstrom, G., Nilsson, P., Berglund, G., & zon, L. (2002). Influence of obesity on cardiovascular risk. Twenty-e-year follow-up of 22,025 men from an urban Swedish population. *Int J Obes Relat Metab Disord*, 26.

Xu L, Jiang L, Jiang Y, Zhang J, Liu B. Metabolism study of



hesperetin and hesperidin in rats by UHPLC-LTQ-Orbitrap MS. Xenobiotica Fate Foreign Compd Biol Sys. 2019;57(18):1– 27. doi:10.1080/00498254.2019.1567956

Jung, H. K., Jeong, Y. S., Park, C.-D., Park, C.-H., & Hong, J.-H. (2011). Inhibitory effect of citrus peel extract on lipid accumulation of 3T3-L1 adipocytes. Journal of the Korean Society for Applied Biological Chemistry, 54(2), 169–176. <https://doi.org/10.3839/jksabc.2011.028>

Kahn, B. B., & Flier, J. S. (2000). Obesity and insulin resistance. The Journal of Clinical Investigation, 106(4), 473–481. <https://doi.org/10.1172/JCI10842>

Kajimura, S., & Saito, M. (2014). A New Era in Brown Adipose Tissue Biology: Molecular Control of Brown Fat Development and Energy Homeostasis. Annual Review of Physiology, 76(1), 225–249. <https://doi.org/10.1146/annurev-physiol-021113-170252>

Kamboh AA, Zhu WY. Effect of increasing levels of bioflavonoids in broiler feed on plasma anti-oxidative potential, lipid metabolites, and fatty acid composition of meat. Poult Sci. 2013;92(2):454–461. doi:10.3382/ps.2012-02584

Kang, H.J.; Seo, H.A.; Go, Y.; Oh, C.J.; Jeoung, N.H.; Park, K.G.; Lee, I.K. Dimethylfumarate suppresses adipogenic differentiation in 3T3-L1 preadipocytes through inhibition of STAT3 activity. PLoS ONE 2013, 8, e61411.

Kersten, S. (2001). Mechanisms of nutritional and hormonal regulation of lipogenesis. EMBO Reports, 2(4), 282–286. <https://doi.org/10.1093/embo-reports/kve071>

Kim, H. Y., Park, M., Kim, K., Lee, Y. M., & Rhyu, M. R. (2013). Hesperetin Stimulates Cholecystokinin Secretion in Enteroendocrine STC-1 Cells. Biomolecules & Therapeutics, 21(2), 121–125. <https://doi.org/10.4062/biomolther.2012.077>

Kliewer, S. A., Lenhard, J. M., Willson, T. M., Patel, I., Morris, D. C., & Lehmann, J. M. (1995). A prostaglandin J2 metabolite binds peroxisome proliferator-activated receptor γ and promotes adipocyte differentiation. Cell, 83(5), 813–819. [https://doi.org/https://doi.org/10.1016/0092-8674\(95\)90194-9](https://doi.org/https://doi.org/10.1016/0092-8674(95)90194-9)

D., Jakobsdottir, S., & Drent, M. L. (2007). The role of leptin and ghrelin in the regulation of food intake and body weight in humans: a review. Obesity Reviews, 8(1), 21–34. <https://doi.org/10.1111/j.1467-789X.2006.00270.x>



Kuppusamy and N. P. Das, "Effects of flavonoids on cyclic AMP phosphodiesterase and lipid mobilization in rat adipocytes," Biochemical Pharmacology, vol. 44, no. 7, pp. 1307–1315, 1992.

Labayen, I, Diez N, Gonzalez A, et al.: Effects of protein vs. carbohydrate-rich diets on fuel utilisation in obese women during weight loss. Forum Nutr, 2003. 56: p. 168-70.

Lafontan, M: Fat cells: afferent and efferent messages define new approaches to treat obesity. Annu Rev Pharmacol Toxicol, 2005. 45: p. 119-46.

Lee S G, J. S. Parks, and H. W. Kang, "Quercetin, a functional compound of onion peel, remodels white adipocytes to brown-like adipocytes," The Journal of Nutritional Biochemistry, vol. 42, pp. 62–71, 2017.

Lee, A.-H., Scapa, E. F., Cohen, D. E., & Glimcher, L. H. (2008). Regulation of Hepatic Lipogenesis by the Transcription Factor XBP1. Science, 320(5882), 1492–1496.
<https://doi.org/10.1126/science.1158042>

Ley, R. E., Turnbaugh, P. J., Klein, S., & Gordon, J. I. (2006). Microbial ecology: Human gut microbes associated with obesity. Nature, 444(7122), 1022–1023. Retrieved from <http://dx.doi.org/10.1038/4441022a>

Li, C.-C., Yang, M., Li, S.-Y., Chen, X.-Y., He, W., & Li, C.-D. (2009). A Piezoceramic Plate Type Ultrasonic Motor Using Dual-Frequency Modal Superposition Exciting. Ferroelectrics, 393(1), 3–20.
<https://doi.org/10.1080/00150190903412580>

Locke, A. E. (2015, February). Genetic studies of body mass index yield new insights for obesity biology (Vol. 518, pp. 197–206). Vol. 518, pp. 197–206. <https://doi.org/10.1038/nature14177>

M. Herranz-López, I. Borras-Linares, M. Olivares-Vicente, J. Galvez, A. Segura-Carretero, and V. Micol, "Correlation between the cellular metabolism of quercetin and its glucuronide metabolite and oxidative stress in hypertrophied 3T3-L1 adipocytes," Phytomedicine: International Journal of Phytotherapy and Phytopharmacology, vol. 25, pp. 25–28, 2017.

M.C. Hertog, P.C. Hollman (1996) Potential health effects of the dietary flavonol quercetin, Eur. J. Clin. Nutr. 50 63–71.



Iida, M. Yamamoto, T. Nikaido, Quercetin arrests human leukemic cells in late G1 phase of the cell cycle, Cancer Res. 52 (1992)

6676– 6681.

Marrelli, M.; Loizzo, M.R.; Nicoletti, M.; Menichini, F.; Conforti, F. Inhibition of key enzymes linked to obesity by preparations from mediterranean dietary plants: Effects on α -amylase and pancreatic lipase activities. *Plant Foods Hum. Nutr.* 2013, 68, 340–346

Mahyuni, Sity. 2016. Fitofarmaka, Vol.6, No.1, Juni 2016 ISSN:2087-91641DETERMINASI KADAR TOTAL POLIFENOL TERLARUT, HESPERETIN DAN QUERCETIN PADA DAUN, KULIT DAN ISI BUAH Citrus aurantifolia(Christm & Panzer) Swingle. Fitofarmaka jurnal ilmiah farmasi. Vol 6, No 1 (2016)

Miyata Y, Tanaka H, Shimada A, et al. Regulation of adipocytokine secretion and adipocyte hypertrophy by polymethoxyflavonoids, nobiletin and tangeretin. *Life Sci* 2011; 88:613–618.

Morton, G.J.; Meek, T.H.; Schwartz, M.W. Neurobiology of food intake in health and disease. *Nat. Rev. Neurosci.* 2014, 15, 367–378.

O'Neill, H.M.; Holloway, G.P.; Steinberg, G.R. AMPK regulation of fatty acid metabolism and mitochondrial biogenesis: Implications for obesity. *Mol. Cell. Endocrinol.* 2013, 366, 135–151.

P. Strobel, C. Allard, T. Perez-Acle, R. Calderon, R. Aldunate, F. Leighton, Myricetin, quercetin and catechin-gallate inhibit glucose uptake in isolated rat adipocytes, *Biochem. J.* 386 (2005) 471–478.

Paulino, G., de la Serre, C., Knotts, T. A., Oort, P. J., Newman, J. W., Adams, S. H., & Raybould, H. E. (2009). Increased expression of receptors for orexigenic factors in nodose ganglion of diet-induced obese rats. *American Journal of Physiology-Endocrinology and Metabolism*, 296(4), E898–E903.
<https://doi.org/10.1152/ajpendo.90796.2008>

Pasquali, R, Vicennati V, and Pagotto U, eds. *Handbook of Obesity: Etiology and Pathophysiology*. second ed., ed. G.A.B.a.C. Bouchard. 2004, Marcel Dekker: New York. 1046.

Pinkney, J and Kopelman P, eds. *Handbook of Obesity: Etiology and Pathophysiology*. Second ed., ed. G.A.B.a.C. Bouchard. 2004, Marcel Dekker, Inc: New York. 1046.



protection mechanisms of hesperidin on mouse with insulin resistance]. *Zhongguo Zhong Yao Za Zhi.* 2016;41(17):3290–3295. 10.4268/cjcm20161728

Chen, E. R. (2013). Childhood Obesity: A Review of Increased Risk for

- Physical and Psychological Comorbidities. Clinical Therapeutics, 35(1), A18–A32. <https://doi.org/10.1016/j.clinthera.2012.12.014>
- Rains, T.M.; Agarwal, S.; Maki, K.C. Antioesity effects of green tea catechins: A mechanistic review. *J. Nutr. Biochem.* 2011, 22
- Rice-evans, C. A., Miller, N. J., Bolwell, P. G., Bramley, P. M., & Pridham, J. B. (1995). The Relative Antioxidant Activities of Plant-Derived Polyphenolic Flavonoids. *Free Radical Research*, 22(4), 375–383. <https://doi.org/10.3109/10715769509145649>
- Rotella, C. M., & Dicembrini, I. (2015). Measurement of body composition as a surrogate evaluation of energy balance in obese patients. *World J Methodol.*, 5(1), 1–9. <https://doi.org/10.5662/wjm.v5.i1.1>
- Satoko A, Shin-Ichi K, Kazuharu S, Yoshiko I, Jian W, Mariko U. Dietary hesperidin exerts hypoglycemic and hypolipidemic effects in streptozotocin-induced marginal type 1 diabetic rats. *J Clin Biochem Nutr.* 2010;46(1):87–92.
- Scharoun-Lee, M., Adair, L. S., Kaufman, J. S., & Gordon-Larsen, P. (2009). Obesity, race/ethnicity and the multiple dimensions of socioeconomic status during the transition to adulthood: A factor analysis approach. *Social Science & Medicine*, 68(4), 708–716. <https://doi.org/https://doi.org/10.1016/j.socscimed.2008.12.009>
- Sharma, A. M., & Kushner, R. F. (2009). A proposed clinical staging system for obesity. *International Journal of Obesity*, 33(3), 289–295. <https://doi.org/10.1038/ijo.2009.2>
- Shintani, M, Ogawa Y, Ebihara K, et al.: Ghrelin, an endogenous growth hormone secretagogue, is a novel orexigenic peptide that antagonizes leptin action through the activation of hypothalamic neuropeptide Y/Y1 receptor pathway. *Diabetes*, 2001 50(2): p. 227-32.
- Slentz, CA, Aiken LB, Houmard JA, et al.: Inactivity, exercise and visceral fat. STRRIDE: a randomized, controlled study of exercise intensity and amount. *J Appl Physiol*, 2005
- Spiegelman, BM and Flier JS: Obesity and the regulation of energy balance. *Cell*, 2001. 104(4): p. 531-43.



N., Prapamontol, T., Hongsibsong, S., & Biesalski, H.-K. (2010). γ -methoxylated Flavones, Flavanone Glycosides, Carotenoids, and Oxidants in Different Cultivation Types of Tangerines (*Citrus reticulata* Blanco cv. Sainampueng) from Northern Thailand. *Journal*

of Agricultural and Food Chemistry, 58(10), 6069–6074.
<https://doi.org/10.1021/jf904608h>

Suryanita, Aliyah, YuliaYusrini Djabir, Elly Wahyudin, Latifah Rahman, Risfah Yulianty. 2019. IDENTIFIKASI SENYAWA KIMIA DAN UJI AKTIVITAS ANTIOKSIDAN EKSTRAK ETANOL KULIT JERUK BALI (*Citrus maxima*Merr.). Majalah Farmasi dan Farmakologi(p-ISSN 1410-7031). MFF 2019; 23(1):16-20.

St-Onge, MP, Ross R, Parsons WD, et al.: Medium-chain triglycerides increase energy expenditure and decrease adiposity in overweight men. *Obes Res*, 2003. 11(3): p. 395-402.

Torres, R., Soltero, S., Trak, M. A., Tucker, C. M., Mendez, K., Campos, M., ... Palacios, C. (2016). Lifestyle modification intervention for overweight and obese Hispanic pregnant women: Development, implementation, lessons learned and future applications. *Contemporary Clinical Trials Communications*, 3(Supplement C), 111–116. <https://doi.org/https://doi.org/10.1016/j.concctc.2016.05.004>

Trujillo, ME, Sullivan S, Harten I, et al.: Interleukin-6 regulates human adipose tissue lipid metabolism and leptin production in vitro. *J Clin Endocrinol Metab*, 2004. 89(11): p. 5577-82.

Tziomalos, K., Krassas, G. E., & Tzotzas, T. (2009). The use of sibutramine in the management of obesity and related disorders: an update. *Vascular Health and Risk Management*, 5(1), 441–452.

U.R. Kuppusamy, N.P. Das, Effects of flavonoids on cyclic AMP phosphodiesterase and lipid mobilization in rat adipocytes, *Biochem. Pharmacol.* 44 (1992) 1307–1315

U, Z., Purwanti, N., & Wahyudi, I. (2013). Pengaruh Ekstrak Kulit Jeruk Nipis (*Citrus Aurantifolia* Swingle) Konsentrasi 10% Terhadap Aktivitas Enzim Glukosiltransferase *Streptococcus mutans*. *Majalah Kedokteran Gigi Indonesia*, 20(2), 126 - 131. / doi:<https://doi.org/10.22146/majkedgiind.6803>

van der Horst, K., Oenema, A., Ferreira, I., Wendel-Vos, W., Giskes, K., van Lenthe, F., & Brug, J. (2007). A systematic review of environmental correlates of obesity-related dietary behaviors in youth. *Health Education Research*, 22(2), 203–226.
<https://doi.org/10.1093/her/cyl069>

Horst, K., & Sleddens, E. F. C. (2017). Parenting styles, feeding rules and food-related parenting practices in relation to toddlers' eating styles: A cluster-analytic approach. *PLOS ONE*, 12(5),



- e0178149. Retrieved from
<https://doi.org/10.1371/journal.pone.0178149>
- van der Klaauw, A. A., & Farooqi, I. S. (2015). The Hunger Genes: Pathways to Obesity. *Cell*, 161(1), 119–132.
<https://doi.org/https://doi.org/10.1016/j.cell.2015.03.008>
- Wang Wen, Li Jun, L. R. (2011). Effect of hesperidin on the expression and activity of COX-2 in rats with non-alcoholic fatty liver disease. *Acta Universitatis Medicinalis Anhui*, 9.
- Wang Yan, Li Jun, W. B. (2010). The protective effect and mechanism of hesperidin on non-alcoholic fatty liver in rats. *Acta Universitatis Medicinalis Anhui*, 5. Retrieved from
http://en.cnki.com.cn/Article_en/CJFDTOTAL-YIKE201005016.htm
- Viguerie, N, Vidal H, Arner P, et al.: Adipose tissue gene expression in obese subjects during low-fat and high-fat hypocaloric diets. *Diabetologia*, 2005. 48(1): p. 123-31.
- Widyasari, Ratna., Fadli Fadli, Sri Handayani. 2020. PENETAPAN KADAR FLAVONOID TOTAL EKSTRAK METANOL KULIT JERUK SAMBAL SECARA SPEKTROFOTOMETRI UV-VISIBEL. Vol 4, No 2 (2020). DOI: <http://dx.doi.org/10.37874/ms.v4i2.129>
- Wilms, B., Ernst, B., Thurnheer, M., Weisser, B., & Schultes, B. (2014). Correction factors for the calculation of metabolic equivalents (MET) in overweight to extremely obese subjects. *International Journal of Obesity*, 38(11), 1383–1387. <https://doi.org/10.1038/ijo.2014.22>
- Williams, PT, Blanche PJ, and Krauss RM: Behavioral versus genetic correlates of lipoproteins and adiposity in identical twins discordant for exercise. *Circulation*, 2005. 112(3): p. 350-6.
- Winarno. (2002). *Fisiologi lepas panen produk hortikultura*. Bogor: M-Brio Press.
- Withrow, D., & Alter, D. A. (2011). The economic burden of obesity worldwide: a systematic review of the direct costs of obesity. *Obesity Reviews*, 12(2), 131–141. <https://doi.org/10.1111/j.1467-789X.2009.00712.x>

Wu, Y. P., Reiter-Purtill, J., & Zeller, M. H. (2014). The Role of Social Support for Promoting Quality of Life Among Persistently Obese Adolescents: Importance of Support in Schools. *Journal of School Health*, 84(2), 99–105. <https://doi.org/10.1111/josh.12129>

J. Xu, Y. Shi, and J. M. Ye, "Discovery of novel antidiabetic drugs

by targeting lipid metabolism," Current Drug Targets, vol. 16, no. 12, pp. 1372–1380, 2015.

Xiao, L.; Zhang, J.; Li, H.; Liu, J.; He, L.; Zhang, J.; Zhai, Y. Inhibition of adipocyte differentiation and adipogenesis by the traditional chinese herb Sibiraea angustata. Exp. Biol. Med. 2010, 235, 1442–1449.

Yahagi, N., Shimano, H., Hasty, A. H., Matsuzaka, T., Ide, T., Yoshikawa, T., ... Yamada, N. (2002). Absence of sterol regulatory element-binding protein-1 (SREBP-1) ameliorates fatty livers but not obesity or insulin resistance in Lepob/Lepob mice. Journal of Biological Chemistry, 277(22), 19353–19357.
<https://doi.org/10.1074/jbc.M201584200>

Zhang, Q., Lamichhane, R., Chen, H.-J., Xue, H., & Wang, Y. (2014). Does child{textendash}parent resemblance in body weight status vary by sociodemographic factors in the USA? Journal of Epidemiology & Community Health. <https://doi.org/10.1136/jech-2013-203476>

Zhu, T.; Wang, L.; Wang, W.; Hu, Z.; Yu, M.; Wang, K.; Cui, Z. Enhanced production of lipstatin from Streptomyces toxytricini by optimizing fermentation conditions and medium. J. Gen. Appl. Microbiol. 2014, 60, 106–111.

