

DAFTAR PUSTAKA

- Agency for Toxic Substances and Disease Registry (ATSDR). Toluene Toxicity(Case studies in Environmental Medicine). U.S. Departement of Health and Human Service. February 2007. From: URL (<http://www.atsdr.cdc.gov/csem/toluene/docs/toluene.pdf>).
- Adams GL, Boies LR, Higler PA. 2015. Anatomi dan fisiologi terapan, dalam Boeis buku ajar penyakit THT, Edisi 6, Jakarta
- Agency for Toxic Substances and Disease Registry (ATSDR). Toxicological Profiles for Benzene (Draft for Public Comment). U.S. Departement of Health and Human Services, Public Health Service, Atlanta, Georgia, U.S.A. September 2005. From: URL (<http://www.atsdr.cdc.gov/toxprofiles/tp3.html>).
- Al-Saggaf, SM., Shaker, S., Ayuob, NN., Al-Jahdali, NH., Abdel-Hamid, GA. 2009. Effect of Car Fuel (Gasoline) Inhalation on Trachea of Guinea Pig: Light and Scanning Microscopic Study under Laboratory Conditions. Journal of Animal and Veterinary Advances 8 (11): 2118-2124.
- Ballenger. 2010. Aplikasi Klinis Anatomi dan Fisiologi Hidung dan Sinus Paranasal dalam *Penyakit Telinga, Hidung, Tenggorok, Kepala dan Leher*, Jilid 2. Edisi 13. Bina Rupa Aksara. Jakarta.
- Benson J.M., E.B. Barr and J.R. Krone. 2001. MTBE Inhaled Alone and in Combination With Gasoline Vapor: Uptake,

Distribution, Metabolism and Excretion in Rats. *Res. Rep. Health Eff. Inst.*, 102: 73-94.

Bonfils, P., Avon, P., Faulcon, P., Malinvaud, D. 2005. Distorted Odorant Perception: Analysis of a Series of 56 Patients With Parosmia. *Arch Otolaryngol Head Neck Surg.*;131:107-112.

Bromley, SM. 2000. Smell and Taste Disorders: A Primary Care Approach.

Am.Fam.Physician.

Burghart Messtechnik GmbH, 2012. Screening 12 Test, Sniffin's Stick,(www.burghart-mt.de).

Budiman, Bestari Jaka, dan Hidayatul Fitria. 2014. Penatalaksanaan Hipertrofi Konka. *Jurnal Kesehatan Andalas* 37: 107 – 114.

CCOHS, 1997. OSH Answer: 2- Health Effects of Gasoline. www.ccohs.ca/oshanswers/chemicals/chem_profiles/gasoline/health_gas.html.

Dhingra PL.2014. *Disease of Ear, Nose and Throat, 9th edition*

Djalal, Rachmawati. 2010. *Validitas Metode Rhinohigrometri Sebagai Indikator Sumbatan Hidung*. Karya Tulis Akhir. Departemen Ilmu Kesehatan THT-KL. Fakultas Kedokteran Unhas. Makassar

Doty, RL and Hastings, L. 2001. *Neurotoxic Exposure and Olfactor Impairment*. Smell and Taste Center and Department of Otorhinolaryngology: Head and Neck Surgery, University of Pennsylvania Medical Center, Philadelphia, Pennsylvania. Clinics In Occupational and Environmental Medicine. Volume 1 .Number 3 .August.p.547-75.

- Fathoni, NA. 2014. Gangguan Penghidu Pada Pekerja Stasiun Pengisian Bahan Bakar Umum (SPBU) di Yogyakarta. Bagian Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher FK Universitas Gadjah Mada.
- Fokken WJ, Lund VJ, Muloll J., Bachert C. 2012. European Position Paper On Rinosinusitis and Nasal Polip In Rhinology Journal Of European And International Sociaties. p.1-198
- File TM. 2006. *Sinusitis: Epidemiology*. In : Itzhak Brook, Ed. *Sinusitis From Microbiology To Management*. New York: Taylor And Francis Group. p.1-13.
- Flowers, L. 2005. Toxicological Review of Toluene .National Center for Environmental Assessment (NCEA) USEPA Office of Research and Development Washington, DC.
- Ginros G, Kartas I, Balatsauras D, Kandilaros, and Mathos AK. 2009. *Mucosal Change in Chronic Hypertrophic Rhinitis After Surgical Turbinate Reduction*. Eur Arch Otorhinolaryngol 266: 1409 – 16. DOI:[10.1007/s00405-009-0916-9](https://doi.org/10.1007/s00405-009-0916-9)
- Gluck, U., Schutz, R., Gebbers, JO., 2003. Cytopathology of the Nasal Mucosa in Chronic Exposure to Diesel Engine Emission: A Five-YearSurvey of Swiss Customs Officers. Enviromental Health Perspectives., 111 (7): 925-29.
- Gosepath J, Grebneva N, Mossikhin S, Mann WJ. 2002. Topical antibiotic, antifungal, and antiseptic solutions decrease ciliary activity in nasal respiratory cells. Am J Rhinol.16(1):25-31.
- Hummel, T., Landis, B., & Huttenbrink, K. (2011). Smell and Taste Disorders, Vol 10, Retrieved February 22,2014,

- Jacobson, GA., McLean, S. 2003. Biological Monitoring of Low Level Occupational Xylene Exposure and the Role of Recent Exposure. *Ann. Occup Hyg.*, Vol. 47, No. 4, pp. 331-336.
- Jorissen M, Willems T, Boeck KD. 2000. Diagnostic Evaluation of Mucociliary Transport: From Symptoms to Coordinated Ciliary Activity after Ciliogenesis in Culture. *Am J Rhinol*. 14: p.345-52
- Kivity, S., Ortega., Hernandez, OD., Shoenteld, Y. 2009. Olfaction - A Window to the Mind. *IMAJ*. 11:238-243.
- Lalwani, A. (2007). Current Diagnosis and Treatment in Otolaryngology Head and Surgery, 2nd Ed. New York: The McGraw-Hill Companies. Larsson, M., Finkel, D and Pedersen, N. 2000. Odor Identification : Influences of Age, Gender, Cognition and Personality. *Journal of Gerontology: PSYCHOLOGICAL SCIENCES*, Vol. 55B, No. 5, P304–P310
- Lee, CC., Chen, MR., Shih, TS et al. 2002. Exposure Assessment on Volatile Organic Compounds (VOCs) for Tollway Station Workers via Direct and Indirect Approaches. *J Occup Health*., 44: 294-300.
- Leopold, D. 2009. Disorders of Taste and Smell. eMedicine (Medscape's continually update clinical reference). (cited 2009 Jun 24). Available from; EMedicine Otolaryngol Facplastic Surg. 2009.
- Leusch, F. 2010. A Short Primer on Benzene, Toluene, Ethylbenzenes and Xylenes (BTEX) in the Environment and in Hydraulic Fracturing Fluids. Smart Water Research Centre. Griffith University. Australia.

- Lynge, E., Andersen, A., Nilsson, R et al. 1997. Risk of Cancer and Exposure to Gasoline Vapors. Am J of Epidemiol., 145: 449-58.
- Maulida, Anisa Rochmah dan Mailasari, Anna. 2018. *Perbandingan Efektivitas Irigasi Hidung dengan Spuit dan Nasal Wash Bottle terhadap Derajat Sumbatan Hidung Studi pada Petugas Gerbang Tol. Fakultas Kedokteran Universitas Diponegoro. Semarang.*
- Mangunkusumo, Soetjipto. Sinusitis. 2016. Dalam Buku Ajar Ilmu Kesehatan Telinga Hidung Tenggorok Kepala dan Leher. Edisi Ke-6. Fakultas Kedokteran Universitas Indonesia. Jakarta: Gaya Baru Press.
- National Institute for Occupational Health and Safety (NIOSH), 2005. NIOSH Pocket Guide to Chemical Hazards. Departement of Health and Human Services. Centers for Disease Control and Prevention. National Institute for Occupational Health and Safety. Cincinnati, USA.
- Nurjati, S. 2010. Ilmu Lingkungan: Bioremediasi. www.Ajoilmulingkunganajo.blogspot.com/2010/09/bioremedia.html.
- Ozdener, MH., Rowson, NE. 2004. Olfactory Dysfunction in Neurodegenerative Disease. European Journal of Degenerative disease.1 (3):1-11.
- Pinto, JM., Thanaviratananich, S., Hayes, MG., Naclerio, RM and Ober, C. 2008. A Genome-Wide screen for Hyposmia Susceptibility Loci. Chem Senses,33:319- 329.
- Probst, R., Grevers, G., Iro, H. 2006. Basic Otorhinolaryngology. Thieme.New York.
- Quinn, FB and Ryan, MW. 2003. Olfactory Dysfunction and Disorder. UTMB. Department of Otolaryngology.

Raviv, JR., Kern, RC. 2004. *Chronic Sinusitis and Olfactory Dysfunction*. Otolaryngol Clin North Am, Dec; 37(6):1143-57,v-vi.

Riechelmann, H. 2004. Cellular and Molecular Mechanisms in Environmental and Occupational Inhalation Toxicology. GMS Curr Top Otorhinolaryngol Head Neck Surg, 3:Doc 02.

Schwob, J., Kurtz, D., Goldstein, B. (2006). The Biology and Testing of Olfactory Dysfunction. Otolaringology Basic Science and Clinical Review, 485-496.

Smith, Davidson .,Murphy, 2009. Age Incidence of Atrophy of Olfactory Nerves in Man.J. Comp. Neurol. 77, 589-594.

Snow, JB., Doty, Jr RL., Bartoshak, LM., Getchell, TV. 1991. Categorization of chemosensory disorders. Chapter 25, New York:445-447.

Sobel, S., Frenkiel, S and Mouadeb, D. 2002. Olfactory Dysfunction: What's that smell? The Canadian journal of diagnosis:55-63.

Takeuchi, Y. 2004. Health Effects From Exposure To Chronic Levels Of Industrial Chemicals. Research Center For Radiation Emergency Medicine, National Institute Of Radiological Sciences, Chiba, Japan.

Talbot AR, Herr TM, Parsons DS. Mucociliary Clearance And Buffered Hypertonic Saline Solution. Laryngoscope.1997; 107: p.500–3

United Nation, 1997. Glossary of Environment Statistics, Study in Methods. Series F, No. 67, New York.

Weguespack R, Mucociliari clearance patterns following endoscopic sinus surgery, laryngoscope, 1995, 105: 1-40

Yale University of School Medicine. 1998. Retrieved Februari 12, 2016, from Yale of Centre for Instructional Media.

Lampiran 1. Data Dasar Hasil Penelitian

No	Operator SPBU	Usia	Ambang (A)		Diskriminasi (D)		Identifikasi (I)		Terkecil	Total (ADI) Kanan	Total (ADI) Kiri	ADI Terkecil	Fungsi Penghidu	Lama Kerja	Jenis Kelamin		
			Kanan	Kiri	Terkecil	Kanan	Kiri	Terkecil					1. ≤ 15 (Anosmia) 2. 16-29 (Hiposmia) 3. ≥ 30 (Normosmia)				
1	M	22 th	13,25	7	7	11	6	6	10	6	6	34,25	19	19	2	36 bulan	Perempuan
2	DI	40 th	7,75	8,25	7,75	7	8	7	8	9	8	22,75	25,25	22,75	2	48 tahun	Laki-laki
3	SF	35 th	7,5	9,25	7,5	10	9	9	8	8	8	25,5	26,25	24,5	2	36 bulan	Perempuan
4	E	32 th	8,25	13,25	8,25	6	11	6	6	10	6	20,25	34,25	20,25	2	24 bulan	Perempuan
5	S	36 th	6,75	8,25	6,75	8	9	8	8	9	8	22,75	26,25	22,75	2	48 bulan	Laki-laki
6	DM	33 th	4,5	2,5	2,5	5	3	3	10	8	8	19,5	13,25	13,5	1	72 bulan	Laki-laki
7	RS	20 th	13,5	13,5	13,5	12	11	11	9	9	9	34,5	33,5	33,5	3	8 bulan	Perempuan
8	H	31 th	13,5	14,5	13,5	12	11	11	10	10	1 0	35,5	35,5	34,5	3	7 bulan	Laki-laki
9	M	27 th	12,75	13,75	12,75	9	10	9	11	10	1 0	32,75	33,75	31,75	3	9 bulan	Laki-laki
10	RT	28 th	13,25	13,5	13,25	11	11	11	9	10	9	33,25	34,5	33,25	3	7 bulan	Perempuan
11	S	33 th	13	12,75	12,75	12	11	11	9	9	9	34	32,75	32,75	3	12 bulan	Laki-laki
12	DS	38 th	9,25	9,5	9,25	9	10	9	8	7	7	26,25	26,5	25,25	2	48 bulan	Laki-laki
13	TS	34 th	5,75	7,25	5,75	5	6	5	5	4	4	15,75	17,25	14,75	1	48 bulan	Laki-laki
14	TS	36 th	8,25	4	4	6	5	5	4	3	3	18,25	12	12	1	72 bulan	Laki-laki
15	KS	21 th	13,25	13,75	13,25	12	13	12	10	11	1 0	35,25	37,75	35,25	3	9 bulan	Perempuan
16	I	31 th	4,5	1	1	4	3	3	9	11	9	19,5	13	13	1	60 bulan	Laki-laki
17	G	37 th	2	5	2	3	4	3	10	13	1 0	15	22	15	1	96 bulan	Laki-laki
18	SR	33 th	14	7,5	7,5	8	6	6	11	8	8	33	21,5	21,5	2	48 bulan	Perempuan
19	Z	28 th	2,5	2	2	4	3	3	10	8	8	16,5	13	13	1	60 bulan	Perempuan
20	DP	38 th	1	7,5	1	6	4	4	11	8	8	18	18,5	13	2	36 bulan	Laki-laki

No	Non Operator SPBU	Usia	Ambang (A)		Diskriminasi (D)		Identifikasi (I)				Total (ADI) Kanan	Total (ADI) Kiri			Fungsi Penghidu	Lama kerja	Jenis Kelamin
			Kanan	Kiri	Terkecil	Kanan	Kiri	Terkecil	Kanan	Kiri			ADI Terkeci 1	1. ≤ 15 (Anosmia) 2. 16-29 (Hiposmia) 3. ≥ 30 (Normosmia)			
1	A	38 th	14	14,5	14	11	10	10	11	8	8	36	32,5	32	3	48 bulan	Perempuan
2	Y	34 th	13,5	14	13,5	9	8	8	10	11	10	32,5	33	31,5	3	60 bulan	Perempuan
3	MP	40 th	13	13,25	13	9	10	9	12	13	12	34	36,25	34	3	60 bulan	Laki-laki
4	MS	39 th	12	11,5	11,5	9	8	8	12	11	11	33	30,5	30,5	3	48 bulan	Laki-laki
5	S	40 th	11,25	9,25	9,25	10	1 2	10	14	14	14	35,25	35,25	33,25	3	48 bulan	Laki-laki
6	S	30 th	11,75	13,25	11,75	10	1 0	10	10	9	9	30,75	32,25	30,75	3	48 bulan	Laki-laki
7	BS	37 th	13	13	13	10	1 2	10	7	12	7	30	37	30	3	72 bulan	Laki-laki
8	D	34 th	13	13	13	12	1 3	12	9	10	9	34	36	34	3	36 bulan	Perempuan
9	S	29 th	13,5	14	13,5	8	9	8	10	10	10	31,5	33	31,5	3	24 bulan	Perempuan
10	A	31 th	13,25	13,5	13,25	12	1 0	10	11	9	9	36,25	32,5	32,25	3	36 bulan	Perempuan
11	H	33 th	13,5	13	13	11	1 3	11	9	9	9	33,5	35	33	3	12 bulan	Perempuan
12	M	40 th	14	13,5	13,5	12	1 0	10	10	10	10	36	33,5	33,5	3	72 bulan	Perempuan
13	A	38 th	12,5	12,25	12,25	12	9	9	10	10	10	34,5	32,25	31,25	3	48 bulan	Perempuan
14	KS	30 th	13,5	14,5	13,5	10	1 2	10	9	10	9	32,5	36,5	32,5	3	24 bulan	Perempuan
15	T	27 th	14,5	13,5	13,5	12	1 0	10	10	9	9	36,5	32,5	32,5	3	36 bulan	Perempuan
16	TS	34 th	12,5	14,5	12,5	10	1 3	10	9	10	9	31,5	37,5	31,5	3	36 bulan	Perempuan
17	J	35 th	13,5	12,5	12,5	12	1 0	10	9	10	9	34,5	32,5	31,5	3	12 bulan	Perempuan
18	AS	37 th	13,5	13,5	13,5	11	1 2	11	9	10	9	33,5	35,2	33,5	3	60 bulan	Perempuan
19	YS	28 th	13	13,5	13	11	1 2	11	10	10	10	34	35,5	34	3	48 bulan	Perempuan
20	S	34 th	13,5	13,5	13,5	11	1 2	11	9	10	9	33,5	35,5	33,5	3	36 bulan	Perempuan

Nilai Transpor Mukosiliar

No	Operator SPBU	Nilai TMS	Non Operator SPBU	Nilai TMS
1	M	10,24	A	8, 15
2	DI	10,15	Y	7,20
3	SF	11,28	MP	6,50
4	E	11,52	MS	7,21
5	S	12,30	S	8,14
6	DM	15,10	S	7,30
7	RS	8,13	BS	7,11
8	H	8,50	D	8,23
9	M	8,17	S	7,45
10	RT	8,23	A	8,32
11	S	8,10	H	7,15
12	DS	12,24	M	6,20
13	TS	14,32	A	6,50
14	TS	13,50	KS	7,35
15	KS	8,14	T	8,10
16	I	15,25	TS	7,34
17	G	14,53	J	6,27
18	SR	12,35	AS	7,35
19	Z	16,23	YS	7,18
20	DP	14,15	S	8,27

Lampiran 2. Rekomendasi Persetujuan Etik



KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN KESEHATAN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, M.Med.,Ph.D, Sp.GK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 689/UN4.6.4.5.31/ PP36/ 2020

Tanggal: 26 Oktober 2020

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH20090502	No Sponsor Protokol	
Peneliti Utama	dr. Rahmat Hidayat	Sponsor	
Judul Peneliti	Pemeriksaan Fungsi Pengidu dan Transpor Mukosiliar Pada Pekerja Stasiun Pengisian Bakar Umum (SPBU) di Makassar		
No Versi Protokol	2	Tanggal Versi	21 Oktober 2020
No Versi PSP	2	Tanggal Versi	21 Oktober 2020
Tempat Penelitian	SPBU di Wilayah Kota Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 26 Oktober 2020 sampai 26 Oktober 2021	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama dr. Agussalim Bukhari, M.Med.,Ph.D, Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

Lampiran 3. Dokumentasi Penelitian



Pemeriksaan Fisik Pekerja SPBU



Alat Pemeriksaan Sniffing Sticks Test



SPBU jl. Bawakaraeng, Makassar



SPBU Maros

Lampiran 4. Uji Statistik menggunakan SPSS

Tests of Normality

pekerja		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
TMS	operator	.169	20	.138	.907	20	.055
	non-operator	.164	20	.166	.908	20	.059
Tot_kecil	operator	.166	20	.151	.885	20	.021
	non-operator	.147	20	.200*	.940	20	.237

Descriptives

Pekerja		Statistic	Std. Error
TMS	operator	Mean	.62326
		95% Confidence Interval for Mean	
		Lower Bound	10.3170
		Upper Bound	12.9260
		5% Trimmed Mean	11.5611
		Median	11.8800
		Variance	7.769
		Std. Deviation	2.78731
		Minimum	8.10
		Maximum	16.23
		Range	8.13
		Interquartile Range	5.98
		Skewness	.029 .512
		Kurtosis	-1.413 .992
non-operator	Mean	7.3660	.14955

		95% Confidence Interval for	Lower Bound	7.0530	
	Mean		Upper Bound	7.6790	
	5% Trimmed Mean			7.3778	
	Median			7.3200	
	Variance			.447	
	Std. Deviation			.66879	
	Minimum			6.20	
	Maximum			8.32	
	Range			2.12	
	Interquartile Range			1.01	
	Skewness			-.127	.512
	Kurtosis			-.829	.992
Tot_kecil	operator	Mean		22.5625	1.87924
		95% Confidence Interval for	Lower Bound	18.6292	
	Mean		Upper Bound	26.4958	
	5% Trimmed Mean			22.4444	
	Median			22.1250	
	Variance			70.631	
	Std. Deviation			8.40421	
	Minimum			12.00	
	Maximum			35.25	
	Range			23.25	
	Interquartile Range			18.69	

	Skewness	.258	.512
	Kurtosis	-1.468	.992
non-operator	Mean	32.3250	.27691
	95% Confidence Interval for Mean	Lower Bound	31.7454
		Upper Bound	32.9046
	5% Trimmed Mean	32.3611	
	Median	32.3750	
	Variance	1.534	
	Std. Deviation	1.23837	
	Minimum	30.00	
	Maximum	34.00	
	Range	4.00	
	Interquartile Range	2.00	
	Skewness	-.185	.512
	Kurtosis	-1.084	.992

Mann-Whitney Test

Ranks				
	jenis_spbu	N	Mean Rank	Sum of Ranks
Tot_kecil	A	20	21.33	426.50
	B	20	19.68	393.50
	Total	40		
TMS	A	20	20.30	406.00
	B	20	20.70	414.00
	Total	40		

Kruskal-Wallis Test

Ranks			
	Fx	N	Mean Rank
TMS	<=15 Anosmia	6	37.33
	16-29 Hiposmia	8	30.63
	>=30 Normosmia	26	13.50
	Total	40	
Lama_bln	<=15 Anosmia	6	36.00
	16-29 Hiposmia	8	25.88
	>=30 Normosmia	26	15.27
	Total	40	

Nonparametric Correlations

			Correlations		
			TMS	Lama_bln	Tot_kecil
Spearman's rho	TMS	Correlation Coefficient	1.000	.563**	-.620**
		Sig. (2-tailed)	.	.000	.000
		N	40	40	40
	Lama_bln	Correlation Coefficient	.563**	1.000	-.663**
		Sig. (2-tailed)	.000	.	.000
		N	40	40	40
	Tot_kecil	Correlation Coefficient	-.620**	-.663**	1.000
		Sig. (2-tailed)	.000	.000	.
		N	40	40	40