

## DAFTAR PUSTAKA

- Abdoli, S., Doosti Irani, M., Hardy, L. R., & Funnell, M. (2018). A discussion paper on stigmatizing features of diabetes. *Nursing Open*, 5(2), 113–119. <https://doi.org/10.1002/nop2.112>
- Abdullah, N., Attia, J., Oldmeadow, C., Scott, R. J., & Holliday, E. G. (2014). *The Architecture of Risk for Type 2 Diabetes : Understanding Asia in the Context of Global Findings. 2014*. <https://doi.org/10.1155/2014/593982>
- Ahdiah, N., & Arofiati, F. (2020). Metode-Metode Penyampaian Diabetes Self-Management Education (DSME). *Dinamika Kesehatan Jurnal Kebidanan Dan Keperawatan*, 10(1), 303–317. <https://doi.org/10.33859/dksm.v10i1.416>
- Ahmad, N. S., Islahudin, F., & Paraidathathu, T. (2014). *Factors associated with good glycemic control among patients with type 2 diabetes mellitus*. 5(5), 563–569. <https://doi.org/10.1111/jdi.12175>
- Akinci, F., Yildirim, A., & Go, H. (2008). *Assessment of health-related quality of life ( HRQoL ) of patients with type 2 diabetes in Turkey*. 79, 117–123. <https://doi.org/10.1016/j.diabres.2007.07.003>
- Al-Rubae, F. R., & Al-Abri, M. H. (2016). Characteristics of registered diabetics in Dhank province in the sultanate of Oman. *Oman Medical Journal*, 31(3), 205–210. <https://doi.org/10.5001/omj.2016.39>
- Albikawi, Z. F., & Abuadas, M. H. (2015). Diabetes Self Care Management Behaviors among Jordanian Type Two Diabetes Patients. *American International Journal of Contemporary Research*, 5(3), 87–85.
- Alligood, M. R. (2014). Nursing theorists and their work, eighth edition. In editor of compilation. I. Alligood, Martha Raile (Ed.), *Elsevier Mosby (EIGHTH EDI)*. Mosby, Inc., an affiliate of Elsevier Inc. <https://doi.org/10.5172/conu.2007.24.1.106a>
- Alligood, M. R. (2017). *Pakar Teori Keperawatan dan Karya Mereka* (A. Y. S. Hamid & K. Ibrahim (eds.); 8th ed.). Elseviers Singapore Pte Ltd.
- American Diabetes Association. (2010a). “Standards of Medical Care in Diabetes-2010.” *Diabetes Care*, 33(SUPPL.), S11–S61. <https://doi.org/https://doi.org/10.2337/dc10-S011>
- American Diabetes Association. (2010b). *Standards of Medical Care in Diabetes—2010*. 33. <https://doi.org/10.2337/dc10-S011>
- American Diabetes Association. (2015). 4 . *Foundations of Care : Education , Nutrition , Physical Activity , Smoking Cessation , Psychosocial Care, and Immunization*. 38(January), 20–30. <https://doi.org/10.2337/dc15-S007>

- American Diabetes Association. (2017a). 5 . Prevention or Delay of Type 2 Diabetes. *Diabetes Care*, 40(Supplement 1), s44–s47. <https://doi.org/10.2337/dc17-S008>
- American Diabetes Association. (2017b). Lifestyle management. *Diabetes Care*, 40(January), S33–S43. <https://doi.org/10.2337/dc17-S007>
- American Diabetes Association. (2019). Standards of Medical Care in Diabetes—2019 Abridged for Primary Care Providers. *Diabetes Care*, 42(Suppl.1), S1–S194. <https://doi.org/10.2337/cd18-0105>
- American Diabetes Association (ADA). (2017). 8 . Pharmacologic Approaches to Glycemic Treatment. In *Diabetes Care* (Vol. 40, Issue Suppl. 1, pp. S64–S74). <https://doi.org/10.2337/dc17-S011>
- American Diabetes Association (ADA). (2019). 2. Classification and Diagnosis of Diabetes: <em>Standards of Medical Care in Diabetes—2019</em>. *Diabetes Care*, 42(Supplement 1), S13 LP-S28. <https://doi.org/10.2337/dc19-S002>
- American Heart Association. (2017). 2017 Guideline for the Prevention, Detection, Evaluation, and Mangement of High Blood Pressure in Adults. Guidelines Made Simple. A Selection of Tables and Figure. *Journal of the American College of Cardiology*, 70(14), 1785–1822. <https://doi.org/10.1016/j.jacc.2017.07.745>
- Arsana, P. M., Rosandi, R., Manaf, A., Budhiarta, A., Permana, H., Sucipta, K. W., Lindarto, D., Adi, S., Pramono, B., Harbuwono, D. S., Shahab, A., Sugiarto, Karimi, J., Purnomo, L. B., Yuwono, A., & Suhartono, T. (2015). Panduan Pengelolaan Dislipidemia di Indonesia 2015. In *PB. PERKENI* (1st ed.). PB. PERKENI.
- Baker, L. K., & Denyes, M. J. (2008). *Predictors of Self-Care in Adolescents With Cystic Fibrosis: A test of Orem's Theories of Self-Care and Self-Care Deficit*. 23(1). <https://doi.org/10.1016/j.pedn.2007.07.008>
- Barasheh, N., Shakerinejad, G., Nouhjah, S., & Haghhighizadeh, M. H. (2017). The effect of educational program based on the precede-proceed model on improving self-care behaviors in a semi-urban population with type 2 diabetes referred to health centers of Bavi, Iran. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, 11, S759–S765. <https://doi.org/10.1016/j.dsx.2017.05.012>
- Baraz, S., Zarea, K., & Shahbazian, H. B. (2017). Impact of the self-care education program on quality of life in patients with type II diabetes. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*. <https://doi.org/10.1016/j.dsx.2017.07.043>
- Bartels, D. (2004). Adherence to oral therapy for type 2 diabetes: opportunities for

- enhancing glycemic control. *Journal of the American Academy of Nurse Practitioners*, 16(1), 9–17. <https://doi.org/10.1111/j.1745-7599.2004.tb00366.x>
- Bennett, H. D., Coleman, E. A., Parry, C., Bodenheimer, T., & Chen, E. H. (2010). Health coaching for patients with chronic illness. *New England Journal of Medicine*, 17(5), 24–29. <https://doi.org/10.1056/NEJM197510092931526>
- Blackberry, I. D., Furler, J. S., Walker, C., Dunning, T., & Segal, L. (2013). Effectiveness of general practice based , practice nurse led telephone coaching on glycaemic control of type 2 diabetes: the Patient Engagement And Coaching for Health ( PEACH ) pragmatic cluster randomised controlled trial. *BMJ Journal*, 347(f5272), 1–14. <https://doi.org/10.1136/bmj.f5272>
- Bodenheimer, T. (2016). Health coaching: Help Patients Take Charge of Their Health. *Home Healthcare Nurse*, 32(7), 438–439. <https://doi.org/10.1097/NHH.000000000000103>
- Bollyky, J. B., Bravata, D., Yang, J., Williamson, M., & Schneider, J. (2018). Remote Lifestyle Coaching Plus a Connected Glucose Meter with Certified Diabetes Educator Support Improves Glucose and Weight Loss for People with Type 2 Diabetes. *Journal of Diabetes Research*, 2018, 1–7. <https://doi.org/10.1155/2018/3961730>
- BPJS Kesehatan RI. (2019). *Panduan Praktis PROLANIS (Program Pengelolaan Penyakit Kronis)*. Internet.
- Broadbent, E., Donkin, L., & Stroh, J. C. (2011). Illness and treatment perceptions are associated with adherence to medications, diet, and exercise in diabetic patients. *Diabetes Care*, 34(2), 338–340. <https://doi.org/10.2337/dc10-1779>
- Browning, C., Chapman, A., Yang, H., Liu, S., Zhang, T., Enticott, J. C., & Thomas, S. A. (2016). Management of type 2 diabetes in China : the Happy Life Club , a pragmatic cluster randomised controlled trial using health coaches. *BMJ Open*, 6(e009319). <https://doi.org/10.1136/bmjopen-2015-009319>
- Cavaiola, T. S., Kiriakov, Y., Reid, T., Care, A. U., Grove, W., States, U., Diabetes, M., & States, U. (2019). Management of Patients With Type 2 Diabetes : Overcoming Inertia and Advancing Therapy With the Use of Injectables. *Clinical Therapeutics*, 41(2), 352–367. <https://doi.org/10.1016/j.clinthera.2018.11.015>
- Chaidir, R., Wahyuni, A. S., Furkhani, D. W., Studi, P., Keperawatan, I., Yarsi, S., & Bukittinggi, S. (2017). Hubungan self care dengan kualitas hidup pasien diabetes melitus. *Endurance* 2(2), 2(June), 132–144.
- Chapman, A., Browning, C. J., Enticott, J. C., Yang, H., Liu, S., & Chapman, A. (2018). Effect of a Health Coach Intervention for the Management of

- Individuals With Type 2 Diabetes Mellitus in China : A Pragmatic Cluster Randomized Controlled Trial. *Frontiers in Public Health*, 6(252), 1–14. <https://doi.org/10.3389/fpubh.2018.00252>
- Charan, J., & Biswas, T. (2013). How to Calculate Sample Size for Different Study Designs in Medical Research? *Indian Journal of Psychological Medicine*, 35(2), 121–126.
- Chen, E. H., & Devore, D. (2015). Health Coaching by Medical Assistants to Improve Control of Diabetes, Hypertension, and Hyperlipidemia in Low-Income Patients: A Randomized Controlled Trial. *Annals of Family Medicine*, 13(2), 130–139. <https://doi.org/10.1370/afm.1768>.INTRODUCTION
- Chin, M. H., Davis, A. M., & Casalino, L. P. (2007). Pay for Performance , Public Reporting , and Racial Disparities in Health Care How Are Programs Being Designed? *Medical Care Research and Review*, 64(5\_suppl), 283S-304S. <https://doi.org/https://doi.org/10.1177/1077558707305426>
- Chrvala, C. A., Sherr, D., & Lipman, R. D. (2016). Diabetes self-management education for adults with type 2 diabetes mellitus: A systematic review of the effect on glycemic control. *Patient Education and Counseling*, 99(6), 926–943. <https://doi.org/10.1016/j.pec.2015.11.003>
- Chugh S. (2011). *Gold Standard Mini atlas series Diabetes*. Jaypee Brothers Medical.
- Cinar, A Basak, & Schou, L. (2014). The role of self-efficacy in health coaching and health education for patients with type 2 diabetes. *International Dental Journal*, 64(3), 155–163. <https://doi.org/10.1111/idj.12093>
- Cinar, Ayse Basak, Oktay, I., & Schou, L. (2014). “ Smile healthy to your diabetes ”: health coaching-based intervention for oral health and diabetes management. *Clin Oral Invest*, 18, 1793–1801. <https://doi.org/10.1007/s00784-013-1165-2>
- Cinar, Ayse Basak, & Schou, L. (2014). Health promotion for patients with diabetes : health coaching or formal health education? *International Dental Journal*, 64(1), 20–28. <https://doi.org/10.1111/idj.12058>
- Conn, S., & Curtain, S. (2019). Health coaching as a lifestyle medicine process in primary care. *Australian Journal of General Practice*, 48(10), 677–680. <https://doi.org/10.31128/ajgp-07-19-4984>
- Cortez, D. N., Macedo, M. M. L., Souza, D. A. S., Dos Santos, J. C., Afonso, G. S., Reis, I. A., & Torres, H. D. C. (2017). Evaluating the effectiveness of an empowerment program for self-care in type 2 diabetes: A cluster randomized trial. *BMC Public Health*, 17(1), 1–10. <https://doi.org/10.1186/s12889-016-3937-5>

- Dagogo-jack, S. (2017). *Diabetes Mellitus in Developing Countries and Underserved Communities*. Springer International Publishing. <https://doi.org/https://doi.org/10.1007/978-3-319-41559-8>
- Delaney, G., Newlyn, N., Pamplona, E., Hocking, S. L., Glastras, S. J., Mcgrath, R. T., & Fulcher, G. R. (2017). Identification of Patients With Diabetes Who Benefit Most From a Health Coaching Program in Chronic Disease Management, Sydney, Australia, 2013. *Preventing Chronic Disease, 14*(E21), 1–8. <https://doi.org/10.5888/pcd14.160504>
- Delaune, S. C., Ladner, & Patricia, K. (2011). *Fundamentals of nursing standards & practice Sue C. DeLaune, Patricia K. Ladner* (4th ed.). NY Delar Cengage Learning.
- Dharma, K. kusuma. (2017). *Metodologi Penelitian Keperawatan (Panduan Melaksanakan dan Menerapkan Hasil Penelitian)* (15th ed.). Trans Info Media (TIM).
- Djuric, Z., Segar, M., Orizondo, C., & Mann, J. (2017). Delivery of Health Coaching by Medical Assistants in Primary Care. *The Journal of the American Board of Family Medicine, 30*(3), 362–370. <https://doi.org/10.3122/jabfm.2017.03.160321>
- Dye, C., Willoughby, D., Aybar-damali, B., Grady, C., Oran, R., & Knudson, A. (2018). Improving Chronic Disease Self-Management by Older Home Health Patients through Community Health Coaching. *Int. J. Environmental Research Public Health, 15*(4), 1–23. <https://doi.org/10.3390/ijerph15040660>
- Elo, S., Kynga, H., Ka, M., & Kivela, K. (2014). The effects of health coaching on adult patients with chronic diseases : A systematic review. *Patient Education and Counseling, 97*(2), 147–157. <https://doi.org/10.1016/j.pec.2014.07.026>
- Fan, L., & Sidani, S. (2009). Effectiveness of diabetes self-management education intervention Elements: A meta-analysis. *Canadian Journal of Diabetes, 33*(1), 18–26. [https://doi.org/10.1016/S1499-2671\(09\)31005-9](https://doi.org/10.1016/S1499-2671(09)31005-9)
- Fritz, H., Dizazzo-Miller, R., Bertran, E. A., Pociask, F. D., Tarakji, S., Arnetz, J., Lysack, C. L., & Jaber, L. A. (2016). Diabetes self-management among Arab Americans: Patient and provider perspectives. *BMC International Health and Human Rights, 16*(1), 1–7. <https://doi.org/10.1186/s12914-016-0097-8>
- Funnell, M. M., Brown, T. L., Childs, B. P., Haas, L. B., Hosey, G. M., Jensen, B., Maryniuk, M., Peyrot, M., Piette, J. D., Reader, D., Siminerio, L. M., Weinger, K., & Weiss, M. A. (2011). National standards for diabetes self-management education. *Diabetes Educator, 33*(4), 599–614. <https://doi.org/10.1177/0145721707305880>
- Goldman, M. L., Ghorob, A., Hessler, D., Yamamoto, R., Thom, D. H., & Bodenheimer, T. (2015). Are low-income peer health coaches able to master

and utilize evidence-based health coaching? *Annals of Family Medicine*, 13, S36–S41. <https://doi.org/10.1370/afm.1756>

Grogan, S. C., & Conner, M. (1997). Eating Sweet Snacks : Gender Differences in Attitudes and Behaviour Department of General Practice , Victoria University of Manchester. *Appetite*, 19–31.

Gudjinu, H. Y., & Sarfo, B. (2017). Risk factors for type 2 diabetes mellitus among out - patients in Ho , the Volta regional capital of Ghana : a case – control study. *BMC Research Notes*, 10, 324. <https://doi.org/10.1186/s13104-017-2648-z>

Haas, L., Maryniuk, M., Beck, J., Cox, C. E., Duker, P., Edwards, L., Fisher, E. B., Hanson, L., Kent, D., Kolb, L., McLaughlin, S., Orzeck, E., Piette, J. D., Rhinehart, A. S., Rothman, R., Sklaroff, S., Tomky, D., & Youssef, G. (2014). National Standards for Diabetes Self-Management Education and Support. *Diabetes Care*, 37(SUPPL.1), 1630–1637. <https://doi.org/10.2337/dc14-S144>

Härter, M., Dirmaier, J., Dwinger, S., Kriston, L., Herbarth, L., & König, H. (2016). Effectiveness of Telephone-Based Health Coaching for Patients with Chronic Conditions : A Randomised Controlled Trial. *PLoS ONE*, 11(9), e0161269. <https://doi.org/10.1371/journal.pone.0161269>

Hasan, R., Firwana, B., Elraiyah, T., Domecq, J. P., Prutsky, G., Nabhan, M., Prokop, L. J., Henke, P., Tsapas, A., Montori, V. M., & Murad, M. H. (2016). A systematic review and meta-analysis of glycemic control for the prevention of diabetic foot syndrome. *Journal of Vascular Surgery*, 63(2), 22S-28Se2. <https://doi.org/10.1016/j.jvs.2015.10.005>

Hemminki, K., Sundquist, K., Li, X., & Sundquist, J. (2010). Familial Risks for Type 2 Diabetes in Sweden. *Diabetes Care*, 33(2), 293–297. <https://doi.org/10.2337/dc09-0947>.

Hosseini, M., & Hosseini, M. (2017). *Multi-Media Application For The Self-Care of Patients*. 4(05), 1313–1318.

Huang, B., Willard-grace, R., Vore, D. De, Wolf, J., Chirinos, C., Tsao, S., Hessler, D., Su, G., & Thom, D. H. (2017). *Health coaching to improve self-management and quality of life for low income patients with chronic obstructive pulmonary disease ( COPD ) : protocol for a randomized controlled trial*. 1–8. <https://doi.org/10.1186/s12890-017-0433-3>

Huang, E. S. (2016). *Management of diabetes mellitus in older people with comorbidities*. May 2005, 1–11. <https://doi.org/10.1136/bmj.i2200>

International Diabetes Federation. (2017a). *IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care*.

International Diabetes Federation. (2017b). *IDF Diabetes Atlas Eighth Edition 2017*

(Eighth). International Diabetes Federation.

International Diabetes Federation. (2019). *IDF Diabetes Atlas* (9th ed.).

Jackson, I. L., Adibe, M. O., & Ukwe, C. V. (2014). Knowledge of self-care among type 2 diabetes patients in two states of Nigeria. *Pharmacy Practice*, *12*(3), 404. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4161403/#!po=35.7143>

Jarvis, J., Skinner, T. C., Carey, M. E., & Davies, M. J. (2010). How can structured self-management patient education improve outcomes in people with type 2 diabetes? *Diabetes, Obesity and Metabolism*, *12*(1), 12–19. <https://doi.org/10.1111/j.1463-1326.2009.01098.x>

Kadar, K. S., Mckenna, L., & Francis, K. (2014). Scoping the context of programs and services for maintaining wellness of older people in rural areas of Indonesia. *International Nursing Review*, *61*(3), 310–317. <https://doi.org/https://doi.org/10.1111/inr.12105>

Kakhki, A. D., & Abed, Z. (2013). *Health-Related Quality of Life of Diabetic Patients in Tehran*. *11*(4), 1–6. <https://doi.org/10.5812/ijem.7945>

Karhula, T., Vuorinen, A., Pakanen, M., Tepponen, M., Junno, U., Jokinen, T., Gils, M. Van, Lic, T., Saranummi, N., Raapysjarvi, K., Itkonen, P., Lahteenmaki, J., & Kohtamaki, K. (2015). Telemonitoring and Mobile Phone-Based Health Coaching Among Finnish Diabetic and Heart Disease Patients : Randomized Controlled Trial. *Journal of Medical Internet Researchal Internet Research*, *17*(6), e153. <https://doi.org/10.2196/jmir.4059>

Kauric-Klein, Z. (2012). Improving blood pressure control in end stage renal disease through a supportive educative nursing intervention. *Nephrology Nursing Journal : Journal of the American Nephrology Nurses' Association*, *39*(3), 217–228.

Kementerian Kesehatan. (2018). *Hasil utama RISKESDAS 2018 : Kementerian Kesehatan Badan Penelitian dan Pengembangan Kesehatan*.

Kirstine, L., & Minet, R. (2010). Self-Management in Diabetes Care: The importance of self-care management intervention in chronically ill patients diagnosed with diabetes. *Fakultas Ilmu Kesehatan*.

Koetsenruijter, J., Van Lieshout, J., Lionis, C., Portillo, M. C., Vassilev, I., Todorova, E., Foss, C., Gil, M. S., Knutsen, I. R., Angelaki, A., Mujika, A., Roukova, P., Kennedy, A., Rogers, A., & Wensing, M. (2015). Social Support and health in diabetes patients: An observational study in six european countries in an era of austerity. *PLoS ONE*, *10*(8), 1–12. <https://doi.org/10.1371/journal.pone.0135079>

Krok-schoen, J. L., Shim, R., Nagel, R., Lehman, J., Myers, M., Lucey, C., Francisco, S., Francisco, S., & Post, D. M. (2018). Outcomes of a Health

- Coaching Intervention for Older Adults With Uncontrolled Type 2 Diabetes. *HHS Public Access*, 38(3), 257–270. <https://doi.org/10.1080/02701960.2015.1018514>.Outcomes
- Kusnanto. (2017). *Asuhan eperawatan Klien dengan Diabetes Mellitus: Pendekatan Holistik Care* (Kusnanto (ed.); Pertama). Airlangga University Press.
- Lang, F., & Gay, R. (2016). Color Atlas of Pathophysiology. In *Thieme* (3rd ed.). Thieme.
- Larsen, P. D., & Lubkin, I. (2009). *Chronic illness: impact and intervention* (7th ed.). Jones & Bartlett Learning, LLC.
- Lea, A., Lisa, A., Becker, J., & Schaller, A. (2017). Long-term effectiveness of health coaching in rehabilitation and prevention: A systematic review. *Patient Education and Counseling*, 100(9), 1643–1653. <https://doi.org/10.1016/j.pec.2017.04.012>
- Liddy, C., Johnston, S., Nash, K., Ward, N., & Irving, H. (2014). Health coaching in primary care : a feasibility model for diabetes care. *BMC Family Practice*, 15(1), 1–8. <https://doi.org/10.1186/1471-2296-15-60>
- Liddy, C., Johnston, S., Nash, K., Ward, N., & Liddy, C. (2015). Improving awareness , accountability , and access through health coaching Qualitative study of patients ’ perspectives. *Canadian Family Physician*, 61(3), 158–164.
- Linden, A., Butterworth, S. W., & Prochaska, J. O. (2010). Motivational Interviewing-based Health Coaching as A Chronic Care Intervention. *Journal of Evaluation in Clinical Practice*, 16(1), 166–174. <https://doi.org/10.1111/j.1365-2753.2009.01300.x>
- Liu, Z., Fu, C., Wang, W., & Xu, B. (2010). Prevalence of chronic complications of type 2 diabetes mellitus in outpatients - a cross-sectional hospital based survey in urban China. *Health Qual Life Outcomes*, 8(62). <https://doi.org/10.1186/1477-7525-8-62>
- Mandasari, D. P. F., Sustini, F., & Krisnana, I. (2017). Pelaksanaan Diabetes Self Management Education Berbasis Health Promotion Model Terhadap Perilaku Kepatuhan Klien Diabetes Mellitus (Dm) Tipe 2. *Jurnal Penelitian Kesehatan “SUARA FORIKES” (Journal of Health Research “Forikes Voice”)*, 8(4), 198–208. <http://forikes-ejournal.com/index.php/SF/article/view/sf8405>
- Markowitz, S. M., Gonzalez, J. S., Wilkinson, J. L., & Safren, S. A. (2011). A review of treating depression in diabetes: Emerging findings. *Psychosomatics*, 52(1), 1. <https://doi.org/10.1016/j.psymb.2010.11.007>
- McGowan, P. T. (2012). Self-Management Education and Support in Chronic Disease Management. *Primary Care - Clinics in Office Practice*, 39(2), 307–



325. <https://doi.org/10.1016/j.pop.2012.03.005>

- Milchovich, S. K., & Long, B. D. (2011). *Diabetes Mellitus : a practical handbook* (10th ed.). Bull Publishing Company.
- Miller, T. A., & Dimatteo, M. R. (2013). Importance of family / social support and impact on adherence to diabetic therapy. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*. *PMID: 24232691 PMID: PMC3825688*, 6, 421–426. <https://doi.org/10.2147/DMSO.S36368>
- Miller, W. (2009). Health Coaching : A Fresh, New Approach to Improve Quality Outcomes and Compliance for Patients with Chronic Conditions. *Home Healthcare Nurse: The Journal for the Home Care and Hospice Professional*, 27(8), p 490-496. <https://doi.org/10.1097/01.NHH.0000360924.64474.04>
- Minet, L., Møller, S., Vach, W., Wagner, L., & Erik, J. (2010). Mediating the effect of self-care management intervention in type 2 diabetes : A meta-analysis of 47 randomised controlled trials. *Patient Education and Counseling*, 80(1), 29–41. <https://doi.org/10.1016/j.pec.2009.09.033>
- Moore, M. A., & Lopez, C. N. (2011). Coaching for Behavior Change in Physiatry. *American Journal of Physical Medicine & Rehabilitation*, 90(12), p 1074-1082. <https://doi.org/10.1097/PHM.0b013e31822dea9a>
- Moskowitz, D., Thom, D. H., Hessler, D., Ghorob, A., & Bodenheimer, T. (2013). Peer Coaching to Improve Diabetes Self-Management : Which Patients Benefit Most ? *Journal of General Internal Medicine*, 28(7), 938–942. <https://doi.org/10.1007/s11606-013-2367-7>
- Mosleh, R. S. A., Jarrar, Y. B., Zyoud, S., & Morisky, D. E. (2017). Factors Related To Diabetes Self-Care Management Behaviors Among Patients With Type Ii Diabetes In Palestine. *Journal of Applied Pharmaceutical Science*, 7(12), 102–109. <https://doi.org/10.7324/JAPS.2017.71214>
- Naik, A. D., White, C. D., Robertson, S. M., Armento, M. E. A., Lawrence, B., Stelljes, L. A., & Cully, J. A. (2012). Behavioral health coaching for rural-living older adults with diabetes and depression : an open pilot of the HOPE Study. *BMC Geriatrics*, 12(37). <https://doi.org/https://doi.org/10.1186/1471-2318-12-37>
- Nam, S., Chesla, C., Stotts, N. A., Kroon, L., & Janson, S. L. (2011). Barriers to diabetes management : Patient and provider factors. *Diabetes Research and Clinical Practice*, 93(1), 1–9. <https://doi.org/10.1016/j.diabres.2011.02.002>
- Navicharern, R., Aunguroch, Y., & Thanasilp, S. (2009). Effects of Multifaceted Nurse-Coaching Intervention on Diabetic Complications and Satisfaction of Persons with Type 2 Diabetes. *Journal of the Medical Association of Thailand*, 92(8), 1102–1112.

- Neuner-jehle, S., Schmid, M., & Grüniger, U. (2013). The “ Health Coaching ” programme : a new patient-centred and visually supported approach for health behaviour change in primary care. *BMC Family Practice*, *14*(100), 2–9.
- Niknami, S., Haidarnia, A., Rakhshani, F., Zareban, I., & Karimy, M. (2014). The effect of self-care education program on reducing HbA1c levels in patients with type 2 diabetes. *Journal of Education and Health Promotion*, *3*(1), 123. <https://doi.org/10.4103/2277-9531.145935>
- Notoatmodjo, S. (2012). *Metodologi penelitian kesehatan*. PT Rhineka Cipta.
- Oksman, E., Linna, M., Hörhammer, I., Lammintakanen, J., & Talja, M. (2017). Cost-effectiveness analysis for a tele-based health coaching program for chronic disease in primary care. *BMC Health Services Research*, *7*(138), 1–7. <https://doi.org/10.1186/s12913-017-2088-4>
- Pamungkas, R. A., & Chamroonsawasdi, K. (2019). HbA1c reduction and weight-loss outcomes: a systematic review and meta-analysis of community-based intervention trials among patients with type 2 diabetes mellitus. *International Journal of Diabetes in Developing Countries*, *39*(2), 394–407. <https://doi.org/https://doi.org/10.1007/s13410-018-0708-0>
- Pamungkas, R. A., Chamroonsawasdi, K., & Vatanasomboon, P. (2017a). A Systematic Review: Family Support Integrated with Diabetes Self-Management among Uncontrolled Type II Diabetes Mellitus Patients. *Behavioral Sciences*, *7*(3), 1–17. <https://doi.org/https://doi.org/10.3390/bs7030062>
- Pamungkas, R. A., Chamroonsawasdi, K., & Vatanasomboon, P. (2017b). *behavioral sciences A Systematic Review: Family Support Integrated with Diabetes Self-Management among Uncontrolled Type II Diabetes Mellitus Patients*. 1–17. <https://doi.org/10.3390/bs7030062>
- Pamungkas, R. A., Chinnawong, T., & Kritpracha, C. (2015a). Dietary among muslim patients with poorly controlled type 2 diabetes mellitus in a community setting, in Indonesia. *International Journal of Medical and Pharmaceutical Sciences*, *10*(5), 08–13.
- Pamungkas, R. A., Chinnawong, T., & Kritpracha, C. (2015b). The Effect of Dietary and Exercise Self-Management Support Program on Dietary Behavior Exercise Behavior and Clinical Outcomes in Muslim Patients with Poorly Controlled Type 2 DM in a Community Setting in Indonesia. *Nurse Media Journal of Nursing*, *5*(1), 1–14. <https://doi.org/10.14710/nmjn.v5i1.10186>
- Pandey, M., Curb, J. D., Mcneely, M., Araneta, M. R. G., Palaniappan, L., Rajpathak, S., & Ph, D. R. (2010). Report of a National Heart , Lung , and Blood Institute Workshop : Heterogeneity in Cardiometabolic Risk in Asian Americans in the U . S . Opportunities for Research. *JAC*, *55*(10), 966–973. <https://doi.org/10.1016/j.jacc.2009.07.075>

- Parsa, P., Ahmadiania-Tabesh, R., Mohammadi, Y., & Khorami, N. (2017). Investigating the relationship between quality of life with lipid and glucose levels in Iranian diabetic patients. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, *11*(2), S879–S883. <https://doi.org/https://doi.org/10.1016/j.dsx.2017.07.009>
- Patandung, V. P. (2018). *Pengaruh Edukasi Terstruktur Dengan Telephone Health Coaching Terhadap Health Literacy dan Kadar HbA1C Pada Pasien Diabetes Melitus Tipe 2*. Universitas Hasanuddin.
- Patja, K., Absetz, P., Auvinen, A., Tokola, K., Kytö, J., Oksman, E., Kuronen, R., Ovaska, T., Harno, K., Nenonen, M., Wiklund, T., Kettunen, R., & Talja, M. (2012). Health coaching by telephony to support self-care in chronic diseases : clinical outcomes from The TERVA randomized controlled trial. *BMC Health Services Research*, *12*(147). <https://doi.org/10.1186/1472-6963-12-147>
- Pelletier, C., Dai, S., Roberts, K. C., Bienek, A., Onysko, J., & Pelletier, L. (2012). Diabetes in Canada: facts and figures from a public health perspective. *Chronic Diseases and Injuries in Canada*, *33*(1), 53–55.
- Persell, S. D., Keating, N. L., Landrum, M. B., Landon, B. E., Ayanian, J. Z., Borbas, C., & Guadagnoli, E. (2004). Relationship of diabetes-specific knowledge to self-management activities, ambulatory preventive care, and metabolic outcomes. *Preventive Medicine*, *39*(4), 746–752. <https://doi.org/10.1016/j.yjmed.2004.02.045>
- Potter, P. A., Perry, A. G., Stockert, P. A., & Hall, A. M. (2013). Fundamental of nursing. In *Mosby*. <https://doi.org/10.1145/1978942.1979336>
- Powers, M. A., Bardsley, J., Cypress, M., Duker, P., Funnell, M. M., Fischl, A. H., Maryniuk, M. D., Siminerio, I., & Vivian, E. (2016). Diabetes Self-management Education and Support in Type 2 Diabetes: A Joint Position Statement of the American Diabetes Association, the American Association of Diabetes Educators, and the Academy of Nutrition and Dietetics. *Clinical Diabetes*, *43*(2), 70–80. <https://doi.org/10.2337/diaclin.34.2.70>
- Prato, S. Del, Bianchi, C., & Daniele, G. (2017). Abnormalities of Insulin Secretion and  $\beta$ -Cell Defects in Type 2 Diabetes. In *Textbook of Diabetes* (5th ed., pp. 161–173). Wiley Blackwell. <https://doi.org/10.1002/9781118924853.ch12>
- Primanda, Y. (2011). Effect of dietary self management support program on dietary behaviors in patients with type 2 diabetes mellitus in Yogyakarta, Indonesia. *Unpublished Master's Thesis of Faculty of Nursing, Prince of Songkla University, Thailand*.
- Putra, I. W. A., & Berawi, K. N. (2015). *Empat Pilar Penatalaksanaan Pasien Diabetes Mellitus Tipe 2 Four Pillars of Management of Type 2 Diabetes Mellitus Patients*. *4*(Dm), 8–12.

- Radzeviciene, L., & Ostrauskas, R. (2017). Adding Salt to Meals as a Risk Factor of Type 2 Diabetes Mellitus: A Case – Control Study. *Nutrients*, 9(1), 67. <https://doi.org/10.3390/nu9010067>
- Rahmawati, Tahlil, T., & Syahrul. (2016). Pengaruh Program Diabetes Self-Management Education Terhadap Manajemen Diri Pada Penderita Diabetes Mellitus Tipe 2 Effects of Diabetes Self-Management Education Program on Self-Management in Patients with Diabetes Mellitus Type 2. *Jurnal Ilmu Keperawatan*, 46–58.
- Ramachandran, A., Snehalatha, C., & Nanditha, A. (2017). Classification and Diagnosis of Diabetes. In *Textbook of Diabetes* (5th ed., pp. 23–28). Wiley Blackwell. <https://doi.org/10.1002/9781118924853.ch2>
- Renpenning, K., & Taylor, S. G. (2011). *Self Care Science, Nursing Theory and Evidence Based Practice*. Springer Publishing Company.
- Ruggiero, L., Riley, B. B., Hernandez, R., Quinn, L. T., Gerber, B. S., Castillo, A., Day, J., Ingram, D., Wang, Y., & Butler, P. (2014). Medical Assistant Coaching to Support Diabetes Self-Care Among Low-Income Racial / Ethnic Minority Populations: Randomized Controlled Trial. *Western Journal of Nursing Research*, 36(9), 1052–1073. <https://doi.org/10.1177/0193945914522862>
- Saatci, E., Tahmiscioglu, G., Bozdemir, N., Akpınar, E., Ozcan, S., & Kurdak, H. (2010). *The well-being and treatment satisfaction of diabetic patients in primary care*. 1–8.
- Safford, M. M., Andreae, S., Cherrington, A. L., Martin, M. Y., Halanych, J., Lewis, M., Patel, A., Johnson, E., Clark, D., Gamboa, C., & Richman, J. S. (2015). Peer coaches to improve diabetes outcomes in rural Alabama: A cluster randomized trial. *Annals of Family Medicine*, 13. <https://doi.org/10.1370/afm.1798>
- Safila, & I. (2015). Hubungan antara tingkat literasi kesehatan dengan diabetes self care activities pada pasien diabetes melitus tipe 2 di kabupaten sleman indriani safila. *Electronic Theses & Dissertations (ETD)/ Gajah Mada University*, 2–3.
- Schmitt, A., Gahr, A., Hermanns, N., Kulzer, B., Huber, J., & Haak, T. (2013). The Diabetes Self-Management Questionnaire (DSMQ): Development and evaluation of an instrument to assess diabetes self-care activities associated with glycaemic control. *Health and Quality of Life Outcomes*, 11(1), 1–14. <https://doi.org/10.1186/1477-7525-11-138>
- Schulman-green, D., Jaser, S., Martin, F., Alonzo, A., Grey, M., Mccorkle, R., Redeker, N. S., Reynolds, N., & Whittemore, R. (2012). *Processes of Self-Management in Chronic Illness*. 136–144. <https://doi.org/10.1111/j.1547-5069.2012.01444.x>

- Shaw, J. E., Sicree, R. A., & Zimmet, P. Z. (2009). Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Research and Clinical Practice*, 87(1), 4–14. <https://doi.org/https://doi.org/10.1016/j.diabres.2009.10.007>
- Sherifali, D., Berard, L. D., Gucciardi, E., MacDonald, B., & MacNeil, G. (2018). Self-Management Education and Support. *Canadian Journal of Diabetes*, 42(1), 536–541. <https://doi.org/https://doi.org/10.1016/j.jcjd.2017.10.006>
- Sherifali, D., Cde, R. N., Bphe, A. B., Agema, P., Mscn, R. N., Frcpc, H. C. G., Punthakee, Z., Frcpc, N. M., Reilly, D. O., Ibrahim, S., Mn, R. N., & Ali, R. M. U. (2018). The Diabetes Health Coaching Randomized Controlled Trial: Rationale, Design and Baseline Characteristics of Adults Living with Type 2 Diabetes. *Canadian Journal of Diabetes*, 43(7), 477–482. <https://doi.org/10.1016/j.jcjd.2018.10.004>
- Shrivastava, S. R., Shrivastava, P. S., & Ramasamy, J. (2013). Role of self-care in management of diabetes mellitus. *Journal of Diabetes & Metabolic Disorders*, 12(14). <https://doi.org/https://doi.org/10.1186/2251-6581-12-14>
- Silbernagl, S. (2017). *Teks & atlas berwarna patofisiologi*. EGC.
- Sjattar, E. L. (2012). *Model Integrasi Self Care dan Family Centered Nursing: Studi Kasus Perawatan TB di Makassar* (Issue October 2013). Pustaka Timur. [https://www.researchgate.net/publication/331979383\\_Model\\_Integrasi\\_Selfcare\\_dan\\_Family\\_Centered\\_Nursing\\_Study\\_Kasus\\_Penyakit\\_TB\\_di\\_Makassar/link/5c98773c45851506d7295d15/download](https://www.researchgate.net/publication/331979383_Model_Integrasi_Selfcare_dan_Family_Centered_Nursing_Study_Kasus_Penyakit_TB_di_Makassar/link/5c98773c45851506d7295d15/download)
- Smeltzer, S. C., & Bare, B. G. (2013). *Keperawatan Medikal Bedah Brunner & Suddarth* (8th ed.). EGC.
- Smeltzer, S. C., & Bare, B. G. (2013). *Keperawatan Medikal Bedah Brunner & Suddarth* (M. Ester (ed.); 8th ed.). EGC.
- Smith-Palmer, J., Brändle, M., Trevisan, R., Orsini Federici, M., Liabat, S., & Valentine, W. (2014). Assessment of the association between glycemic variability and diabetes-related complications in type 1 and type 2 diabetes. *Diabetes Research and Clinical Practice*, 105(3), 273–284. <https://doi.org/10.1016/j.diabres.2014.06.007>
- Smith, M., & Parker, M. (2015). *Nursing Theories and Nursing Practice* (5th ed.). Davis Company.
- Stephani, V., Opoku, D., & Beran, D. (2018). Self-management of diabetes in Sub-Saharan Africa: a systematic review. *BMC Public Health*, 18(1148), 1–11. <https://doi.org/https://doi.org/10.1186/s12889-018-6050-0>
- Stephen, P., Tubbs, I., Lecturer, S., & Consultant, A. W. (2014). Healthy behaviour and achievement of health- Health coaching to facilitate the promotion of

- healthy behaviour and achievement of health-related goals. *International Journal of Health Promotion and Education*, 41(3), 91–93. <https://doi.org/https://doi.org/10.1080/14635240.2003.10806231>
- Steventon, A., Tunkel, S., Blunt, I., & Bardsley, M. (2013). *Effect of telephone health coaching ( Birmingham OwnHealth ) on hospital use and associated costs : 4585*(August), 1–13. <https://doi.org/10.1136/bmj.f4585>
- Sugiharto, Hsu, Y.-Y., Toobert, D. J., & Wang, S.-T. (2019). The Validity and Reliability of the Summary of Diabetes Self- Care Activities Questionnaire : an Indonesian Version. *INJEC*, 4(1), 25–36. <https://pdfs.semanticscholar.org/6521/6245da77bc51b247d360cebc22d8ce104014.pdf>
- Sui, H., Sun, N., Zhan, L., Lu, X., Chen, T., & Mao, X. (2016). Association between Work-Related Stress and Risk for Type 2 Diabetes : A Systematic Review and Meta-Analysis of Prospective Cohort Studies. *PLoS ONE*, 11(8), e0159978. <https://doi.org/10.1371/journal.pone.0159978>
- Susan, L., Chang, R., Tseng, W., Kurtovich, E., Lui, B., Liu, J., Song, H., Wang, M., & Hubbard, A. (2012). Evaluating a Culturally and Linguistically Competent Health Coach Intervention For Chinese-American Patients With Diabetes. *Diabetes Spectrum*, 25(2), 93–102. <https://doi.org/https://doi.org/10.2337/diaspect.25.2.93>
- Syikir, M., Irwan, A. M., & Firdaus, F. A. (2020). Self-Care Education Program among Type II DM Patients. *Genius Journal*, 01(01), 15–22. <https://scholar.google.com/citations?hl=id&authuser=1&user=nw5crdgAAA-AJ>
- Talaei, B., Amouzegar, A., Sahranavard, S., Hedayati, M., Mirmiran, P., & Azizi, F. (2017). Effects of cinnamon consumption on glycemic indicators, advanced glycation end products, and antioxidant status in type 2 diabetic patients. *Nutrients*, 9(9), 1–9. <https://doi.org/10.3390/nu9090991>
- Taylor, S. G., Renpenning, K. E., Geden, E. A., Neuman, B. M., & Hart, M. A. (2001). A Theory of Dependent-Care : A Corollary Theory to Orem ' s Theory of Self-Care. *Nursing Science Quarterly*, 14 No. 1. <https://doi.org/10.1177/08943180122108030>
- Thi, N., Chinh, M., Thanasilp, S., & Preechawong, S. (2017). *The Effect Of The Supportive Educative Nursing Program On Glycemic Control In Vietnamese Patients With Uncontrolled Type 2 Diabetes Mellitus : A Randomized Controlled Trial*. 31(3), 233–239. <https://doi.org/10.14456/jhr.2017.29>
- Thom, D. H., Hessler, D., Vore, D. De, Chen, E., & Bodenheimer, T. A. (2013). Impact of Peer Health Coaching on Glycemic Control in Low-Income Patients With Diabetes : A Randomized Controlled Trial. *Annals of Family Medicine*, 11(2), 137–144. <https://doi.org/10.1370/afm.1443>.

- Thom, D. H., Hessler, D., Willard-grace, R., Bodenheimer, T., Najmabadi, A., Araujo, C., & Chen, E. H. (2014). Does health coaching change patients' trust in their primary care provider? *Patient Education and Counseling*, *96*(1), 135–138. <https://doi.org/10.1016/j.pec.2014.03.018>
- Thom, D. H., Willard-grace, R., & Hessler, D. (2015). The Impact of Health Coaching on Medication Adherence in Patients With Poorly Controlled Diabetes, Hypertension, and / or Hyperlipidemia: A Randomized Controlled Trial. *The Journal of the American Board of Family Medicine*, *28*(1), 38–45. <https://doi.org/https://doi.org/10.3122/jabfm.2015.01.140123>
- Tong, W. T., Vethakkan, S. R., & Ng, C. J. (2015). *Why do some people with type 2 diabetes who are using insulin have poor glycaemic control? A qualitative study.* 1–9. <https://doi.org/10.1136/bmjopen-2014-006407>
- Toobert, D. J., & Glasgow, R. E. (1994). Assessing diabetes self-management: The Summary of Diabetes Self-Care Activities Questionnaire. In *Handbook of psychology and diabetes: A guide to psychological measurement in diabetes research and practice* (pp. 351–375). Harwood Academic Publishers/Gordon.
- Varney, J. E., Weiland, T. J., Inder, W. J., & Jelinek, G. A. (2014). Effect of hospital-based telephone coaching on glycaemic control and adherence to management guidelines in type 2 diabetes, a randomised controlled trial. *Internal Medicine Journal*, *44*(9), 890–897. <https://doi.org/10.1111/imj.12515>
- Vas, P. R. J., Edmonds, M. E., & Papanas, N. (2017). Nutritional Supplementation for Diabetic Foot Ulcers: The Big Challenge. *International Journal of Lower Extremity Wounds*, *16*(4), 226–229. <https://doi.org/10.1177/1534734617740254>
- Vijayaraghavan, K. (2010). Treatment of dyslipidemia in patients with type 2 diabetes. *Lipids in Health and Disease*, *9*, 1–12. <https://doi.org/10.1186/1476-511X-9-144>
- Virk, S. A., Donaghue, K. C., Cho, Y. H., Benitez-Aguirre, P., Hing, S., Pryke, A., Chan, A., & Craig, M. E. (2016). Association between HbA1c variability and risk of microvascular complications in adolescents with type 1 diabetes. *Journal of Clinical Endocrinology and Metabolism*, *101*(9), 3257–3263. <https://doi.org/10.1210/jc.2015-3604>
- Wayne, N., Perez, D. F., Kaplan, D. M., & Ritvo, P. (2015). Health Coaching Reduces HbA1c in Type 2 Diabetic Patients From a Lower-Socioeconomic Status Community: A Randomized Controlled Trial Corresponding Author: *Journal of Medical Internet Research*, *17*(10), e224. <https://doi.org/10.2196/jmir.4871>
- Weinger, K., & Carver, C. A. (2009). Educating Your Patient with Diabetes. In *Human Press*. Human Press. <https://doi.org/10.1007/978-1-60327-208-7>

- Wikner, C., Gigante, B., Hallenius, M.-L., Faire, U. De, & Leander, K. (2013). The Risk of Type 2 Diabetes in Men Is Synergistically Affected by Parental History of Diabetes and Overweight. *PLoS ONE*, 8(4), e61763. <https://doi.org/10.1371/journal.pone.0061763>
- Willard-grace, R., Hessler, D., & Thom, D. H. (2016). What Happens After Health Coaching? Observational Study 1 Year Following a Randomized Controlled Trial. *Annals of Family Medicine*, 14(3), 200–207. <https://doi.org/10.1370/afm.1924>.INTRODUCTION
- Wolever, R. Q., Dreusicke, M., Fikkan, J., Hawkins, T. V., Yeung, S., Wakefield, J., Duda, L., Flowers, P., Cook, C., & Skinner, E. (2010). Integrative health coaching for patients with type 2 diabetes: A randomized clinical trial. *The Diabetes EducatorDiabetes Educator*, 36(4), 629–639. <https://doi.org/10.1177/0145721710371523>
- Wolever, Ruth Q., Dill, D., & Southard, E. (2013). A Systematic Review of the Literature on Health and Wellness Coaching : Defining a Key Behavioral Intervention in Healthcare. *Global Advances in Health and Medicine*, 2(4), 38–57. <https://doi.org/10.7453/gahmj.2013.042>
- Wolever, Ruth Q, & Dreusicke, M. H. (2016). Integrative health coaching : a behavior skills approach that improves HbA1c and pharmacy claims-derived medication adherence. *BMJ Open Diabetes Research and Care*, 4(e000201), 1–7. <https://doi.org/10.1136/bmjdr-2016-000201>
- Wong-Rieger, D. (2011). Health Coaching for Chronic Conditions Engaging and Supporting Patients to Self Manage. In *Institute for Optimizing Health Outcomes Durhane*.
- Wong-rieger, D., & Rieger, F. P. (2013). Health Coaching in Diabetes : Empowering Patients to Self-Manage. *Canadian Journal of Diabetes*, 37(1), 41–44. <https://doi.org/10.1016/j.jcjd.2013.01.001>
- World Health Organization. (2014). *Global status report on noncommunicable diseases 2014 : “Attaining the nine global noncommunicable diseases targets; a shared responsibility.”* WHO Press.
- World Health Organization. (2016). *Global report on diabetes*. World Health Organization Press.
- World Health Organization. (2019). Classification of diabetes mellitus. In *World Health Organization*. World Health Organization.
- Yang, Y. S., Wu, Y. C., Lu, Y. L., Kornelius, E., Lin, Y. T., Chen, Y. J., Li, C. L., Hsiao, H. W., Peng, C. H., & Huang, C. N. (2015). Adherence to self-care behavior and glycemic effects using structured education. *Journal of Diabetes Investigation*, 6(6), 662–669. <https://doi.org/10.1111/jdi.12343>



Zareban, I., Niknami, S., Hidarnia, A., Rakhshani, F., Shamsi, M., & Karimy, M. (2014). Effective Intervention of Self-Care on Glycaemia Control in Patients With Type 2 Diabetes. *Iranian Red Crescent Medical Journal*, 16(12). <https://doi.org/10.5812/ircmj.8311>