

## **DAFTAR PUSTAKA**

1. Thibault R, Coëffier M, Joly F, Bohé J, Schneider SM, Déchelotte P. How the Covid-19 epidemic is challenging our practice in clinical nutrition—feedback from the field. *Eur J Clin Nutr.* 2020;
2. Astuti N, Primana DA, Wijayanto. Panduan Praktis Penatalaksanaan Nutrisi COVID-19. 1st ed. Astuti N, Primana DA, editors. Jakarta: Perhimpunan Dokter Spesialis Gizi Klinik Indonesia; 2020. 1–52 p.
3. Hu X, Deng H, Wang Y, Chen L, Gu X. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information . 2020;(January).
4. Huang W, Berube J, McNamara M, Saksena S, Hartman M, Arshad T, et al. Lymphocyte Subset Counts in COVID-19 Patients: A Meta-Analysis. Cytom Part A. 2020;
5. Mentella MC, Scaldaferri F, Gasbarrini A, Miggiano GAD. The role of nutrition in the covid-19 pandemic. *Nutrients.* 2021;13(4):1–13.
6. Nalbant A, Demirci T, Kaya T, Aydin A, Altındış M, Güçlü E. Can prognostic nutritional index and systemic immune-inflammatory index predict disease severity in COVID-19? *Int J Clin Pract.* 2021;(May):1–8.
7. Kheir M, Saleem F, Wang C, Mann A, Chua J. Higher albumin levels on

- admission predict better prognosis in patients with confirmed COVID-19. PLoS One [Internet]. 2021;16(3 March):1–10. Available from: <http://dx.doi.org/10.1371/journal.pone.0248358>
8. Gunarsa RG, Simadibrata M, Syam AF, Timan IS, Setiati S, Rani AA. Total Lymphocyte Count as a Nutritional Parameter in Hospitalized Patients. *Indones J Gastroenterol Hepatol Dig Endosc.* 2015;12(2):89–94.
  9. Lee J, Park SS, Kim TY, Lee DG, Kim DW. Lymphopenia as a biological predictor of outcomes in COVID-19 patients: A nationwide cohort study. *Cancers (Basel).* 2021;13(3):1–15.
  10. Mohri Y, Inoue Y, Tanaka K, Hiro J, Uchida K, Kusunoki M. Prognostic nutritional index predicts postoperative outcome in colorectal cancer. *World J Surg.* 2013;37(11):2688–92.
  11. Wang ZH, Lin YW, Wei XB, Li F, Liao XL, Yuan HQ, et al. Predictive Value of Prognostic Nutritional Index on COVID-19 Severity. *Front Nutr.* 2021;7(December 2020):1–9.
  12. Zeng F, Huang Y, Guo Y, Yin M, Chen X, Xiao L, et al. Association of inflammatory markers with the severity of COVID-19: A meta-analysis. *Int J Infect Dis.* 2020;96:467–74.
  13. Gorbatenko AE, Baker SC, Baric RS, de Groot RJ, Drosten C, Gulyaeva AA, et al. The species Severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. *Nat Microbiol.*

2020;5(March).

14. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A novel coronavirus from patients with pneumonia in China, 2019. *N Engl J Med.* 2020;382(8):727–33.
15. Zhou P, Yang X Lou, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature.* 2020;579(7798):270–3.
16. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Sinto R, et al. Coronavirus Disease 2019 : Tinjauan Literatur Terkini Coronavirus Disease 2019 : Review of Current Literatures. *J Penyakit Dalam Indones.* 2020;7(1):45–67.
17. Guo YR, Cao QD, Hong ZS, Tan YY, Chen SD, Jin HJ, et al. The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak - an update on the status. *Mil Med Res.* 2020;7(1):11.
18. Xiao F, Tang M, Zheng X, Liu Y, Li X, Shan H. Evidence for gastrointestinal infection of SARS-CoV-2. *Gastroenterology.* 2020;
19. Taslim NA, Primana DA, Wijayanto, Rani NA, Marniar, Bamahry A. Panduan Praktis Penatalaksanaan Nutrisi COVID-19. 1st ed. Taslim NA, Primana DA, editors. Vol. 1. Jakarta: Perhimpunan Dokter Spesialis Gizi Klinik Indonesia; 2020. 1–47 p.

20. De Wit E, Van Doremalen N, Falzarano D, Munster VJ. SARS and MERS: Recent insights into emerging coronaviruses. *Nat Rev Microbiol.* 2016;14(8):523–34.
21. Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, et al. Coronavirus infections and immune responses. *J Med Virol.* 2020;92(4):424–32.
22. Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk Factors Associated with Acute Respiratory Distress Syndrome and Death in Patients with Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Intern Med.* 2020;1–10.
23. WHO. Clinical management of severe acute respiratory infection when novel coronavirus (nCoV) infection is suspected. 2020;2019(March).
24. Fernández-Quintela A, Milton-Laskibar I, Trepiana J, Gómez-Zorita S, Kajarabille N, Léniz A, et al. Key Aspects in Nutritional Management of COVID-19 Patients. *J Clin Med.* 2020;9(8):2589.
25. Khaled MB, Benajiba N. The role of nutrition in strengthening immune system against newly emerging viral diseases: case of SARS-CoV-2. *North African J Food Nutr Res.* 2020;4(7):240–4.
26. Barazzoni R, Bischoff SC, Breda J, Wickramasinghe K KZ. ESPEN expert statements and practical guidance for nutritional management of individuals with SARS-CoV-2 infection. *Clin Nutr.* 2020;39:1631–8.
27. Karacabey K. The Effect of Nutritional Elements on the Immune System. *J Obes*

Weight Loss Ther. 2012;02(09).

28. Iddir M, Brito A, Dingeo G, Del Campo SSF, Samouda H, La Frano MR, et al. Strengthening the immune system and reducing inflammation and oxidative stress through diet and nutrition: Considerations during the covid-19 crisis. Nutrients. 2020;12(6):1–39.
29. Terpos E, Ntanasis-Stathopoulos I, Elalamy I, Kastritis E, Sergentanis TN, Politou M, et al. Hematological findings and complications of COVID-19. Am J Hematol. 2020;95(7):834–47.
30. Orakpoghenor O, Avazi DO, Markus TP, Olaolu OS. Lymphocytes : A Brief Review -. Sci J Immunol Immunother. 2019;3(June):4–8.
31. Wang X. An increased pretreatment C-reactive protein-to- albumin ratio predicts severe novel coronavirus- infected pneumonia. :1–12.
32. Sproston NR, Ashworth JJ. Role of C-reactive protein at sites of inflammation and infection. Front Immunol. 2018;9(APR):1–11.
33. Wang L. C-reactive protein levels in the early stage of COVID-19. Med Mal Infect. 2020;50(4):332–4.
34. Norte A, Program R, Regional AN. Total Lymphocyte Count and Serum Albumin As. 2015;28(3):193–6.
35. Kim C, Kim W, Jeon JH, Seok H, Kim SB, Choi HK, et al. COVID-19 infection with asymptomatic or mild disease severity in young patients: Clinical course and

- association between prevalence of pneumonia and viral load. PLoS One [Internet]. 2021;16(4 April):1–12. Available from: <http://dx.doi.org/10.1371/journal.pone.0250358>
36. Takahashi T, Ellingson MK, Wong P, Israelow B, Lucas C, Klein J, et al. Sex differences in immune responses that underlie COVID-19 disease outcomes. *Nature*. 2020;588(7837):315–20.
  37. Balci C, Bolayir B, Eşme M, Arik G, Kuyumcu ME, Yeşil Y, et al. Comparison of the Efficacy of the Global Leadership Initiative on Malnutrition Criteria, Subjective Global Assessment, and Nutrition Risk Screening 2002 in Diagnosing Malnutrition and Predicting 5-Year Mortality in Patients Hospitalized for Acute Illnesses. *J Parenter Enter Nutr*. 2020;
  38. Simonnet A, Chetboun M, Poissy J, Raverdy V, Noulette J, Duhamel A, et al. High Prevalence of Obesity in Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) Requiring Invasive Mechanical Ventilation. *Obesity*. 2020;28(7):1195–9.
  39. Sanyaolu A, Okorie C, Marinkovic A, Patidar R, Younis K, Desai P, et al. Comorbidity and its Impact on Patients with COVID-19. *SN Compr Clin Med*. 2020;2(8):1069–76.
  40. Liu H, Zhou L, Wang H, Wang X, Qu G, Cai J, et al. Malnutrition is associated with hyperinflammation and immunosuppression in COVID-19 patients: A prospective observational study. *Nutr Clin Pract*. 2021;1–9.

41. Sharifpour M, Rangaraju S, Liu M, Alabyad D, Nahab FB, Creel-Bulos CM, et al. C-Reactive protein as a prognostic indicator in hospitalized patients with COVID-19. *PLoS One* [Internet]. 2020;15(11 November):1–10. Available from: <http://dx.doi.org/10.1371/journal.pone.0242400>
42. Roy C, Tubach F, Banegas JR, Dallongeville J, De Backer G, Guallar E, et al. C-reactive protein levels in patients at cardiovascular risk: EURIKA study. *BMC Cardiovasc Disord* [Internet]. 2014;14:25. Available from: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=medl&NEWS=N&AN=24564178>
43. Vasileva D, Badawi A. C-reactive protein as a biomarker of severe H1N1 influenza. *Inflamm Res* [Internet]. 2019;68(1):39–46. Available from: <http://dx.doi.org/10.1007/s00011-018-1188-x>
44. Wang G, Wu C, Zhang Q, Wu F, Yu B, Lv J, et al. C-reactive protein level may predict the risk of COVID-19 aggravation. *Open Forum Infect Dis*. 2020;7(5):1–5.
45. Liu F, Li L, Xu M, Wu J, Luo D, Zhu Y, et al. Prognostic value of IL-6, CRP, and PCT in patients with COVID-19. *J Clin Virol*. 2020;(January).
46. Setyowatie L, Sukanto H, Murtiastutik D. C-Reactive Protein pada Berbagai Derajat Keparahan Psoriasis Vulgaris. *Berk Ilmu Kesehat Kulit dan Kelamin – Period Dermatology Venereol*. 2016;28(2):1–9.
47. Wei W, Wu X, Jin C, Mu T, Gu G, Min M, et al. Predictive Significance of the

Prognostic Nutritional Index (PNI) in Patients with Severe COVID-19. J Immunol Res. 2021;2021:1–11.

48. Allard L, Ouedraogo E, Molleville J, Bihan H, Giroux-Leprieur B, Sutton A, et al. Malnutrition: Percentage and association with prognosis in patients hospitalized for coronavirus disease 2019. Nutrients. 2020;12(12):1–14.
49. Tang W, Shao X, Chen Q, Zhu L, He Y, Lu E. Nutritional status of protein intake in severe pneumonia patients based on dietary nutrition information system. J Infect Public Health. 2021;14(1):66–70.
50. Caccialanza R, Laviano A, Lobascio F, Montagna E, Bruno R, Ludovisi S, et al. Early nutritional supplementation in non-critically ill patients hospitalized for the 2019 novel coronavirus disease (COVID-19): Rationale and feasibility of a shared pragmatic protocol. Nutrition. 2020;74(December 2019).