

## DAFTAR PUSTAKA

1. Kementerian PPN/Bappenas. Kajian Sektor Kesehatan Pembangunan Gizi di Indonesia. Kementerian PPN/Bappenas. 2019. 1–78 p.
2. Purwantini TB. Pendekatan Rawan Pangan dan Gizi: Besaran, Karakteristik, dan Penyebabnya. Forum Penelit Agro Ekon. 2016;32(1):1.
3. Bappeda. Peta Ketahanan dan Kerentanan Pangan Papua. 2016;201.
4. Wasaraka YNK. ( Studi Kasus di Kampung Tablanusu , Distrik Depapre,Jayapura, Kabupaten Papua, Provinsi. 2011;87.
5. Apomfires F. Makanan Pada Komuniti Adat Jae : Catatan Sepintas-Lalu Dalam Penelitian Gizi. Antropol Papua. 2002;1(2):1–9.
6. Gibson-Smith E, Storey R, Ranchordas M. Dietary Intake, Body Composition and Iron Status in Experienced and Elite Climbers. *Front Nutr.* 2020;7(August):1–11.
7. Carbone JW, Pasiakos SM. Dietary protein and muscle mass: Translating science to application and health benefit. *Nutrients.* 2019;11(5):1–13.
8. Bartolomei S, Grillone G, Di Michele R, Cortesi M. A comparision between male and female athletes in relative strength and power performances. *J Funct Morphol Kinesiol.* 2021;6(1).
9. Andarbeni DP, Sugiarto, Prasetyo AA. Asupan Energi dan Protein Dengan Kekuatan Genggam Pada Remaja Putri. *Darussalam Nutr J.* 2018;2(1):11–8.
10. Fahmida Umi(SEAMEO-TROPMED RCCN, UI), Dillon Druoadi HS (SEAMEO-TROPMED RCCN U). Handbook, Nutrition Assessment. In: Umi Fahmida (SEAMEO U, editor. *Methods For measuring food consumption of Individuals/Group.* First. Jakarta; 2007. p. 17–9.
11. I Dewa nyoman Suparisa, Bachyar Bakri IF. PENILAIAN STATUS

- GIZI. In: Rezkina Etika AAC (IKAPI), editor. PENILAIAN STATUS GIZI. 2nd ed. Jakarta: EGC; 2016. p. 19–145.
12. Nuttall FQ. Body mass index: Obesity, BMI, and health: A critical review. *Nutr Today*. 2015;50(3):117–28.
  13. Innoue S ZP. Obesity Task Force). International Association for the Study of Obesity. The Asia – Pacific perspective: redefining obesity and its treatment. Australia: Health communication Australia; 2000. p. 7–21.
  14. Cederholm T, Jensen GL, Correia MITD, Gonzalez MC, Fukushima R, Higashiguchi T, et al. GLIM criteria for the diagnosis of malnutrition – A consensus report from the global clinical nutrition community. *Clin Nutr*. 2019;38(1):1–9.
  15. Buckinx F, Landi F, Cesari M, Fielding RA, Visser M, Engelke K, et al. Pitfalls in the measurement of muscle mass: a need for a reference standard. *J Cachexia Sarcopenia Muscle*. 2018;9(2):269–78.
  16. Aoyama S, Hirooka R, Shimoda T, Shibata S. Effect of different sources of dietary protein on muscle hypertrophy in functionally overloaded mice. *Biochem Biophys Reports*. 2019;20(July):0–4.
  17. Hashimoto R, Sakai A, Murayama M, Ochi A, Abe T, Hirasaka K, et al. Effects of dietary soy protein on skeletal muscle volume and strength in humans with various physical activities. *J Med Investig*. 2015;62(3):177–83.
  18. Wu G. Dietary protein intake and human health. *Food Funct*. 2016;7(3):1251–65.
  19. Donowati T. Potency of sago (*metroxylon* spp) crops for food diversity. *Biodivers Int J*. 2018;2(3):239–40.
  20. Duque SMM, Castro IJL, Flores DM. Evaluation of antioxidant and nutritional properties of sago (*Metroxylon sagu* Rottb.) and its utilization for direct lactic acid production using immobilized *Enterococcus faecium* DMF78. *Int Food Res J*. 2018;25(1):83–91.

21. Ghodke SK, Ananthanarayan L. Health benefits of resistant starch. *Agro Food Ind Hi Tech*. 2008;19(1):37–9.
22. Zhang L, Li HT, Shen L, Fang QC, Qian LL, Jia WP. Effect of dietary resistant starch on prevention and treatment of obesity-related diseases and its possible mechanisms. *Biomed Environ Sci* [Internet]. 2015;28(4):291–7. Available from: <http://dx.doi.org/10.3967/bes2015.040>
23. Wani AA, Singh P, Shah MA, Schweiggert-Weisz U, Gul K, Wani IA. Rice Starch Diversity: Effects on Structural, Morphological, Thermal, and Physicochemical Properties-A Review. *Compr Rev Food Sci Food Saf*. 2012;11(5):417–36.
24. Denardin CC, BouffleurN WM. Amylose content in rice (*Oryza sativa*) affects performance, glycemic and lipidic metabolism in rats  
Cristiane Casagrande Denardin I\* Nardeli Bouffleur I Patrícia Reckziegel I Leila Picolli da Silva II Amylose content in rice (*Oryza sativa*) affects performa. *Fev*. 2012;42(2):381–7.
25. Alexandrov N V., Eelderink C, Singh-Povel CM, Navis GJ, Bakker SJL, Corpeleijn E. Dietary protein sources and muscle mass over the life course: The lifelines cohort study. *Nutrients*. 2018;10(10):1–17.
26. Tg. Anthony. Mechanisms of protein balance in skeletal muscle. *Physiol Behav*. 2018;176(5):139–48.
27. Mishra S, Goldman JD, Sahyoun NR, Moshfegh AJ. Association between dietary protein intake and grip strength among adults aged 51 years and over: What We Eat in America, National Health and Nutrition Examination Survey 2011-2014. *PLoS One*. 2018;13(1):1–12.
28. Petersen KF, Dufour S, Cline GW, Shulman GI. Regulation of hepatic mitochondrial oxidation by glucose-alanine cycling during starvation in humans. *J Clin Invest*. 2019;129(11):4671–5.
29. Felig BP. PROGRESS IN ENDOCRINOLOGY AND METABOLISM ~ TAROL ~

- SM The Glucose-Alanine Cycle. *Metabolism*. 1973;22:179–207.
30. Amalia, Rangga Nuansa Putra L. Hubungan Asupan Energi Protein Dan Frekuensi Olahraga. *J Gizi dan Pangan*. 2014;9(1):29–34.
  31. Walowski CO, Braun W, Maisch MJ, Jensen B, Peine S, Norman K, et al. Concepts and Methodological Considerations. *Nutrients*. 2020;12:755.
  32. Roberts HC, Denison HJ, Martin HJ, Patel HP, Syddall H, Cooper C, et al. A review of the measurement of grip strength in clinical and epidemiological studies: Towards a standardised approach. *Age Ageing*. 2011;40(4):423–9.
  33. Kuczmarski MF, Pohlig RT, Stave Shupe E, Zonderman AB, Evans MK. Dietary Protein Intake and Overall Diet Quality are Associated with Handgrip Strength in African American and White Adults. *J Nutr Heal Aging*. 2018;22(6):700–9.
  34. White J V., Guenter P, Jensen G, Malone A, Schofield M. Consensus statement: Academy of nutrition and dietetics and American society for parenteral and enteral nutrition: Characteristics recommended for the identification and documentation of adult malnutrition (undernutrition). *J Parenter Enter Nutr*. 2012;36(3):275–83.
  35. Granic A, Mendonça N, Sayer AA, Hill TR, Davies K, Adamson A, et al. Low protein intake, muscle strength and physical performance in the very old: The Newcastle 85+ Study. *Clin Nutr [Internet]*. 2018;37(6):2260–70. Available from: <https://doi.org/10.1016/j.clnu.2017.11.005>
  36. Leblanc A, Taylor BA, Thompson PD, Capizzi JA, Clarkson PM, Michael White C, et al. Relationships between physical activity and muscular strength among healthy adults across the lifespan. *Springerplus*. 2015;4(1).
  37. Mattioli RÁ, Cavalli AS, Ribeiro JAB, Silva MC da. Association between handgrip strength and physical activity in hypertensive

- elderly individuals. *Rev Bras Geriatr e Gerontol*. 2015;18(4):881–91.
38. Bilajac L, Juraga D, Zuljevic H. The influence of physical Activity on handgrip strength of elderly. *Arch Gerontol Geriatr Res*. 2019;4(1):020–4.
  39. Ilman M, Zuhairini Y, Siddiq A. Correlation between Body Mass Index and Body Fat Percentage. *Althea Med J*. 2015;2(4):575–8.
  40. Ayusari AA, Wiboworini B, Damayanti KE, Rahayu D, Widardo W, Lanti Y. Correlation between dietary fat consumption with body mass index and body composition (a preliminary study in community based). *Heal Sci J Indones*. 2019;10(2):128–31.
  41. Kim JE, O'Connor LE, Sands LP, Slebodnik MB, Campbell WW. Effects of dietary protein intake on body composition changes after weight loss in older adults: A systematic review and meta-analysis. *Nutr Rev*. 2016;74(3):210–24.
  42. Chumlea WC, Guo SS, Zeller CM, Reo N V., Siervogel RM. Total body water data for white adults 18 to 64 years of age: The Fels Longitudinal Study. *Kidney Int*. 1999;56(1):244–52.
  43. Pradipta L. *Peralihan Pangan Pokok Dari Sagu ke Beras : Sebuah Kajian Ketahanan Pangan dan Masyarakat Adat*. Society. 2019;7(1):39–51.
  44. Wallace TC. Optimizing Dietary Protein for Lifelong Bone Health: A Paradox Unraveled. *Nutr Today*. 2019;54(3):107–15.
  45. BPS-Statistics of Mimika Regency. Kabupaten Mimika Dalam Angka [Internet]. 2014. 53 p. Available from: [http://www.mimikakab.go.id/baru/wp-content/uploads/2015/10/Mimika\\_Dalam\\_Angka\\_2014.pdf%0Ahttps://mimikakab.bps.go.id/](http://www.mimikakab.go.id/baru/wp-content/uploads/2015/10/Mimika_Dalam_Angka_2014.pdf%0Ahttps://mimikakab.bps.go.id/)
  46. Statistik BP. Profil Kemiskinan di Indonesia. Ber Resmi Stat [Internet]. 2019;(56):1–12. Available from: <https://www.bps.go.id/pressrelease/2020/01/15/1743/persentase-penduduk-miskin-september-2019-turun-menjadi-9-22-persen.html>

47. Limbongan J. Morfologi Beberapa Jenis Sagu Potensial di Papua. *J Litbang Pertan.* 2007;26(1):16–24.
48. Santoso AD. Potensi Dan Kendala Pengembangan Sagu Sebagai Bahan Pakan, Pangan, Energi Dan Kelestarian Lingkungan Di Indonesia. *J Rekayasa Lingkung.* 2018;10(2):51–7.
49. Rauf AW, Lestari S. Pemanfaatan Komoditas Pangan Lokal. 2009;28(0967).
50. BARANSANO R, WINDIA IW, SUARDI IDPO. Dampak Perubahan Pola Konsumsi Pangan Lokal Ubi dan Sagu Menjadi Pangan Beras di Kampung Makimi, Distrik Makimi, Kabupaten Nabire, Provinsi Papua. *J Agribisnis dan Agrowisata (Journal Agribus Agritourism).* 2019;8(2):262.
51. Ariani M. Analisis Konsumsi Pangan Tingkat Masyarakat Mendukung Pencapaian Diversifikasi Pangan. *Gizi Indones.* 2014;33(1):20–8.
52. Watumlawar EA, Warouw SM, Gunawan S. Pengaruh Pemberian Sagu Dibanding Nasi Terhadap Berat Badan Tikus Wistar. *e-CliniC.* 2013;3(2):1–4.
53. Lim MT, Pan BJ, Toh DWK, Sutanto CN, Kim JE. Animal protein versus plant protein in supporting lean mass and muscle strength: A systematic review and meta-analysis of randomized controlled trials. *Nutrients.* 2021;13(2):1–18.
54. Højfeldt G, Nishimura Y, Mertz K, Schacht SR, Lindberg J, Jensen M, et al. Daily protein and energy intake are not associated with muscle mass and physical function in healthy older individuals—a cross-sectional study. *Nutrients.* 2020;12(9):1–16.
55. Hursel R, Martens EAP, Gonnissen HKJ, Hamer HM, Senden JMG, Van Loon LJC, et al. Prolonged adaptation to a low or high protein diet does not modulate basal muscle protein synthesis rates - A substudy. *PLoS One.* 2015;10(9):1–15.
56. Bopp MJ, Houston DK, Lenchik L, Easter L, Kritchevsky SB, Nicklas

- BJ. Lean Mass Loss Is Associated with Low Protein Intake during Dietary-Induced Weight Loss in Postmenopausal Women. *J Am Diet Assoc.* 2008;108(7):1216–20.
57. Rachel R. deer EV. Protein Intake and Muscle Function in Older Adults. *HHS Public Access.* 2015;176(3):139–48.
58. Houston DK, Nicklas BJ, Ding J, Harris TB, Tylavsky FA, Newman AB, et al. Dietary protein intake is associated with lean mass change in older, community-dwelling adults: The Health, Aging, and Body Composition (Health ABC) study. *Am J Clin Nutr.* 2008;87(1):150–5.
59. Amanda Devine, Ian M Dick, Amirul FM Islam, Satvinder S Dhaliwal and RLP. Protein consumption as an important predictor of lower-limb bone mass in elderly women [4]. *Am J Clin Nutr.* 2005;82(6):1355–6.
60. Areta JL, Burke LM, Camera DM, West DWD, Crawshay S, Moore DR, et al. Reduced resting skeletal muscle protein synthesis is rescued by resistance exercise and protein ingestion following short-term energy deficit. *Am J Physiol - Endocrinol Metab.* 2014;306(8):989–97.
61. Sutter T, Toumi H, Valery A, Hage R El, Pinti A, Lespessailles E. Relationships between muscle mass, strength and regional bone mineral density in young men. *PLoS One.* 2019;14(3):1–12.
62. Ho-Pham LT, Nguyen UDT, Nguyen T V. Association between lean mass, fat mass, and bone mineral density: A meta-analysis. *J Clin Endocrinol Metab.* 2014;99(1):30–8.
63. Dea Rizky Pradipta FFD. ASUPAN PROTEIN YANG KURANG SEBAGAI FAKTOR RISIKO KEPADATAN TULANG RENDAH PADA WANITA PASCAMENOPAUSE. 2014;3:620–30.
64. Bourrin S, Toromanoff A, Ammann P, Bonjour JP, Rizzoli R. Dietary Protein Deficiency Induces Osteoporosis in Aged Male Rats. *J Bone Miner Res.* 2000;15(8):10–2.
65. Dubois-Ferrière V, Rizzoli R, Ammann P. A low protein diet alters

- bone material level properties and the response to in vitro repeated mechanical loading. *Biomed Res Int.* 2014;2014.
66. Pinheiro MB, Oliveira J, Bauman A, Fairhall N, Kwok W, Sherrington C. Evidence on physical activity and osteoporosis prevention for people aged 65+ years: a systematic review to inform the WHO guidelines on physical activity and sedentary behaviour. Vol. 17, *International Journal of Behavioral Nutrition and Physical Activity.* *International Journal of Behavioral Nutrition and Physical Activity;* 2020. 1–53 p.
  67. Yasuda J, Asako M, Arimitsu T, Fujita S. Association of protein intake in three meals with muscle mass in healthy young subjects: A cross-sectional study. *Nutrients.* 2019;11(3).
  68. Massy-Westropp NM, Gill TK, Taylor AW, Bohannon RW, Hill CL. Hand Grip Strength: Age and gender stratified normative data in a population-based study. *BMC Res Notes [Internet].* 2011;4(1):127. Available from: <http://www.biomedcentral.com/1756-0500/4/127>
  69. Gregorio L, Brindisi J, Kleppinger A, Sullivan R, Mangano KM, Bihuniak JD, et al. Adequate dietary protein is associated with better physical performance among post-menopausal women 60-90 years. *J Nutr Heal Aging.* 2014;18(2):155–60.
  70. Garibotto G, Sofia A, Parodi EL, Ansaldo F, Bonanni A, Picciotto D, et al. Effects of Low-Protein, and Supplemented Very Low-Protein Diets, on Muscle Protein Turnover in Patients With CKD. *Kidney Int Reports.* 2018;3(3):701–10.
  71. Huang J, Wang J, Gu L, Bao J, Yin J, Tang Z, et al. Effect of a low-protein diet supplemented with ketoacids on skeletal muscle atrophy and autophagy in rats with type 2 diabetic nephropathy. *PLoS One.* 2013;8(11):1–12.
  72. Drenowatz C, Shook RP, Hand GA, Hébert JR, Blair SN. The independent association between diet quality and body composition. *Sci Rep.* 2014;4:1–6.



73. Tak YJ, Lee JG, Yi YH, Kim YJ, Lee S, Cho BM, et al. Association of handgrip strength with dietary intake in the Korean population: Findings based on the seventh Korea National Health and Nutrition Examination Survey (KNHANES VII-1), 2016. *Nutrients*. 2018;10(9):1–13.
74. Wu IC, Chang HY, Hsu CC, Chiu YF, Yu SH, Tsai YF, et al. Association between dietary fiber intake and physical performance in older adults: A nationwide study in Taiwan. *PLoS One*. 2013;8(11).



KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN  
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN  
KOMITE ETIK PENELITIAN KESEHATAN  
RSPTN UNIVERSITAS HASANUDDIN  
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR  
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu  
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.





Contact Person: dr. Agussalim Bukhari..MMed,PhD, SpGK. Telp. 081241850858, 0411 5780103, Fax : 0411-581431

### **REKOMENDASI PERSETUJUAN ETIK**

Nomor : 392 / UN4.6.4.5.31 / PP36 / 2020

Tanggal: 30 Juli 2020

Dengan ini Menyatakan **Perpanjangan** Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	<b>UH19070416</b>	No Sponsor Protokol	
Peneliti Utama	<b>dr. A. Yasmin Syauki, M.Sc, SpGK</b>	Sponsor	<b>Pribadi</b>
Judul Penelitian	<b>Analyze of Gut Microbiota In Well- Nourished Adult With Traditional-Carbohydrate Based Food And Low Protein Intake And Modern-Carbohydrate Based Food and Adequate Protein Intake In Lowland Mimika Regency,Papua</b>		
No Versi Protokol	<b>2</b>	Tanggal Versi	<b>30 Juli 2019</b>
No Versi PSP	<b>2</b>	Tanggal Versi	<b>30 Juli 2019</b>
Tempat Penelitian	Kabupaten Mimika, Papua		
Dengan Nomor rekomendasi etik lama :	Nomor:554/UN4.6.4.5.31/PP36/2020		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku <b>30 Juli 2020</b> sampai <b>30 Juli 2021</b>	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>	Tanda tangan 	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	<b>dr. Agussalim Bukhari, M.Med., Ph.D., Sp.GK (K)</b>	Tanda tangan 	

**Kewajiban Peneliti Utama:**

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan