

DAFTAR PUSTAKA

- Abramovici, A., Cantu, J., & Jenkins, S. M. (2012). Tocolytic Therapy for Acute Preterm Labor. *Obstetrics and Gynecology Clinics of North America*, 39(1), 77–87. <https://doi.org/10.1016/j.ogc.2011.12.003>
- Ancaman, P., Prematur, P., Rsup, D. I., & Wahyudin, E. (2017). *EFEKTIVITAS PENGGUNAAN MgSO₄ SEBAGAI TOKOLITIK*. 21(3), 70–74.
- Arrowsmith, S., Neilson, J., & Wray, S. (2016). The combination tocolytic effect of magnesium sulfate and an oxytocin receptor antagonist in myometrium from singleton and twin pregnancies. *American Journal of Obstetrics and Gynecology*, 215(6), 789.e1-789.e9. <https://doi.org/10.1016/j.ajog.2016.08.015>
- Afors, K., Candrahan, E. (2011). *Review Article: Use of Continuous Electronic Fetal Monitoring In a Preterm Fetus: clinical dilemmas and recommendations for practice*.
- Baumbach, J., Shi, S. Q., Shi, L., Balducci, J., Coonrod, D. V., & Garfield, R. E. (2012). Inhibition of uterine contractility with various tocolytics with and without progesterone: In vitro studies. *American Journal of Obstetrics and Gynecology*, 206(3), 254.e1-254.e5. <https://doi.org/10.1016/j.ajog.2011.12.011>
- Cunningham F.G. dkk, Williams obstetric, edisi 23. Mc Graw-hill; 2010
- Campos, D., Spong, C., Y., Candrahan, E. (2015). FIGO Consensus Guidelines on Intrapartum Fetal Monitoring: Cardiotocography; *International Journal of Gynecology and Obstetrics*, Departemen Farmakologi dan terapi. Farmakologi dan terapi Edisi 6. Jakarta: Fakultas Kedokteran Universitas Indonesia 2016
- Febrianti, Y., & Ambariyah, N. (2016). *YOGYAKARTA*. 111–115.
- Guyton & Hill. *Kontaksi Otot Polos*. Jakarta: Penerbit Buku Kedokteran; 2006
- Guideline Cardiotocograph (CTG) Interpretation and Respons; 2020
- Hayes, E., Moroz, L., Pizzi, L., & Baxter, J. (2007). A cost decision analysis of 4 tocolytic drugs. *American Journal of Obstetrics and Gynecology*, 197(4), 383.e1-383.e6. <https://doi.org/10.1016/j.ajog.2007.06.052>
- Katzung G.B, Susan B. Master, Anthony J. Trevor. *Obat Kardiovaskuler*. Volume 2. Edisi 12. New York: Mc Graw Hill; 2012
- Locatelli, A., Consonni, S., & Ghidini, A. (2015). Preterm Labor: Approach to Decreasing Complications of Prematurity. *Obstetrics and Gynecology Clinics of North America*, 42(2), 255–274. <https://doi.org/10.1016/j.ogc.2015.01.004>
- Martin, J., Mills, J., & Stanley, D. (2017). Is Nifedipine as a Tocolytic Effective in Facilitating In Utero Transfer? *Air Medical Journal*, 36(3), 122–126. <https://doi.org/10.1016/j.amj.2017.01.010>

- Ma'roef, M., & Jannah2, A. (2017). Pengaruh Pemberian Ekstrak Buah Asam Jawa (Tamarindus Indica) Terhadap Penurunan Kontraksi Otot Polos Uterus Terpisah Marmut Betina (Cavia Porcellus). *Saintika Medika*, 11(2), 102. <https://doi.org/10.22219/sm.v11i2.4204>
- Matondang, H. A., Sulaeman Effendi, J., Handono, B., & Kurniadi, A. (2018). Penggunaan Magnesium Sulfat untuk Menurunkan Angka Kejadian Cerebral Palsy pada Bayi Prematur. *Indonesian Journal of Obstetrics & Gynecology Science*, 1(1), 63–68. <https://doi.org/10.24198/obgynia.v1n1.44>
- Medika, E., No, V. O. L., Keberhasilan, T., Sebagai, N., Pada, T., Eka, I. P., Yasa, K., Aman, I. G. M., Satriyasa, B. K., Prematur, P., Prematurus, P., Imminens, P., Umum, S., & Sanglah, P. (2019). *PUSAT SANGLAH DENPASAR Program Studi Pendidikan Dokter, Fakultas Kedokteran Universitas Udayana Bagian Farmakologi Fakultas Kedokteran Universitas Udayana Tenaga medis melakukan usaha preventif Preterm Labor selama pasien masih Medical workers done preve*. 8(5), 1–11.
- Oroh, siva., sparman, edi., tendean, H. M. M. (2015). Karakteristik Persalinan Prematur. *Jurnal E-Clinic (ECI)*, 3.
- Pathways-NICE. (2019). Preterm labour and birth overview. *National Institute for Health and Care Excellence, August*, 1–12.
- Perhimpunan Obstetri dan Ginekologi Indonesia POGI. (2011). *Panduan Pengelolaan Persalinan Preterm Nasional*.
- Prawiroharjo S. Persalinan Kurang Bulan. Jakarta: PT.Bina Pustaka Sarwono; 2016
- Pribadi A., Preterm. Bandung: Sagung Seto; 2015
- RCPI. (2015). Tocolytic Treatment in Pregnancy. *Clinical Practice Guideline*, 22, 1–21. <http://www.hse.ie/eng/about/Who/clinical/natclinprog/obsandgynaeprogramme/Tocolytic.pdf>
- Suwardewa, T. G. A. (2014). *Perbandingan antara MgSO4 dan nifedipine sebagai tokolitik pada preterm labor*. 7–20.
- Simhan HN. (2016). Inhibition of acute preterm labor - UpToDate. *UpToDate*. [https://www.uptodate.com/contents/inhibition-of-acute-preterm-labor?source=search_result&search=Inhibition of acute preterm labor&selectedTitle=1~150](https://www.uptodate.com/contents/inhibition-of-acute-preterm-labor?source=search_result&search=Inhibition%20of%20acute%20preterm%20labor&selectedTitle=1~150)
- Simhan HN & Romero R. (2020). Preterm Labor and Birth. *Gabbes Obstetrics: Normal and Problem Pregnancies*, 675-676 & 680.
- Tsatsaris, V., Cabrol, D., & Carbonne, B. (2004). Pharmacokinetics of tocolytic agents. *Clinical Pharmacokinetics*, 43(13), 833–844. <https://doi.org/10.2165/00003088-200443130-00001>
- Todd.C., Rucklidge,M.,Kay,T., (2013), Fetal Hearth Rate Monitoring-Priciplies and Interpretation of Cardiotocography.

Vogel, J. P., Souza, J. P., Gülmezoglu, A. M., Mori, R., Lumbiganon, P., Qureshi, Z., Carroli, G., Laopaiboon, M., Fawole, B., Ganchimeg, T., Zhang, J., Torloni, M. R., Bohren, M., & Temmerman, M. (2014). Use of antenatal corticosteroids and tocolytic drugs in preterm births in 29 countries: An analysis of the WHO Multicountry Survey on Maternal and Newborn Health. *The Lancet*, *384*(9957), 1869–1877.
[https://doi.org/10.1016/S0140-6736\(14\)60580-8](https://doi.org/10.1016/S0140-6736(14)60580-8)

Windari, E. N., Dewi, A. K., & Siswanto. (2017). *Journal of Issues in Midwifery*. *1*(2549–6581), 1–18.