

## DAFTAR PUSTAKA

- Abbas, A., Lichtman, A. H., & Pillai, S. (2016). *Cellular and Molecular IMMUNOLOGY* (8th ed.). Elsevier Saunders.
- Abusoglu, S., Onur, E., Celik, H., Guvenc, Y., Sakarya, M., Sakarya, A., Var, A., & Uyanik, B. (2013). The Effect of Lidocaine on Liver Tissue Lipid Peroxide Levels in Septic Rat Model. *Int J of Mevlana Medical Sciences*, 2, 31–34. <https://doi.org/10.1039/b000000x>
- Akira, S., Uematsu, S., & Takeuchi, O. (2006). Pathogen recognition and innate immunity. *Cell*, 124(4), 783–801. <https://doi.org/10.1016/j.cell.2006.02.015>
- Al-Lamki, R. S., Wang, J., Vandenabeele, P., Bradley, J. A., Thiru, S., Luo, D., Min, W., Pober, J. S., & Bradley, J. R. (2005). TNFR1- and TNFR2-mediated signaling pathways in human kidney are cell type-specific and differentially contribute to renal injury. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 19(12), 1637–1645. <https://doi.org/10.1096/fj.05-3841com>
- Andersson, U., & Tracey, K. J. (2011). HMGB1 is a therapeutic target for sterile inflammation and infection. *Annual Review of Immunology*, 29, 139–162. <https://doi.org/10.1146/annurev-immunol-030409-101323>
- Berger, C., Rossaint, J., Van Aken, H., Westphal, M., Hahnenkamp, K., & Zarbock, A. (2014). Lidocaine Reduces Neutrophil Recruitment by Abolishing Chemokine-Induced Arrest and Transendothelial Migration in Septic Patients. *The Journal of Immunology*, 192(1), 367 LP – 376. <https://doi.org/10.4049/jimmunol.1301363>
- Blasius, A. L., & Beutler, B. (2010). Intracellular Toll-like Receptors. *Immunity*, 32(3), 305–315. <https://doi.org/10.1016/j.immuni.2010.03.012>

- Bouwmeester, T., Bauch, A., Ruffner, H., Angrand, P.-O., Bergamini, G., Crougton, K., Cruciat, C., Eberhard, D., Gagneur, J., Ghidelli, S., Hopf, C., Huhse, B., Mangano, R., Michon, A.-M., Schirle, M., Schlegl, J., Schwab, M., Stein, M. A., Bauer, A., ... Superti-Furga, G. (2004). A physical and functional map of the human TNF-alpha/NF-kappa B signal transduction pathway. *Nature Cell Biology*, 6(2), 97–105. <https://doi.org/10.1038/ncb1086>
- Brabnikova Maresova, K., Pavelka, K., & Stepan, J. J. (2013). Acute Effects of Glucocorticoids on Serum Markers of Osteoclasts, Osteoblasts, and Osteocytes. *Calcified Tissue International*, 92(4), 354–361. <https://doi.org/10.1007/s00223-012-9684-4>
- Bradley, J. (2008). TNF-mediated inflammatory disease. *The Journal of Pathology*, 214(2), 149–160. <https://doi.org/10.1002/path.2287>
- Caracas, H. C. P. M., Maciel, J. V. B., Martins, P. M. R. e S., de Souza, M. M. G., & Maia, L. C. (2009). The use of lidocaine as an anti-inflammatory substance: A systematic review. *Journal of Dentistry*, 37(2), 93–97. <https://doi.org/10.1016/j.jdent.2008.10.005>
- Cassuto, J., Sinclair, R., & Bonderovic, M. (2006). Anti-inflammatory properties of local anesthetics and their present and potential clinical implications. *Acta Anaesthesiologica Scandinavica*, 50(3), 265–282. <https://doi.org/10.1111/j.1399-6576.2006.00936.x>
- Chen, G. Y., & Nuñez, G. (2010). Sterile inflammation: sensing and reacting to damage. *Nature Reviews Immunology*, 10(12), 826–837. <https://doi.org/10.1038/nri2873>
- Chen, J., & Chen, Z. J. (2013). Regulation of NF-κB by ubiquitination. *Current Opinion in Immunology*, 25(1), 4–12. <https://doi.org/10.1016/j.coi.2012.12.005>

- Chu, W.-M. (2013). Tumor necrosis factor. *Cancer Letters*, 328(2), 222–225. <https://doi.org/10.1016/j.canlet.2012.10.014>
- Couture, L. A., Piao, W., Ru, L. W., Vogel, S. N., & Toshchakov, V. Y. (2012). Targeting Toll-like Receptor (TLR) Signaling by Toll/Interleukin-1 Receptor (TIR) Domain-containing Adapter Protein/MyD88 Adapter-like (TIRAP/Mal)-derived Decoy Peptides. *Journal of Biological Chemistry*, 287(29), 24641–24648. <https://doi.org/10.1074/jbc.M112.360925>
- Cruz, F. F., Rocco, P. R. M., & Pelosi, P. (2017). Anti-inflammatory properties of anesthetic agents. *Critical Care*, 21(1), 67. <https://doi.org/10.1186/s13054-017-1645-x>
- Dwiyanti, R., Hatta, M., Natzir, R., Pratiwi, S., Sabir, M., Yasir, Y., Noviyanthi, R. A., Junita, A. R., Tandirogan, N., Amir, M., Fias, M., Saning, J., & Bahar, B. (2017). Association of Typhoid Fever Severity with Polymorphisms NOD2, VDR and NRAMP1 Genes in Endemic Area, Indonesia. *Journal of Medical Sciences*, 17(3), 133–139. <https://doi.org/10.3923/jms.2017.133.139>
- Feng, G., Liu, S., Wang, G.-L., & Liu, G.-J. (2008). Lidocaine Attenuates Lipopolysaccharide-Induced Acute Lung Injury through Inhibiting NF- $\kappa$ B Activation. *Pharmacology*, 81, 32–40. <https://doi.org/10.1159/000107792>
- Flood, P., Rathmell, J. P. dan Shafer, S. (2021). *Stoelting's Pharmacology & Physiology in Anesthetic Practice*. 6 ed. United State: Wolters Kluwer.
- Furlani, D., Donndorf, P., Westien, I., Ugurlucan, M., Pittermann, E., Wang, W., Li, W., Vollmar, B., Steinhoff, G., Kaminski, A., & Ma, N. (2012). HMGB-1 induces c-kit<sup>+</sup> cell microvascular rolling and adhesion via both toll-like receptor-2 and toll-like receptor-4 of endothelial cells. *Journal of Cellular and Molecular Medicine*, 16(5), 1094–1105. <https://doi.org/10.1111/j.1582-4934.2011.01381.x>

- Garutti, I., Rancan, L., Simón, C., Cusati, G., Sanchez-Pedrosa, G., Moraga, F., Olmedilla, L., Lopez-Gil, M. T., & Vara, E. (2014). Intravenous lidocaine decreases tumor necrosis factor alpha expression both locally and systemically in pigs undergoing lung resection surgery. *Anesthesia and Analgesia*, *119*(4), 815–828. <https://doi.org/10.1213/ANE.0000000000000360>
- Grosu, I., & Lavand'homme, P. (2015). Continuous regional anesthesia and inflammation: a new target. *Minerva Anestesiologica*, *81*(9), 1001–1009.
- Harris, H. E., Andersson, U., & Pisetsky, D. S. (2012). HMGB1: A multifunctional alarmin driving autoimmune and inflammatory disease. *Nature Reviews Rheumatology*, *8*(4), 195–202. <https://doi.org/10.1038/nrrheum.2011.222>
- Hatta, M., & Smits, H. L. (2007). Detection of Salmonella typhi by nested Polymerase Chain Reaction in Blood, Urine and Stool Samples. *The American Journal of Tropical Medicine and Hygiene*, *76*(1), 139–143. <https://doi.org/10.4269/ajtmh.2007.76.139>
- Hayden, M. S., & Ghosh, S. (2011). NF- $\kappa$ B in immunobiology. *Cell Research*, *21*(2), 223–244. <https://doi.org/10.1038/cr.2011.13>
- Hayden, M. S., & Ghosh, S. (2014). Regulation of NF- $\kappa$ B by TNF family cytokines. *Seminars in Immunology*, *26*(3), 253–266. <https://doi.org/10.1016/j.smim.2014.05.004>
- He, M., Bianchi, M. E., Coleman, T. R., Tracey, K. J., & Al-Abed, Y. (2018). Exploring the biological functional mechanism of the HMGB1/TLR4/MD-2 complex by surface plasmon resonance. *Molecular Medicine (Cambridge, Mass.)*, *24*(1), 21. <https://doi.org/10.1186/s10020-018-0023-8>

- He, Y., Li, Z., & Zuo, Y.-X. (2015). Nerve Blockage Attenuates Postoperative Inflammation in Hippocampus of Young Rat Model with Surgical Trauma. *Mediators of Inflammation*, 2015, 460125. <https://doi.org/10.1155/2015/460125>
- Hollmann, M. W., & Durieux, M. E. (2000). Local Anesthetics and the Inflammatory Response. *Anesthesiology*, 93(3), 858–875. <https://doi.org/10.1097/00000542-200009000-00038>
- Hreggvidsdottir, H. S., Östberg, T., Wähämaa, H., Schierbeck, H., Aveberger, A.-C., Klevenvall, L., Palmblad, K., Ottosson, L., Andersson, U., & Harris, H. E. (2009). The alarmin HMGB1 acts in synergy with endogenous and exogenous danger signals to promote inflammation. *Journal of Leukocyte Biology*, 86(3), 655–662. <https://doi.org/10.1189/jlb.0908548>
- Huxford, T., Hoffmann, A., & Ghosh, G. (2011). *Understanding the Logic of I $\kappa$ B:NF- $\kappa$ B Regulation in Structural Terms*. [https://doi.org/10.1007/82\\_2010\\_99](https://doi.org/10.1007/82_2010_99)
- Kang, H., & Kim, B.-G. (2011). Intravenous Lidocaine for Effective Pain Relief after Inguinal Herniorrhaphy: A Prospective, Randomized, Double-Blind, Placebo-Controlled Study. *Journal of International Medical Research*, 39(2), 435–445. <https://doi.org/10.1177/147323001103900211>
- Kao, F.-C., Hsu, Y.-C., Lin, C.-F. J., Lo, Y.-Y., & Tu, Y.-K. (2017). Corticosteroid Is Associated with Both Hip Fracture and Fracture-Related Arthropathy. *PLOS ONE*, 12(1), e0169468. <https://doi.org/10.1371/journal.pone.0169468>
- Karin, M., & Ben-Neriah, Y. (2000). Phosphorylation meets ubiquitination: the control of NF- $\kappa$ B activity. *Annual Review of Immunology*, 18, 621–663. <https://doi.org/10.1146/annurev.immunol.18.1.621>

- Kawai, T., & Akira, S. (2010). The role of pattern-recognition receptors in innate immunity: update on Toll-like receptors. *Nature Immunology*, 11(5), 373–384. <https://doi.org/10.1038/ni.1863>
- Kawai, T., & Akira, S. (2011). Toll-like receptors and their crosstalk with other innate receptors in infection and immunity. *Immunity*, 34(5), 637–650. <https://doi.org/10.1016/j.immuni.2011.05.006>
- Kim, T. H., Kang, H., Hong, J. H., Park, J. S., Baek, C. W., Kim, J. Y., Jung, Y. H., & Kim, H. K. (2011). Intraperitoneal and intravenous lidocaine for effective pain relief after laparoscopic appendectomy: a prospective, randomized, double-blind, placebo-controlled study. *Surgical Endoscopy*, 25(10), 3183–3190. <https://doi.org/10.1007/s00464-011-1684-3>
- Kumar, H., Kawai, T., & Akira, S. (2009). Toll-like receptors and innate immunity. *Biochemical and Biophysical Research Communications*, 388(4), 621–625. <https://doi.org/10.1016/j.bbrc.2009.08.062>
- Kumar, V., Abbas, A., & Aster, J. (2013). *Buku Ajar Patologi Robbins* (9th ed.). Elsevier.
- Lahat, A., Horin, S. B., Lang, A., Fudim, E., Picard, O., & Chowers, Y. (2008). Lidocaine down-regulates nuclear factor- $\kappa$ B signalling and inhibits cytokine production and T cell proliferation. *Clinical and Experimental Immunology*, 152(2), 320–327. <https://doi.org/10.1111/j.1365-2249.2008.03636.x>
- Lang, A., Ben Horin, S., Picard, O., Fudim, E., Amariglio, N., & Chowers, Y. (2010). Lidocaine inhibits epithelial chemokine secretion via inhibition of nuclear factor  $\kappa$ B activation. *Immunobiology*, 215(4), 304–313. <https://doi.org/https://doi.org/10.1016/j.imbio.2009.05.006>

- Lawrence, T. (2009). The Nuclear Factor NF- B Pathway in Inflammation. *Cold Spring Harbor Perspectives in Biology*, 1(6), a001651–a001651. <https://doi.org/10.1101/cshperspect.a001651>
- Li, L.-C., Gao, J., & Li, J. (2014). Emerging role of HMGB1 in fibrotic diseases. *Journal of Cellular and Molecular Medicine*, 18(12), 2331–2339. <https://doi.org/10.1111/jcmm.12419>
- Lin, F., Zhang, W., Xue, D., Zhu, T., Li, J., Chen, E., Yao, X., & Pan, Z. (2016). Signaling pathways involved in the effects of HMGB1 on mesenchymal stem cell migration and osteoblastic differentiation. *Int J Mol Med*, 37(3), 789–797. <https://doi.org/10.3892/ijmm.2016.2479>
- Lin, T.-H., Pajarinen, J., Lu, L., Nabeshima, A., Cordova, L. A., Yao, Z., & Goodman, S. B. (2017). NF-κB as a Therapeutic Target in Inflammatory-Associated Bone Diseases. *Advances in Protein Chemistry and Structural Biology*, 107, 117–154. <https://doi.org/10.1016/bs.apcsb.2016.11.002>
- Lin, T., Tamaki, Y., Pajarinen, J., Waters, H. A., Woo, D. K., Yao, Z., & Goodman, S. B. (2014). Chronic inflammation in biomaterial-induced periprosthetic osteolysis: NF-κB as a therapeutic target. *Acta Biomaterialia*, 10(1), 1–10. <https://doi.org/10.1016/j.actbio.2013.09.034>
- LIU, J., ZHANG, H., QI, Z., & ZHENG, X. (2014). Lidocaine protects against renal and hepatic dysfunction in septic rats via downregulation of Toll-like receptor 4. *Molecular Medicine Reports*, 9(1), 118–124. <https://doi.org/10.3892/mmr.2013.1799>
- Liu, T., Zhang, L., Joo, D., & Sun, S. C. (2017). NF-κB signaling in inflammation. *Signal Transduction and Targeted Therapy*, 2(March). <https://doi.org/10.1038/sigtrans.2017.23>

- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2<sup>(-Delta Delta C(T))</sup> Method. *Methods (San Diego, Calif.)*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>
- Lobito, A. A., Kimberley, F. C., Muppidi, J. R., Komarow, H., Jackson, A. J., Hull, K. M., Kastner, D. L., Screaton, G. R., & Siegel, R. M. (2006). Abnormal disulfide-linked oligomerization results in ER retention and altered signaling by TNFR1 mutants in TNFR1-associated periodic fever syndrome (TRAPS). *Blood*, 108(4), 1320–1327. <https://doi.org/10.1182/blood-2005-11-006783>
- Loi, F., Córdova, L. A., Pajarinen, J., Lin, T., Yao, Z., & Goodman, S. B. (2016). Inflammation, fracture and bone repair. *Bone*, 86, 119–130. <https://doi.org/10.1016/j.bone.2016.02.020>
- Magna, M., & Pisetsky, D. S. (2014). The Role of HMGB1 in the Pathogenesis of Inflammatory and Autoimmune Diseases. *Molecular Medicine*, 20(1), 138–146. <https://doi.org/10.2119/molmed.2013.00164>
- Mantovani, A., Biswas, S. K., Galdiero, M. R., Sica, A., & Locati, M. (2013). Macrophage plasticity and polarization in tissue repair and remodelling. *The Journal of Pathology*, 229(2), 176–185. <https://doi.org/10.1002/path.4133>
- Martinez, F. O., Sica, A., Mantovani, A., & Locat, M. (2008). Macrophage activation and polarization. *Frontiers in Bioscience*, 13(13), 453. <https://doi.org/10.2741/2692>
- Martins, G. R., Gelaleti, G. B., Moschetta, M. G., Maschio-Signorini, L. B., & De Campos Zuccari, D. A. P. (2016). Proinflammatory and Anti-Inflammatory Cytokines Mediated by NF-κB Factor as Prognostic Markers in Mammary Tumors. *Mediators of Inflammation*, 2016. <https://doi.org/10.1155/2016/9512743>



- Maślanka, T. (2014). Effect of dexamethasone and meloxicam on counts of selected T lymphocyte subpopulations and NK cells in cattle - In vivo investigations. *Research in Veterinary Science*, 96(2), 338–346. <https://doi.org/10.1016/j.rvsc.2014.02.006>
- Miller, R., Eriksson, L., Fleisher, L., Wiener-Kronish, J., Cohen, N., & Young, W. (2010). *Miller's Anesthesia* (7th ed.). Churchill Livingstone Elsevier.
- Butterworth, J. F., Mackey, D. C. dan Wasnick, J. D. (2013) *Morgan and Mikhail's Clinical Anesthesiology*. 5 ed. Mc Graw-Hill Education.
- Nyström, S., Antoine, D. J., Lundbäck, P., Lock, J. G., Nita, A. F., Högstrand, K., Grandien, A., Erlandsson-Harris, H., Andersson, U., & Applequist, S. E. (2013). TLR activation regulates damage-associated molecular pattern isoforms released during pyroptosis. *EMBO Journal*, 32(1), 86–99. <https://doi.org/10.1038/emboj.2012.328>
- Otrocka-Domagala, I., Paździor-Czapula, K., & Gesek, M. (2019). Dexamethasone-induced impairment of post-injury skeletal muscle regeneration. *BMC Veterinary Research*, 15(1), 56. <https://doi.org/10.1186/s12917-019-1804-1>
- Papathanasiou, G. S. (2020). Local Anesthetics and Covid19 Associated Acute Respiratory Distress Syndrome: *Sci Forschen*, 6(2), 0–5. <https://doi.org/10.16966/2469-6714.156>
- Parameswaran, N., & Patial, S. (2010). Tumor Necrosis Factor- $\alpha$  Signaling in Macrophages. *Critical Reviews<sup>TM</sup> in Eukaryotic Gene Expression*, 20(2), 87–103. <https://doi.org/10.1615/CritRevEukarGeneExpr.v20.i2.10>
- Park, J. M., Greten, F. R., Wong, A., Westrick, R. J., Arthur, J. S. C., Otsu, K., Hoffmann, A., Montminy, M., & Karin, M. (2005). Signaling Pathways and Genes that Inhibit Pathogen-Induced Macrophage Apoptosis— CREB and NF- $\kappa$ B as Key Regulators. *Immunity*, 23(3), 319–329. <https://doi.org/10.1016/j.immuni.2005.08.010>

- Park, M. H., & Hong, J. T. (2016). Roles of NF- $\kappa$ B in Cancer and Inflammatory Diseases and Their Therapeutic Approaches. *Cells*, 5(2). <https://doi.org/10.3390/cells5020015>
- Piegeler, T., Votta-Velis, E. G., Bakhshi, F. R., Mao, M., Carnegie, G., Bonini, M. G., Schwartz, D. E., Borgeat, A., Beck-Schimmer, B., & Minshall, R. D. (2014). Endothelial Barrier Protection by Local Anesthetics. *Anesthesiology*, 120(6), 1414–1428. <https://doi.org/10.1097/ALN.0000000000000174>
- Pozniak, P. D., White, M. K., & Khalili, K. (2014). TNF- $\alpha$ /NF- $\kappa$ B Signaling in the CNS: Possible Connection to EPHB2. *Journal of Neuroimmune Pharmacology*, 9(2), 133–141. <https://doi.org/10.1007/s11481-013-9517-x>
- Ridwan, E. (2013). Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan. *J Indon Med Assoc*, 63, 112–118.
- Scaffidi, P., Misteli, T., & Bianchi, M. E. (2002). Release of chromatin protein HMGB1 by necrotic cells triggers inflammation. *Nature*, 418(6894), 191–195. <https://doi.org/10.1038/nature00858>
- Senftleben, U., Li, Z. W., Baud, V., & Karin, M. (2001). IKKbeta is essential for protecting T cells from TNFalpha-induced apoptosis. *Immunity*, 14(3), 217–230. [https://doi.org/10.1016/s1074-7613\(01\)00104-2](https://doi.org/10.1016/s1074-7613(01)00104-2)
- Shih, V. F.-S., Tsui, R., Caldwell, A., & Hoffmann, A. (2011). A single NF $\kappa$ B system for both canonical and non-canonical signaling. *Cell Research*, 21(1), 86–102. <https://doi.org/10.1038/cr.2010.161>
- Sirait, R., Hatta, M., Ramli, M., Islam, A., & Arief, S. (2018). Systemic lidocaine inhibits high-mobility group box 1 messenger ribonucleic acid expression and protein in BALB/c mice after closed fracture musculoskeletal injury. *Saudi Journal of Anaesthesia*, 12(3), 395. [https://doi.org/10.4103/sja.SJA\\_685\\_17](https://doi.org/10.4103/sja.SJA_685_17)

- Snall, J., Apajalahti, S., Suominen, A., Tornwall, J., & Thoren, H. (2015). Influence of perioperative dexamethasone on delayed union in mandibular fractures: A clinical and radiological study. *Medicina Oral Patología Oral y Cirugía Bucal*, e621–e626. <https://doi.org/10.4317/medoral.20553>
- Sun, S.-C. (2011). Non-canonical NF-κB signaling pathway. *Cell Research*, 21(1), 71–85. <https://doi.org/10.1038/cr.2010.177>
- Surachmanto, E. E., Hatta, M., Islam, A. A., & Wahid, S. (2018). Association between asthma control and Interleukin-17F expression levels in adult patients with atopic asthma. *Saudi Medical Journal*, 39(7), 662–667. <https://doi.org/10.15537/smj.2018.7.22055>
- Takeuchi, O., & Akira, S. (2010). Pattern Recognition Receptors and Inflammation. *Cell*, 140(6), 805–820. <https://doi.org/10.1016/j.cell.2010.01.022>
- Thal, D. M., Sun, B., Feng, D., Nawaratne, V., Leach, K., Felder, C. C., Bures, M. G., Evans, D. A., Weis, W. I., Bachhawat, P., Kobilka, T. S., Sexton, P. M., Kobilka, B. K., & Christopoulos, A. (2016). Crystal structures of the M1 and M4 muscarinic acetylcholine receptors. *Nature*, 531(7594), 335–340. <https://doi.org/10.1038/nature17188>
- Tian, J., Avalos, A. M., Mao, S.-Y., Chen, B., Senthil, K., Wu, H., Parroche, P., Drabic, S., Golenbock, D., Sirois, C., Hua, J., An, L. L., Audoly, L., La Rosa, G., Bierhaus, A., Naworth, P., Marshak-Rothstein, A., Crow, M. K., Fitzgerald, K. A., ... Coyle, A. J. (2007). Toll-like receptor 9-dependent activation by DNA-containing immune complexes is mediated by HMGB1 and RAGE. *Nature Immunology*, 8(5), 487–496. <https://doi.org/10.1038/ni1457>
- Tilstra, J. S., Clauson, C. L., Niedernhofer, L. J., & Robbins, P. D. (2011). NF-κB in Aging and Disease. *Aging and Disease*, 2(6), 449–465.

- Ueda, T., & Yoshida, M. (2010). HMGB proteins: Interactions with DNA and chromatin. *Biochimica et Biophysica Acta (BBA) - Gene Regulatory Mechanisms*, 1799(1–2), 101–113.  
<https://doi.org/10.1016/j.bbagr.2009.09.008>
- VanPatten, S., & Al-Abed, Y. (2018). High Mobility Group Box-1 (HMGB1): Current Wisdom and Advancement as a Potential Drug Target. *Journal of Medicinal Chemistry*, 61(12), 5093–5107.  
<https://doi.org/10.1021/acs.jmedchem.7b01136>
- Wallach, D. (2016). The cybernetics of TNF: Old views and newer ones. *Seminars in Cell & Developmental Biology*, 50, 105–114.  
<https://doi.org/10.1016/j.semcdb.2015.10.014>
- Wang, H.-L., Liu, Y.-Y., Yan, H.-D., Wang, X.-S., Huang, R., & Lei, W.-F. (2014). Intraoperative systemic lidocaine inhibits the expression of HMGB1 in patients undergoing radical hysterectomy. *International Journal of Clinical and Experimental Medicine*, 7(10), 3398–3403.
- Wang, H.-L., Xing, Y.-Q., Xu, Y.-X., Rong, F., Lei, W.-F., & Zhang, W.-H. (2013). The protective effect of lidocaine on septic rats via the inhibition of high mobility group box 1 expression and NF- $\kappa$ B activation. *Mediators of Inflammation*, 2013, 570370.  
<https://doi.org/10.1155/2013/570370>
- Wang, H.-L., Zhang, W.-H., Lei, W.-F., Zhou, C.-Q., & Ye, T. (2011). The Inhibitory Effect of Lidocaine on the Release of High Mobility Group Box 1 in Lipopolysaccharide-Stimulated Macrophages. *Anesthesia & Analgesia*, 112(4), 839–844.  
<https://doi.org/10.1213/ANE.0b013e31820dca9f>
- Weinlich, R., & Green, D. R. (2014). The Two Faces of Receptor Interacting Protein Kinase-1. *Molecular Cell*, 56(4), 469–480.  
<https://doi.org/10.1016/j.molcel.2014.11.001>

- Wen, F., Liu, Y., Wang, H., Tang, W., Hou, Y. D., & Wang, H. L. (2017). Lidocaine inhibits the production of IL-1 $\beta$  from macrophages RAW264.7 induced with lipopolysaccharide. *International Journal of Clinical and Experimental Pathology*, 10(6), 6582–6588.
- Yang, H., Antoine, D. J., Andersson, U., & Tracey, K. J. (2013). The many faces of HMGB1: molecular structure-functional activity in inflammation, apoptosis, and chemotaxis. *Journal of Leukocyte Biology*, 93(6), 865–873. <https://doi.org/10.1189/jlb.1212662>
- Yılmaz, Z. B., Kofahl, B., Beaudette, P., Baum, K., Ipenberg, I., Weih, F., Wolf, J., Dittmar, G., & Scheidereit, C. (2014). Quantitative Dissection and Modeling of the NF- $\kappa$ B p100-p105 Module Reveals Interdependent Precursor Proteolysis. *Cell Reports*, 9(5), 1756–1769. <https://doi.org/10.1016/j.celrep.2014.11.014>
- Zhang, H., & Sun, S.-C. (2015). NF- $\kappa$ B in inflammation and renal diseases. *Cell & Bioscience*, 5(1), 63. <https://doi.org/10.1186/s13578-015-0056-4>
- Zhang, J., & Deng, X. (2015). *Bupivacaine Effectively Relieves Inflammation-Induced pain by Suppressing Activation of The NF- $\kappa$ B Signalling Pathway and Inhibiting the Activation of Spinal Microglia and Astrocytes.*
- Zhang, Y., Tao, G. J., Hu, L., Qu, J., Han, Y., Zhang, G., Qian, Y., Jiang, C. Y., & Liu, W. T. (2017). Lidocaine alleviates morphine tolerance via AMPK-SOCS3-dependent neuroinflammation suppression in the spinal cord. *Journal of Neuroinflammation*, 14(1), 1–15. <https://doi.org/10.1186/s12974-017-0983-6>
- Zhao, Y., Conze, D. B., Hanover, J. A., & Ashwell, J. D. (2007). Tumor necrosis factor receptor 2 signaling induces selective c-IAP1-dependent ASK1 ubiquitination and terminates mitogen-activated protein kinase signaling. *The Journal of Biological Chemistry*, 282(11), 7777–7782. <https://doi.org/10.1074/jbc.M609146200>