

## DAFTAR PUSTAKA

- Adham M. The role of EBV markers in diagnosis, treatment and monitoring of nasopharyngeal carcinoma in Jakarta, Indonesia [Thesis]. (2014). Amsterdam: VU University of Amsterdam.
- Adham, M., Kurniawan, A. N., Muhtadi, A. I., Roezin, A., Hermani, B., Gondhowiardjo, S., Middeldorp, J. M. (2012). Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation. *Chinese Journal of Cancer*, 31(4), 185–196.
- Alni D, Wiwit Ade FW, Harianto. (2016). Distribusi Keganasan Nasofaring Berdasarkan Pemeriksaan Histopatologi Pada Rumah Sakit di Kota Pekanbaru Tahun 2009-2013. *JOM FK*. 3(1).
- Asante, D. B., Asmah, R. H., Adjei, A. A., Kyei, F., Simpong, D. L., Brown, C. A., & Gyasi, R. K. (2017). Detection of human papillomavirus genotypes and epstein-barr virus in nasopharyngeal carcinomas at the korle-bu teaching hospital, Ghana. *The Scientific World Journal*, 2017.
- Atighechi, S., Ahmadpour, B. M., Mirvakili, S. A., Sheikhha, M. H., Baradaranfar, M. H., Dadgarnia, M. H., & Behniafard, N. (2014). Human papilloma virus and nasopharyngeal carcinoma: pathology, prognosis, recurrence and mortality of the disease. *Experimental oncology*, (36,№ 3), 215-216.
- Boies. (2012). *Buku Ajar Penyakit THT*, 6th edn, Penerbit Kedokteran EGC, Jakarta.
- Choi, Y. W., Kang, M. C., Seo, Y. B., Namkoong, H., Park, Y., Choi, D. H., ... & Jin, H. T. (2016). Intravaginal administration of Fc-fused IL7 suppresses the cervicovaginal tumor by recruiting HPV DNA vaccine-induced CD8 T cells. *Clinical Cancer Research*, 22(23), 5898-5908.
- Dewi YA. (2010). *Karsinoma Nasofaring*. Bandung: Fakultas Kedokteran Universitas Padjadjaran, THT-KL
- Firdaus MA, Prijadi J. (2012) *Kemoterapi neoadjuvan pada karsinoma nasofaring*. Bagian THT-KL FK Unand/RSUP Dr. M. Djamil Padang.; 1-11
- Guo R, Mao Y-P, Tang L-L, Chen L, Sun Y, Ma J. (2019). The evolution of nasopharyngeal carcinoma staging. *Br J Radiol*; 92: 20190244.

- Hasselt CAV, Gibb AG. (2014) *Nasopharyngeal Carcinoma*. Hong Kong and London: The Chinese University Press, Greenwich Medical Media LTD.
- Janti, S., Irma, H. (2013). 'DNA Epstein-Barr virus (EBV) sebagai biomarker diagnosis karsinoma nasofaring'. *Dental Journal*, 46(30).
- Jia W, Luo X, Feng B, Ruan H, Bei J, Liu W, et al. (2010). Traditional Cantonese Diet and Nasopharyngeal Carcinoma Risk: a Large-Scale Case-Control Study in Guangdong, China. *Pubmed*.10, pp. 446.
- Kano, M., Kondo, S., Wakisaka, N., Moriyama-Kita, M., Nakanishi, Y., Endo, K., Muro, S., Nakamura, H., & Yoshizaki, T. (2017). The influence of human papillomavirus on nasopharyngeal carcinoma in Japan. *Auris, nasus, larynx*, 44(3), 327–332. <https://doi.org/10.1016/j.anl.2016.07.015>
- Kementerian Kesehatan Republik Indonesia. (2017). *Paduan Penatalaksanaan Kanker Nasofaring*. Komite Penanggulangan Kanker Indonesia. pp 2
- Kentjono WA. (2012) Perkembangan terkini penatalaksanaan karsinoma nasofaring. *Majalah Kedokteran Tropis Indonesia*.; (14)2: 1-39
- Kumar R, Rai AK, Das D, Das R, Kumar RS, Sarma, Sharma S. 2015. Alcohol and tobacco increases risk of high risk HPV infection in head and neck cancer patients: Study from North-East Region of India, *Plos One*.
- Laeq S, Gupta S, Lohani M. 2014. An Overview on HPV in head and neck squamous cell carcinoma, Review Article, *International Journal of Pharmaceutical Research*, October-December 2014, Volume 6, Issue 4.
- Lin, Z., Khong, B., Kwok, S., Cao, H., West, R. B., Le, Q. T., & Kong, C. S. (2014). Human papillomavirus 16 detected in nasopharyngeal carcinomas in white Americans but not in endemic Southern Chinese patients. *Head & neck*, 36(5), 709–714. <https://doi.org/10.1002/hed.23362>
- Lo, S., Lu, J. (2010). 'Natural History, Presenting Symptoms, and Diagnosis of Nasopharyngeal Carcinoma' in *Nasopharyngeal Cancer: Multidisciplinary Management*, Springer, Philadelphia, pp.41-44.
- Lucs AV, DeVoti JA, Hatam L, Afzal A, Abraruson AL, Steinberg BM and Bonagura VR. 2015. Immune Dysregulation in Patients Persistently Infected with Human Papillomaviruses 6 and 11, *J, Clin. Med*, 4, 375-388;

- Mentari, S., & Imanto, M. (2017). EORTC QLQ-H&N35: Instrumen Penilaian Kualitas Hidup sebagai Penunjang Terapi Karsinoma Nasofaring. *Jurnal Majority*, 7(1), 100-105.
- Munir D. (2010). Karsinoma Nasofaring. Medan: USU press.
- Perez CA, Halperin EC, Wazer DE, Brady LW. Principles and Practice Radiation Oncology. Sixth edit. Philadelphia; 2013. 732 p.
- Petersson BF, Bell D, El-Mofty SK, Gillison M, Lewis JS, Nadal A, et al. (2017) Nasopharyngeal carcinoma. Dalam: El-Naggar AK, Chan JKC, Grandis JR, Takata T, Slootweg PJ (eds). WHO clasification of head and neck tumours. Edisi ke 4. Lyon: IARC;. H. 65-70
- Rahman S. (2014) Update diagnosis dan tatalaksana karsinoma nasofaring. Research Gate.; 105-9
- Ren ZF, Liua WS, Qina HD, Xua YF, Yua DD, Fenga QS, et al. (2010) Effect of Family History of Cancers and Environmental Factors on Risk of Nasopharyngeal Carcinoma in Guangdong, China. *ScienceDirect - Cancer Epidemiology*.34(4), pp. 419-424
- Riskesdas. (2018). Laporan nasional 2018 badan penelitian dan pengembangan kesehatan Departemen Kesehatan RI.
- Robinson, M., Suh, Y. E., Paleri, V., Devlin, D., Ayaz, B., Pertl, L., & Thavaraj, S. (2013). Oncogenic human papillomavirus-associated nasopharyngeal carcinoma: an observational study of correlation with ethnicity, histological subtype and outcome in a UK population. *Infectious agents and cancer*, 8(1), 30. <https://doi.org/10.1186/1750-9378-8-30>
- Saito, Y., Ushiku, T., Omura, G., Yasuhara, K., Yoshida, M., Takahashi, W., Ando, M., Fukayama, M., & Yamasoba, T. (2016). Clinical Value of the Epstein-Barr Virus and p16 Status in Patients with Nasopharyngeal Carcinoma: A Single-Centre Study in Japan. *ORL; journal for oto-rhino-laryngology and its related specialties*, 78(6), 334–343. <https://doi.org/10.1159/000455901>
- Shi Y, Peng S, Yang L, Chen X, Tao Y, Cao Y, 2016. Co-infection of Epstein-Barr virus and human papillomavirus in human tumorigenesis, *Chinese Journal of Cancer*.

- Simon, J., Schroeder, L., Ingarfield, K., Diehl, S., Werner, J., Brenner, N., Liu, Z., Pawlita, M., Pring, M., Butt, J., Ness, A., & Waterboer, T. (2020). Epstein-Barr virus and human papillomavirus serum antibodies define the viral status of nasopharyngeal carcinoma in a low endemic country. *International journal of cancer*, *147*(2), 461–471. <https://doi.org/10.1002/ijc.33006>
- Snell RS. Clinical anatomy. (2012). Edisi ke 9. Washington: Lippincott Williams & Wilkins;. H. 634-6
- Stenmark, M. H., McHugh, J. B., Schipper, M., Walline, H. M., Komarck, C., Feng, F. Y., Worden, F. P., Wolf, G. T., Chepeha, D. B., Prince, M. E., Bradford, C. R., Mukherji, S. K., Eisbruch, A., & Carey, T. E. (2014). Nonendemic HPV-positive nasopharyngeal carcinoma: association with poor prognosis. *International journal of radiation oncology, biology, physics*, *88*(3), 580–588. <https://doi.org/10.1016/j.ijrobp.2013.11.246>
- Sudiono J, Hasan I. DNA Epstein-Barr virus (EBV) sebagai biomarker diagnosis karsinoma nasofaring. *Dent J*. 2013; *46*(3):140-7.
- Surarso B. (2010). Tanda dan Gejala Klinis Karsinoma Nasofaring. Surabaya: THT-KL Fakultas Kedokteran Universitas Airlangga RSUD Dr. Soetomo.
- Tatlı Doğan, H., Kılıçarslan, A., Doğan, M., Süngü, N., Güler Tezel, G., & Güler, G. (2016). Retrospective analysis of oncogenic human papilloma virus and Epstein-Barr virus prevalence in Turkish nasopharyngeal cancer patients. *Pathology, research and practice*, *212*(11), 1021–1026. <https://doi.org/10.1016/j.prp.2016.08.013>
- Thompson MP, Kurzrock R. (2012). Epstein-Barr Virus and Cancer. *American Association for Cancer Research*. 2004 February 1; *10*:803-21.
- Thompson. (2013) Update on nasopharyngeal carcinoma. *Head and Neck Pathol.*; (1): 81-86
- Venuti, A. & Paolini, F. 2012. HPV Detection Methods in Head and Neck Cancer. *Head and Neck Pathology* 6: s63 s74.
- Walline HM, Komarck C, McHugh. 2013. High-risk human papillomavirus detection in oropharyngeal, nasopharyngeal, and oral cavity cancers: comparison of multiple methods, *JAMA Otolaryngol Head Neck Surg*. December; *139*(12): 1320-1327.

- Wee J, Ha T, Loong S, Qian C. (2010). Is Nasopharyngeal Cancer Really a "Cantonese Cancer"? *Pubmed*.29(5), pp. 517-526.
- WHO. 10 facts about cancer. (2017) (diunduh 18 Juli 2019). Tersedia dari: URL: HYPERLINK <http://www.who.int/features/factfiles/cancer/en/index.html>
- Wijaya FO, Soeseno B. (2017). Deteksi dini dan diagnosis karsinoma nasofaring. *Kalbemed*. 44(7), pp. 478-481
- Wotman M, Oh EJ, Ahn S, Kraus D, Costantino P, Tham T. HPV status in patients with nasopharyngeal carcinoma in the United States: A SEER database study. *Am J Otolaryngol*. 2019 Sep-Oct;40(5):705-710. doi: 10.1016/j.amjoto.2019.06.007. Epub 2019 Jun 26. PMID: 31277887.

## Lampiran 1. Biodata Diri Penulis



### Identitas Pribadi

Nama Lengkap : Arman Caesar Ramadhan  
Nama Panggilan : Arman  
NIM : C011181081  
Tempat, Tanggal Lahir : Pangkajene sidrap, 28 Desember 1999  
Agama : Islam  
Jenis Kelamin : Laki-laki  
Golongan Darah : AB  
Alamat : Jl. Sahabat 3  
Telepon/HP : 081354885513  
Email : arman.caesarramadhan@gmail.com

### Riwayat Pendidikan

Jenjang Pendidikan	Institusi	Bidang Ilmu/Jurusan	Tahun Masuk	Tahun Lulus
TK	TK Negeri Pembina Kab. Sidrap	-	2004	2006
SD	SD Negeri 10 Pangsid	-	2006	2012
SMP	SMP Negeri 1 Pangsid	-	2012	2015
SMA	SMA Negeri 5 Parepare	IPA	2015	2018
S1	Universitas Hasanuddin	Pendidikan Dokter	2018	Sekarang

### Riwayat Organisasi

Nama Organisasi	Jabatan	Periode
Medical Youth Research Club Fakultas Kedokteran Universitas Hasanuddin	Anggota Departemen Science & Research	2019-2020
Medical Muslim Family (M2F) Fakultas Kedokteran Universitas Hasanuddin	Anggota Departemen Kaderisasi & Pengembangan Sumber Daya Manusia	2019-2020
Medical Youth Research Club Fakultas Kedokteran Universitas Hasanuddin	Koordinator Departemen Science & Research	2020-2021