

DAFTAR PUSTAKA

1. Arzola C, Wieczorek PM. Efficacy of low-dose bupivacaine in spinal anaesthesia for Caesarean delivery: Systematic review and meta-analysis. *Br J Anaesth* [Internet]. 2011;107(3):308–18. Available from: <http://dx.doi.org/10.1093/bja/aer200>
2. Meirowitz N, Katz A, Danzer B, Siegenfeld R. Can the passive leg raise test predict spinal hypotension during cesarean delivery? An observational pilot study. *Int J Obstet Anesth*. 2012;21(4):324-8.
3. Mordecai MM, Brull SJ. Spinal anesthesia. *Curr Opin Anaesthesiol*. 2005 Oct;18(5):527-33.
4. Di Cianni S, Rossi M, Casati A, Cocco C, Fanelli G. Spinal anesthesia: an evergreen technique. *Acta Biomed*. 2008;79(1):9-17.
5. Casati A, Vinciguerra F. Intrathecal anesthesia. *Curr Opin Anaesthesiol*. 2002; 15(5):543-51.
6. Hoyt MR, Pages-Arroyo EM. Anesthesia for Labor and Delivery [Internet]. Tenth Edition. Fanaroff and Martin's Neonatal-Perinatal Medicine, 2-Volume Set. Elsevier Inc.; 2015. 374-390 p. Available from: <http://dx.doi.org/10.1016/B978-1-4557-5617-9.00028-2>
7. Brull R, Alan B, Macfarlane JR, Chan VWS. Chapter 56 Spinal, Epidural, and Caudal Anesthesia. *Miller's Anesth 2-Volume Set*. 2015;1684–1720.e9.
8. Betrán AP, Ye J, Moller A-B, Zhang J, Gülmezoglu AM, Torloni MR. The increasing trend in caesarean section rates: global, regional and national estimates: 1990-2014. *PLoS ONE*. 2016;11(2):148-53.
9. Mylonas I, Friese K. Indications for and Risks of Elective Cesarean Section. *Deutsch Ärztebl Int*. 2015;112(29):489-95.
10. Eng HC, Ghosh SM, Chin KJ. Practical use of local anesthetics in regional anesthesia. *Curr Opin Anaesthesiol*. 2014;27(4):382-7.
11. Emmett RS, Cyna AM, Andrew M, Simmons SW. Techniques for preventing hypotension during spinal anaesthesia for caesarean section. *Cochrane Database Syst Rev*. 2002;(3):2251-6.
12. ...r LB, Gruskin AB. The physiology of blood pressure regulation - normal and abnormal. *Ped Annals*. 2007;6(6):19-32.



13. Ngene NC, Moodley J. Physiology of blood pressure relevant to managing hypertension in pregnancy. *J Matern Fetal Neonatal Med.* 2017;27:1-10.
14. Bajwa SJS, Kulshrestha A, Jindal R. Co-loading or pre-loading for prevention of hypotension after spinal anaesthesia! a therapeutic dilemma. *Anesthesia.* 2013;7(2):155-9.
15. Martini WZ, Cortez DS, Dubick MA. Comparisons of normal saline and lactated ringer's resuscitation on hemodynamics, metabolic responses, and coagulation in pigs after severe hemorrhagic shock. *Scand J Trauma.* 2013;21:86- 90.
16. Soma-Pillay P, Catherine NP, Tolppanen H, Mebazaa A, Tolppanen H, Mebazaa A. Physiological changes in pregnancy. *Cardiovasc J Afr.* 2016;27(2):89-94.
17. Tkachenko O, Shchekochikhin D, Schrier RW. Hormones and hemodynamics in pregnancy. *Int J Endocrinol Metab.* 2014;12(2):149-5.
18. Hall ME, George EM, Granger JP. The heart during pregnancy. *Rev Esp Cardiol.* 2011;64(11):1045-50.
19. Rodger M, Sheppard D, Gandara E, Tinmouth A. Haematological problems in obstetrics. *Best Prac Res Clin Obstet Gynaecol.* 2015;29(5):671-84.
20. Chandra S, Tripathi AK, Mishra S, Amzarul M, Vaish AK. Physiological changes in hematological parameters during pregnancy. *Indian J Hematol Blood Transfus.* 2012;28(3):144-146.
21. Bedson R, Riccoboni A. Physiology of pregnancy: clinical anaesthetic implications. *Anaesth Crit Care Pain.* 2014;14(2):69-72.
22. Jadon A. Complications of regional and general anaesthesia in obstetric practice. *Indian J Anaesth.* 2010;54(5):415-20.
23. John F, Butterworth IV, David CM. Local anesthetics in morgan & mikhail's clinical anesthesiology. 5th Edition. New York: Mc Graw-Hill, 2013;263-76.
24. Stoelting RK, Hillier CS. Pharmacology and physiology in anesthetic practice. 4th edition. Philadelphi: Lippincot Williams and Wilkins, 2006;190-8.



25. Aitkenhead AR, Smith G, Rowbothan DJ. Analgesic drugs In Textbook of anaesthesia. 5th edition. Nedherland: Churchill Livingstone Elseiver, 2005;64-78.
26. Brunton L, Parker K, Blumenthal D. Opioid analgesics in goodman and gilman's manual of farmacology and Therapeutics. New York: Mc Graw-Hill, 2008;351-71
27. Mostafa, Anis, Mahmoud, Mohamed. Clinical comparative study of the effect oh intravenous ondansetron and granisetron on hemodynamic changes, shivering, and motor and sensory blockade induce by spinal anesthesia in women undergoing cesarean section. N Y Sci J. 2017; ;10(6):7-16.
28. Adyputra I. Perbandingan Pemberian Bupivakain Hiperbarik 0,5% 5 Mg Dan 10 Mg Terhadap Kadar Kortisol Dan Efektivitas Anestesi Spinal Pada Pembedahan Seksio Caesarea. Departemen Anestesi dan Terapi Intensif Fakultas Kedokteran Universitas Hasanuddin. 2019
29. Woolf CJ, Max MB. Mechanism based pain diagnosis. Anesthesiology. 2001;95:241-9.
30. Venkata HG, Pasupuleti S, Pabba UG, Porika S, Talari G. A randomized controlled prospective study comparing a low dose bupivacaine and fentanyl mixture to a conventional dose of hyperbaric bupivacaine for Cesarean section. Saudi J Anesth. 2015;9(2):122-7.
31. Roofthoof E, van de Velde M. Low dose spinal anaesthesia for Caesarean section to prevent spinal-induced hypotension. Curr Opin Anaesth. 2008;21(1):259-62.
32. Yadav A. Short textbook of anaesthesia, 2nd Ed. New Delhi: Academia Publishers; 2004. p.116-27.
33. Wong CA. Technique of Neuraxial Anesthesia. New York: McGraw-Hill; 2007. p.229-46.27-74
34. Jain K, Makkar JK, Anbarasan I, Yadanappudi S, Gander S. A randomized double-blind comparison of low dose and high dose bupivacaine for Caesarean section in severely preeclamptic women using invasive blood pressure monitoring. J Obs Anaesth Crit Care. 2013;3(2):84-90.



35. Ben-David B, Miller G, Gavriel R, Gurevith A. Low-dose bupivacaine-fentanyl spinal anesthesia for Cesarean delivery. *Reg Anesth Pain Med.* 2000;25(3):235-9.
36. Jelting Y, Klein C, Harlander T, Eberhart L, Roewer N, Kranke P. Preventing nausea and vomiting in women undergoing regional anesthesia for cesarean section: challenge and solutions. *Loc Reg Anesth.* 2017;10:83-90.
37. Christiansson L. Update on adjuvant in regional anesthesia. *Period Boil.* 2009;111(2):161-70.

