

DAFTAR PUSTAKA

- Ahad, A., Aqil, M., Kohli, K., Sultana, Y., and Mujeeb, M. 2014. Design, formulation and optimization of valsartan transdermal gel containing iso-eucalyptol as novel permeation enhancer: Preclinical assessment of pharmacokinetics in Wistar albino rats. *Expert Opinion on Drug Delivery*. 11. (8): 1149–1162.
- Ahmed, K. S., Shan, X., Mao, J., Qiu, L., and Chen, J. 2019. Derma roller® microneedles-mediated transdermal delivery of doxorubicin and celecoxib co-loaded liposomes for enhancing the anticancer effect. *Materials Science and Engineering C*. 99(November 2018): 1448–1458.
- Ali, S., Shabbir, M., and Shahid, N. 2015. The structure of skin and transdermal drug delivery system - A review. *Res. J. Pharm. Technol.* (8): 103–109.
- Arun Raj, R. 2014. Formulation evaluation and in vitro permeation studies of transdermal nifedipine from matrix type patches. *International Journal of Pharmacy and Pharmaceutical Sciences*. 6. (1): 185–188.
- Atipairin, A., Chunhachaichana, C., Nakpheng, T., Changsan, N., Srichana, T., and Sawatdee, S. 2020. Development of a sildenafil citrate microemulsion-loaded hydrogel as a potential system for drug delivery to the penis and its cellular metabolic mechanism. *Pharmaceutics*. 12. (11): 1–23.
- Bharkatiya, M., Nema, R.K., and Bhatnagar, M. 2010. Designing and Characterization of Drug Free Patches for Transdermal Application. *Int. J. Pharm. Sci. Drug Res.* 2, 35–39.
- Bhosale, S. S., and Avachat, A. M. 2013. Design and development of ethosomal transdermal drug delivery system of valsartan with preclinical assessment in Wistar albino rats. *Journal of Liposome Research*. 23. (2): 119–125.
- Dipiro, J.T., Yee, G.C., Posey, L.M., Haines, S.T., Nolin, T.D., and Ellingrod, V. 2020. *Pharmacotherapy: A Pathophysiologic Approach, Eleventh E. ed.* The McGraw-Hill Companies, Inc., New York.
- Franco, P., and De Marco, I. 2020. The use of poly(N-vinyl pyrrolidone) in the delivery of drugs: A review. *Polymers (Basel)*. (12): 18–21.

- Hao, Y., Li, W., Zhou, X.L., Yang, F., and Qian, Z.Y. 2017. Microneedles-based transdermal drug delivery systems: A review. *J. Biomed. Nanotechnol.* (13): 1581–1597.
- Iqbal, B., Ali, J., and Baboota, S. 2018. Recent advances and development in epidermal and dermal drug deposition enhancement technology. *Int. J. Dermatol.* (57): 646–660.
- Jhawar, V.C., Saini, V., Kamboj, S., and Maggon, N. 2013. Transdermal Drug Delivery Systems Approa. (20): 47–56.
- Kemenkes RI, 2019. *Hipertensi Si Pembunuh Senyap*. Kementerian Kesehatan RI. Jakarta. 1–5.
- Khan, S., Minhas, M. U., Tekko, I. A., Donnelly, R. F., and Thakur, R. R. S. 2019. Evaluation of microneedles-assisted in situ depot forming poloxamer gels for sustained transdermal drug delivery. *Drug Delivery and Translational Research.* 9. (4): 764–782.
- Kumar, S. S., Behury, B., and Sachinkumar, P. 2013. Formulation and evaluation of transdermal patch of stavudine. *Dhaka University Journal of Pharmaceutical Sciences.* 12. (1): 63–69.
- Kurakula, M., and Rao, G. S. N. K. 2020. Pharmaceutical assessment of polyvinylpyrrolidone (PVP): As excipient from conventional to controlled delivery systems with a spotlight on COVID-19 inhibition. *Journal of Drug Delivery Science and Technology*, 60(January).
- Lalitha, N., Sanjay, P.P.N., Vyshak, M.G., Kadri, U., Pharmacy, A.C., Lalbagh, N., and Gate, M. 2010. Stability-Indicating Reverse Phase HPLC Method for the Determination of Cefazolin. (9): 45–50.
- Liu, X., Testa, B., and Fahr, A. 2011. Lipophilicity and its relationship with passive drug permeation. *Pharmaceutical Research.* 28. (5): 962–977.
- Mita, S.R., Husni, P., dan Setiyowati, D. 2018. In vitro Permeation Study of Ketoprofen Patch with Combination of Ethylcellulose and Polyvinyl Pyrrolidone as Matrix Polymers. *J. Young Pharm.* (10): 101–105.
- Nash, D. T., and McNamara, M. S. 2009. Valsartan combination therapy in the management of hypertension - Patient perspectives and clinical utility. *Integrated Blood Pressure Control*, 2(May), 39–54.
- Nishida, N., Taniyama, K., Sawabe, T., and Manome, Y. 2010. Development and evaluation of a monolithic drug-in-adhesive patch for valsartan. *International Journal of Pharmaceutics*, 402(1–

2): 103–109.

- Nixon, R. M., Müller, E., Lowy, A., and Falvey, H. 2009. Valsartan vs. other angiotensin II receptor blockers in the treatment of hypertension: A meta-analytical approach. *International Journal of Clinical Practice*. 63. (5): 766–775.
- Nurahmanto, D., Shalikhah, N., dan Ameliana, L. 2017. Optimasi Hidroksipropil Metilselulosa K-4M dan Carbopol® 940 pada Sediaan Patch Dispersi Padat Piroksikam. *Kartika J. Ilm. Farm.* (5): 80.
- Ofokansi, K. C., Kenekwue, F. C., and Ogwu, N. 2015. Design of novel miconazole nitrate transdermal films based on Eudragit RS100 and HPMC hybrids: Preparation, physical characterization, in vitro and ex vivo studies. *Drug Delivery*. 22. (8): 1078–1085.
- Pastore, M.N., Kalia, Y.N., Horstmann, M., and Roberts, M.S. 2015. Transdermal patches: History, development and pharmacology. *Br. J. Pharmacol.* (172): 2179–2209.
- Rahman, L., Lembang, R. S., Lallo, S., Handayani, S. R., Usmanengsi, and Permana, A. D. 2021. Bioadhesive dermal patch as promising approach for improved antibacterial activity of bioactive compound of Zingiber cassumunar Roxb in ex vivo Staphylococcus aureus skin infection model. *Journal of Drug Delivery Science and Technology*, 63(September 2020), 102522.
- Rowe, R.C., Sheskey, P.J., and Quinn, M.E. 2015. *Handbook Pharmaceutical Excipients*. 6th ed. Pharmaceutical Press. Grayslake.
- Singh, A., and Bali, A. 2016. Formulation and characterization of transdermal patches for controlled delivery of duloxetine hydrochloride. *Journal of Analytical Science and Technology*, 7(1).
- Singh, S., Shankar, R., and Singh, G. P. 2017. Prevalence and Associated Risk Factors of Hypertension: A Cross-Sectional Study in Urban Varanasi. *International Journal of Hypertension*, 2017.
- Suksaeree, J., Siripornpinyo, P., and Chaiprasit, S. 2017. Formulation, Characterization, and In Vitro Evaluation of Transdermal Patches for Inhibiting Crystallization of Mefenamic Acid. *Journal of Drug Delivery*, 2017, 1–7.
- Suryani, Musnina, W.O.S., dan Anto, A.S. 2015. Optimasi Formula Matriks Patch Transdermal Nanopartikel Teofilin dengan Menggunakan Metode Simplex Lattice Design (SLD). *Maj. Farm. Sains, dan Kesehatan*. (3): 26–32.

- Sweetman, S.C. 2009. *Martindale: The Complete Drug Reference*. 6th ed. Pharmaceutical Press. London.
- Tobin, K. V, and Fiegel, J. 2021. Thermosensitive Gels Used to Improve Microneedle-Assisted Transdermal Delivery of Naltrexone. 1–15.
- Waghule, T., Singhvi, G., Dubey, S.K., Pandey, M.M., Gupta, G., Singh, M., and Dua, K. 2019. Microneedles: A smart approach and increasing potential for transdermal drug delivery system. *Biomed. Pharmacother.* (109): 1249–1258.
- Wang, J. C., Zheng, H., Chang, M. W., Ahmad, Z., and Li, J. S. 2017. Preparation of active 3D film patches via aligned fiber electrohydrodynamic (EHD) printing. *Scientific Reports*, 7(June 2016), 1–13.
- Zhou, B. 2021. Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. *Lancet*, 398, 957–980.

LAMPIRAN

Lampiran 1. Skema Kerja Penelitian

