

DAFTAR PUSTAKA

- Almeida, A. B., Faria, G., Moreira, H., Pinto, S., da Silva, P. C., Costa-Maia, J. (2012) 'Elevated serum C-reactive protein as a predictive factor for anastomotic leakage in colorectal surgery', *International Journal of Surgery*, 10(2), pp. 87–91. doi: 10.1016/j.ijssu.2011.12.006.
- Ashkanani, F. and Krukowski, Z. (2002) 'Intestinal Anastomosis', *Surgery (Oxford)*, 20(5), pp. 104–107. doi: 10.1383/surg.20.5.104.14630.
- Benedetti M, Ciano P, Pergolini I, Ciotti S, Guercioni G, Ruffo G (2019) 'Early diagnosis of anastomotic leakage after colorectal surgery by the Dutch leakage score, serum procalcitonin and serum C-reactive protein: study protocol of a prospective multicenter observational study by the Italian ColoRectal Anastomotic Leakage', *Il Giornale de Chirurgia*, 40(1): 20-25.
- Blumetti, J. (2015) 'Management of low colorectal anastomotic leak: Preserving the anastomosis', *World Journal of Gastrointestinal Surgery*, 7(12), p. 378. doi: 10.4240/wjgs.v7.i12.378.
- Bosmans, J. W. A. M., Jongen, A. C. H. M., Bouvy, N. D., Derikx, J. P. M. (2015) 'Colorectal anastomotic healing: why the biological processes that lead to anastomotic leakage should be revealed prior to conducting intervention studies', *BMC Gastroenterology*, 15(1), p. 180. doi: 10.1186/s12876-015-0410-3.
- Bruns, B. R., Morris, D. S., Zielinski, M., Mowery, N. T., Miller, P. R., Arnold, K., *et al.* (2017) 'Stapled versus hand-sewn', *Journal of Trauma and Acute Care Surgery*, 82(3), pp. 435–443. doi: 10.1097/TA.0000000000001354.
- Choy, P. Y. G. *et al.* (2011) 'Stapled versus handsewn methods for ileocolic anastomoses', *Cochrane Database of Systematic Reviews*. doi: 10.1002/14651858.CD004320.pub3.
- Davis, B. and Rivadeneira, D. E. (2013) 'Complications of Colorectal Anastomoses', *Surgical Clinics of North America*, 93(1), pp. 61–87. doi: 10.1016/j.suc.2012.09.014.
- Fernandez MR, Ruiz FR, Lopez AF, Seguro CL, Cebrian JMF, de Juan FP (2017) 'C Reactive Protein as a Predictor of Anastomotic Leakage in Colorectal Surgery.

- Comparison Between Open and Laparoscopic Surgery', *Cirugia Espanola*, 95(9), pp.529-535.
- Garcia-Granero, A., Frasson, M., Flor-Lorente, B., Blanco, F., Puga, R., Carratalá, A. *et al.* (2013) 'Procalcitonin and C-Reactive Protein as Early Predictors of Anastomotic Leak in Colorectal Surgery', *Diseases of the Colon & Rectum*, 56(4), pp. 475–483. doi: 10.1097/DCR.0b013e31826ce825.
- Goulder, F. (2012) 'Bowel anastomoses: The theory, the practice and the evidence base', *World Journal of Gastrointestinal Surgery*, 4(9), p. 208. doi: 10.4240/wjgs.v4.i9.208.
- Gustafsson Uo, Scott MJ, Schwenk SW, Demartines N, Roulin D, Francis N (2013), 'Guidelines for perioperative care in elective colonic surgery: Enhanced recovery after surgery (ERAS)' *World J Surg*, 37, pp.259-284.
- Kar, S. (2017) 'Single Layered Versus Double Layered Intestinal Anastomosis: A Randomized Controlled Trial', *JOURNAL OF CLINICAL AND DIAGNOSTIC RESEARCH*. doi: 10.7860/JCDR/2017/24817.9983.
- Kingham TP, Pachter HL (2009) 'Colonic anastomotic leak: risk factors, diagnosis, and treatment', *Journal of American College Surgery*, 208(2), pp.269-278, doi: 10.1016/j.jamcollsurg.2008.10.015
- Kirchhoff, P., Clavien, P.-A. and Hahnloser, D. (2010) 'Complications in colorectal surgery: risk factors and preventive strategies', *Patient Safety in Surgery*, 4(1), p. 5. doi: 10.1186/1754-9493-4-5.
- Kufe, D. W., Holland J. F., Frei III, E., Hong, W. K., Bast Jr., R. C., Hait, W. N. *et al.* (2010) *Holland-Frei Cancer Medicine*. 8th edn. People's Medical Publishing House USA Ltd (PMPH).
- Li, C., Zhao, Y., Han, Z., Zhou, Y. (2016) 'Anastomotic leaks following gastrointestinal surgery: Updates on diagnosis and interventions', *International Journal of Clinical and Experimental Medicine*, 9(3), pp. 7031–7040.
- Lyu Z., Wu D., Cai G., Luo Y., Yang Z., Zhai Y., *et al.* 'Use of C Response Protein in predicting postoperative anastomotic leakage in patients with rectal cancer', *Chinese Journal of Gastrointestinal Surgery*, 2018, 21(4), pp. 442-447.
- Mackay GJ, Molloy RG, O'Dwyer PJ (2011) 'C-reactive protein as a predictor of postoperative infective complications following elective colorectal resection', *Colorectal Disease*, 13, pp.583–587

- Mirnezami A, Mirnezami R, Chandrakumaran K, Sasapu K, Sagar P, Finan P (2011) 'Increased local recurrence and reduced survival from colorectal cancer following anastomotic leak: systematic review and meta-analysis.' *Annual Surgery*. 253(5):890-9.
- Momo Kadia, B., Aroke, D., Abanda, M. H., Njim, T., Dimala, C. A. (2017) 'Bowel Resection and Ileotransverse Anastomosis as Preferred Therapy for 15 Typhoid Ileal Perforations and Severe Peritoneal Contamination in a Very Elderly Patient', *Case Reports in Surgery*, 2017, pp. 1–5. doi: 10.1155/2017/9424237.
- Nason GJ, Barry BD, Obinwa O, McMacken E, Rajaretnam NS, Neary PC (2014) 'Early rise in C-reactive protein is a marker for infective complications in laparoscopic colorectal surgery', *Surg Laparosc Endosc Percutan Tech*, 24, pp.57-61.
- Pommergaard HC, Gessler B, Burcharth J, et al (2014) 'Preoperative risk factors for anastomotic leakage after resection for colorectal cancer: a systematic review and meta-analysis', *Colorectal Disease*, 16(9), pp.662-71, doi: 10.1111/codi.12618.
- Reynolds, I. S., Boland, M. R., Reilly, F., Deasy, A., Majeed, M. H., Deasy, J., et al. (2017) 'C-reactive protein as a predictor of anastomotic leak in the first week after anterior resection for rectal cancer', *Colorectal Disease*, 19(9), pp. 812–818. doi: 10.1111/codi.13649.
- Van Rooijen, S. J., Jongen, A. C., Wu, Z. Q., Ji, J. F., Slooter, G. D., Roumen R. M., et al. (2017) 'Definition of colorectal anastomotic leakage: A consensus survey among Dutch and Chinese colorectal surgeons', *World Journal of Gastroenterology*, 23(33), pp. 6172–6180. doi: 10.3748/wjg.v23.i33.6172.
- Samji, K. B., Kielar, A. Z., Connolly, M., Fasih, N., Doherty, G., Chung, A., et al. (2018) 'Anastomotic Leaks After Small- and Large-Bowel Surgery: Diagnostic Performance of CT and the Importance of Intraluminal Contrast Administration', *American Journal of Roentgenology*, 210(6), pp. 1259–1265. doi: 10.2214/AJR.17.18642.
- Schiff, A., Roy, S., Pignot, M., Ghosh, S. K., Fegelman, E. J., (2017) 'Diagnosis and Management of Intraoperative Colorectal Anastomotic Leaks: A Global Retrospective Patient Chart Review Study', *Surgery Research and Practice*, 2017, pp. 1–9. doi: 10.1155/2017/3852731.

- Singh, P. P., Zeng, I. S., Srinivasa, S., Lemanu, D. P., Connolly, A. B., Hill, A. G., (2014) 'Systematic review and meta-analysis of use of serum C-reactive protein levels to predict anastomotic leak after colorectal surgery', *British Journal of Surgery*, 101(4), pp. 339–346. doi: 10.1002/bjs.9354.
- Smith, S. R., Pockney, P., Holmes, R., Doig, F., Attia, J., Holliday, E., *et al.* (2018) 'Biomarkers and anastomotic leakage in colorectal surgery: C-reactive protein trajectory is the gold standard', *ANZ Journal of Surgery*, 88(5), pp. 440–444. doi: 10.1111/ans.13937.
- Thomas, M. and Margolin, D. (2016) 'Management of Colorectal Anastomotic Leak', *Clinics in Colon and Rectal Surgery*, 29(02), pp. 138–144. doi: 10.1055/s-0036-1580630.
- Toh, J. W., Stewart, P., Rickard, M. J. F. X., Leong, R., Wang, N., Young, C. J., (2016) 'Indications and surgical options for small bowel, large bowel and perianal Crohn's disease', *World Journal of Gastroenterology*, 22(40), p. 8892. doi: 10.3748/wjg.v22.i40.8892.
- Waterland, P, Ng, J., Jones, A., Broadley, G., Nicol, D., Patel, H. (2016) 'Using CRP to predict anastomotic leakage after open and laparoscopic colorectal surgery: is there a difference?', *International Journal of Colorectal Disease*, 31(4), pp. 861–868. doi: 10.1007/s00384-016-2547-0.
- Warschkow R, U. Beutner, T. Steffen, S.A. Müller, B.M. Schmied, U. Güller, *et al* (2012) 'Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients' *Ann Surg*, 256, pp. 245-250 doi: [10.1097/SLA.0b013e31825b60f0](https://doi.org/10.1097/SLA.0b013e31825b60f0)
- Welsch T, Muller SA, Ulrich A, Kischlat A, Hinz U, Kienle P (2007) 'C-Reactive Protein as Early Predictor for Infectious Postoperative Complications in Rectal Surgery, *Int J Colorectal Dis*, 22, pp.1499-1507.
- Liang, Mike K.; Andersson, Roland E.; Jaffe, Bernard M.; Berger, David H.. 2015. *Schwartz's Principles of Surgery 10th Edition*. Chapter 30: The Appendix. McGraw-Hill Education. Hal 1241-1257.
- Matthews, Jeffrey B; Hodin, Richard A.. 2011. *Greenfield's Surgery Scientific Principles and Practice 5th Edition*. Chapter 72: Acute Abdomen and Appendix. Lippincott Williams and Wilkins. Hal 1199-1211.
- Sastroasmoro, S., Ismael, S., & Alatas, H. 2014. *Dasar-Dasar Metodologi Penelitian Klinis Edisi ke-5*. Jakarta: Sagung Seto.

Lampiran 1. Surat Kelayakan Etik



PEMERINTAH PROVINSI KALIMANTAN TIMUR
RSUD A. WAHAB SJAHRANIE

Jl. Dr. Soetomo Telp.(0541) 738118 (Hunting System) Fax. (0541) 741793

SAMARINDA 75123



KOMITE ETIK PENELITIAN KESEHATAN
RSUD A.WAHAB SJAHRANIE SAMARINDA

SURAT PERSETUJUAN KELAYAKAN ETIK
NO : 122 /KEPK-AWS/VII/2019

DIBERIKAN PADA PENELITI :

dr. ISA BASUKI
C104213116

JUDUL :

HUBUNGAN PENINGKATAN KADAR C REACTIVE PROTEIN DENGAN
KEBOCORAN ANASTOMOSIS PADA HARI KELIMA PASKA OPERASI
RESEKSI ANASTOMOSIS USUS DI RSUD A.W.SJAHRANIE SAMARINDA

Samarinda, 03 Juli 2019

Ketua,

DR.dr. Carta A. Gunawan, Sp.PD, K-PTI FINASIM

Sekretaris,

dr. Gulti Hesty Nuraini, SpOG

Anggota :

DR.dr. Lily Pertiwi Kalalo, Sp.PK, dr. Daniel Umar, SpF, SH,
dr. Hj. Sukartini, SpA, dr. Ivan Joalsen Mangara Tua, SpBTKV,
dr. Selvianti, SpTHT-KL, dr. Susilo Siswonoto, SpS, M.Si, Med,
dr.Boyke Soebhali, Sp.U, Ns. Yusnita Sirait, M.Kep, Widya Astuty, Amd

Lampiran 2. Perhitungan Sensitifitas, spesivitas, PPV dan NPV kadar CRP

$$\text{sensitivity} = \frac{\text{true positive}}{\text{true positive} + \text{false negative}} \times 100\%$$

$$\text{sensitivity} = \frac{2}{2 + 0} \times 100\%$$

$$\text{sensitivity} = 100\%$$

$$\text{specificity} = \frac{\text{true negative}}{\text{false positive} + \text{true negative}} \times 100\%$$

$$\text{specificity} = \frac{12}{26 + 12} \times 100\%$$

$$\text{specificity} = 31,6\%$$

$$\text{Positive Predictive Value} = \frac{\text{true positive}}{\text{true positive} + \text{false positive}} \times 100\%$$

$$\text{Positive Predictive Value} = \frac{2}{2 + 26} \times 100\%$$

$$\text{Positive Predictive Value} = 7,1\%$$

$$\text{Negative Predictive Value} = \frac{\text{true negative}}{\text{true negative} + \text{false negative}} \times 100\%$$

$$\text{Negative Predictive Value} = \frac{12}{12 + 0} \times 100\%$$

$$\text{Negative Predictive Value} = 100\%$$