

## DAFTAR PUSTAKA

1. Erlina B., Fathiyah I., Agus Dwi Susanto dkk. Pneumonia COVID-19. Diagnosis dan Tatalaksana di Indonesia. Perhimpunan Dokter Paru Indonesia. Jakarta, 2020.
2. Cevik M., Kuppalli K., Kindrachuk J., Peiris M. Virology, transmission, and pathogenesis of SARS-CoV-2. Clinical update. BMJ. 2020;371:m3862.
3. Wiersinga, W. J., Rhodes, A., Cheng, A. C., Peacock, S. J., & Prescott, H. C. Pathophysiology, Transmission, Diagnosis, and Treatment of Coronavirus Disease 2019 (COVID-19). JAMA. 2020. doi:10.1001/jama.2020.12839
4. Coronavirus [Internet]. Who.int. 2020. Available from: [https://www.who.int/health-topics/coronavirus#tab=tab\\_3](https://www.who.int/health-topics/coronavirus#tab=tab_3)
5. Khalili, M., Karamouzian, M., Nasiri, N., Javadi, S., Mirzazadeh, A., & Sharifi, H. Epidemiological Characteristics of COVID-19: A Systematic Review and Meta-Analysis. Epidemiology and Infection, 2020 1–39. doi:10.1017/s0950268820001430
6. Bergman C, Silverman RH. COVID-19: coronavirus replication, pathogenesis, and therapeutic strategies. Cleveland clin j Med. 2020
7. D. Kolli, T. S. Velayutham, and A. Casola, "Host-viral interactions: role of pattern recognition receptors (PRRs) in human pneumovirus infections," *Pathogens*, vol. 2, no. 2, pp. 232–263, 2013.
8. P. Mehta, D. F. McAuley, M. Brown, E. Sanchez, R. S. Tattersall, and J. J. Manson, "COVID-19: consider cytokine storm syndromes and immunosuppression," *The Lancet*, vol. 395, no. 10229, pp. 1033-1034, 2020
9. Russell C. D., Unger S. A., Walton M., and Schwarze J., "The human immune response to respiratory syncytial virus infection," *Clinical Microbiology Reviews*, 2017 vol. 30, no. 2, pp. 481–502,
10. Huang C., Wang Y., Li X., "Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China," *The Lancet*, vol. 395, no. 10223, pp. 497–506, 2020
11. Erlina B., Fathiyah I., Agus Dwi Susanto dkk. Pneumonia COVID-19. Diagnosis dan Tatalaksana di Indonesia. Perhimpunan Dokter Paru Indonesia. Jakarta, 2020.
12. Kementerian Kesehatan Republik Indonesia. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). 2020. Kementerian Kesehatan Republik Indonesia.
13. Wang Z, Qiang W, Ke H. A Handbook of 2019-nCoV Pneumonia Control and Prevention. Hubei Science and Technologi Press. China; 2020

14. Da Rosa Mesquita, R., Francelino Silva Junior, L. C., Santos Santana, F. M., Farias de Oliveira, T., Campos Alcântara, R., Monteiro Arnozo, G., Freire de Souza, C. D. (2020). Clinical manifestations of COVID-19 in the general population: systematic review. *Wiener Klinische Wochenschrift*. doi:10.1007/s00508-020-01760-4
15. Balli S, Sharan S. Physiology, Fever. [Updated 2021 Aug 28]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-.
16. WHO. Therapeutik and COVID-19. Living guideline. World Health Organization 2021. p :14.
17. Erlina Burhan, Agus Dwi Susanto, Fathiyah Isbaniah, Sally Aman Nasution, Eka Ginanjar. Dkk. Pedoman tatalaksana COVID-19. Ed. 3. Perhimpunan lima organisasi profesi. Jakarta. 2020.
18. Ye, Z., Zhang, Y., Wang, Y., Huang, Z., & Song, B. Chest CT manifestations of new coronavirus disease 2019 (COVID-19): a pictorial review. *European Radiology*. 2020 doi:10.1007/s00330-020-06801-0
19. Mantovani, A., Cassatella, M. A., Costantini, C., & Jaillon, S. Neutrophils in the activation and regulation of innate and adaptive immunity. *Nature Reviews Immunology*. 2011;11(8), 519–531. doi:10.1038/nri3024.
20. Yang, A.-P., Liu, J., Tao, W., & Li, H. (2020). The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. *International Immunopharmacology*, 106504. doi:10.1016/j.intimp.2020.106504.
21. Karnen GB., Iris R. Imunologi dasar. Ed.12. Badan penerbit FKUI. 2018; 63.
22. Yang, A.-P., Liu, J., Tao, W., & Li, H. (2020). The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients. *International Immunopharmacology*, 106504. doi:10.1016/j.intimp.2020.106504.
23. S. Costa, D. Bevilacqua, M. A. Cassatella, and P. Scapini, “Recent advances on the crosstalk between neutrophils and B or T lymphocytes,” *Immunology*, vol. 156, no. 1, pp. 23–32, 2019.
24. V. D. Giacalone, C. Margaroli, M. A. Mall, and R. Tirouvanziam, “Neutrophil adaptations upon recruitment to the lung: new concepts and implications for homeostasis and disease,” *International Journal of Molecular Sciences*, vol. 21, no. 3, p. 851, 2020.
25. M. V. Lukens, A. C. van de Pol, F. E. J. Coenjaerts et al., “A systemic neutrophil response precedes robust CD8 T-cell activation during natural respiratory syncytial virus infection in infants,” *Journal of Virology*, vol. 84, no. 5, pp. 2374–2383, 2010.
26. M. M. Hufford, G. Richardson, H. Zhou et al., “Influenza-infected neutrophils within the infected lungs act as antigen presenting cells for anti-viral CD8(+) T cells,” *PLoS One*, vol. 7, no. 10, article e46581, 201

27. K. Lim, Y.-M. Hyun, K. Lambert-Emo et al., "Neutrophil trails guide influenza-specific CD8 T cells in the airways," *Science*, vol. 349, no. 6252, article aaa 4352, 2015.
28. C. N. Jenne, C. H. Y. Wong, F. J. Zemp et al., "Neutrophils recruited to sites of infection protect from virus challenge by releasing neutrophil extracellular traps," *Cell Host & Microbe*, vol. 13, no. 2, pp. 169–180, 2013.
29. V. Delgado-Rizo, M. A. Martínez-Guzmán, L. Iñiguez-Gutierrez, A. García-Orozco, A. Alvarado-Navarro, and M. FafutisMorris, "Neutrophil extracellular traps and its implications in inflammation: an overview," *Frontiers in Immunology*, vol. 8, p. 81, 2017.
30. T. A. Fuchs, U. Abed, C. Goosmann et al., "Novel cell death program leads to neutrophil extracellular traps," *The Journal of Cell Biology*, vol. 176, no. 2, pp. 231–241, 2007.
31. S. Yousefi, D. Stojkov, N. Germic et al., "Untangling "NETosis" from NETs," *European Journal of Immunology*, vol. 49, no. 2, pp. 221–227, 2019.
32. V. Papayannopoulos, K. D. Metzler, A. Hakim, and A. Zychlinsky, "Neutrophil elastase and myeloperoxidase regulate the formation of neutrophil extracellular traps," *The Journal of Cell Biology*, vol. 191, no. 3, pp. 677–691, 2010.
33. Borges, L., Pithon-Curi, T. C., Curi, R., & Hatanaka, E. (2020). COVID-19 and Neutrophils: The Relationship between Hyperinflammation and Neutrophil Extracellular Traps. *Mediators of Inflammation*, 2020, 1–7. doi:10.1155/2020/8829674
34. Bendib I, de Chaisemartin L, Granger L et al., "Neutrophil extracellular traps are elevated in patients with pneumonia-related acute respiratory distress syndrome," *Anesthesiology*, vol. 130, no. 4, pp. 581–591, 2019.
35. E. A. Middleton, X.-Y. He, F. Denorme et al., "Neutrophil extracellular traps contribute to immunothrombosis in COVID-19 acute respiratory distress syndrome," *Blood*, vol. 136, no. 10, pp. 1169–1179, 2020.
36. Papenfuss, T., & Bolon, B. Lymphocytes. *Encyclopedia of Immunotoxicology*. 2015: 559–566. doi:10.1007/978-3-642-54596-2\_925.
37. Abbas AK, Lichtman AH, Pallai S, Basic cellular immunology. Philadelphia: Elsevier Saunders. 2016: 9-11
38. Karnen GB., Iris R. Imunologi dasar. Ed.12. Badan penerbit FKUI. 2018; 704.
39. Zhang D, Guo R, Lei L, et al. COVID-19 infection induces readily detectable morphological and inflammation-related phenotypic changes in peripheral blood monocytes, the severity of which correlate with patient outcome. medRxiv. 2020; 2020.03.24.20042655

40. Jafarzadeh A, Shokri F. The antibody response to HBs antigen is regulated by coordinated Th1 and Th2 cytokine production in healthy neonates. *Clin Exp Immunol.* 2003;31:451-456
41. Sevilya Z, Chorin E, Gal-Garber O, et al. Killing of latently HIVInfected CD4 T cells by autologous CD8 T cells is modulated by Nef.*Front Immunol.* 2018;9:2068.
42. Hwang I, Scott JM, Kakarla T, et al. Activation mechanisms of natural killer cells during influenza virus infection. *PLoS One.* 2012;7:e51858
43. Zheng M, Gao Y, Wang G, et al. Functional exhaustion of antiviral lymphocytes in COVID-19 patients. *Cell Mol Immunol.* 2020;17:533-535
44. Zeng Q, Li Y-Z, Huang G, Wu W, Dong S-Y, Xu Y. Mortality of COVID-19 is associated with cellular immune function compared to immune function in Chinese Han population. *medRxiv.* 2020; 2020.03.08.20031229
45. Yang, L., Liu, S., Liu, J., Zhang, Z., Wan, X., Huang, B., et. al. COVID-19: immunopathogenesis and Immunotherapeutics. *Signal Transduction and Targeted Therapy.* 2020;5(1). doi:10.1038/s41392-020-00243-2
46. Jafarzadeh, A., Jafarzadeh, S., Nozari, P., Mokhtari, P., & Nemati, M. (2020). Lymphopenia an important immunological abnormality in patients with COVID-19: Possible mechanisms. *Scandinavian Journal of Immunology.* doi:10.1111/sji.12967
47. Rhodes, B., Fürnrohr, B. G., & Vyse, T. J. C-reactive protein in rheumatology: biology and genetics. *Nature Reviews Rheumatology.* 2011;7(5), 282–289.
48. Kermali, M., Khalsa, R. K., Pillai, K., Ismail, Z., & Harky, A. The role of biomarkers in diagnosis of COVID-19 – A systematic review. *Life Sciences.* 2020; 117788. doi:10.1016/j.lfs.2020.117788.
49. Karnen GB., Iris R. Imunologi dasar. Ed.12. Badan penerbit FKUI. 2018; 704.
50. Qin C., Zhou L., Hu Z., Zhang S., Yang S., Tao Y., et al. Dysregulation of immune respon in patients with COVID-19 in Wuhan, China. *Clin. Infect. Dis.* 2020.
51. Liu, F., Li, L., Xu, M., Wu, J., Luo, D., Zhu, Y., et al. Prognostic value of interleukin-6, C-reactive protein, and procalcitonin in patients with COVID-19. 2020. *Journal of Clinical Virology,* 104370. doi:10.1016/j.jcv.2020.104370.
52. Ji w., Bishnu G., Cai Z., Shen X., Analysis clinical features of COVID-19 infection in secondary epidemic area and report potential biomarker in evaluation. *medRxiv.* 2020;03:10.20033613.
53. Chan AS., Rout A. Use of neutrophil to lymphocyte and platelet to lymphocyte ratio in covid 19. *J Clin Med Res.* 2020;12:4488-453.
54. Ferrucci, L., Fabbri, E. Inflammageing: chronic inflammation in ageing, cardiovascular disease, and frailty. *Nature Reviews Cardiology*,2018. 15(9), 505–522. doi:10.1038/s41569-018-0064-2

55. Clinical relevance of age-related immune dysfunction. Castle SC. Clin Infect Dis. 2000 Aug; 31(2):578-85.
56. Tay MZ, Poh CM, Rénia L, MacAry PA, Ng LFP. The trinity of COVID-19: immunity, inflammation and intervention. Nat Rev Immunol. 2020 Jun; 20(6):363-374.
57. Korea Centers for Disease Control and Prevention (KCDC) Status of COVID-19 in Korea. [Accessed 29 May 2020]. Available at: [http://ncov.mohw.go.kr/bdBoardList\\_Real.do?brdId=1&brdGubun=11&ncvContSeq=&contSeq=&board\\_id=&gubun=](http://ncov.mohw.go.kr/bdBoardList_Real.do?brdId=1&brdGubun=11&ncvContSeq=&contSeq=&board_id=&gubun=)
58. The Novel Coronavirus Pneumonia Emergency Response Epidemiology Team. The epidemiological characteristics of an outbreak of 2019 novel coronavirus diseases (COVID-19) - China, 2020. China CDC Weekly. 2020;2:113–122
59. Hu X, Xing Y, Jia J, Ni W, Liang J, Zhao D, Song X, Gao R, Jiang F. Factors associated with negative conversion of viral RNA in patients hospitalized with COVID-19. Sci Total Environ. 2020 Aug 1; 728():138812.
60. Leung C. Clinical features of deaths in the novel coronavirus epidemic in China.. Rev Med Virol. 2020 May; 30(3):e2103.
61. Aghili SMM., Ebrahimpur M., Arjmand B., Shadman Z., Sani MP., et.al. Obesity in COVID-19 era, implications for mechanisms, comorbidities, and prognosis: a review and meta-analysis. Int J of Obesity. Springer Nature. 2021 Jan.
62. Li, L., Huang, T., Wang, Y., Wang, Z., Liang, Y., Huang, T., Wang, Y. 2019 novel coronavirus patients' clinical characteristics, discharge rate and fatality rate of meta-analysis. Journal of Medical Virology. 2020. doi:10.1002/jmv.25757.
63. Jain V., Yuan JM. Predictive symptoms and comorbidities for severe COVID-19 and intensive care unit admission: a systematic review and meta-analysis. Review. Int J of pub health. 2020: 65; 533-546.
64. Sinaga BYM., Wiyona WH. Batuk. Buku Ajar Pulmonologi dan Kedokteran Respirasi. Ed. Menaldi Rasmin et.al. UI-Press. 2017.p 419
65. Yan, X., Li, F., Wang, X., Yan, J., Zhu, F., Tang, S., Li, D. (2020). Neutrophil to Lymphocyte Ratio as Prognostic and Predictive Factor in Patients with Coronavirus Disease 2019: A Retrospective Cross-sectional Study. Journal of Medical Virology. doi:10.1002/jmv.26061.
66. Feng, X., Li, S., Sun, Q., Zhu, J., Chen, B., Xiong, M., & Cao, G. (2020). Immune-Inflammatory Parameters in COVID-19 Cases: A Systematic Review and Meta-Analysis. Frontiers in Medicine, 7. doi:10.3389/fmed.2020.00301
67. Ghahramani, S., Tabrizi, R., Lankarani, K. B., Kashani, S. M. A., Rezaei, S., Zeidi, N. Ahmadizar, F. (2020). Laboratory features of severe vs. non-severe COVID-19 patients in Asian populations: a systematic review and

- meta-analysis.* European Journal of Medical Research, 25(1). doi:10.1186/s40001-020-00432-3
68. Stringer, D., Braude, P., Myint, P. K., Evans, L., Collins, J. T., ... Verduri, A. (2021). *The role of C-reactive protein as a prognostic marker in COVID-19.* International Journal of Epidemiology, 50(2), 420–429. doi:10.1093/ije/dyab012
  69. Ambrosino I, Barbagelata E, Ortona E, Ruggieri A, Massiah G, Giannico OV, Politi C and Moretti AM. Gender differences in patients with COVID-19: a narrative review. Monaldi Arch Chest Dis 2020;90.
  70. Costela-Ruiz VJ, Illescas-Montes R, PuertaPuerta JM, Ruiz C and Melguizo-Rodríguez L. SARS-CoV-2 infection: the role of cytokines in COVID-19 disease. Cytokine Growth Factor Rev 2020; 54: 62-75.
  71. Boechat, A.L.; Pessoa, B.; Soares, C.; Barroso, C.; Vila, D.; Barbosa, E.; Seffair, I.; Melo, J.V.; Becil, J.; Rebouças, M.P.; Rodrigues, N.; Freitas, P.H.; Rocha, R.; Rodrigues, T.; Ferreira, V.; Ubiera, R.; Dos-Santos, M.C. SARS-CoV-2 and COVID-19 Immunopathogenesis. *Preprints* **2020**, 2020080020 (doi: 10.20944/preprints202008.0020.v1).
  72. Kerboua, K. E. *NLR: A Cost-effective Nomogram to Guide Therapeutic Interventions in COVID-19.* Immunological Investigations,2020 1–9. doi:10.1080/08820139.2020.1773850
  73. Xia F., Zhang M., Cui B., An W., Chen M., Yang P., et al. COVID-19 patients with hypertension are at potential risk of worsened organ injury. Scientific Reports. Nature. 2021.11:3779.
  74. Yin T., Li Y., Ying Y., Lou Z. Prevalence of comorbidity in Chinese patients with COVID-19: a systemic review and meta-analysis of risk factors. BMJ inf diseases. 2021. 21:200

## LAMPIRAN

### 1. Karakteristik subjek penelitian

#### Frequencies

##### Notes

Output Created		16-SEP-2021 17:27:41
<b>Comments</b>		
Input	Data	/Users/parasite/Desktop/Rina Data New 16921 FINAL.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	218
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		<pre> FREQUENCIES VARIABLES=CRP1 Usia_1 Sex Demam Sesak Batuk_dahak Batuk_kering Nyeri_menelan Sakit_kepala Augesia Anosmia Diare Flu Mual Muntah Nyeri_dada NLR_1 Gizi Merokok Indeks_Brinkman Komorbid_1 Diabetes Hipertensi Peny_jantung Asma Hamil Tuberculosis PPOK Peny_Ginjal infeksi Covid_2 Covid_3 SPO2_1 Covid_4 RadioLogi_1 /ORDER=ANALYSIS. </pre>

### Statistics

	Kategori CRP	Usia	Jenis Kelamin	Demam	Sesak	Batuk berdahak
N	Valid	218	218	218	218	218
	Missing	0	0	0	0	0

### Statistics

	Batuk kering	Nyeri menelan	Sakit kepala	Gangguan penggecapan	Gangguan penciuman
N	Valid	218	218	218	218
	Missing	0	0	0	0

### Statistics

	Diare	Flu	Mual	Muntah	Nyeri dada	Kategori NLR
N	Valid	218	218	218	218	218
	Missing	0	0	0	0	0

### Statistics

	Status Gizi	Riwayat Merokok	Indeks Brinkman	Komorbid	Diabetes	
N	Valid	218	218	10	218	218
	Missing	0	0	208	0	0

### Statistics

	Hipertensi	Penyakit Jantung	Asma	Hamil	Tuberculosis	PPOK
N	Valid	218	218	218	218	218
	Missing	0	0	0	0	0

### Statistics

	Penyakit Ginjal	Infeksi Akut	Derajat Covid	Kategori Derajat Covid	Saturasi Oksigen
N	Valid	218	218	218	218
	Missing	0	0	0	0

### Statistics

	Derajat Covid	Pemeriksaan Radiologi
N	Valid	218
	Missing	0

### Frequency Table

#### Kategori CRP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	103	47.2	47.2	47.2
	CRP Meningkat	115	52.8	52.8	100.0
	Total	218	100.0	100.0	

#### Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Kurang 40 tahun	114	52.3	52.3	52.3
	Lebih sama 40 tahun	104	47.7	47.7	100.0
	Total	218	100.0	100.0	

#### Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	99	45.4	45.4	45.4
	Perempuan	119	54.6	54.6	100.0
	Total	218	100.0	100.0	

#### Demam

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	47	21.6	21.6	21.6
	Tidak ada	171	78.4	78.4	100.0
	Total	218	100.0	100.0	

#### Sesak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	57	26.1	26.1	26.1
	Tidak ada	161	73.9	73.9	100.0
	Total	218	100.0	100.0	

### Batuk berdahak

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	58	26.6	26.6	26.6
	Tidak ada	160	73.4	73.4	100.0
	Total	218	100.0	100.0	

### Batuk kering

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	43	19.7	19.7	19.7
	Tidak ada	175	80.3	80.3	100.0
	Total	218	100.0	100.0	

### Nyeri menelan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	2	.9	.9	.9
	Tidak ada	216	99.1	99.1	100.0
	Total	218	100.0	100.0	

### Sakit kepala

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	4	1.8	1.8	1.8
	Tidak ada	214	98.2	98.2	100.0
	Total	218	100.0	100.0	

### Gangguan pengecapan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	2	.9	.9	.9
	Tidak ada	216	99.1	99.1	100.0
	Total	218	100.0	100.0	

### Gangguan penciuman

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	4	1.8	1.8	1.8
	Tidak ada	214	98.2	98.2	100.0
	Total	218	100.0	100.0	

**Diare**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	5	2.3	2.3	2.3
	Tidak ada	213	97.7	97.7	100.0
	Total	218	100.0	100.0	

**Flu**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	218	100.0	100.0	100.0

**Mual**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	6	2.8	2.8	2.8
	Tidak ada	212	97.2	97.2	100.0
	Total	218	100.0	100.0	

**Muntah**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	6	2.8	2.8	2.8
	Tidak ada	212	97.2	97.2	100.0
	Total	218	100.0	100.0	

**Nyeri dada**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	10	4.6	4.6	4.6
	Tidak ada	208	95.4	95.4	100.0
	Total	218	100.0	100.0	

**Kategori NLR**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	107	49.1	49.1	49.1
	NLR Meningkat	111	50.9	50.9	100.0
	Total	218	100.0	100.0	

### Status Gizi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Obese	9	4.1	4.1	4.1
	Non Obese	209	95.9	95.9	100.0
	Total	218	100.0	100.0	

### Riwayat Merokok

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Merokok	23	10.6	10.6	10.6
	Tidak Merokok	195	89.4	89.4	100.0
	Total	218	100.0	100.0	

### Indeks Brinkman

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Perokok Ringan	5	2.3	50.0	50.0
	Perokok Sedang	2	.9	20.0	70.0
	Perokok Berat	3	1.4	30.0	100.0
	Total	10	4.6	100.0	
Missing	System	208	95.4		
	Total	218	100.0		

### Komorbid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	64	29.4	29.4	29.4
	Tidak ada	154	70.6	70.6	100.0
	Total	218	100.0	100.0	

### Diabetes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	21	9.6	9.6	9.6
	Tidak ada	197	90.4	90.4	100.0
	Total	218	100.0	100.0	

### Hipertensi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	37	17.0	17.0	17.0
	Tidak ada	181	83.0	83.0	100.0
	Total	218	100.0	100.0	

### Penyakit Jantung

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	12	5.5	5.5	5.5
	Tidak ada	206	94.5	94.5	100.0
	Total	218	100.0	100.0	

### Asma

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	4	1.8	1.8	1.8
	Tidak ada	214	98.2	98.2	100.0
	Total	218	100.0	100.0	

### Hamil

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	1	.5	.5	.5
	Tidak ada	217	99.5	99.5	100.0
	Total	218	100.0	100.0	

### Tuberculosis

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	3	1.4	1.4	1.4
	Tidak ada	215	98.6	98.6	100.0
	Total	218	100.0	100.0	

### PPOK

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	4	1.8	1.8	1.8
	Tidak ada	214	98.2	98.2	100.0
	Total	218	100.0	100.0	

### Penyakit Ginjal

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	11	5.0	5.0	5.0
	Tidak ada	207	95.0	95.0	100.0
	Total	218	100.0	100.0	

### Infeksi Akut

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ada	6	2.8	2.8	2.8
	Tidak ada	212	97.2	97.2	100.0
	Total	218	100.0	100.0	

### Derajat Covid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Asymptomatik	81	37.2	37.2	37.2
	Ringan	79	36.2	36.2	73.4
	Sedang	24	11.0	11.0	84.4
	Berat	13	6.0	6.0	90.4
	Kritis	21	9.6	9.6	100.0
	Total	218	100.0	100.0	

### Kategori Derajat Covid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Non Severe	184	84.4	84.4	84.4
	Severe	34	15.6	15.6	100.0
	Total	218	100.0	100.0	

### Saturasi Oksigen

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	>93% pada udara ruangan	183	83.9	83.9	83.9
	<93% pada udara ruangan	35	16.1	16.1	100.0
	Total	218	100.0	100.0	

### Derajat Covid

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Asimtomatik	81	37.2	37.2	37.2
	Ringan	79	36.2	36.2	73.4
	Sedang	24	11.0	11.0	84.4
	Berat	34	15.6	15.6	100.0
	Total	218	100.0	100.0	

### Pemeriksaan Radiologi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Atypical Covid-19	147	67.4	67.4	67.4
	Typical Covid-19	71	32.6	32.6	100.0
	Total	218	100.0	100.0	

## 2. Nilai rerata kadar NLR dan CRP berdasarkan karakteristik demografi

**Case Processing Summary**

			Cases		Total	
	Valid N	Percent	Missing N	Percent	N	Percent
Derajat Covid * Kategori CRP	218	100.0%	0	0.0%	218	100.0%
Derajat Covid * Kategori NLR	218	100.0%	0	0.0%	218	100.0%
Kategori Derajat Covid *	218	100.0%	0	0.0%	218	100.0%
Kategori Derajat Covid *	218	100.0%	0	0.0%	218	100.0%
Kategori NLR						

### Derajat Covid \* Kategori CRP

**Crosstab**

Derajat Covid	Asymptomatik		Kategori CRP		Total
			Normal	CRP Meningkat	
Derajat Covid	Asymptomatik	Count	58	23	81
		Expected Count	38.3	42.7	81.0
		% within Derajat Covid	71.6%	28.4%	100.0%
		% within Kategori CRP	56.3%	20.0%	37.2%
		% of Total	26.6%	10.6%	37.2%
	Ringan	Count	43	36	79
		Expected Count	37.3	41.7	79.0
		% within Derajat Covid	54.4%	45.6%	100.0%
		% within Kategori CRP	41.7%	31.3%	36.2%
		% of Total	19.7%	16.5%	36.2%
	Sedang	Count	1	23	24
		Expected Count	11.3	12.7	24.0
		% within Derajat Covid	4.2%	95.8%	100.0%
		% within Kategori CRP	1.0%	20.0%	11.0%
		% of Total	0.5%	10.6%	11.0%
	Berat	Count	1	12	13
		Expected Count	6.1	6.9	13.0
		% within Derajat Covid	7.7%	92.3%	100.0%
		% within Kategori CRP	1.0%	10.4%	6.0%
		% of Total	0.5%	5.5%	6.0%
	Kritis	Count	0	21	21
		Expected Count	9.9	11.1	21.0
		% within Derajat Covid	0.0%	100.0%	100.0%
		% within Kategori CRP	0.0%	18.3%	9.6%
		% of Total	0.0%	9.6%	9.6%
	Total	Count	103	115	218
		Expected Count	103.0	115.0	218.0

% within Derajat Covid	47.2%	52.8%	100.0%
% within Kategori CRP	100.0%	100.0%	100.0%
% of Total	47.2%	52.8%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	65.757 <sup>a</sup>	4	.000
Likelihood Ratio	80.634	4	.000
Linear-by-Linear Association	57.533	1	.000
N of Valid Cases	218		

### Derajat Covid \* Kategori NLR

#### Crosstab

Derajat Covid	Asymptomatik		Kategori NLR		
			Normal	NLR Meningkat	Total
Derajat Covid	Asymptomatik	Count	54	27	81
		Expected Count	39.8	41.2	81.0
		% within Derajat Covid	66.7%	33.3%	100.0%
		% within Kategori NLR	50.5%	24.3%	37.2%
		% of Total	24.8%	12.4%	37.2%
	Ringan	Count	46	33	79
		Expected Count	38.8	40.2	79.0
		% within Derajat Covid	58.2%	41.8%	100.0%
		% within Kategori NLR	43.0%	29.7%	36.2%
		% of Total	21.1%	15.1%	36.2%
	Sedang	Count	7	17	24
		Expected Count	11.8	12.2	24.0
		% within Derajat Covid	29.2%	70.8%	100.0%
		% within Kategori NLR	6.5%	15.3%	11.0%
		% of Total	3.2%	7.8%	11.0%
	Berat	Count	0	13	13
		Expected Count	6.4	6.6	13.0
		% within Derajat Covid	0.0%	100.0%	100.0%
		% within Kategori NLR	0.0%	11.7%	6.0%
		% of Total	0.0%	6.0%	6.0%
	Kritis	Count	0	21	21
		Expected Count	10.3	10.7	21.0
		% within Derajat Covid	0.0%	100.0%	100.0%
		% within Kategori NLR	0.0%	18.9%	9.6%
		% of Total	0.0%	9.6%	9.6%
Total		Count	107	111	218
		Expected Count	107.0	111.0	218.0
		% within Derajat Covid	49.1%	50.9%	100.0%
		% within Kategori NLR	100.0%	100.0%	100.0%
		% of Total	49.1%	50.9%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	49.249 <sup>a</sup>	4	.000
Likelihood Ratio	62.681	4	.000
Linear-by-Linear Association	45.887	1	.000
N of Valid Cases	218		

### Kategori Derajat Covid \* Kategori CRP

#### Crosstab

			Kategori CRP		Total
			Normal	CRP Meningkat	
Kategori Derajat Covid	Non Severe	Count	102	82	184
		Expected Count	86.9	97.1	184.0
		% within Kategori Derajat Covid	55.4%	44.6%	100.0%
		% within Kategori CRP	99.0%	71.3%	84.4%
		% of Total	46.8%	37.6%	84.4%
	Severe	Count	1	33	34
		Expected Count	16.1	17.9	34.0
		% within Kategori Derajat Covid	2.9%	97.1%	100.0%
		% within Kategori CRP	1.0%	28.7%	15.6%
		% of Total	0.5%	15.1%	15.6%
	Total	Count	103	115	218
		Expected Count	103.0	115.0	218.0
		% within Kategori Derajat Covid	47.2%	52.8%	100.0%
		% within Kategori CRP	100.0%	100.0%	100.0%
		% of Total	47.2%	52.8%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	31.727 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	29.656	1	.000		
Likelihood Ratio	39.628	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	31.582	1	.000		
N of Valid Cases	218				

### Kategori Derajat Covid \* Kategori NLR

		Crosstab		Kategori NLR	Total
				NLR Normal	Meningkat
Kategori Derajat Covid	Non Severe	Count	107	77	184
		Expected Count	90.3	93.7	184.0
		% within Kategori Derajat Covid	58.2%	41.8%	100.0%
		% within Kategori NLR	100.0%	69.4%	84.4%
		% of Total	49.1%	35.3%	84.4%
	Severe	Count	0	34	34
		Expected Count	16.7	17.3	34.0
		% within Kategori Derajat Covid	0.0%	100.0%	100.0%
		% within Kategori NLR	0.0%	30.6%	15.6%
		% of Total	0.0%	15.6%	15.6%
Total		Count	107	111	218
		Expected Count	107.0	111.0	218.0
		% within Kategori Derajat Covid	49.1%	50.9%	100.0%
		% within Kategori NLR	100.0%	100.0%	100.0%
		% of Total	49.1%	50.9%	100.0%

### Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	38.831 <sup>a</sup>	1	.000		
Continuity Correction <sup>b</sup>	36.539	1	.000		
Likelihood Ratio	51.974	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	38.653	1	.000		
N of Valid Cases	218				

### Derajat Covid \* Kategori CRP \* Komorbid

			Crosstab		Kategori CRP		
					CRP Normal	Meningkat	Total
Komorbid	Ada	Derajat Covid	Asymp tomatik	Count	3	10	13
				Expected Count	2.2	10.8	13.0
				% within Derajat Covid	23.1%	76.9%	100.0%
				% within Kategori CRP	27.3%	18.9%	20.3%

			% of Total	4.7%	15.6%	20.3%
Ringan			Count	7	17	24
			Expected Count	4.1	19.9	24.0
			% within Derajat Covid	29.2%	70.8%	100.0%
			% within Kategori CRP	63.6%	32.1%	37.5%
			% of Total	10.9%	26.6%	37.5%
Sedang			Count	0	12	12
			Expected Count	2.1	9.9	12.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori CRP	0.0%	22.6%	18.8%
			% of Total	0.0%	18.8%	18.8%
Berat			Count	1	5	6
			Expected Count	1.0	5.0	6.0
			% within Derajat Covid	16.7%	83.3%	100.0%
			% within Kategori CRP	9.1%	9.4%	9.4%
			% of Total	1.6%	7.8%	9.4%
Kritis			Count	0	9	9
			Expected Count	1.5	7.5	9.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori CRP	0.0%	17.0%	14.1%
			% of Total	0.0%	14.1%	14.1%
Total			Count	11	53	64
			Expected Count	11.0	53.0	64.0
			% within Derajat Covid	17.2%	82.8%	100.0%
			% within Kategori CRP	100.0%	100.0%	100.0%
			% of Total	17.2%	82.8%	100.0%
Tidak ada	Derajat Covid	Asymptomatik	Count	55	13	68
			Expected Count	40.6	27.4	68.0
			% within Derajat Covid	80.9%	19.1%	100.0%
			% within Kategori CRP	59.8%	21.0%	44.2%
			% of Total	35.7%	8.4%	44.2%
		Ringan	Count	36	19	55
			Expected Count	32.9	22.1	55.0
			% within Derajat Covid	65.5%	34.5%	100.0%
			% within Kategori CRP	39.1%	30.6%	35.7%
			% of Total	23.4%	12.3%	35.7%
		Sedang	Count	1	11	12
			Expected Count	7.2	4.8	12.0
			% within Derajat Covid	8.3%	91.7%	100.0%
			% within Kategori CRP	1.1%	17.7%	7.8%
			% of Total	0.6%	7.1%	7.8%
		Berat	Count	0	7	7
			Expected Count	4.2	2.8	7.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori CRP	0.0%	11.3%	4.5%
			% of Total	0.0%	4.5%	4.5%
		Kritis	Count	0	12	12
			Expected Count	7.2	4.8	12.0

			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori CRP	0.0%	19.4%	7.8%
			% of Total	0.0%	7.8%	7.8%
Total	Derajat Covid	Asymptomatik	Count	92	62	154
			Expected Count	92.0	62.0	154.0
			% within Derajat Covid	59.7%	40.3%	100.0%
			% within Kategori CRP	100.0%	100.0%	100.0%
			% of Total	59.7%	40.3%	100.0%
			Count	58	23	81
Total	Derajat Covid	Ringan	Expected Count	38.3	42.7	81.0
			% within Derajat Covid	71.6%	28.4%	100.0%
			% within Kategori CRP	56.3%	20.0%	37.2%
			% of Total	26.6%	10.6%	37.2%
			Count	43	36	79
		Sedang	Expected Count	37.3	41.7	79.0
			% within Derajat Covid	54.4%	45.6%	100.0%
			% within Kategori CRP	41.7%	31.3%	36.2%
			% of Total	19.7%	16.5%	36.2%
			Count	1	23	24
		Berat	Expected Count	11.3	12.7	24.0
			% within Derajat Covid	4.2%	95.8%	100.0%
			% within Kategori CRP	1.0%	20.0%	11.0%
			% of Total	0.5%	10.6%	11.0%
			Count	1	12	13
		Kritis	Expected Count	6.1	6.9	13.0
			% within Derajat Covid	7.7%	92.3%	100.0%
			% within Kategori CRP	1.0%	10.4%	6.0%
			% of Total	0.5%	5.5%	6.0%
			Count	0	21	21
Total		Kritis	Expected Count	9.9	11.1	21.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori CRP	0.0%	18.3%	9.6%
			% of Total	0.0%	9.6%	9.6%
			Count	103	115	218
			Expected Count	103.0	115.0	218.0
			% within Derajat Covid	47.2%	52.8%	100.0%
			% within Kategori CRP	100.0%	100.0%	100.0%
			% of Total	47.2%	52.8%	100.0%

### Derajat Covid \* Kategori NLR \* Komorbid

			Crosstab			
			Kategori NLR		Total	
			Normal	NLR Meningkat		
Komorbid	Derajat Covid	Asymp tomatik				
Ada	Derajat Covid	Asymp tomatik	Count	4	9	13
			Expected Count	3.0	10.0	13.0
			% within Derajat Covid	30.8%	69.2%	100.0%
			% within Kategori NLR	26.7%	18.4%	20.3%
			% of Total	6.3%	14.1%	20.3%
		Ringan	Count	6	18	24
			Expected Count	5.6	18.4	24.0
			% within Derajat Covid	25.0%	75.0%	100.0%
			% within Kategori NLR	40.0%	36.7%	37.5%
			% of Total	9.4%	28.1%	37.5%
		Sedang	Count	5	7	12
			Expected Count	2.8	9.2	12.0
			% within Derajat Covid	41.7%	58.3%	100.0%
			% within Kategori NLR	33.3%	14.3%	18.8%
			% of Total	7.8%	10.9%	18.8%
		Berat	Count	0	6	6
			Expected Count	1.4	4.6	6.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori NLR	0.0%	12.2%	9.4%
			% of Total	0.0%	9.4%	9.4%
		Kritis	Count	0	9	9
			Expected Count	2.1	6.9	9.0
			% within Derajat Covid	0.0%	100.0%	100.0%
			% within Kategori NLR	0.0%	18.4%	14.1%
			% of Total	0.0%	14.1%	14.1%
	Total		Count	15	49	64
			Expected Count	15.0	49.0	64.0
			% within Derajat Covid	23.4%	76.6%	100.0%
			% within Kategori NLR	100.0%	100.0%	100.0%
			% of Total	23.4%	76.6%	100.0%
Tidak	Derajat Covid	Asymp tomatik	Count	50	18	68
ada			Expected Count	40.6	27.4	68.0
			% within Derajat Covid	73.5%	26.5%	100.0%
			% within Kategori NLR	54.3%	29.0%	44.2%
			% of Total	32.5%	11.7%	44.2%
		Ringan	Count	40	15	55
			Expected Count	32.9	22.1	55.0
			% within Derajat Covid	72.7%	27.3%	100.0%
			% within Kategori NLR	43.5%	24.2%	35.7%
			% of Total	26.0%	9.7%	35.7%
		Sedang	Count	2	10	12
			Expected Count	7.2	4.8	12.0

			% within Derajat Covid	16.7%	83.3%	100.0%
			% within Kategori NLR	2.2%	16.1%	7.8%
			% of Total	1.3%	6.5%	7.8%
Berat	Krisis	Count	0	7	7	
		Expected Count	4.2	2.8	7.0	
		% within Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	11.3%	4.5%	
		% of Total	0.0%	4.5%	4.5%	
Total		Count	0	12	12	
		Expected Count	7.2	4.8	12.0	
		% within Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	19.4%	7.8%	
		% of Total	0.0%	7.8%	7.8%	
Total	Derajat Covid	Count	92	62	154	
		Expected Count	92.0	62.0	154.0	
		% within Derajat Covid	59.7%	40.3%	100.0%	
		% within Kategori NLR	100.0%	100.0%	100.0%	
		% of Total	59.7%	40.3%	100.0%	
Total	Asymptomatik	Count	54	27	81	
		Expected Count	39.8	41.2	81.0	
		% within Derajat Covid	66.7%	33.3%	100.0%	
		% within Kategori NLR	50.5%	24.3%	37.2%	
		% of Total	24.8%	12.4%	37.2%	
	Ringan	Count	46	33	79	
		Expected Count	38.8	40.2	79.0	
		% within Derajat Covid	58.2%	41.8%	100.0%	
		% within Kategori NLR	43.0%	29.7%	36.2%	
		% of Total	21.1%	15.1%	36.2%	
	Sedang	Count	7	17	24	
		Expected Count	11.8	12.2	24.0	
		% within Derajat Covid	29.2%	70.8%	100.0%	
		% within Kategori NLR	6.5%	15.3%	11.0%	
		% of Total	3.2%	7.8%	11.0%	
	Berat	Count	0	13	13	
		Expected Count	6.4	6.6	13.0	
		% within Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	11.7%	6.0%	
		% of Total	0.0%	6.0%	6.0%	
	Kritis	Count	0	21	21	
		Expected Count	10.3	10.7	21.0	
		% within Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	18.9%	9.6%	
		% of Total	0.0%	9.6%	9.6%	
	Total	Count	107	111	218	
		Expected Count	107.0	111.0	218.0	
		% within Derajat Covid	49.1%	50.9%	100.0%	
		% within Kategori NLR	100.0%	100.0%	100.0%	
		% of Total	49.1%	50.9%	100.0%	

### Kategori Derajat Covid \* Kategori CRP \* Komorbid

			Crosstab		
			Kategori CRP		Total
Komorbid			Normal	Meningkat	
Ada	Kategori Derajat Covid	Non Severe	Count	10	39
			Expected Count	8.4	40.6
			% within Kategori Derajat Covid	20.4%	79.6%
			% within Kategori CRP	90.9%	73.6%
			% of Total	15.6%	60.9%
		Severe	Count	1	14
			Expected Count	2.6	12.4
			% within Kategori Derajat Covid	6.7%	93.3%
			% within Kategori CRP	9.1%	26.4%
			% of Total	1.6%	21.9%
Total		Non Severe	Count	11	53
			Expected Count	11.0	53.0
			% within Kategori Derajat Covid	17.2%	82.8%
			% within Kategori CRP	100.0%	100.0%
			% of Total	17.2%	82.8%
		Severe	Count	92	135
			Expected Count	80.6	54.4
			% within Kategori Derajat Covid	68.1%	31.9%
			% within Kategori CRP	100.0%	69.4%
			% of Total	59.7%	27.9%
Tidak ada	Kategori Derajat Covid	Non Severe	Count	0	19
			Expected Count	11.4	7.6
			% within Kategori Derajat Covid	0.0%	100.0%
			% within Kategori CRP	0.0%	30.6%
			% of Total	0.0%	12.3%
		Severe	Count	92	62
			Expected Count	92.0	62.0
			% within Kategori Derajat Covid	59.7%	40.3%
			% within Kategori CRP	100.0%	100.0%
			% of Total	12.3%	12.3%
Total		Non Severe	Count	92	154
			Expected Count	92.0	62.0
			% within Kategori Derajat Covid	59.7%	40.3%
			% within Kategori CRP	100.0%	100.0%
			% of Total	12.3%	12.3%

			% of Total	59.7%	40.3%	100.0%
Total	Kategori Derajat Covid	Non Severe	Count	102	82	184
			Expected Count	86.9	97.1	184.0
			% within Kategori Derajat Covid	55.4%	44.6%	100.0%
			% within Kategori CRP	99.0%	71.3%	84.4%
			% of Total	46.8%	37.6%	84.4%
	Severe	Severe	Count	1	33	34
			Expected Count	16.1	17.9	34.0
			% within Kategori Derajat Covid	2.9%	97.1%	100.0%
			% within Kategori CRP	1.0%	28.7%	15.6%
			% of Total	0.5%	15.1%	15.6%
	Total		Count	103	115	218
			Expected Count	103.0	115.0	218.0
			% within Kategori Derajat Covid	47.2%	52.8%	100.0%
			% within Kategori CRP	100.0%	100.0%	100.0%
			% of Total	47.2%	52.8%	100.0%

### Kategori Derajat Covid \* Kategori NLR \* Komorbid

Crosstab

Komorbid	Kategori Derajat Covid	Non Severe	Kategori NLR		Total
			Normal	NLR Meningkat	
Ada	Kategori Derajat Covid	Non Severe	Count	15	34
			Expected Count	11.5	37.5
			% within Kategori Derajat Covid	30.6%	69.4%
			% within Kategori NLR	100.0%	69.4%
			% of Total	23.4%	53.1%
	Severe	Severe	Count	0	15
			Expected Count	3.5	11.5
			% within Kategori Derajat Covid	0.0%	100.0%
			% within Kategori NLR	0.0%	30.6%
			% of Total	0.0%	23.4%
	Total		Count	15	49
			Expected Count	15.0	49.0

			% within Kategori Derajat Covid	23.4%	76.6%	100.0%
			% within Kategori NLR	100.0%	100.0%	100.0%
			% of Total	23.4%	76.6%	100.0%
Tidak ada	Kategori Derajat Covid Non Severe	Count	92	43	135	
		Expected Count	80.6	54.4	135.0	
		% within Kategori Derajat Covid	68.1%	31.9%	100.0%	
		% within Kategori NLR	100.0%	69.4%	87.7%	
		% of Total	59.7%	27.9%	87.7%	
	Severe	Count	0	19	19	
		Expected Count	11.4	7.6	19.0	
		% within Kategori Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	30.6%	12.3%	
		% of Total	0.0%	12.3%	12.3%	
Total	Kategori Derajat Covid Non Severe	Count	92	62	154	
		Expected Count	92.0	62.0	154.0	
		% within Kategori Derajat Covid	59.7%	40.3%	100.0%	
		% within Kategori NLR	100.0%	100.0%	100.0%	
		% of Total	59.7%	40.3%	100.0%	
	Severe	Count	107	77	184	
		Expected Count	90.3	93.7	184.0	
		% within Kategori Derajat Covid	58.2%	41.8%	100.0%	
		% within Kategori NLR	100.0%	69.4%	84.4%	
		% of Total	49.1%	35.3%	84.4%	
Total	Kategori Derajat Covid Severe	Count	0	34	34	
		Expected Count	16.7	17.3	34.0	
		% within Kategori Derajat Covid	0.0%	100.0%	100.0%	
		% within Kategori NLR	0.0%	30.6%	15.6%	
		% of Total	0.0%	15.6%	15.6%	
	Total	Count	107	111	218	
		Expected Count	107.0	111.0	218.0	
		% within Kategori Derajat Covid	49.1%	50.9%	100.0%	
		% within Kategori NLR	100.0%	100.0%	100.0%	
		% of Total	49.1%	50.9%	100.0%	

### 3. Perbedaan rerata dan hubungan kadar NLR dan CRP terhadap derajat COVID 19

#### Kategori Derajat Covid

**Case Processing Summary**

	Kategori Derajat Covid	Valid		Cases		Total	
		N	Percent	N	Percent	N	Percent
C-Reactive Protein	Non Severe	184	100.0%	0	0.0%	184	100.0%
	Severe	34	100.0%	0	0.0%	34	100.0%
Neutrofil Limfosit Ratio	Non Severe	184	100.0%	0	0.0%	184	100.0%
	Severe	34	100.0%	0	0.0%	34	100.0%

**Descriptives**

	Kategori Derajat Covid	Statistic	Std. Error
C-Reactive Protein	Non Severe	Mean	3.61717
	Severe	95% Confidence Interval for Mean	
		Lower Bound	20.3887
		Upper Bound	34.6621
		5% Trimmed Mean	20.2450
		Median	3.3500
		Variance	2407.442
		Std. Deviation	49.06570
		Minimum	.02
		Maximum	263.10
		Range	263.08
		Interquartile Range	29.92
		Skewness	.179
		Kurtosis	.356
Severe	Severe	Mean	17.06917
	Severe	95% Confidence Interval for Mean	
	Severe	Lower Bound	85.5607
	Severe	Upper Bound	155.0157
	Severe	5% Trimmed Mean	112.1203
	Severe	Median	96.1500
	Severe	Variance	9906.128
	Severe	Std. Deviation	99.52953
	Severe	Minimum	4.90
	Severe	Maximum	436.60
	Severe	Range	431.70
	Severe	Interquartile Range	113.70
	Severe	Skewness	.403
	Severe	Kurtosis	.788
	Severe	Mean	.37518

Neutrofil Limfosit Ratio	Non Severe	95% Confidence Interval for Mean	Lower Bound	3.1161	
			Upper Bound	4.5966	
	5% Trimmed Mean			2.9612	
	Median			2.1000	
	Variance			25.900	
	Std. Deviation			5.08919	
	Minimum			.07	
	Maximum			33.80	
	Range			33.73	
	Interquartile Range			2.35	
	Skewness			3.437	.179
	Kurtosis			12.874	.356
	Severe	Mean		18.9999	3.38123
		95% Confidence Interval for Mean	Lower Bound	12.1207	
			Upper Bound	25.8790	
		5% Trimmed Mean		16.2164	
		Median		12.4700	
		Variance		388.712	
		Std. Deviation		19.71578	
		Minimum		3.50	
		Maximum		86.80	
		Range		83.30	
		Interquartile Range		15.81	
		Skewness		2.306	.403
		Kurtosis		5.663	.788

## Mann-Whitney Test

Ranks					
	Kategori Derajat Covid	N	Mean Rank	Sum of Ranks	
C-Reactive Protein	Non Severe	184	96.81	17812.50	
	Severe	34	178.19	6058.50	
	Total	218			
Neutrofil Limfosit Ratio	Non Severe	184	95.29	17532.50	
	Severe	34	186.43	6338.50	
	Total	218			

#### 4. Hubungan kadar NLR dan CRP terhadap derajat keparahan pasien covid-19

##### Kategori CRP \* Kategori Derajat Covid

			Crosstab		Total	
			Kategori Derajat Covid			
			Non Severe	Severe		
Kategori CRP	Normal	Count	102	1	103	
		Expected Count	86.9	16.1	103.0	
		% within Kategori CRP	99.0%	1.0%	100.0%	
		% within Kategori Derajat Covid	55.4%	2.9%	47.2%	
		% of Total	46.8%	0.5%	47.2%	
	Meningkat	Count	82	33	115	
		Expected Count	97.1	17.9	115.0	
		% within Kategori CRP	71.3%	28.7%	100.0%	
		% within Kategori Derajat Covid	44.6%	97.1%	52.8%	
		% of Total	37.6%	15.1%	52.8%	
Total		Count	184	34	218	
		Expected Count	184.0	34.0	218.0	
		% within Kategori CRP	84.4%	15.6%	100.0%	
		% within Kategori Derajat Covid	100.0%	100.0%	100.0%	
		% of Total	84.4%	15.6%	100.0%	

		Risk Estimate		
		Value	95% Confidence Interval	
			Lower	Upper
Odds Ratio for Kategori CRP (Normal / CRP Meningkat)	41.049		5.497	306.533
For cohort Kategori Derajat Covid = Non Severe	1.389		1.235	1.562
For cohort Kategori Derajat Covid = Severe	.034		.005	.243
N of Valid Cases	218			

## Kategori NLR \* Kategori Derajat Covid

**Crosstab**

			Kategori Derajat Covid		Total
			Non Severe	Severe	
Kategori NLR	Normal	Count	107	0	107
		Expected Count	90.3	16.7	107.0
		% within Kategori NLR	100.0%	0.0%	100.0%
		% within Kategori Derajat Covid	58.2%	0.0%	49.1%
		% of Total	49.1%	0.0%	49.1%
	Meningkat	Count	77	34	111
		Expected Count	93.7	17.3	111.0
		% within Kategori NLR	69.4%	30.6%	100.0%
		% within Kategori Derajat Covid	41.8%	100.0%	50.9%
		% of Total	35.3%	15.6%	50.9%
Total	Count	184	34	218	
	Expected Count	184.0	34.0	218.0	
	% within Kategori NLR	84.4%	15.6%	100.0%	
	% within Kategori Derajat Covid	100.0%	100.0%	100.0%	
	% of Total	84.4%	15.6%	100.0%	

**Risk Estimate**

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Kategori Derajat Covid = Non Severe	1.442	1.274	1.631
N of Valid Cases	218		