

DAFTAR PUSTAKA

- Asmi, N. (2021). Perakaran kakao dan langsat pada sistem agroforestri sederhana tidak responsif terhadap pemupukan. *Unhas*.
- Bachtiar, B., Ghulamahdi, M., Melati, M., Guntari, D., & Sutandi, A. (2016). Kebutuhan Nitrogen Tanaman Kedelai Pada Tanah Mineral Dan Mineral Bergambut Dengan Budi Daya Jenuh Air. *Jurnal Penelitian Pertanian Tanaman Pangan*.
- Bhatt, M. K., Raverkar, K. P., Chandra, R., Pareek, N., Labanya, R., Kumar, V., Kaushik, S., & Singh, D. K. (2020). Effect of long-term balanced and imbalanced inorganic fertilizer and FYM application on chemical fraction of DTPA-extractable micronutrients and yields under rice–wheat cropping system in mollisols. *Soil Use and Management*. <https://doi.org/10.1111/sum.12560>
- Bingham, A. H., & Cotrufo, M. F. (2016). Organic nitrogen storage in mineral soil: Implications for policy and management. In *Science of the Total Environment*. <https://doi.org/10.1016/j.scitotenv.2016.02.020>
- Bremner, J. M. (2018). Nitrogen-total. In *Methods of Soil Analysis, Part 3: Chemical Methods*. <https://doi.org/10.2136/sssabookser5.3.c37>
- Domínguez, J., Bohlen, P. J., & Parmelee, R. W. (2004). Earthworms increase nitrogen leaching to greater soil depths in row crop agroecosystems. *Ecosystems*. <https://doi.org/10.1007/s10021-004-0150-7>
- Famuwagun, I. B., & Agelem, S. O. (2010). In *Effects of Sowing Methods and Plant Population Densities on Root Development of Cacao (*Theobroma cacao L.*)*. International Journal of Agricultural Research. *Seedlings in the Nursery* (Vol. 5, Issue 7, pp. 445–452).
- Febrianti, F., & Asridawati, S. (2019). The Role of Charcoal from Oil Palm Trunks for Improving Macro Nutrients Content of Corn (*Zea mays*, L.). *JURNAL AGRONOMI TANAMAN TROPIKA (JUATIKA)*. <https://doi.org/10.36378/juatika.v1i2.159>
- Field, M., Ecology, C., & Guide, O. A. (2012). Usda. *Nutrition & Food Science*, 42(4), 11–14. <https://doi.org/10.1108/nfs.2012.01742daa.005>
- Gaiotti, F., Marcuzzo, P., Belfiore, N., Lovat, L., Fornasier, F., & Tomasi, D. (2017). Influence of compost addition on soil properties, root growth and vine performances of *Vitis vinifera* cv Cabernet sauvignon. *Scientia Horticulturae*. <https://doi.org/10.1016/j.scienta.2017.06.052>
- Gee, G. W., & Bauder, J. W. (1986). Particle Size Analysis. *Methods of Soil Analysis: Part 1—Physical and Mineralogical Methods*, 9(9), 901–926. <https://doi.org/10.2136/sssabookser5.1.2ed.c36>

- Gurevitch, J., & Unnasch, R. S. (1989). Experimental removal of a dominant species at two levels of soil fertility. *Canadian Journal of Botany*. <https://doi.org/10.1139/b89-424>
- Gusli, S. (2013). *Fertilizer formula for cocoa production in Sulawesi, a result from demoplot. Appendix 1*, 1–12.
- Hanafy Ahmed, A., Khalil, M., & Farrag, A. (2000). Nitrate Accumulation, Growth, Yield and chemical composition of Rocket (*Eruca vesicaria* subsp. *sativa*) plant as affected by NPK fertilization, Kinetin and Salicylic Acid. *ICHEM2000*.
- Handayanto, E., & Hairiah, K. (2009). Biologi Tanah: Landasan Pengelolaan Tanah Sehat. In *Pustaka Adipura*.
- Hermans, C., Hammond, J. P., White, P. J., & Verbruggen, N. (2006). How do plants respond to nutrient shortage by biomass allocation? In *Trends in Plant Science*. <https://doi.org/10.1016/j.tplants.2006.10.007>
- Hernita, D., Poerwanto, R., Susila, A. D., & Anwar, S. (2016). Penetapan Rekomendasi Pemupukan N, P, dan K Tanaman Duku Berdasarkan Analisis Daun. *Jurnal Hortikultura*. <https://doi.org/10.21082/jhort.v22n4.2012.p376-384>
- Hippler, F. W. R., Mattos-Jr, D., Boaretto, R. M., & Williams, L. E. (2018). Copper excess reduces nitrate uptake by *Arabidopsis* roots with specific effects on gene expression. *Journal of Plant Physiology*. <https://doi.org/10.1016/j.jplph.2018.06.005>
- Jia, X., Huangfu, C., & Hui, D. (2020). Nitrogen Uptake by Two Plants in Response to Plant Competition as Regulated by Neighbor Density. *Frontiers in Plant Science*. <https://doi.org/10.3389/fpls.2020.584370>
- Jose, S., Gillespie, A. R., Seifert, J. R., Mengel, D. B., & Pope, P. E. (2000). Defining competition vectors in a temperate alley cropping system in the midwestern USA; 3. Competition for nitrogen and litter decomposition dynamics. *Agroforestry Systems*. <https://doi.org/10.1023/A:1006241406462>
- Kaya, E. (2018). Pengaruh Kompos Jerami Dan Pupuk NPK Terhadap N-Tersedia Tanah, Serapan-N, Pertumbuhan, Dan Hasil Padi Sawah (*Oryza sativa* L.). *Agrologia*. <https://doi.org/10.30598/a.v2i1.277>
- Kjeldahl, J. (1883). Neue Methode zur Bestimmung des Stickstoffs in organischen Korpern.(New method for the determination of nitrogen in organic substances). *Zeitschrift Für Analytische Chemie*.
- Kusumawati, D. E. (2018). Pengaruh kompetisi intraspesifik dan interspesifik terhadap pertumbuhan tanaman jagung (*Zea mays*) dan kacang hijau (*Vigna radiata*). *Agroradix*.

- Maathuis, F. J. (2009). Physiological functions of mineral macronutrients. In *Current Opinion in Plant Biology*. <https://doi.org/10.1016/j.pbi.2009.04.003>
- Martono, B. (2019). Karakteristik Morfologi Dan Kegiatan Plasma Nutfah Tanaman Kakao. *Inovasi Teknologi Bioindustri Kakao*.
- Matthews, J. A. (2014). cation exchange capacity (CEC). In *Encyclopedia of Environmental Change*. <https://doi.org/10.4135/9781446247501.n583>
- McKane, R. B., Johnson, L. C., Shaver, G. R., Nadelhoffer, K. J., Rastetter, E. B., Fry, B., Giblin, A. E., Kielland, K., Kwiatkowski, B. L., Laundre, J. A., & Murray, G. (2002). Resource-based niches provide a basis for plant species diversity and dominance in arctic tundra. *Nature*. <https://doi.org/10.1038/415068a>
- Mommer, L. (1999). *The water relations in cacao (Theobroma cacao L .): Modelling root growth and evapotranspiration*. February, 1–122.
- Moreau, D., Bardgett, R. D., Finlay, R. D., Jones, D. L., & Philippot, L. (2019). A plant perspective on nitrogen cycling in the rhizosphere. In *Functional Ecology*. <https://doi.org/10.1111/1365-2435.13303>
- Mustafa, M., Ahmad, A., Ansar, M., & Syafiuddin, M. (2012). *Soil Science Basis: Soil Forming Factors*.
- Nair, K. P. P. (2010). Cocoa (Theobroma cacao L.). In *The Agronomy and Economy of Important Tree Crops of the Developing World*. <https://doi.org/10.1016/b978-0-12-384677-8.00005-9>
- Niklah, W. M., Madrini, I. A. G. B., & Wijaya, I. M. A. S. (2019). Keragaman Unsur Hara Nitrogen pada Lahan Sawah di Desa Maduran, Kecamatan Maduran, Kabupaten Lamongan Jawa Timur. *Jurnal Ilmiah Teknologi Pertanian Agrotechno*. <https://doi.org/10.24843/jitpa.2019.v04.i01.p03>
- Nio, S. A., & Torey, P. (2013). Karakter morfologi akar sebagai indikator kekurangan air pada tanaman (Root morphological characters as water-deficit indicators in plants). *JURNAL BIOS LOGOS*. <https://doi.org/10.35799/jbl.3.1.2013.3466>
- Notaro, M., Gary, C., & Deheuvels, O. (2020). Plant diversity and density in cocoa-based agroforestry systems: how farmers' income is affected in the Dominican Republic. *Agroforestry Systems*. <https://doi.org/10.1007/s10457-019-00472-7>
- Prastowo, E., Dwiyanto, I., & Budi Santoso, S. (2021). Nitrogen uptake of cocoa seedlings as a response of cocoa pod husk derived liquid organic fertilizer application in combination with urea. *Pelita Perkebunan (a Coffee and Cocoa Research Journal)*. <https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v37i1.442>
- Prihastanti, E., S. Tjitosemite, D. Sopandie, & I. Qoyim. (2015). *Pertumbuhan*

- fineroot kakao (*Theobroma cacao*) pada cekaman kekeringan selama 13 bulan di kawasan agroforestri dengan pohon pelindung utama gamal (*Gliricidia sepium*). 1(Rao 2005), 1683–1688. <https://doi.org/10.13057/psnmbi/m010727>*
- Putra, C. R., Wahyudi, I., & Hasanah, U. (2015). Serapan N (Nitrogen) dan Produksi Bawang Merah (*Allium ascalonicum* L) Varietas Lembah Palu Akibat Pemberian Bokashi *Titonia* (*Titonia diversifolia*) Pada Entisol Guntarano. *Jurnal Agrotekbis*.
- Rajaniemi, T. K., Allison, V. J., & Goldberg, D. E. (2003). Root competition can cause a decline in diversity with increased productivity. *Journal of Ecology*. <https://doi.org/10.1046/j.1365-2745.2003.00768.x>
- Sagala, D., Mualim, L., & Darmadi, D. (2011). Kompetisi antara tanaman Sorgum dengan *Rottboellia*. *Jurnal Agroqua: Media Informasi Agronomi Dan Budidaya Perairan*. <https://doi.org/10.32663/ja.v9i2.36>
- Sagastuy, M., & Krause, T. (2019). Agroforestry as a biodiversity conservation tool in the atlantic forest? Motivations and limitations for small-scale farmers to implement agroforestry systems in North-Eastern Brazil. *Sustainability (Switzerland)*. <https://doi.org/10.3390/su11246932>
- Sartini. (2020). Mengenal Pupuk Nitrogen dan Fungsinya Bagi Tanaman. *Balai Penelitian Pertanian Lahan Rawa Kementerian Pertanian*.
- Setiawan, B. (1999). Rancangan Percobaan. *Metodologi Penelitian Bidang Kedokteran*.
- Song, X., Wan, F., Chang, X., Zhang, J., Sun, M., & Liu, Y. (2019). Effects of nutrient deficiency on root morphology and nutrient allocation in *Pistacia chinensis* Bunge seedlings. *Forests*, 10(11). <https://doi.org/10.3390/f10111035>
- Suryani, E. (2012). Peningkatan Produktivitas Tanah Melalui Sistem Agroforestri. *Peningkatan Produktivitas Tanah Melalui Sistem Agroforestri*, 6(2). <https://doi.org/10.2018/jsdl.v6i2.6394>
- Tando, E. (2019). Upaya efisiensi dan peningkatan ketersediaan nitrogen dalam tanah serta serapan nitrogen pada tanaman padi sawah (*Oryza sativa* L.). *BUANA SAINS*. <https://doi.org/10.33366/bs.v18i2.1190>
- Thamrin, M., Susanto, S., Susila, A. D., & Sutandi, A. (2016). Hubungan Konsentrasi Hara Nitrogen, Fosfor, dan Kalium Daun Dengan Produksi Buah Sebelumnya Pada Tanaman Jeruk Pamelo. *Jurnal Hortikultura*. <https://doi.org/10.21082/jhort.v23n3.2013.p225-234>
- Tilman, D. (1994). Competition and biodiversity in spatially structured habitats. *Ecology*. <https://doi.org/10.2307/1939377>
- Tomy Irawan, S. B. Y. (2016). *INFILTRASI PADA BERBAGAI TEGAKAN HUTAN*

DI ARBORETUM UNIVERSITAS LAMPUNG. 4(3), 21–34.

- Valmayor, R. V., Tabora, P. C., Ramirez, M. R., Herrera, W. A., & Asencion, A. B. (1984). *The natural distribution of the root systems of citrus, lanzones and cacao*. Phil. Agriculturerist.
- Yahya, S., & Chozin, M. A. (2005). Kompetisi Tanaman Jagung dan Ubikayu dalam Sistem Tumpang Sari. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 33(2), 1–7. <https://doi.org/10.24831/jai.v33i2.1514>
- Yu, B., Xie, C., Cai, S., Chen, Y., Lv, Y., Mo, Z., Liu, T., & Yang, Z. (2018). Effects of tree root density on soil total porosity and non-capillary porosity using a ground-penetrating Tree Radar Unit in Shanghai, China. *Sustainability (Switzerland)*, 10(12). <https://doi.org/10.3390/su10124640>
- Zetly E, T. (2021). Analisis Kandungan Bahan Organik Tanah Di Kebun Tradisional Desa Sereh Kabupaten Kepulauan Talaud. *Cocos*, 1(1).
- Zhang, W., Xu, W. L., Ahanbieke, P., Wang, B. J., Hao, X. D., Zhu, Y., & Li, L. H. (2019). Competition for ¹⁵N-labeled nitrogen in a jujube tree (*Zizyphus jujuba* Mill.)/wheat (*Triticum aestivum* L.) agroforestry system in northwestern China. *Agroforestry Systems*. <https://doi.org/10.1007/s10457-018-0332-5>
- Ziraluo, Y. piter basman, & Duha, M. (2020). Diversity study of fruit producer plant In Nias Islands. *Jurnal Inovasi Penelitian*.
- Zuidema, P. A., Leffelaar, P. A., Gerritsma, W., Mommer, L., & Anten, N. P. R. (2005). A physiological production model for cocoa (*Theobroma cacao*): Model presentation, validation and application. *Agricultural Systems*. <https://doi.org/10.1016/j.agsy.2004.06.015>


LAMPIRAN



Lampiran 1. Contoh plot yang memperlihatkan posisi pohon langsat dan kakao



Lampiran 2. Galian lubang dari pemboran berdiameter 30 cm dan kedalaman 40 cm dengan menggunakan bor tanah yang didesain khusus (Gambar 3-1).



Lampiran 3. Pemasangan keranjang pada plot pengamatan *in-growth* pada lubang hasil penengeboran di plot pengamatan a) dan b) belum terisi tanah yang sebelumnya sudah dikeluarkan, c) sedang diisi dengan tanah yang sudah dalam kondisi *rootless* dan sudah di pupuk; d) keranjang *in-growth* yang sudah terisi tanah yang telah dipupuk dan *rootless*



Lampiran 4. Pengambilan sampel daun kakao dan langsat untuk analisis kandungan nitrogen jaringan menggunakan metode Kjedhal. Daun yang diambil adalah daun yang aktif (bukan daun muda atau tua) dan terletak di bagian tengah dari suatu cabang.



Lampiran 5. Pengambilan sampel tanah terganggu

354 g Urea	500 g Phonska	500 g Phonska + 190 g Urea
Nitrogen = 46 % $= 46/100 \times 354 \text{ g}$ $= 162,8 \text{ g}$	Nitrogen = 15 % $= 15/100 \times 500 \text{ g}$ $= 75 \text{ g}$	Phonska : Nitrogen = 15% $= 15/100 \times 500 \text{ g}$ $= 75 \text{ g}$ Urea : Nitrogen = 46% $= 46/100 \times 190 \text{ g}$ $= 87,4 \text{ g}$ $= 75 \text{ g} + 87,4 \text{ g}$ $= 162,4 \text{ g}$

Lampiran 6. Perhitungan jumlah nitrogen pada dosis pupuk 345 g Urea, 500 g Phonska, dan 500 g Phonska + 190 g Urea

a). Kedalaman tanah 0-20 cm

Perlakuan	Rata-rata	NP BNT	Simbol
Tanpa pupuk (kontrol)	1,07		a
354 g Urea	1,13		b
500 g Phonska	1,09		a
500 g Phonska +190 g Urea	1,17	0,07	c

b). Kedalaman tanah 20-40 cm

Perlakuan	Rata-rata	NP BNT	Simbol
Tanpa pupuk (kontrol)	1,05		a
354 g Urea	1,10		a
500 g Phonska	1,07		a
500 g Phonska +190 g Urea	1,26	0,07	b

Lampiran 7. Analisis uji lanjut BNT kadar nitrogen tanah pada kedalaman 0-20 cm dan 20-40 cm

Perlakuan	Rata-rata	NP BNT	Simbol
Tanpa pupuk (Kontrol)	1,43		a
354 g Urea	1,45		a
500 g Phonska	1,45		a
Tanpa pupuk (Kontrol)	1,68	0,11	b

Lampiran 8. Analisis uji lanjut BNT kadar nitrogen jaringan tanaman kakao

Perlakuan	Rata-rata	NP BNT	Simbol
Tanpa pupuk (Kontrol)	1,10		a
354 g Urea	1,10		a
500 g Phonska	1,11		a
500 g Phonska +190 g Urea	1,17	0,05	b

Lampiran 9. Analisis uji lanjut BNT serapan nitrogen tanaman kakao