

## DAFTAR PUSTAKA

- Aali, G., Drummond, A., Nair, R., & Shokraneh, F. (2020). *Post-stroke fatigue : a scoping review [ version 1 ; peer review : 1 approved , 1 approved with reservations ]*.
- Anderson, S., Allen, P., Peckham, S., & Goodwin, N. (2008). Health Research Policy and Systems Asking the right questions : Scoping studies in the commissioning of research on the organisation and delivery of health services. *Health Research Policy and Systems*, 6(12), 1–12. <https://doi.org/10.1186/1478-4505-6-7>
- Arksey, H., & O'Malley, L. (2005). SCOPING STUDIES: TOWARDS A METHODOLOGICAL FRAMEWORK. *International Journal of Social Research Methodology: Theory and Practice*, 8(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Armstrong, R., Hall, B. J., Doyle, J., & Waters, E. (2011). Cochrane Update ' Scoping the scope ' of a cochrane review. *Journal of Public Health*, 33(1), 147–150. <https://doi.org/10.1093/pubmed/fdr015>
- Barbour, V. L., & Mead, G. E. (2012). Fatigue after Stroke : The Patient ' s Perspective. *Stroke Research and Treatment*, 2012, 1–6.

<https://doi.org/10.1155/2012/863031>

Borges, J. A., Maria, M., Quintão, P., Chermont, S. S. M. C., & De, H. T. F. (2018). Fatigue : A Complex Symptom and its Impact on Cancer and Heart Failure. *International Journal o Cardiovascular Science*, 31(4), 433–442. <https://doi.org/10.5935/2359-4802.20180027>

Braaten, R. S., Gunnes, M., & Indredavik, B. (2020). *Fatigue and activity after stroke . Secondary results from the Life After Stroke study. October 2019*, 1–8. <https://doi.org/10.1002/pri.1851>

Bråndal, A., Eriksson, M., Wester, P., Lundin-olsson, L., Bråndal, A., Eriksson, M., Wester, P., & Lundin-olsson, L. (2016). *Reliability and validity of the Swedish Fatigue Assessment Scale when self-administred by persons with mild to moderate stroke Reliability and validity of the Swedish Fatigue Assessment Scale when self-administred by persons with mild to moderate stro. 9357*(March). <https://doi.org/10.1080/10749357.2015.1112057>

Broussy, S., Saillour-glenisson, F., García-Lorenzo, B., Rouanet, F., Lesaine, E., Maugeais, M., Aly, F., Glize, B., Salamon, R., & Sibon, I. (2019). Sequelae and Quality of Life in Patients Living at Home 1 Year After a Stroke Managed in Stroke Units. *Frontiers in Neurology*, 10(8), 1–7. <https://doi.org/10.3389/fneur.2019.00907>

Campbell, B. C. V, & Khatri, P. (2020). Stroke. *The Lancet*, 396, 129–142. [https://doi.org/10.1016/S0140-6736\(20\)31179-X](https://doi.org/10.1016/S0140-6736(20)31179-X)

Chrastina, J. (2019). Systematic Review And (Aystematic ) Scoping Review : Similarities Or Differences ? *Proceeding of IAIC in Dresden*, 73–77.

Clarke, A., Barker-collo, S. L., Feigin, V. L., Clarke, A., Barker-collo, S. L., &

- Poststroke, V. L. F. (2016). *Poststroke Fatigue: Does Group Education Make a Difference? A Randomized Pilot Trial*. 9357(March).  
<https://doi.org/10.1310/tsr1901-32>
- Colle, F., Bonan, I., Gellez Leman, M. C., Bradai, N., & Yelnik, A. (2006). Fatigue after stroke. *Annales de Readaptation et de Medecine Physique*, 49(6), 361–364.  
<https://doi.org/10.1016/j.annrmp.2006.04.010>
- Cumming, T. B., Packer, M., Kramer, S. F., & English, C. (2016). The prevalence of fatigue after stroke : A systematic review and meta-analysis. *International Journal o Stroke*, 11(9), 968–977.  
<https://doi.org/10.1177/1747493016669861>
- D'souza, E. (2016). Modified Fatigue Impact Scale – 5-item version. *Occupational Medicine*, 66(3), 256–257.  
<https://doi.org/10.1093/occmed/kqv106>
- de Vries, E. A., Boerboom, W., van den Berg-Emons, R. H. J. G., van Kooten, F., Ribbers, G. M., & Heijenbrok-Kal, M. H. (2021). Fatigue in relation to long-term participation outcome in aneurysmal subarachnoid haemorrhage survivors. *Journal of Rehabilitation Medicine*, 53(4), jrm00173. <https://doi.org/10.2340/16501977-2800>
- Dewi, N. L. P. T., Arifin, M. T., & Ismail, S. (2019). BUDAYA BERDAMPAK PADA PROSES PEMULIHAN LATAR BELAKANG Stroke merupakan penyebab utama kedua kematian di seluruh dunia , karena setiap tahunnya 15 juta orang mengalami stroke . Selain itu Global Burden of Diseases menempatkan stroke pada urutan ketiga seba. *Jurnal Health Care Media*, 3(6), 24–36.
- Douven, E., Köhler, S., Schievink, S. H. J., Van Oostenbrugge, R. J., Staals, J., Verhey, F. R. J., & Aalten, P. (2017). Temporal Associations between

Fatigue, Depression, and Apathy after Stroke: Results of the Cognition and Affect after Stroke, a Prospective Evaluation of Risks Study. *Cerebrovascular Diseases*, 44(5–6), 330–337.  
<https://doi.org/10.1159/000481577>

Duncan, F., Lewis, S. J., Greig, C. A., Dennis, M. S., Sharpe, M., Maclulich, A. M. J., & Mead, G. E. (2015). Exploratory Longitudinal Cohort Study of Associations of Fatigue After Stroke. *Stroke*, 46(4), 1052–1058.  
<https://doi.org/10.1161/STROKEAHA.114.008079>

Elgh, E., & Hu, X. (2020). Visuospatial Function at Sub-Acute Phase Predicts Fatigue 10 Years After Stroke. *Frontiers in Neurology*, 11(October), 1–8. <https://doi.org/10.3389/fneur.2020.562706>

Falconer, M., Walsh, S., & Harbison, J. A. (2010). Estimated Prevalence of Fatigue Following Stroke and Transient Ischemic Attack Is Dependent on Terminology Used and Patient Gender. *Journal of Stroke and Cerebrovascular Diseases*, 19(6), 431–434.  
<https://doi.org/10.1016/j.jstrokecerebrovasdis.2009.07.017>

Feigin, V. L., Nguyen, G., Cercy, K., Johnson, C. O., Alam, T., Parmar, P. G., Abajobir, A. A., Abate, K. H., Abd-Allah, F., Abejie, A. N., Gebre, Mehata, S., Meier, T., Melaku, Y. A., Mendoza, W., Mensah, G. A., Meretoja, A., Mezgebe, H. B., Miazgowski, T., ... Roth, G. A. (2018). Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. *The New England Journal of Medicine*, 379(25), 2429–2437.  
<https://doi.org/10.1056/NEJMoa1804492>

Ferentinos, P., Kontaxakis, V., Havaki-kontaxaki, B., Dikeos, D., & Papadimitriou, G. (2010). The Fatigue Questionnaire : Standardization in patients with major depression. *Psychiatry Research*, 177(1–2), 114–119. <https://doi.org/10.1016/j.psychres.2009.01.029>

- Glader, E., Stegmayr, B., & Asplund, K. (2002). Poststroke Fatigue. *Stroke*, *33*(5), 1327–1333.  
<https://doi.org/10.1161/01.STR.0000014248.28711.D6>
- Green, T. L., & King, K. M. (2010). Functional and Psychosocial Outcomes 1 year after Mild Stroke. *Journal of Stroke and Cerebrovascular Diseases*, *19*(1), 10–16.  
<https://doi.org/10.1016/j.jstrokecerebrovasdis.2009.02.005>
- Groot, M. H. De, Phillips, S. J., & Eskes, G. A. (2003). Fatigue Associated With Stroke and Other Neurologic Conditions : Implications for Stroke Rehabilitation. *Archives of Physical Medicine and Rehabilitation*, *84*(11), 1714–1720. [https://doi.org/10.1053/S0003-9993\(03\)00346-0](https://doi.org/10.1053/S0003-9993(03)00346-0)
- Hendriks, C., Drent, M., Elfferich, M., & Vries, J. De. (2018). The Fatigue Assessment Scale : quality and availability in sarcoidosis and other diseases. *Current Opinion in Pulmonary Medicine*, *24*(5), 495–503.  
<https://doi.org/10.1097/MCP.0000000000000496>
- Ho, L. Y. W., Lai, C. K. Y., Ng, S. S. M., Ho, L. Y. W., Lai, C. K. Y., & Measuring, S. S. M. N. (2020). Measuring fatigue following stroke : the Chinese version of the Fatigue Assessment Scale Measuring fatigue following stroke : the Chinese version of the Fatigue. *Disability and Rehabilitation*, *0*(0), 1–8.  
<https://doi.org/10.1080/09638288.2020.1730455>
- Horigan, A. E. (n.d.). Fatigue in hemodialysis patients: a review of current knowledge. *Journal Pain Symptom Manag*, *44*: 715-24. *Fatigue in Hemodialysis Patients: A Review of Current Knowledge. Journal Pain Symptom Manag*, *44*: 715-24., 1.
- Hubacher, M., Calabrese, P., Bassetti, C., Carota, A., Stöcklin, M., & Penner, I.-K. (2012). Assessment of Post-Stroke Fatigue : The Fatigue Scale

for Motor and. *European Neurology*, 67(6), 377–384.

<https://doi.org/10.1159/000336736>

Kirkevold, M., Christensen, D., Andersen, G., Johansen, S. P., & Harder, I. (2012). Fatigue after stroke : manifestations and strategies. *Disability and Rehabilitation*, 34(8), 665–670.

<https://doi.org/10.3109/09638288.2011.615373>

Kuppuswamy, A., Clark, E., R-Othwell, J., & Ward, N. S. (2016). Limb heaviness: A perceptual phenomenon associated with poststroke fatigue? *Neurorehabilitation and Neural Repair*, 30(4), 360–362.

<https://doi.org/10.1177/1545968315597071>

Kutlubaev, M. A., & Mead, G. E. (2011). Fatigue after stroke. *The Behavioral and Cognitive Neurology of Stroke*, 80(February), 375–386.

<https://doi.org/10.1017/CBO9781139058988.030>

Kutlubaev, M. A., Shenkin, S. D., Farrall, A. J., Duncan, F. H., Lewis, S. J., Greig, C. A., Dennis, M. S., Wardlaw, J. M., MacLulich, A. M. J., & Mead, G. E. (2013). CT and Clinical Predictors of Fatigue at One Month after Stroke. *Cerebrovascular Diseases Extra*, 3(1), 26–34.

<https://doi.org/10.1159/000347113>

Lerdal, A., & Gay, C. L. (2017a). Acute-Phase Fatigue Predicts Limitations with Activities of Daily Living 18 Months after First-Ever Stroke.

*Journal of Stroke and Cerebrovascular Diseases*, 26(3), 523–531.

<https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.11.130>

Lerdal, A., & Gay, C. L. (2017b). Acute-Phase Fatigue Predicts Limitations with Activities of Daily Living 18 Months after First-Ever Stroke.

*Journal of Stroke and Cerebrovascular Diseases*, 26(3), 523–531.

<https://doi.org/10.1016/j.jstrokecerebrovasdis.2016.11.130>

- Lerdal, A., Gay, C. L., & Lee, K. A. (2013). Curvilinear Relationship Between Age and Post-Stroke Fatigue among Physical Medicine & Rehabilitation Curvilinear Relationship Between Age and Post-Stroke Fatigue among Patients in the Acute Phase following First-Ever Stroke. *Physical Medicine & Rehabilitation*, 1(5), 100–141. <https://doi.org/10.4172/2329-9096.1000141>
- Lerdal, A., & Kottorp, A. (2011). Psychometric properties of the Fatigue Severity Scale-Rasch analyses of individual responses in a Norwegian stroke cohort. *International Journal of Nursing Studies*, 48(10), 1258–1265. <https://doi.org/10.1016/j.ijnurstu.2011.02.019>
- Levac, D., Colquhoun, H., & Brien, K. K. O. (2010). Scoping studies : advancing the methodology. *Implementation Science*, 5(1), 1–9. <https://doi.org/10.1186/1748-5908-5-69>
- Lillicrap, T., Krishnamurthy, V., Attia, J., Nilsson, M., Levi, C. R., Parsons, M. W., & Bivard, A. (2016). Modafinil In Debilitating fatigue After Stroke ( MIDAS ): study protocol for a controlled , crossover trial. *Trials*, 17(2016), 1–5. <https://doi.org/10.1186/s13063-016-1537-4>
- Lockwood, C., Borgess, K., & Pap, R. (2019). Practical Guidance for Knowledge Synthesis : Scoping Review Methods. *Asian Nursing Research*, 13(5), 287–294. <https://doi.org/10.1016/j.anr.2019.11.002>
- Luaran, B., & Sensorimotor, F. (2019). *THE DIFFERENCE OF SENSORIMOTOR FUNCTION OUTCOME IN PATIENTS WITH AND*. 36(2).
- Mandliya, A., Das, A., Unnikrishnan, J. P., Amal, M. G., Sarma, P. S., Sylaja, P. N., Mandliya, A., Das, A., Unnikrishnan, J. P., Amal, M. G., & Sankara, P. (2016). Post-stroke Fatigue is an Independent Predictor of Post-stroke Disability and Burden of Care : A Path analysis Study Post-

stroke Fatigue is an Independent Predictor of Post-stroke Disability and Burden of Care : A Path analysis Study. *Topics in Stroke Rehabilitation*, 23(1), 1–7.

<https://doi.org/10.1080/10749357.2015.1110273>

Mckechnie, F., Lewis, S., & Mead, G. (2010). A pilot observational study of the association between fatigue after stroke and C-reactive protein. *Journal o the Royal College of Physicians of Edinburgh*, 6(1), 9–12.  
<https://doi.org/10.4997/JRCPE.2010.103>

Mead, G., Lynch, J., Greig, C., Young, A., Lewis, S., & Sharpe, M. (2007). Evaluation of Fatigue Scales in Stroke Patients. *Stroke*, 38(7), 2090–2095. <https://doi.org/10.1161/STROKEAHA.106.478941>

Miller, K. K., Combs, S. A., Van, M., Altenburger, P. A., Kean, J., Dierks, T. A., & Schmid, A. A. (2013). Fatigue and Pain: Relationships with Physical Performance and Patient Beliefs after Stroke. *Topics in Stroke Rehabilitation*, 20(4), 347–355. <https://doi.org/10.1310/tsr2004-347>

Mollaoglu, M. (2009). Fatigue in People Undergoing Hemodialysis. *Dialysis & Transplantation*, 38 (6): 216-220. *Fatigue in People Undergoing Hemodialysis. Dialysis & Transplantation*, 38 (6): 216-220, 1–16.

Naess, H., Lunde, L., Brogger, J., & Waje-andreassen, U. (2012). Journal of the Neurological Sciences Fatigue among stroke patients on long-term follow-up . The Bergen Stroke Study. *Journal of the Neurological Sciences*, 312(1–2), 138–141.  
<https://doi.org/10.1016/j.jns.2011.08.002>

Neuberger, G. B. (2003). Measures of Fatigue The Fatigue Questionnaire, Fatigue Severity Scale, Multidimensional Assessment of Fatigue Scale, and Short Form-36 Vitality (Energy/Fatigue) Subscale of the Short Form Health Survey. *Arthritis & Rheumatism*, 49(5), 5175–5183.



<https://doi.org/10.1002/art.11405>

Noor, M. A. (2018). Gambaran Karakteristik Fatigue Pasien Post Stroke. *Nurscope Jurnal Keperawatan Pemikiran Ilmiah*, 4(7), 55–60.

Ormstad, H., Christian, H., & Aass, D. (2011). Serum cytokine and glucose levels as predictors of poststroke fatigue in acute ischemic stroke patients. *Journal of Neurology*, 258(4), 670–676.  
<https://doi.org/10.1007/s00415-011-5962-8>

Ormstad, H., & Verkerk, R. (2014). Activation of the Kynurenine Pathway in the Acute Phase of Stroke and its Role in Fatigue and Depression Following Stroke. *Journal of Molecular Neuroscience*, 54(2), 181–187.  
<https://doi.org/10.1007/s12031-014-0272-0>

Ozyemisci-Taskiran, O., Batur, E. B., Yuksel, S., Cengiz, M., & Karatas, G. K. (2019). Validity and reliability of fatigue severity scale in stroke. *Topics in Stroke Rehabilitation*, 26(2), 122–127.  
<https://doi.org/10.1080/10749357.2018.1550957>

Parks, N. E., Eskes, G. A., Gubitz, G. J., Reidy, Y., Christian, C., & Phillips, S. J. (2012). Fatigue Impact Scale Demonstrates Greater Fatigue in Younger Stroke Survivors. *The Canadian Journal of Neurological Sciences*, 39(5), 619–625.  
<https://doi.org/10.1077/s031716710015353>

Penner, I., Raselli, C., Opwis, K., Kappos, L., & Calabrese, P. (2009). The Fatigue Scale for Motor and Cognitive Functions (FSMC): validation of a new instrument to assess multiple sclerosis-related fatigue. *Multiple Sclerosis*, 15(12), 1509–1517.  
<https://doi.org/10.1177/1352458509348519>

Pérez, A., Santamaria, E. K., Operario, D., Tarkang, E. E., Zotor, F. B.,

Cardoso, S. R. de S. N., Autor, S. E. U., De, I., Dos, A., Vendas, O. D. E., Empresas, D. A. S., Atividades, P. O., Artigo, N., Gest, G. N. R. M. D. E., Para, D. E. F., Miranda, S. F. da R., Ferreira, F. A. A., Oliver, J., Dario, M., ... Volk, J. E. (2018). *Nursing Diagnoses: Definitions and Classification 2018-2020* (T. H. Herdman & S. Kamitsuru (Eds.); 11th ed.). Thiemi.

Pham, M. T., Greig, J. D., Sargeant, J. M., & Mcewen, S. A. (2014). A scoping review of scoping reviews : advancing the approach and enhancing the consistency. *Research Synthesis Methods, 5*(4), 371–385. <https://doi.org/10.1002/jrsm.1123>

Pollock, A., St George, B., Fenton, M., & Firkins, L. (2012). Top ten research priorities relating to life after stroke. *The Lancet Neurology, 11*(3), 209. [https://doi.org/10.1016/S1474-4422\(12\)70029-7](https://doi.org/10.1016/S1474-4422(12)70029-7)

Ponchel, A., Bombois, S., Bordet, R., & Hénon, H. (2015). Factors Associated with Poststroke Fatigue : A Systematic Review. *Stroke Research and Treatment, 3*(4), 1–11. <https://doi.org/10.1155/2015/347920>

Pranita, E. (2019). Stroke Tempati Urutan Kedua Penyebab Kematian, Kenali Faktor Risikonya! In *Kompas.com*. <https://sains.kompas.com/read/2019/12/12/080324223/stroke-tempati-urutan-kedua-penyebab-kematian-kenali-faktor-risikonya>

*Psychometric properties of the Fatigue Assessment Scale ( FAS ) in women with breast problems 1.* (2010).

Puchta, A. E. (2008). Why am I so tired after my stroke ? *Journal of Vascular and Interventional Neurology, 1*(2), 63–64.

Sacco, R. L., Kasner, S. E., Broderick, J. P., Caplan, L. R., Connors, J. J. B., Culebras, A., Elkind, M. S. V, George, M. G., Hamdan, A. D., Higashida,

R. T., Hoh, B. L., Janis, L. S., Kase, C. S., Kleindorfer, D. O., Lee, J., Moseley, M. E., Eric, D., Turan, T. N., & Valderrama, A. L. (2013). An Updated Definition of Stroke for the 21st Century : A Statement for Healthcare Professionals From the American Heart Association/American Stroke Association. *AHA / ASA Expert Consensus Document*, 2(13), 2064–2089.  
<https://doi.org/10.1161/STR.0b013e318296aeca>

Sánchez-Sánchez, M. L., Arnal-Gómez, A., Cortes-Amador, S., Pérez-Alenda, S., Carrasco, J. J., Climent-Toledo, A., Espí-López, G. V., & Ruescas-Nicolau, M.-A. (2021). Association of Barriers, Fear of Falling and Fatigue with Objectively Measured Physical Activity and Sedentary Behavior in Chronic Stroke. *Journal of Clinical Medicine*, 10(6), 1320.  
<https://doi.org/10.3390/jcm10061320>

Schepers, V. P., Visser-Meily, A. M., Ketelaar, M., & Lindeman, E. (2006). Poststroke Fatigue : Course and Its Relation to Personal and Stroke-Related Factors. *Archives of Physical Medicine and Rehabilitation*, 87(2), 184–188. <https://doi.org/10.1016/j.apmr.2005.10.005>

Shahid, A., Wilkinson, K., Marcu, S., & Shapiro, C. M. (2012). Fatigue Assessment Inventory (FAI). *STOP, THAT and One Hundred Other Sleep Scales*, 157–159. <https://doi.org/10.1007/978-1-4419-9893-4>

Su, Y., Yuki, M., Hirayama, K., & Otsuki, M. (2020). Development and Internal Validation of a Nomogram to Predict Post-Stroke Fatigue After Discharge. *Journal of Stroke and Cerebrovascular Diseases*, 30(2), 1–10.  
<https://doi.org/10.1016/j.jstrokecerebrovasdis.2020.105484>

Su, Y., Yuki, M., & Otsuki, M. (2020). Non-Pharmacological Interventions for Post-Stroke Fatigue: Systematic Review and Network Meta-Analysis.

*Journal of Clinical Medicine*, 9(3), 621.

<https://doi.org/10.3390/jcm9030621>

Suh, M., & Choi-kwon, M. (2010). Structural Equation Modeling on Quality of Life in Stroke Survivors. *Journal o Korean Academy of Nursing*, 40(4), 533–541. <https://doi.org/10.4040/jkan.2010.40.4.533>

Tadi, P., & Lui, F. (2020). Acute Stroke (Cerebrovascular Accident) - StatPearls - NCBI Bookshelf. In *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK535369/>

Tang, W K, Liang, H. J., Chen, Y. K., Chu, W. C. W., Abrigo, J., Mok, V. C. T., Ungvari, G. S., & Wong, K. S. (2013). Journal of the Neurological Sciences Poststroke fatigue is associated with caudate infarcts. *Journal of the Neurological Sciences*, 324(1–2), 131–135. <https://doi.org/10.1016/j.jns.2012.10.022>

Tang, Wai Kwong, Chen, Y. K., Liang, H. J., Chiu, W. W. C., Mok, V. C. T., Ungvari, G. S., & Wong, K. S. (2014). Subcortical white matter infarcts predict 1-year outcome of fatigue in stroke. *BMC Neurology*, 14(234), 1–6. <https://doi.org/10.1186/s12883-014-0234-8>

Thomas, K., Hjalmarsson, C., Mullis, R., & Mant, J. (2019). Conceptualising post-stroke fatigue: A cross-sectional survey of UK-based physiotherapists and occupational therapists. *BMJ Open*, 9(12), 1–7. <https://doi.org/10.1136/bmjopen-2019-033066>

Tricco, A. C., Lillie, E., Zarin, W., Brien, K. K. O., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Ma, Q., Horsley, T., Weeks, L., Hartling, L., Aldcroft, A., Hons, B. A., Wilson, M. G., & Garritty, C. (2018). PRISMA Extension for Scoping Reviews ( PRISMA-ScR ): Checklist and Explanation. *Annals of Internal Medicine*, 169(7), 467–473. <https://doi.org/10.7326/M18-0850>

- Tyrrell, P. J. (2006). Fatigue after stroke. *Future Drugs*, 2(6), 865–869.  
<https://doi.org/10.1586/14750708.2.6.865>
- Tyrrell, P. J., & Smithard, D. G. (2006). Fatigue after stroke. *Fatigue After Stroke*, 2(6), 865–869. <https://doi.org/10.2217/14750708.2.6.865>
- Valko, P. O., Bassetti, C. L., Bloch, K. E., Held, U., & Baumann, C. R. (2008). *Validation of the Fatigue Severity Scale in a Swiss Cohort. Figure 1.*
- Vincent-onabajo, G., & Adamu, A. (2014). Impact of Poststroke Fatigue on Health-Related Quality of Life of Nigerian Stroke Survivors. *Journal of Stroke*, 16(3), 195–201. <https://doi.org/10.5853/jos.2014.16.3.195>
- Vuletić, V., Ležaić, Ž., & Morović, S. (2011). *POST-STROKE FATIGUE.* 341–344.
- Wang, S., Wang, J., Wang, P., & Chen, R. (2014). Determinants of Fatigue after First-Ever Ischemic Stroke during Acute Phase. *PLoS One*, 9(10), 1–6. <https://doi.org/10.1371/journal.pone.0110037>
- Wu, S., Mead, G., Macleod, M., & Chalder, T. (2014). Model of understanding fatigue after stroke. *Stroke*, 46(3), 893–898.  
<https://doi.org/10.1161/STROKEAHA.114.006647>
- Wu, S., Mead, G., Macleod, M., & Chalder, T. (2015). Topical Review Model of Understanding Fatigue After Stroke. *Topical Review*, 46(3), 893–898. <https://doi.org/10.1161/STROKEAHA.114.006647>

## LAMPIRAN

<b>Fatigue Severity Scale (FSS, English version)*</b>							
	<i>strongly disagree</i>				<i>strongly agree</i>		
	←						→
	1	2	3	4	5	6	7
1. My motivation is lower when I am fatigued.	0	0	0	0	0	0	0
2. Exercise brings on my fatigue.	0	0	0	0	0	0	0
3. I am easily fatigued.	0	0	0	0	0	0	0
4. Fatigue interferes with my physical functioning.	0	0	0	0	0	0	0
5. Fatigue causes frequent problems for me.	0	0	0	0	0	0	0
6. My fatigue prevents sustained physical functioning.	0	0	0	0	0	0	0
7. Fatigue interferes with carrying out certain duties and responsibilities.	0	0	0	0	0	0	0
8. Fatigue is among my three most disabling symptoms.	0	0	0	0	0	0	0
9. Fatigue interferes with my work, family, or social life.	0	0	0	0	0	0	0

*\*Patients are instructed to choose a number from 1 to 7 that indicates their degree of agreement with each statement where 1 indicates strongly disagree and 7, strongly agree. [Krupp et al, Arch Neurol 1989]*

  

<b>Fatigue Severity Scale (FSS, German version)</b>							
<b>Ich finde, dass während der vergangenen Woche folgendes zutraf:</b>	<i>Stimme gar nicht zu</i>				<i>Stimme vollkommen zu</i>		
	←						→
	1	2	3	4	5	6	7
1. Ich bin weniger motiviert, wenn ich müde bin.	0	0	0	0	0	0	0
2. Körperliche Bewegung macht mich müde.	0	0	0	0	0	0	0
3. Ich ermüde rasch.	0	0	0	0	0	0	0
4. Meine Müdigkeit beeinträchtigt meine körperliche Leistungsfähigkeit.	0	0	0	0	0	0	0
5. Meine Müdigkeit bereitet mir oft Probleme.	0	0	0	0	0	0	0
6. Meine Müdigkeit verhindert längerdauernde körperliche Tätigkeiten.	0	0	0	0	0	0	0
7. Meine Müdigkeit beeinträchtigt mich, gewisse Pflichten und Verantwortungen zu erfüllen.	0	0	0	0	0	0	0
8. Meine Müdigkeit gehört zu den drei Beschwerden, die mich am meisten behindern.	0	0	0	0	0	0	0
9. Meine Müdigkeit beeinträchtigt meine Arbeit, meine Familie oder mein soziales Leben.	0	0	0	0	0	0	0

**Figure 1**—The original English and the German version of the Fatigue Severity Scale (FSS).