

DAFTAR PUSTAKA

1. Stabholz A, Soskolne WA, Shapira L. Genetic and environmental risk factors for chronic periodontitis and aggressive periodontitis. *Periodontology* 2000 [Internet]. 2010; 53: 138–153. Available from: <https://doi.org/10.1111/j.1600-0757.2010.00340.x>
2. Wijaksana IKE. Periodontal chart dan periodontal risk assessment sebagai bahan evaluasi dan edukasi pasien dengan penyakit periodontal. *J Kesehat Gigi* [Internet]. 2019;6:19-25. Available from: <http://dx.doi.org/10.31983/jkg.v6i1.4032>
3. Alakpa EV, Burgess KEV, Chung P, et al. *Nacre* topography produces higher crystallinity in bone than chemically induced osteogenesis. *ACS Nano* [Internet]. 2017; 11: 6717-27. Available from: <http://dx.doi.org/10.1021/acsnano.7b01044>
4. Gökmenoğlu C, Yavuz MC, Sadik E, Canakci V Kara C. Treatment of different types of bone defects with concentrated growth factor: Four case reports. *International Journal of Oral and Dental Health* [Internet]. 2016;2(2):1-3. Available from: <https://clinmedjournals.org/articles/ijodh/international-journal-of-oral-and-dental-health-ijodh-2-029.pdf>
5. Matuda Y, Okamura T, Tabata H, et al. Periodontal regeneration using cultured coral scaffolds in class II furcation defect in dogs. *Journal of hard tissue biology* [Internet]. 2019;28(4):p.329-34. Available from: <http://dx.doi.org/10.2485/jhtb.28.329>
6. Shukla S, Chug A, Mahesh L, Singh S, Singh K. Optimal management of intrabony defect: current insights. *Clinical cosmetic and investigational dentistry* [Internet]. 2019;11:19-25. Available from: <https://dx.doi.org/10.2147%2FCCIDE.S166164>
7. Wu SK, Yeh HC, Chan CP. The prevalence and distribution of bone defects in patients with moderate to advanced periodontitis. *Chang Gung Med J* [Internet]. 2001;24 (7):423-430. Available from: https://www.researchgate.net/publication/11783303_The_prevalence_and_distribution_of_bone_defects_in_patients_with_moderate_to_advanced_periodontitis
8. De Toledo BE, Barroso EM, Martins AT, Zuza EP. Prevalence of periodontal Bone Loss in Brazilian Adolescents through interproximal radiography. *Int J Dent* [Internet]. 2012;2012(1):1-5. Available from: <http://dx.doi.org/10.1155/2012/357056>
9. Baljoon M, Natto S, Bergstorm J. Occurrence of vertical bone defects in dentally aware individuals. *Acta Odontol Scand* [Internet]. 2003;61(1):47-51. Available from: <http://dx.doi.org/10.1080/ode.61.1.47.51>

10. Vrotsos JA, Parashis AO, Theofanatos GD, Smulow JB. Prevalence and distribution of bone defects in moderate and advanced adult periodontitis. *J Clin Periodontol* [Internet]. 1999;26 (1): 44-8. Available from: <https://pubmed.ncbi.nlm.nih.gov/9923510/>
11. Kasaj A, Vasiliu Ch, Willershausen B. Assessment of alveolar bone loss and angular bony defects on panoramic radiographs. *Eur J Med Res* [Internet]. 2008;13(1):26-30. Available from: https://www.researchgate.net/publication/5624850_Assessment_of_alveolar_bone_loss_and_angular_bony_defects_on_panoramic_radiographs
12. Kumar J, Jain V, Kishore S, Pal H. Journey of *bone graft* materials in periodontal therapy: A chronological review. *J Dent Allied Sci* [Internet]. 2016; 5(1):30-4. Available from: <http://dx.doi.org/10.4103/2277-4696.185195>
13. Adrianto, Hengki B. Peran hidroksiapatit sebagai *bone graft* dalam proses penyembuhan tulang. [Internet] 2015; 8(2): p.118-21. Available from: <https://jurnal.unej.ac.id/index.php/STOMA/article/view/2100>
14. Balaji VR, Manikadan D, Ramsundar A. *Bone graft* in periodontics. *Matrix Science Medica* [Internet]. 2020; 43): 57-63. Available from: http://dx.doi.org/10.4103/MTSM.MTSM_2_19
15. Titsinides S, Agrogiannis G, Karatzas T. *Bone grafting* materials in dentoalveolar reconstruction: A comprehensive review. *Japanese Dental Science Review* [Internet]. 2019;55(1):26-32. Available from: <http://dx.doi.org/10.1016/j.jdsr.2018.09.003>
16. Kasagi S, Chen W. TGF-beta1 on osteoimmunology and the bone component cells. *Cell and Bioscience*[Internet]. 2013; 3(1):1-7. Available from: <http://dx.doi.org/10.1186/2045-3701-3-4>
17. Green, DW, Lai WF, Jyung HS, Evolving marine biomimetics for regenerative dentistry. *Marine Drugs* [Internet]. 2014; 12(5):2877-912. Available from: <http://dx.doi.org/10.3390/md12052877>
18. Octaviani T, Cokrowati N, Astriana BH. The survival rate of pearl shell spat with different densities at the marine aquaculture center Lombok. *Jurnal Kelautan Indonesia, Journal of Marine Science and Technology* [Internet]. 2018; 11(1):47-55. Available from: <http://dx.doi.org/10.21107/jk.v11i1.3136>
19. Cahyono E, Jonas JF, Lalenoh BA, Kota N. Characterization of Calcium Carbonate (CaCO₃) From Sea Urchin (*Diadema setosum*) Exoskeleton. *Journal Fisfhtech* [Internet]. 2019; 8(1): 27-33. Available from:

- <https://doi.org/10.36706/fishtech.v8i1.7643>
20. Fritz K, Taylor K, Parmar M. Calcium Carbonate. [Internet]. StatPearls Publishing LLC;2022. Available from: <https://pubmed.ncbi.nlm.nih.gov/32965974/>
 21. Rahayu S, Kurniawidi DW, Gani A. Pemanfaatan limbah cangkang Mutiara (*Pinctada maxima*) sebagai sumber hidroksiapatit. Jurnal Pendidikan Fisika dan Teknologi [Internet]. 2018; 4(2):p226-231. Available from: <http://dx.doi.org/10.29303/jpft.v4i2.839>
 22. Yukna RA. Clinical Evaluation of Coralline Calcium Carbonate as a Bone Replacement Graft Material in Human Periodontal Osseous Defects. J Periodontol [Internet]. 1994;65(2):177-85. Available from: <https://doi.org/10.1902/jop.1994.65.2.177>
 23. Gerhard EM et al. Design strategies and applications of *nacre*-based biomaterials. Acta Materialia [Internet]. 2017; 54: 21-34. Available from: <http://dx.doi.org/10.1016/j.actbio.2017.03.003>
 24. Almeida MJ, Pereira L, Milet C, Haigle J, Barbosa M, Lopez E. Comparative effects of *nacre* water soluble matrix and dexamethasone on the alkaline phosphate activity of MRC-5 fibroblast. J Biomed Mater Res [Internet]. 2001; 57: p.306-12. Available from: [https://doi.org/10.1002/1097-4636\(200111\)57:2%3C306::aid-jbm1172%3E3.0.co;2-h](https://doi.org/10.1002/1097-4636(200111)57:2%3C306::aid-jbm1172%3E3.0.co;2-h)
 25. Asvanund P, Chunhabundit P. Alveolar bone regeneration by implantation of *nacre* and B-tricalcium phosphate in guinea pig. Implant Dentistry [Internet]. 2012;21(3):248-53. Available from: <http://dx.doi.org/10.1097/ID.0b013e3182563ae0>
 26. Kalesaran OJ, Lumenta C, Rompas R, Mamuaya G. Mineral composition of the pearl oyster shell *Pinctada margaritifera* in North Sulawesi. Budidaya Perairan[Internet].2018;6(1):25-30. Available from: <https://ejournal.unsrat.ac.id/index.php/bdp/article/viewFile/24126/23810>
 27. Adam M, Utami S, Oktawati S, Gani A, Achmad H. Treatment Of Generalized Aggressive Periodontitis With Guided Tissue Regeneration And *Bone Grafting*: A Systematic Review. J Int Dent Med Res [Internet]. 2019; 12(4): 1636-39. Available from:<http://search.proquest.com/openview/e569da54aa42ec94c00d06f558201deb/1?pq-origsite=gscholar&cbl=1036416>
 28. Chandra B, Vandana KL. Periodontal osseous defects: A Review. CODS J Dent [Internet].2017;9(1):22-29. Available from: <https://www.codsrod.com/doi/CODS/pdf/10.5005/jp-journals-10063-0028>

29. Thahir H, setiawati D. Regenerative approach in the treatment of grade II furcation: a case report. *Journal of Dentomaxillofacial Science* [Internet].2019; 4(1): 53-56. Available from: <http://dx.doi.org/10.15562/jdmfs.v0i0.750> \
30. Yang Y, Yang H, Pan H, Xu J, Hu T . Evaluation and New Classification of Alveolar Bone Dehiscence Using Cone-beam Computed Tomography in vivo. *Int. J. Morphol* [Internet]. 2015;33(1):361-368. Available from: <http://dx.doi.org/10.4067/S0717-95022015000100057>
31. Sachdeva S, Phadnaik MB, Saluja H, Mani A, Attar N. Newer Morphological Classification System-The Insight in Periodontics. *EC Dental Science* [Internet]. 2019;18(6): 1197-1206. Available from: [https://www.researchgate.net/publication/342802706_EC_DENTAL_SCIENCE_Literature_Review_Newer_Morphological_Classification_System_-_The_Insight_In_Periodontics'](https://www.researchgate.net/publication/342802706_EC_DENTAL_SCIENCE_Literature_Review_Newer_Morphological_Classification_System_-_The_Insight_In_Periodontics)
32. Wu M, Chen G, Li YP. TGF- β and BMP signaling in osteoblas, skeletal development, and bone formation, homeostasis and disease. *Bone research* [Internet].2016: 4(16009)1-21. Available from: <https://www.nature.com/articles/boneres20169>
33. Amrullah, SSA, Sani R, Arifin N, Ruslin M. Alveolar ridge augmentation using distraction osteogenesis. *Dentofacial* [Internet].2012; 11(3): 174-79. Available from: <https://jdmfs.org/index.php/jdmfs/article/viewFile/334/334>
34. Ferdiansyah et al. 2011.Regeneration of Massive Bone Defect with Bovine Hydroxyapatite as Scaffold of Mesenchymal Stem Cells . *JBP* [Internet]. 2011;13(3): 179-95. Available from: <http://journal.unair.ac.id/filerPDF/Vol%2013%20No%203%20September%202011-7.pdf>
35. Yang Y, Yang H, Pan H, Xu J, Hu T. Evaluation and New Classification of Alveolar Bone Dehiscence Using Cone-beam Computed Tomography in vivo. *Int. J. Morphol* [Internet]. 2015;33(1):361-368. Available from: <http://dx.doi.org/10.4067/S0717-95022015000100057>
36. Papapanou PN, Tonetti MS. Diagnosis and epidemiology of periodontal osseous lesions. *Periodontol* 2000[Internet]. 2003; 22(1):8-21. Available from: <http://dx.doi.org/10.1034/j.1600-0757.2000.2220102.x>

37. Rucci N. Molecular biology of bone remodelling. *Clinical Cases in Mineral and Bone Metabolism* [Internet]. 2008; 5(1): 49-56. Available from: <http://www.academia.dk/BiologiskAntropologi/Osteologi/PDF/MolecularBiologyOfBoneRemodelling.pdf>
38. Ansari M. Bone tissue regeneration: biology, strategies and interface studies. *Progress in Biomaterials* [Internet].2019; 8:223-237. Available from: <https://doi.org/10.1007/s40204-019-00125-z>
39. Uskokovic V, Častvan IJ, Wu VM. Bone mineral crystallinity governs the orchestration of ossification and resorption during bone remodeling. *ACS Biomater. Sci.Eng* [Internet].2019; 5(7): 3483-98. Available from: <https://doi.org/10.1021/acsbiomaterials.9b00255>
40. Battafarano et al. Strategies for Bone Regeneration: From Graft to Tissue Engineering. *Int J Mol Sci.* 2021; 22(3): 1128. Available from: <https://doi.org/10.3390/ijms22031128>
41. Wang D, Jang J, Kim K, Kim J, Park CB. “Tree to Bone”: Lignin-Polycaprolactone Nanofibers for Hydroxyapatite Biomineralization. *Biomacromolecules*[Internet]. 2019; 20(7) 2684–2693. Available from: <http://dx.doi.org/10.1021/acs.biomac.9b00451>
42. Hu C, Ashok D, Nisbet DR, Gautam V. Bioinspired surface modification of orthopedic implants for bone tissue engineering. *Biomaterials* [Internet]. 2019; 219(119366);1-18. Available from: <https://doi.org/10.1016/j.biomaterials.2019.119366>
43. Fernández-Tresguerres-Hernández-Gil I, Alobera Gracia MA, del Canto Pingarrón M, Blanco Jerez L. Physiological bases of bone regeneration I. Histology and physiology of bone tissue. *Med Oral Patol Oral Cir Bucal* [Internet].2006;11(1):E47-51. Available from: https://www.researchgate.net/publication/7383666_Physiological_bases_of_bone_regeneration_I_Histology_and_physiology_of_bone_tissue
44. Samavedi S, Whittington AR, Goldstein AS. Calcium phosphate ceramics in bone tissue engineering: a review of properties and their influence on cell behavior. *Acta Biomater* [Internet].2013;9(9):8037–8045. Available from: <http://dx.doi.org/10.1016/j.actbio.2013.06.014>
45. Türk S, Altınsoy İ, Efe GÇ, Ipek M, Özacar M, Bindal C. Effect of solution and calcination time on sol-gel synthesis of hydroxyapatite. *J Bionic Eng.* [Internet]. 2019; 16(2):311–318. Available from: <http://dx.doi.org/10.1007/s42235-019-0026-3>

46. Kular J, Tickner J, Chim SM, Xu J (2012) An overview of the regulation of bone remodelling at the cellular level. *Clin Biochem* [Internet].45(12):863–73. Available from: <http://dx.doi.org/10.1016/j.clinbiochem.2012.03.021>
47. Dahlan K, Sari YW, Yuniarti E, Soejoko DS. Karakterisasi gugus fosfat dan karbonat dalam tulang tikus dengan *Fourier Transform Infrared* (FT-IR) spectroscopy. *Indonesian Journal Of Material Science* [Internet]. 2006;221-224. Available from: <http://dx.doi.org/10.17146/jusami.2006.0.0.5173>
48. Madupalli H, Pavan B, Tecklenburg MMJ. Carbonate substitution in the mineral component of bone: Discriminating the structural changes, simultaneously imposed by carbonate in A and B sites of apatite. *Journal of Solid State Chemistry* [Internet]. 2017; 225:27-35. Available from: <http://dx.doi.org/10.1016/j.jssc.2017.07.025>
49. Ana ID, Matsuya S, Ishikawa K. Engineering of carbonate apatite bone substitute based on composition-transformation of gypsum and calcium hydroxide. *Engineering* [Internet].2010;2(5):344-52. Available from: <http://dx.doi.org/10.4236/eng.2010.25045>
50. Fleet ME, Liu Xiaoyang, Liu Xi. Orientation of channel carbonate ions in apatite: Effect on pressure and composition. *American Mineralogist* [Internet].2011;96(7):1148-57. Available from: <https://doi.org/10.2138/am.2011.3683>
51. Dizaj SM, Mennati A, Jafari S, Khezri K, Adibkia K. Antimicrobial activity of Carbon-based Nanoparticles. *Av Pharm Bull.* [Internet] 2015; 5(1): 19-23. Available from: <https://dx.doi.org/10.5681%2Fapb.2015.003>
52. He F, Zhang J, Yang F, Zhu J, Tian X, Chen X. In vitro degradation and cell response of calcium carbonate composite ceramic in comparison with other synthetic bone substitute materials [Internet]. 2015; 50(1):257-65. Available from: <https://doi.org/10.1016/j.msec.2015.02.019>
53. Yu HD, Zhang ZY, Win KY, Chan J, Teoh SH, Han MY. Bioinspired fabrication of 3D hierarchical porous nano microstructures of calcium carbonate for bone regeneration. *Chemical Communication* [Internet]. 2010;46(35): 6578-80. Available from: <http://dx.doi.org/10.1039/c0cc01348j>
54. Silva RF, Sasso GRS, Cerri ES, Simoes MJ, Cerri PS. Biology of Bone Tissue: Structure, Function, and Factors That Influence Bone Cells. *BioMed Research International* [Internet]. 2015;2015(1);1-17. Available from: <https://doi.org/10.1155/2015/421746>

55. Noble BS, Reeve J (2000) Osteocyte function, osteocyte death and bone fracture resistance. *Molecular and Cellular Endocrinology* [Internet].159(1–2):7–13. Available from: [http://dx.doi.org/10.1016/S0303-7207\(99\)00174-4](http://dx.doi.org/10.1016/S0303-7207(99)00174-4)
56. Truesdell SL, Saunders MM. Bone remodeling platforms: Understanding the need for multicellular lab-on-a-chip systems and predictive agent-based models. *Mathematical Biosciences and Engineering* [Internet]. 2019; 17(2): 1233–1252. Available from: <http://dx.doi.org/10.3934/mbe.2020063>
57. Cho YD, Kim KH, Lee YM, Ku Y, Seoul YJ. Periodontal wound healing and tissue regeneration: a narrative review. *Pharmaceutica* [Internet]. 2021.14(5);456. Available from: <https://doi.org/10.3390/ph14050456>
58. Sheen JR, Garla VV. Fracture healing Overview. [internet] treasure island (FL): StatPearls Publishing. 2021. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK551678>
59. Crockett JC, Rogers MJ, Coxon FP, Hocking LJ, Helfrich MH. Bone remodeling at glance. *Journal of Cell Science* [Internet]. 2011;124(7):991-998. Available from: <https://doi.org/10.1242/jcs.063032>
60. Lanora A, Talbot J, Mullard M, Royer BB, Redini F, Verrecchia F. TGF- β Signaling in Bone Remodeling and Osteosarcoma Progression. *J Clin Med* [Internet]. 2016: 5 (11): 96. Available from: <https://doi.org/10.3390/jcm5110096>
61. Moses HL, Robert AB, Derynck R. The Discovery and Early Days of TGF- β :A Historical Perspective. *Cold Spring Harb Perspect Biol* [Internet].2016;8(7):a021865. Available from: <https://doi.org/10.1101/cshperspect.a021865>
62. Janssens K, Dijke P, Janssens S, Hul WV. Transforming growth factor-beta1 to the bone. *Endocrine Reviews* [Internet].26(6):743–774. Available from: <https://doi.org/10.1210/er.2004-0001>
63. Crane JL, Cao Xu. Bone marrow mesenchymal stem cells and TGF- β signaling in bone remodeling. *J Clin Invest* [Internet]. 2014;124(2):466-472. Available from: <http://dx.doi.org/10.1172/JCI70050>
64. Siddiqui JA, Partridge NC. Physiological Bone Remodeling: Systemic Regulation and Growth Factor Involvement. *Physiology* [Internet]. 2016: 31(3):.233-45. Available from: <https://dx.doi.org/10.1152%2Fphysiol.00061.2014>


65. Lind M. Growth factor stimulation of bone healing. Effects on osteoblasts, osteomies, and implants fixation. *Acta Orthopaedica Scandinavica* [Internet].1998; 69(283):2-37. Available from:
<https://www.tandfonline.com/doi/pdf/10.1080/17453674.1998.11744808>
66. Poernomo H. Teknik Bone Tissue Engineering (Bte) Untuk Regenerasi Jaringan Periodontal Dan Estetik Pada Edentulous Ridge. *J Kedokteran Gigi* [Internet].2019; 15(2):56-59. Available from: <https://doi.org/10.46862/interdental.v15i2.592>
67. Miron RJ, Zhang Y. *Next-Generation Biomaterials for Bone & Periodontal Regeneration*. 1st ed. Illinois: Quintessence Publishing Co, Inc. 2019.
68. Zhang G, Brion A, Willemin, et al. Nacre, a natural, multi-use, and timely biomaterial for *bone graft* substitution. *J Biomed Mater Res Part A, Wiley* [Internet].2017;105(2): 662-671. Available from: <https://hal.archives-ouvertes.fr/hal-02112022/document>
69. Brunsvold MA., Mellonig JT. *Bone grafts* and periodontal regeneration. *Periodontol* 2000[Internet]. 1993;1(1):80-91. Available from:
<https://pubmed.ncbi.nlm.nih.gov/8401863/>
70. Nasr HF., Reidy MEA, Yukna RA. Bone and bone substitutes. *Periodontol* 2000[Internet]. 1999;19(69):74-86. Available from:
<https://pubmed.ncbi.nlm.nih.gov/10321217/>
71. Dumitrescu AL. *Chemicals in surgical periodontal therapy* [Internet]. London: Springer. 2011. Available from:
https://beckassets.blob.core.windows.net/product/readingsample/8099223/9783642182242_excerpt_001.pdf
72. Labres XR, Camps ÀR, Salas EJ, Albuquerque R, Ortega E, López-López J. Graft Materials in Oral Surgery: Revision. *J Biomim Biomater Tissue Eng* [Internet]. 2014;19(1): 1-7. Available from: <http://dx.doi.org/10.4172/1662-100X.1000124>
73. Lind CE, Evans BS, Knauer J, Taylor JJU, Jerry DR. Decreased genetic diversity and a reduced effective population size in cultured silver-lipped pearl oysters (*Pinctada maxima*). *Aquaculture* [Internet]. 2009;286(1-2):12-19 Available from:
<http://dx.doi.org/10.1016/j.aquaculture.2008.09.009>
74. Kotta R. Teknik pembenihan tiram mutiara (*Pinctada Maxima*). In *Prosiding Seminar Nasional KSP2K II* [Internet]. 2017; 2(1):228-244. Available from:
<http://ejournal.unkhair.ac.id/index.php/ksppk/article/download/654/452>

75. Oliveira DV, Silva TS, Cordeiro OD, Cavaco SI, Simes DC. Identification of proteins with potential osteogenic activity present in the water-soluble matrix proteins from *Crassostrea gigas* nacre using a proteomic approach. *The Scientific world Journal* [Internet]. 2012; 2012(1):1-9 Available from: <https://doi.org/10.1100/2012/765909>
76. Rahayu S, Leksono T, Desmelati. Analisis kandungan mineral pada tepung cangkang kerang air tawar (*Pilsbryconcha Exilis*) berdasarkan ukuran cangkang yang berbeda. *JOM*. [Internet].2015. Available from: <https://jom.unri.ac.id/index.php/JOMFAPERIKA/article/download/6938/6626>
77. Djais AI , Oktawati S , Thahir H , Riewpassa I, Achmad H. Effect of the Combination of Demineralization Freeze Dried Dentin Matrix (DFDDM) and *Moringa Oleifera* Lam on Nuclear Factor Kapa B as a Marker of Bone. *Sys Rev Pharm*[Internet]. 2020; 11(4): 515-522. Available from: <http://dx.doi.org/10.31838/srp.2020.4.78>
78. Li X, Yang X, Liu X. et al. Calcium carbonate nanoparticles promote osteogenesis compared to adipogenesis in human bone-marrow mesenchymal stem cells. *Progress in Natural Science: Materials International* [Internet].2018; 28(5): 598–608. Available from: <http://dx.doi.org/10.1016/j.pnsc.2018.09.004>
79. Oktawati S, Mappangara S, Chandra H, et al. Effectiveness Nacre Pearl Shell (*Pinctada Maxima*) as Bone Graft for Periodontal Bone Remodeling. *Ann RSCB* [Internet]. 2021;25(3):8663–78. Available from: <http://repository.unhas.ac.id/4221/1/133-%20Effectiveness%20Nacre%20Pearl%20Shell%20%28Pinctada%20Maxima%29%20as%20Bone%20Graft%20for.pdf>
80. Tolba E et al. High biocompatibility and improved osteogenic potential of amorphous calcium carbonate/ vaterite. *J. Mater. Chem. B*[Internet]. 2016; 4: 376-386. Available from: <https://doi.org/10.1039/C5TB02228B>
81. Darwis D, Abbas B. Isotope and radiation application in manufacturing and development of biomaterials for clinical purpose. In: *Seminar nasional keselamatan Kesehatan dan lingkungan* .2010:60-79.
82. Mahyudin F. Graft tulang & material pengganti tulang, karakteristik dan strategi aplikasi klinis[Internet]. Airlangga University Press. Available from: <https://repository.unair.ac.id/85562/>

83. Ni M, Ratner BD. Nacre surface transformation to hydroxyapatite in a phosphate buffer solution. *Biomaterials* [Internet].2003. 24(23), pp.4323–31. Available from: [http://dx.doi.org/10.1016/S0142-9612\(03\)00236-9](http://dx.doi.org/10.1016/S0142-9612(03)00236-9)
84. Pretel H, Lizarelli RF, Ramalho LTO. Effect of low-level laser therapy on bone repair: histological study in rats. *Lasers Surg Med* [Internet]. 2007;39(10):788–96.pp. Available from: <https://doi.org/10.1002/lsm.20585>
85. Amin A, Ulfah M. Sintesis dan karakterisasi komposit hidroksiapatit dari tulang ikan lamuru (*Sardinella longiceps*) – kitosan sebagai bone filler. *JF FIK UINAM* [Internet]. 2017; 5(1): 9–15. Available from: <https://doi.org/10.24252/jurfar.v5i1.2370>
86. Wahyuningsih K. Rekayasa proses produksi nano-cao dari kulit kerang mutiara (*pinctada maxima*) sebagai green heterogeneous base catalyst. Universitas Gajah Mada; 2018.
87. Hamzah. Pressure changes in media maintenance of shell pearl (*pinctada maxima*) larvae on protease enzyme activity enhancing growth and survival. *Jurnal Ilmu dan Teknologi Kelautan Tropis* [Internet].2015;7(2): 655-669. Available from: <https://www.neliti.com/publications/98554/pressure-changes-in-media-maintenance-of-shell-pearl-pinctada-maxima-larvae-on-p>
88. Fleet ME, Liu X, Liu X. Orientation of channel carbonat ions in apatite: Effect on pressure and composition. *American Minerologist* [Internet]. 2011;96(7):1148-1157. Available from: <http://dx.doi.org/10.2138/am.2011.3683>
89. Wang W, Yeung KWK. Bone grafts and biomaterials substitutes for bone defect repair: A review. *Bioactive Material* [Internet]. 2017; 2(4): 224-247. Available from: <https://doi.org/10.1016/j.bioactmat.2017.05.007>
90. Kamba AS, Zakaria ZAB. Osteoblast growth behaviour on bio Based Calcium Carbonate Aragonite Nanocrystal. *Biomed Research International* [Internet]. 2014; 2014: 1-9. Available from: <https://doi.org/10.1155/2014/215097>
91. Koo KT. Transforming Growth Factor-β1 Accelerates Resorption of a Calcium Carbonate Biomaterial in Periodontal Defects. *J.Periodontol* [Internet]. 2007: 78(4):723-9. Available from: <https://doi.org/10.1902/jop.2007.060336>
92. Vuola J, Bohling T, Goransson H, Puolakkainen P. Transforming growth factor b released from natural coral implant enhances bone growth at calvarium of mature rat. *Journal of Biomedical Materials Research* [Internet].2001; 59(1): 152-59. Available from: <http://dx.doi.org/10.1002/jbm.1228>

LAMPIRAN GAMBAR PENELITIAN

1. Lembar etik penelitian



KEMENTERIAN RISET, TEKNOLOGI DAN PENDIDIKAN TINGGI
UNIVERSITAS HASANUDDIN
FAKULTAS KEDOKTERAN GIGI
RUMAH SAKIT GIGI DAN MULUT
KOMITE ETIK PENELITIAN KESEHATAN
 Sekretariat : Lantai 2, Gedung Lama RSGM Unhas
 JL.Kandea No. 5 Makassar
 Contact Person: drg. Muhammad Ikbal, Sp.Prost/Nur Aedah AR TELP. 081342971011/08114919191



REKOMENDASI PERSETUJUAN ETIK Nomor: 0045/PL.09/KEPK FKG-RSGM UNHAS/2021

Tanggal: 17 Mei 2021

Dengan ini menyatakan bahwa protokol dan dokumen yang berhubungan dengan protokol berikut ini telah mendapatkan persetujuan etik:

No. Protokol	UH 17120449	No Protokol Sponsor	
Peneliti Utama	Drg. Sitti Raodah Juanita Ramadhan	Sponsor	Pribadi
Judul Peneliti	Efektivitas Bone Graft yang Mengandung Cangkang Kerang Mutiara (Pinctada Maxima) terhadap Regenerasi Tulang Melalui Analisis Ekspresi TGF-β		
No. Versi Protokol	1	Tanggal Versi	05 Mei 2021
No. Versi Protokol		Tanggal Versi	
Tempat Penelitian	1. Laboratorium Politeknik Kimia Unhas 2. Laboratorium Hewan-entomologi FK Unhas 3. Balai Besar Laboratorium Kesehatan Makassar 4. Laboratorium Penelitian dan Pengembangan Science FMIPA Unhas 5. Klinik Hewan Lacoste 6. Laboratorium Patologi Anatomi RSPTN Unhas 7. Laboratorium Biokimia-Biomolekuler FK Universitas Brawijaya		
Dokumen Lain			
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard	Masa Berlaku 17 Mei 2021-17 Mei 2022	Frekuensi Review Lanjutan
Ketua Komisi Etik Penelitian	Nama: Dr. drg. Marhamah, M.Kes	Tanda Tangan	Tanggal
Sekretaris Komisi Etik Penelitian	Nama: drg. Muhammad Ikbal, Sp.Prost	Tanda Tangan	Tanggal

Kewajiban peneliti utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum diimplementasikan
- Menyerahkan laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan lapor SUSAR dalam 72 jam setelah peneliti utama menerima laporan.
- Menyerahkan laporan kemajuan (*progress report*) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah.
- Menyerahkan laporan akhir setelah penelitian berakhir.
- Melaporkan penyimpangan dari protokol yang disetujui (*protocol deviation/violation*)
- Mematuhi semua aturan yang berlaku.

2. Persiapan Bubuk bonegraft yang mengandung cangkang kerang mutiara *Pinctada maxima*



Pertama dilakukan dengan membersihkan cangkang. Cangkang disikat hingga bersih, kemudian dikeringkan dengan memanfaatkan panas matahari. Cangkang dipecah menjadi ukuran lebih kecil dan di-furnance selama 2 jam. Hasil sampel kemudian disaring dengan ukuran $-50+60$ mesh sehingga diperoleh serbuk cangkang kerang mutiara. Serbuk diuji menggunakan *Atomic Absorption Spectrophotometry* (AAS) untuk mengetahui kandungan kalsium

3. Pembuatan *Bone graft* di Lab politeknik unhas dan entomologi FK Unhas



Sampel di *furnace* 900°C dan dikalsinasi untuk memperoleh kandungan CaO . Serbuk cangkang kerang mutiara disintesis menggunakan senyawa HNO_3 dan diaduk dengan kecepatan 350rpm selama 30 menit. Kemudian dipanaskan suhu 60°C dan ditambahkan NH_4OH , diatur pada pH 12 kemudian disaring. Filtrat yang diperoleh dialirkan gas CO_2 , 90 menit dengan laju alir 120 ml/mnt. Setelah itu, di saring dengan aquades hingga diperoleh pH7 kemudian dipanaskan di oven $110-115^{\circ}\text{C}$.

4. Hasil Analisa Kandungan kalsium bahan sebelum diolah dengan Analisa AAS



KEMENTERIAN KESEHATAN RI
DIREKTORAT JENDERAL PELAYANAN KESEHATAN
BALAI BESAR LABORATORIUM KESEHATAN MAKASSAR



Jl. Perintis Kemerdekaan KM.11 Tamalanrea Makassar 90245

LAPORAN HASIL UJI

Report of Analysis

No : 21008733 / LHU / BBLK-MKS / IV / 2021

Nama Customer : SITI RAODA JUANITA RAMADHAN
 Customer Name :
 Alamat : Fakultas Kedokteran Gigi / Periodonsia
 Address :
 Jenis Sampel : Bubuk Kering
 Type of Sample (S) :
 No. Sampel : 21008733
 No. Sample :
 Tanggal Penerimaan : 20 April 2021
 Received Date : April 20, 2021

HASIL PEMERIKSAAN

NO.	PARAMETER	SATUAN	HASIL PEMERIKSAAN	SPEKIFIKASI METODE
1	Kalsium (Ca)	µg/g	321389,92	Atomisasi

Catatan:
 Note:

- 1 Hasil uji ini berlaku untuk sampel yang diuji
The analytical result are only valid for the tested sample
- 2 Laporan hasil uji ini terdiri dari 1 halaman
The report of analysis consists of 1 page
- 3 Laporan hasil uji ini tidak boleh digandakan/ditiriskan secara lengkap dan selanjutnya bertulis Laboratorium Pengujian Balai Besar Laboratorium Kesehatan Makassar
This report of analysis shall not be reproduced (copied) except for the completed one and with their written permission of the testing Laboratory Balai Besar Laboratorium Kesehatan Makassar.


DPIS.10.301/BBLK - Mks, Rev 1, 15 Oktober 2012

5 Mei 2021
 Patung Labkesmas,

ANWAR MARJANEGARA, S.Farm
 NIP. 122000121002




5. Hasil Analisa Kandungan senyawa bahan setelah diolah dengan Analisa XRF

 LAB. PPS FMIPA UNHAS	FORMULIR NO: FSOP-7.8-LPPS-FMIPA-UH-01.1	Tanggal Berlaku : 1 Juni 2021
	LAPORAN HASIL PENGUJIAN	Edisi/Revisi Ke: 1/0
		Halaman : 1/2

LAPORAN HASIL PENGUJIAN

CERTIFICATE OF ANALYSIS

Nomor Pekerjaan : LPPS.XJ-2104-10/1
Job Number

Dipersembahkan Kepada
Presented To

Kepada Yth	: Sitti Raoda Juanita	Jabatan	: Peneliti
<i>Attention</i>	Ramadhan, drg	<i>Job Title</i>	
Nama Pelanggan	: Sitti Raoda Juanita	Tujuan Pengujian	: Penelitian
<i>Customer Name</i>	Ramadhan, drg	<i>Purpose of analysis</i>	
Alamat/Universitas		No. Faks/ Fax No.	: -
<i>Address/University</i>	: FKG UNHAS	No. Telp./ Phone No.	: 082187598400
Tanggal Sampel Diterima	: 25 Mei 2021	Tanggal Sampel Diaalisis	: 26 Mei 2021
<i>Date of Sample Receipt</i>		<i>Date of Sample Analysed</i>	
Email	: raoda.jr@gmail.com		
Nama Pengujian	: Analisis komponen kimia pada	Total Halaman	: 2
<i>Name of analysis</i>	Serbuk Cangkang Kerang		

Hasil hanya berhubungan dengan contoh yang diuji dan laporan ini tidak boleh digandakan kecuali seluruhnya.
The result relate only to the samples tested and this report shall not be reproduced except in full/



**LABORATORIUM PENELITIAN DAN PENGEMBANGAN SAINS
FAKULTAS MATEMATIKA DAN ILMU PENGETAHUAN ALAM
UNIVERSITAS HASANUDDIN**

Jl. Perintis Kemerdekaan Km. 10, Tamalanrea, Makassar 90245
Telepon 0411-586016, Fax. 0411-588551. Email: lpps.fmipa.unhas@gmail.com

LAPORAN PENGUJIAN

Nomor: LPPS.XJ-2104-10/1

Nama Pelanggan : Sitti Raoda Juanita Ramadhan, drg

Customer Name

Alamat : FKG UNHAS

Address/University

Jenis Sampel : Serbuk Cangkang Kerang

Type of Sample (s)

Tanggal Penerimaan: 25 Mei 2021

Received Date

Tanggal Analisis : 26 Mei 2021

Analysis Date

Email : raoda.jr@gmail.com

Email

Setelah dilakukan pengujian diperoleh hasil sebagai berikut:

Parameter	Satuan	Hasil
Ca	m/m%	99.66
Si	m/m%	0.26
Nb	m/m%	0.0253
Mo	m/m%	0.0159
Sb	m/m%	0.0089
Ru	m/m%	0.0066
Te	m/m%	0.0059
In	m/m%	0.0059
Sn	m/m%	0.0059

Parameter	Satuan	Hasil
CaO	m/m%	99.49
SiO ₂	m/m%	0.45
Nb ₂ O ₅	m/m%	0.0225
MoO ₃	m/m%	0.0148
Sb ₂ O ₃	m/m%	0.0071
RuO ₄	m/m%	0.0054

Makassar, 7 Juni 2021
Wakil Penanggung Jawab Teknis

Mardiana S.Si, M.Si
07508261996012001

Catatan:

- Hasil Uji hanya berlaku untuk contoh tersebut di atas
- Dilarang mengutip/menyalin sebagian isi hasil uji ini

6. Hasil Analisa Kandungan senyawa bahan setelah diolah dengan Analisa FTIR




KEMENTERIAN PENDIDIKAN DAN KEBUDAYAAN POLITEKNIK NEGERI UJUNG PANDANG

. Perintis Kemerdekaan Km. 10 Tamalanrea, Makassar 90245
Telepon: (0411)-585365,585367,585368; Faksimili (0411)-586043
Website: <http://www.poliupg.ac.id/>
E-mail: pnup@poliupg.ac.id

LAPORAN HASIL PENGUJIAN

INTERPRETASI SPEKTROSKOPI INFRAMERAH CaCO_3



Peak	Intensity	Corr. Intensity	Base (H)	Base (L)	Area	Corr. Area	
1	709.83	62.43	38.71	727.19	603.74	6.72	6.49
2	873.78	53.06	43.97	829.72	727.19	14.95	13.58
3	1421.58	46.1	7.6	1469.81	1394.58	22.33	2.39
4	1801.87	87.46	7.87	1857.51	1782.29	2.75	1.06
5	2362.88	92.23	3.28	2393.74	2345.52	1.14	0.3
6	2513.33	79.35	17.65	2656.07	2393.74	9.33	5.72
7	2875.96	85.78	11.94	2922.25	2850.88	2.95	2.41
8	2982.05	81.38	11.59	3045.7	2922.25	7.87	3.65

Area Frekuensi (cm^{-1})	Gugus Fungsi
1421.58	CaCO_3
873.78	C-O
709.83	C-O


Kesimpulan:

Berdasarkan pita spektrum inframerah, senyawa bahan uji mengandung kalsium karbonat murni

Makassar, 3 Juni 2021
Koordinator HI Teknik Kimia

HI Jurusan Teknik Kimia
Politeknik Negeri Ujung Pandang
(M. Yasser, S.Si., M.Si)

7. Hasil Analisa Kandungan senyawa bahan setelah diolah dengan Analisa XRD

 LAB. PPS FMIPA UNHAS	FORMULIR NO: FSOP-7.8-LPPS-FMIPAUIH-01.1	Tanggal Berlaku : 1 Juni 2021
	LAPORAN HASIL PENGUJIAN	Edisi/Revisi Ke: 1/0
		Halaman : 1/2

LAPORAN HASIL PENGUJIAN

CERTIFICATE OF ANALYSIS

Nomor Pekerjaan : LPPS.XJ-2104-10/2
Job Number

Dipersembahkan Kepada
Presented To

Kepada Yth <i>Attention</i>	: Sitti Raoda Juanita Ramadhan, drg	Jabatan <i>Job Title</i>	: Peneliti
Nama Pleanggan <i>Customer Name</i>	: Sitti Raoda Juanita Ramadhan, drg	Tujuan Pengujian <i>Purpose of analysis</i>	: Penelitian
Alamat/Universitas <i>Address/University</i>	: FKG UNHAS	No. Faks/ Fax No.	: -
Tanggal Sampel Diterima <i>Dale of Sample Receipt</i>	: 25 Mei 2021	No. Telp./ Phone No.	: 082187598400
		Tanggal Sampel Diaalisis <i>Dale of Sample Analysed</i>	: 26 Mei 2021
Email	: raoda.jr@gmail.com		
Nama Pengujian <i>Name of analysis</i>	: Analisis kristalinitas pada Serbuk Cangkang Kerang	Total Halaman	: 2

Hasil hanya berhubungan dengan contoh yang diuji dan laporan ini tidak boleh digandakan kecuali seluruhnya.
The result relate only to the samples tested and this report shall not be reproduced except in full!



**LABORATORIUM PENELITIAN DAN PENGEMBANGAN SAINS
FAKULTAS MATEMATIKA DAN ILMU PENGETAHUAN ALAM**

UNIVERSITAS HASANUDDIN

Jl. Perintis Kemerdekaan Km. 10, Tamalanrea, Makassar 90245

Telepon 0411-586016, Fax. 0411-588551. Email: lpps.fmipa.unhas@gmail.com

LAPORAN HASIL PENGUJIAN

Nomor: LPPS.XJ-2104-10/2

Nama Pleanggan : Sitti Raoda Juanita Ramadhan.

Customer Name

Alamat : FKG UNHAS

Address/University

Jenis Sampel : Serbuk Cangkang Kerang

Type of Sample (s)

Tanggal Penerimaan : 25 Mei 2021

Received Date

Tanggal Analisis : 26 Mei 2021

Analysis Date

Email : raoda.jr@gmail.com

Email

Setelah dilakukan pengujian diperoleh hasil sebagai berikut:

Group : Standard (Crystallinity)

Data : LPPS.XJ-2104-10/2

Strongest 3 peaks

No.	Peak No.	2Theta (deg)	d (Å)	I/I1	FWHM (deg)	Intensity (Counts)	Integrated Int (Counts)
1.	2	29.8259	2.99319	100	0.48120	392	10600
2.	7	48.9166	1.86049	29	0.43330	112	2601
3.	6	47.7986	1.90136	25	0.60720	99	3137

Makassar, 7 Juni 2021
Wakil Penanggung Jawab Teknis

Mardiana S.Si, M.Si
NIP. 197508261996012001

Catatan:

- Hasil Uji hanya berlaku untuk contoh tersebut di atas
- Dilarang mengutip/menyalin sebagian isi hasil uji ini


No. Dok: FSOP-7.8-LPPS-FMIPA.UH-01.1

No.Revisi/Terbit:0/1

Halaman 2 dari 2

Contact: 085298785786 (Only WhatsApp)

< Group: Standard Data: Cal#carb#cryst >



8. Adaptasi Hewan



Sebelum perlakuan, semua marmut diadaptasikan dan dipelihara secara berkelompok (4-5 marmut per kandang). Adaptasi hewan dilakukan selama 7 hari sebelum perlakuan untuk mengkondisikan hewan dalam keadaan sehat. Makanan berupa pellet dan sayuran yang setiap hari dikombinasikan

9. Perlakuan pada hewan coba



Pertama-tama dilakukan persiapan alat. Menimbang berat badan masing-masing marmut, untuk mengukur dosis anestesi marmut. Menyuntikkan anestesi sesuai dosis pada paha kanan marmut. Marmut dicukur bulunya pada bagian femur untuk mensterilkan daerah operasi




Dilakukan disinfeksi pada daerah kerja, selanjutnya dilakukan insisi sepanjang 2cm dengan scalpel pada femur marmut (kulit dan otot) yang dibuka dengan menggunakan periosteal elevator sehingga daerah yang akan dibuat defek terlihat dengan jelas. Kemudian jaringan tulang dibur dengan round bur 3 mm. Secara acak diberikan perlakuan sesuai pembagian kelompok (KN, KP, PM). Dilakukan penjahitan dan antibiotic profilaksis di permukaan luar penjahitan

10. Pengambilan jaringan tulang



euthanasia marmut dengan menggunakan eter yang dimasukkan pada toples. Pengambilan spesimen dilakukan dengan menggunakan alat bedah minor steril. Jaringan tulang ditempatkan dalam pot steril yang berisi formalin 10 % dan diberi label.

11. Pembuatan Slide



Jaringan yang telah dipotong dimasukkan ke dalam kaset dan diproses di dalam mesin prosesing jaringan (Tissue Automatics Processor). Proses Embedding (jaringan yang telah diproses dalam mesin prosesing jaringan diblok menggunakan parafin cair). Potong jaringan dalam blok paraffin menggunakan mikrotom dengan ketebalan 3-4 μ m. Pita jaringan yang terbentuk dicelupkan ke dalam *Waterbath*. Ambil potongan jaringan dengan slide lalu tiriskan. Tuliskan kode pada slide sesuai dengan kode yang tertera pada blok paraffin menggunakan pensil. Panaskan slide diatas Hot Plate selama 1 jam

12. Pemeriksaan Immunohistokimia



Deparafinasi (Xylol I, Xylol II, Xylol III) masing-masing 5 menit. Selanjutnya dilakukan rehidrasi dengan etanol konsentrasi menurun (Alkohol 96%, Alkohol 80%, Alkohol 70%), masing-masing selama 5 menit, diikuti pembilasan dengan Phosphate Buffer Saline (PBS) selama 3x5 menit. Sediaan jaringan kemudian diinkubasi pada DAKO® Buffer Antigen Retrieval pada microwave dengan suhu 94°C selama 20 menit dan dilanjutkan dengan pendinginan pada suhu ruang selama 20 menit. Langkah selanjutnya, sediaan dicuci dengan PBS selama 3x5 menit, dan diinkubasi pada Blok Peroksidase (Novocastra®) selama 20 menit. Selanjutnya sediaan dicuci kembali dengan PBS selama 3 × 5 menit dan diinkubasi pada Blok Protein selama 20 menit. Setelah itu dicuci kembali dengan PBS selama 3 × 5 menit dan diinkubasi overnight (12-18 jam) dengan antibodi primer protein (TGF β) pada suhu 4°C. Langkah selanjutnya adalah pembilasan dengan PBS selama 3 × 5 menit dan diinkubasi dengan larutan post primary dan post protein selama 45 menit dan dilanjutkan dengan inkubasi antibodi sekunder (Novolink® Horse Radish Peroxidase (HRP)) selama 60 menit pada suhu ruang. Setelah inkubasi, sediaan dicuci dengan PBS selama 3 × 5 menit dan dilakukan counterstain dengan hematoksin (Mayer). Cuci air mengalir selama 5 menit. Selanjutnya, dilakukan dehidrasi menggunakan etanol konsentrasi meningkat masing-masing 5 menit. Proses selanjutnya adalah dilakukan penjernihan dengan xilol (Xylol I, Xylol II, Xylol III) masing-masing 5 menit. Keringkan slide lalu tetesi dengan entelan dan tutup dengan deck glass. Amati di mikroskop.

13. Hasil Analisa data

Explore

Notes		
Output Created	01-OCT-2021 09:56:32	
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.84
	Elapsed Time	00:00:01.00

[DataSet37]

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	30	100.0%	0	0.0%	30	100.0%

Descriptives

		Statistic	Std. Error	
TGFB1	Mean	8.9333	.56514	
	95% Confidence Interval for Mean	Lower Bound	7.7775	
		Upper Bound	10.0892	
	5% Trimmed Mean	8.9815		
	Median	9.0000		
	Variance	9.582		
	Std. Deviation	3.09542		
	Minimum	3.00		
	Maximum	14.00		
	Range	11.00		
	Interquartile Range	4.00		
	Skewness	-.285	.427	
	Kurtosis	-.452	.833	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
TGFB1	.142	30	.127	.953	30	.200

*. This is a lower bound of the true significance.


a. Lilliefors Significance Correction



TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem &	Leaf
2.00	0 .	33
3.00	0 .	445
4.00	0 .	7777
9.00	0 .	8899999999
6.00	1 .	000111
4.00	1 .	2333
2.00	1 .	44

Stem width: 10.00
Each leaf: 1 case(s)





MEANS TABLES=OPG BMP2 TGFB1 BY Kelompok Pengamatan
/CELLS=MEAN STDDEV.

Means

Notes		
Output Created		01-OCT-2021 09:56:51
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES= TGFB1 BY Kelompok Pengamatan /CELLS=MEAN STDDEV.
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Case Processing Summary

	Included		Cases Excluded		Total	
	N	Percent	N	Percent	N	Percent
TGFB1 * Kelompok	30	100.0%	0	0.0%	30	100.0%
TGFB1 * Pengamatan	30	100.0%	0	0.0%	30	100.0%

TGFB1 * Kelompok

Kelompok	TGFB1	
Negatif	Mean	7.1000
	Std. Deviation	3.41402
Positif	Mean	10.7000
	Std. Deviation	2.45176
Perlakuan	Mean	9.0000
	Std. Deviation	2.44949
Total	Mean	8.9333
	Std. Deviation	3.09542

OPG BMP2 TGFB1 * Pengamatan

Pengamatan	TGFB1	
H14	Mean	7.8667
	Std. Deviation	3.02056
H21	Mean	10.0000
	Std. Deviation	2.87849
Total	Mean	8.9333
	Std. Deviation	3.09542

ONEWAY TGFB1 BY Kelompok

/MISSING ANALYSIS

/POSTHOC=LSD ALPHA(0.05) .

Oneway

		Notes
Output Created		01-OCT-2021 09:58:24
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY TGFB1 BY Kelompok /MISSING ANALYSIS /POSTHOC=LSD ALPHA(0.05).
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
TGFB1	Between Groups	64.867	2	32.433	4.111	.028
	Within Groups	213.000	27	7.889		
	Total	277.867	29			

Post Hoc Tests

Multiple Comparisons

LSD

Dependent Variable	(I) Kelompok	(J) Kelompok	Mean Difference	Std. Error	Sig.	95% Confidence Interval	
			(I-J)			Lower Bound	Upper Bound
TGFB1	Negatif	Positif	-3.60000*	1.25610	.008	-6.1773	-1.0227
		Perlakuan	-1.90000	1.25610	.142	-4.4773	.6773
	Positif	Negatif	3.60000*	1.25610	.008	1.0227	6.1773
		Perlakuan	1.70000	1.25610	.187	-.8773	4.2773
	Perlakuan	Negatif	1.90000	1.25610	.142	-.6773	4.4773
		Positif	-1.70000	1.25610	.187	-4.2773	.8773

*. The mean difference is significant at the 0.05 level.

```
T-TEST GROUPS=Pengamatan(1 2)
/MISSING=ANALYSIS
/VARIABLES= TGFB1
/CRITERIA=CI (.95) .
```

T-Test

Notes

Output Created	01-OCT-2021 09:58:47	
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=Pengamatan(1 2) /MISSING=ANALYSIS /VARIABLES= TGFB1 /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Group Statistics

	Pengamatan	N	Mean	Std. Deviation	Std. Error Mean
TGFB1	H14	15	7.8667	3.02056	.77991
	H21	15	10.0000	2.87849	.74322

Independent Samples Test

		Levene's Test for Equality of Variances					t-test for Equality of Means		95% Confidence Interval of the Difference	
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	Lower	Upper
TGFB1	Equal variances assumed	.056	.815	-1.980	28	.058	-2.13333	1.07733	-4.34014	.07347
	Equal variances not assumed			-1.980	27.935	.058	-2.13333	1.07733	-4.34037	.07370

MEANS TABLES=OPG BMP2 TGFB1 BY Pengamatan BY Kelompok
/CELLS=MEAN STDDEV.

Means

Notes

Output Created	01-OCT-2021 10:02:17	
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.

Cases Used		Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax	MEANS TABLES= TGFB1 BY Pengamatan BY Kelompok /CELLS=MEAN STDDEV.	
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Case Processing Summary

	Included		Cases Excluded		Total	
	N	Percent	N	Percent	N	Percent
TGFB1 * Pengamatan * Kelompok	30	100.0%	0	0.0%	30	100.0%

Report

Pengamatan	Kelompok	TGFB1	
H14	Negatif	Mean	5.6000
		Std. Deviation	2.40832
	Positif	Mean	10.6000
		Std. Deviation	2.40832
	Perlakuan	Mean	7.4000
		Std. Deviation	2.07364

	Total	Mean	7.8667
		Std. Deviation	3.02056
H21	Negatif	Mean	8.6000
		Std. Deviation	3.84708
	Positif	Mean	10.8000
		Std. Deviation	2.77489
	Perlakuan	Mean	10.6000
		Std. Deviation	1.67332
Total	Mean	10.0000	
	Std. Deviation	2.87849	
Total	Negatif	Mean	7.1000
		Std. Deviation	3.41402
	Positif	Mean	10.7000
		Std. Deviation	2.45176
	Perlakuan	Mean	9.0000
		Std. Deviation	2.44949
Total	Mean	8.9333	
	Std. Deviation	3.09542	

```

USE ALL.
COMPUTE filter_$=(Pengamatan = 1).
VARIABLE LABELS filter_$ 'Pengamatan = 1 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.
EXAMINE VARIABLES=OPG BMP2 TGFB1
/PLOT BOXPLOT STEMLEAF NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95

```

/MISSING LISTWISE
/NOTOTAL.

Explore

Notes

Output Created		01-OCT-2021 10:23:57
Comments		
Input	Active Dataset	DataSet37
	Filter	Pengamatan = 1 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	15
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /INTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.83
	Elapsed Time	00:00:00.86

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	15	100.0%	0	0.0%	15	100.0%

Descriptives

		Statistic	Std. Error
TGFB1	Mean	7.8667	.77991
	95% Confidence Interval for Mean	Lower Bound 6.1939	
		Upper Bound 9.5394	
	5% Trimmed Mean	7.7963	
	Median	8.0000	
	Variance	9.124	
	Std. Deviation	3.02056	
	Minimum	3.00	
	Maximum	14.00	
	Range	11.00	
	Interquartile Range	4.00	
	Skewness	.183	.580
	Kurtosis	-.058	1.121

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
TGFB1	.154	15	.200*	.956	15	.616

*. This is a lower bound of the true significance.




a. Lilliefors Significance Correction

TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem &	Leaf
3.00	0 .	344
9.00	0 .	577889999
2.00	1 .	02
1.00	Extremes	(>=14)

Stem width: 10.00
Each leaf: 1 case(s)



```

ONEWAY OPG BMP2 TGFB1 BY Kelompok
/MISSING ANALYSIS
/POSTHOC=LSD ALPHA(0.05) .

```

Oneway

		Notes
Output Created		01-OCT-2021 10:24:03
Comments		
Input	Active Dataset	DataSet37
	Filter	Pengamatan = 1 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	15
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY TGFB1 BY Kelompok /MISSING ANALYSIS /POSTHOC=LSD ALPHA(0.05).
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
TGFB1	Between Groups	64.133	2	32.067	6.050	.015
	Within Groups	63.600	12	5.300		
	Total	127.733	14			

Post Hoc Tests

Multiple Comparisons

LSD

Dependent Variable	(I) Kelompok	(J) Kelompok	Mean Difference	Std. Error	Sig.	95% Confidence Interval	
			(I-J)			Lower Bound	Upper Bound
TGFB1	Negatif	Positif	-5.00000*	1.45602	.005	-8.1724	-1.8276
		Perlakuan	-1.80000	1.45602	.240	-4.9724	1.3724
	Positif	Negatif	5.00000*	1.45602	.005	1.8276	8.1724
		Perlakuan	3.20000*	1.45602	.048	.0276	6.3724
	Perlakuan	Negatif	1.80000	1.45602	.240	-1.3724	4.9724
		Positif	-3.20000*	1.45602	.048	-6.3724	-.0276

*. The mean difference is significant at the 0.05 level.

USE ALL.

COMPUTE filter_\$=(Pengamatan = 2).

VARIABLE LABELS filter_\$ 'Pengamatan = 2 (FILTER)'.
 VALUE LABELS filter_\$ 0 'Not Selected' 1 'Selected'.
 FORMATS filter_\$ (f1.0).
 FILTER BY filter_\$.
 EXECUTE.

EXAMINE VARIABLES=OPG BMP2 TGFB1

/PLOT BOXPLOT STEMLEAF NPLOT

/COMPARE GROUPS

/STATISTICS DESCRIPTIVES

/CINTERVAL 95

/MISSING LISTWISE

/NOTOTAL.

Explore

Notes		
Output Created		01-OCT-2021 10:24:44
Comments		
Input	Active Dataset	DataSet37
	Filter	Pengamatan = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	15
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:00.77
	Elapsed Time	00:00:00.79

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	15	100.0%	0	0.0%	15	100.0%

Descriptives

		Statistic	Std. Error
TGFB1	Mean	10.0000	.74322
	95% Confidence Interval for Mean	Lower Bound	8.4059
		Upper Bound	11.5941
	5% Trimmed Mean	10.1667	
	Median	10.0000	
	Variance	8.286	
	Std. Deviation	2.87849	
	Minimum	3.00	
	Maximum	14.00	
	Range	11.00	
	Interquartile Range	4.00	
	Skewness	-.871	.580
	Kurtosis	1.142	1.121

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
TGFB1	.164	15	.200*	.930	15	.272

*. This is a lower bound of the true significance.




a. Lilliefors Significance Correction

TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem &	Leaf
1.00	Extremes	(=<3)
5.00	0 .	77999
9.00	1 .	001113334

Stem width: 10.00
Each leaf: 1 case(s)



```

ONEWAY OPG BMP2 TGFB1 BY Kelompok
/MISSING ANALYSIS
/POSTHOC=LSD ALPHA(0.05) .

```

Oneway

Notes		
Output Created		01-OCT-2021 10:24:49
Comments		
Input	Active Dataset	DataSet37
	Filter	Pengamatan = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	15
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on cases with no missing data for any variable in the analysis.
Syntax		ONEWAY TGFB1 BY Kelompok /MISSING ANALYSIS /POSTHOC=LSD ALPHA(0.05).
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.01

ANOVA

		Sum of Squares	df	Mean Square	F	Sig.
TGFB1	Between Groups	14.800	2	7.400	.877	.441
	Within Groups	101.200	12	8.433		
	Total	116.000	14			

Post Hoc Tests

Multiple Comparisons

LSD

Dependent Variable	(I) Kelompok	(J) Kelompok	Mean Difference	Std. Error	Sig.	95% Confidence Interval	
			(I-J)			Lower Bound	Upper Bound
TGFB1	Negatif	Positif	-2.20000	1.83666	.254	-6.2017	1.8017
		Perlakuan	-2.00000	1.83666	.298	-6.0017	2.0017
	Positif	Negatif	2.20000	1.83666	.254	-1.8017	6.2017
		Perlakuan	.20000	1.83666	.915	-3.8017	4.2017
	Perlakuan	Negatif	2.00000	1.83666	.298	-2.0017	6.0017
		Positif	-.20000	1.83666	.915	-4.2017	3.8017

*. The mean difference is significant at the 0.05 level.

MEANS TABLES=OPG BMP2 TGFB1 BY Kelompok BY Pengamatan
/CELLS=MEAN STDDEV.

Means

		Notes
Output Created		01-OCT-2021 10:29:10
Comments		
Input	Active Dataset	DataSet37
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	30
Missing Value Handling	Definition of Missing	For each dependent variable in a table, user-defined missing values for the dependent and all grouping variables are treated as missing.
	Cases Used	Cases used for each table have no missing values in any independent variable, and not all dependent variables have missing values.
Syntax		MEANS TABLES= TGFB1 BY Kelompok BY Pengamatan /CELLS=MEAN STDDEV.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.04

Case Processing Summary

	Cases					
	Included		Excluded		Total	
	N	Percent	N	Percent	N	Percent
TGFB1 * Kelompok * Pengamatan	30	100.0%	0	0.0%	30	100.0%

Report

Kelompok	Pengamatan	TGFB1	
Negatif	H14	Mean	5.6000
		Std. Deviation	2.40832
	H21	Mean	8.6000
		Std. Deviation	3.84708
	Total	Mean	7.1000
		Std. Deviation	3.41402
Positif	H14	Mean	10.6000
		Std. Deviation	2.40832
	H21	Mean	10.8000
		Std. Deviation	2.77489
	Total	Mean	10.7000
		Std. Deviation	2.45176
Perlakuan	H14	Mean	7.4000
		Std. Deviation	2.07364
	H21	Mean	10.6000
		Std. Deviation	1.67332

	Total	Mean	9.0000
		Std. Deviation	2.44949
Total	H14	Mean	7.8667
		Std. Deviation	3.02056
	H21	Mean	10.0000
		Std. Deviation	2.87849
	Total	Mean	8.9333
		Std. Deviation	3.09542

```

USE ALL.
COMPUTE filter_$=(Kelompok = 1).
VARIABLE LABELS filter_$ 'Kelompok = 1 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.
EXAMINE VARIABLES= TGFB1
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```


Explore

Notes

Output Created	01-OCT-2021 10:31:20	
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 1 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.86
	Elapsed Time	00:00:00.87

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	10	100.0%	0	0.0%	10	100.0%

Descriptives

		Statistic	Std. Error
TGFB1	Mean	7.1000	1.07961
	95% Confidence Interval for Mean	Lower Bound	4.6578
		Upper Bound	9.5422
	5% Trimmed Mean	7.0000	
	Median	7.0000	
	Variance	11.656	
	Std. Deviation	3.41402	
	Minimum	3.00	
	Maximum	13.00	
	Range	10.00	
	Interquartile Range	5.75	
	Skewness	.354	.687
	Kurtosis	-.891	1.334

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
OPG	.224	10	.168	.942	10	.573
BMP2	.178	10	.200*	.925	10	.404
TGFB1	.131	10	.200*	.940	10	.557

*. This is a lower bound of the true significance.


a. Lilliefors Significance Correction



TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem &	Leaf
3.00	0 .	334
5.00	0 .	57799
2.00	1 .	13

Stem width: 10.00
Each leaf: 1 case(s)





```
T-TEST GROUPS=Pengamatan(1 2)
/MISSING=ANALYSIS
/VARIABLES=OPG BMP2 TGFB1
/CRITERIA=CI (.95) .
```

T-Test

Notes		
Output Created		01-OCT-2021 10:31:27
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 1 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax		T-TEST GROUPS=Pengamatan(1 2) /MISSING=ANALYSIS /VARIABLES=OPG BMP2 TGFB1 /CRITERIA=CI(.95).
Resources	Processor Time	00:00:00.00
	Elapsed Time	00:00:00.00

Group Statistics

	Pengamatan	N	Mean	Std. Deviation	Std. Error Mean
TGFB1	H14	5	5.6000	2.40832	1.07703
	H21	5	8.6000	3.84708	1.72047

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TGFB1	Equal variances assumed	.819	.392	-1.478	8	.178	-3.00000	2.02978	-7.68068	1.68068
	Equal variances not assumed			-1.478	6.718	.185	-3.00000	2.02978	-7.84085	1.84085

```

USE ALL.
COMPUTE filter_$=(Kelompok = 2).
VARIABLE LABELS filter_$ 'Kelompok = 2 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.
EXAMINE VARIABLES=OPG BMP2 TGFB1
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.

```

Explore

Notes

Output Created	01-OCT-2021 10:31:51	
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:01.30
	Elapsed Time	00:00:00.92

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	10	100.0%	0	0.0%	10	100.0%

Descriptives

		Statistic	Std. Error
TGFB1	Mean	10.7000	.77531
	95% Confidence Interval for Mean	Lower Bound	8.9461
		Upper Bound	12.4539
	5% Trimmed Mean	10.7222	
	Median	10.0000	
	Variance	6.011	
	Std. Deviation	2.45176	
	Minimum	7.00	
	Maximum	14.00	
	Range	7.00	
	Interquartile Range	4.50	
	Skewness	.094	.687
	Kurtosis	-1.213	1.334

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
TGFB1	.212	10	.200*	.930	10	.447

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction




TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	0 . 789
7.00	1 . 0002344

Stem width: 10.00
Each leaf: 1 case(s)

T-TEST GROUPS=Pengamatan(1 2)
/MISSING=ANALYSIS
/VARIABLES=OPG BMP2 TGFB1
/CRITERIA=CI (.95) .



T-Test

Notes

Output Created	01-OCT-2021 10:31:58	
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 2 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=Pengamatan(1 2) /MISSING=ANALYSIS /VARIABLES= TGFB1 /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Group Statistics

	Pengamatan	N	Mean	Std. Deviation	Std. Error Mean
TGFB1	H14	5	10.6000	2.40832	1.07703
	H21	5	10.8000	2.77489	1.24097

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TGFB1	Equal variances assumed	.094	.767	-.122	8	.906	-.20000	1.64317	-3.98915	3.58915
	Equal variances not assumed			-.122	7.845	.906	-.20000	1.64317	-4.00226	3.60226

```

USE ALL.
COMPUTE filter_$=(Kelompok = 3).
VARIABLE LABELS filter_$ 'Kelompok = 3 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMATS filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE.
EXAMINE VARIABLES=OPG BMP2 TGFB1
  /PLOT BOXPLOT STEMLEAF NPLOT
  /COMPARE GROUPS
  /STATISTICS DESCRIPTIVES
  /CINTERVAL 95
  /MISSING LISTWISE
  /NOTOTAL.
    
```

Explore

Notes

Output Created	01-OCT-2021 10:32:24	
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax	EXAMINE VARIABLES= TGFB1 /PLOT BOXPLOT STEMLEAF NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.	
Resources	Processor Time	00:00:00.81
	Elapsed Time	00:00:00.86

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
TGFB1	10	100.0%	0	0.0%	10	100.0%

Descriptives

		Statistic	Std. Error	
TGFB1	Mean	9.0000	.77460	
	95% Confidence Interval for Mean	Lower Bound	7.2477	
		Upper Bound	10.7523	
	5% Trimmed Mean	9.0556		
	Median	9.0000		
	Variance	6.000		
	Std. Deviation	2.44949		
	Minimum	4.00		
	Maximum	13.00		
	Range	9.00		
	Interquartile Range	3.25		
	Skewness	-.510	.687	
	Kurtosis	1.299	1.334	

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
TGFB1	.200	10	.200*	.939	10	.546

*. This is a lower bound of the true significance.




a. Lilliefors Significance Correction

TGFB1

TGFB1 Stem-and-Leaf Plot

Frequency	Stem & Leaf
1.00	0 . 4
6.00	0 . 789999
3.00	1 . 113

Stem width: 10.00
 Each leaf: 1 case(s)



```
T-TEST GROUPS=Pengamatan(1 2)
/MISSING=ANALYSIS
/VARIABLES=OPG BMP2 TGFB1
/CRITERIA=CI (.95) .
```

T-Test

otes		
Output Created		01-OCT-2021 10:32:30
Comments		
Input	Active Dataset	DataSet37
	Filter	Kelompok = 3 (FILTER)
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	10
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.

Syntax	T-TEST GROUPS=Pengamatan(1 2) /MISSING=ANALYSIS /VARIABLES= TGFB1 /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.01

Group Statistics

	Pengamatan	N	Mean	Std. Deviation	Std. Error Mean
TGFB1	H14	5	7.4000	2.07364	.92736
	H21	5	10.6000	1.67332	.74833

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df	Sig. (2-tailed)	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
									Lower	Upper
TGFB1	Equal variances assumed	.133	.725	-2.685	8	.028	-3.20000	1.19164	-5.94792	-.45208
	Equal variances not assumed			-2.685	7.658	.029	-3.20000	1.19164	-5.96942	-.43058