

DAFTAR PUSTAKA

- Abdelhamed, H., Ibrahim, I., Baumgartner, W., Lawrence, M. L., & Karsi, A. (2017). Characterization of histopathological and ultrastructural changes in channel catfish experimentally infected with virulent *Aeromonas hydrophila*. *Frontiers in Microbiology*. 8, 1–15.
- Akyar, I., & Can, S. (2013). Rapid identification of *Aeromonas* species in stool samples with chromogenic media and matrix-assisted laser desorption ionization-time of flight mass spectrometry: An institutional experience. *Turkish Journal of Medical Sciences*. 43(3), 388–392.
- Al-Yahya, S. A., Ameen, F., Al-Niaeem, K. S., Al-Sa'adi, B. A., Hadi, S., & Mostafa, A. A. (2018). Histopathological studies of experimental *Aeromonas hydrophila* infection in bluetilapia, *Oreochromis aureus*. *Saudi Journal of Biological Sciences*. 25(1), 182–185.
- Andayani, Sri., Heny Suprastyani dan Dwi Ratih Sulistyorinie. 2020. pengaruh pemberian ekstrak kasar daun api-api (*avicennia marina*) terhadap histopatologi hati ikan koi (*cyprinus carpio*) yang diinfeksi bakteri *aeromonas hydrophilla*. 4(2): 263-273.
- Andayani, Sri., Heny Suprastyani, Galih Dandung Akbar Gumala., Uswanul Oktafa., Nela Maulina Fatikah., Maulana Wahyudi dan Anisatul Farida, dan Randi Pratama. 2017. Pengaruh Pemberian Bakteri *Lactobacillus plantarum* Terhadap Histopatologi dan Hematologi Ikan Patin Jambal (*Pangasius djambal*) yang Diinfeksi Bakteri *Edwarsiella tarda*. *Journal of Fisheries and Marine Science*. 1(4).
- AndyOmar, S. A., Parore, R., Rahim, S. W., Parawansa, B. S., & Umar, M. T. (2020). Iktiofauna Danau Buaya, Sulawesi Selatan. *Habitus Aquatica*, 1(2), 21-21.
- AndyOmar, S. B. A., & Bin, S. (2010). Aspek reproduksi ikan nilem *Osteochilus vittatus* (Valenciennes, 1842) di Danau Sidenreng, Sulawesi Selatan. *Jurnal Iktiologi Indonesia*, 10(2), 111-122.
- Angreni, ni putu wiwin., I wayan arthana dan endang wulandari s. 2018. Distribusi bakteri patogen pada ikan nila (*oreochromis niloticus*) di danau batur, Bali. *Current trends aquatic science*. 1(1):98-105.
- Apriliana, Riska., Siti Rudiyanti dan Pujiono Wahyu Purnomo. 2014. keanekaragaman jenis bakteri perairan dasar berdasarkan tipe tutupan permukaan perairan di rawa pening. *diponegoro journal of maquares*. 3(2): 119-128.
- Asniatih, Idris, M., & Sabilu, K. (2013). *Studi Histopatologi pada Ikan Lele Dumbo (Clarias gariepinus) yang Terinfeksi Bakteri Aeromonas hydrophila*. 03(12), 13-21.
- Azalia, S. (2018). Hubungan Panjang-Bobot dan Faktor Kondisi Ikan Sapu-sapu (*Pterygoplichthys multiradiatus*) di Danau Sidenreng, Kabupaten Sidenreng Rappang, Sulawesi Selatan. *Skripsi. Fakultas Ilmu Kelautan dan Perikanan, Universitas Hasanuddin. Makassar*.
- Azizah MS, Aulia. 2020. Profil histopatologi ginjal dan hati ikan wader pari (*rasbora argyrotaenia*) yang diinfeksi *aeromonas hydrophila*. [skripsi] universitas airlangga.
- Bernet, D., Schmidt, H., Meier, W., Burkhardt-Holm, P., Wahli, T. (1999). Gonadal alterations in male whitefish *Coregonus fatuo*: No evidence for genetic damage reducing viability in early

- life stages. *Diseases of Aquatic*.22(1), 25-34.
- Bevelander, G., & Ramaley, J. A. (1979). *Essentials of Histology* (8th ed.). Louis:Mosby.
- Boleng, didimus tanah. 2015. Bakteriologi. Universitas Muhammadiyah malang press. Malang.
- Chang, P H dan J A Plumb. 1996. Histopathology of experimental *Streptococcus* sp. infection in tilapia, *Oreochromis niloticus* (L.)9 and channel catfish, *Ictalurus punctatus* (Rafinesque). *Journal of Flah Diseases*. 19 : 235-241.
- Daelami, D. 2002. *Usaha Pemberian Ikan Hias Air Tawar*. Penebar Swadaya. Jakarta.
- Dewi, M., Suwarni, S., & Omar, S. B. A. (2020). Kebiasaan Makanan Ikan Sapu-sapu (*Pterygoplichthys Multiradiatus* Hancock, 1828) di Perairan Danau Sidenreng, Kabupaten Sidenreng Rappang, Sulawesi Selatan. *Proceeding Simposium Nasional Kelautan dan Perikanan*, (7).
- Dong, HT., S Senapin., K Phiwsaiya., C Techatanakitarnan., K Dokladda., P Ruenwongsa dan B Panijpan. 2018. Histopathology and culturable bacteria associated with “big 1 belly” and “skin nodule” syndromes in ornamental Siamese 2 fighting fish, *Betta splendens*. Microbial pathogenesis. Thailand.
- Elfidasari, Dewi., Nita Noriko., Anita Mirasaraswati., Aishah Feroza dan Siti Fauziah Canadian. 2013. Deteksi Bakteri Klebsiella pneumoniapada Beberapa jenis Rokok Konsumsi Masyarakat. *Jurnal AL-AZHAR INDONESIA SERI SAINS DAN TEKNOLOGI*. 2(1):41-47.
- Febianty, Andi. (2010). *Strategi Pengembangan Agriwisata Di Danau Sidenreng Kabupaten Sidenreng Rappang Provinsi Sulawesi Selatan*.[Skripsi]. IPB Press: Bogor.
- Garrity, G. M., J. A. Bell. and T. G. Lilburn. 2004. Taxonomic Outline of The Prokaryotes Bergey’s Manual of Systematic Bacteriology, Second Edition. Springer. 116.
- Gunnarsson, R. K., Holm, S. E., So, M., & Care, H. (1998). The prevalence of potential pathogenic bacteria in nasopharyngeal samples from healthy children and adults. *Scand J Prim Health Care*. 16(1), 13–17.
- Gupta, Bhavana., Sandeep Ghatak dan J.P.S. Gill. 2013. Incidence and virulence properties of *E. coli* isolated from fresh fish and ready-to-eat fish products. *Vet world*. 6(1): 5-9.
- Haile, Adanech Beshada dan Temesgen Kassa Getahun. 2018. Isolation and identification of *Escherichia coli* and *Edwardsiella tarda* from fish harvested for human consumption from Zeway Lake, Ethiopia. *African Journal of Microbiology Research*. 12(20): 476-480.
- Hamidah, Mukti Nur., Laras Rianingsih dan Romadhon. 2019. aktivitas antibakteri isolat bakteri asam laktat dari peda dengan jenis ikan berbeda terhadap *E coli* dan *S. aureus*. *jurnal ilmu dan teknologi perikanan*. 1(2): 11-21.
- Harini, N., & Septariningrum, D. (2006). *Karakteristik Enzim Chitinase Hasil Isolasi dari Kultur Murni Bakteri Vibrio alginolyticus*. Universitas Gadjah Mada: Yogyakarta
- Hasrianti., Surianti & Muhammad Rais Rahmat Razak. (2020). Pengaruh Ledakan Populasi Ikan Sapu-Sapu (*Pterygoplichthys* Spp) Terhadap Produksi Hasil Tangkapan Jaring Insang Di Perairan Danau Sidenreng. *ALBACORE Jurnal Penelitian Perikanan Laut*, 4(1), 013-019.
- Hastari, Indah Febry., Sarjito dan Slamet Budi Prayitno. 2014. karakterisasi agensia penyebab

- vibriosis dan gambaran histologi ikan kerapu macan (*epinephelus fuscoguttatus*) dari karamba jaring apung teluk hurun lampung. *Journal of Aquaculture Management and Technology*. 3(3):86-94.
- Heimesaat, markus M., Stefan bereswill., andre fischer., david fuchs., daniela struck., julia niebergall., hannah-kathariana jhan., iidiko R. dunay., annettw moter., dorothee M. gescher., ralf R. schumann., ulf B gobel dan oliver liesenfeid. 2006. Gram-negatif bacteria aggravate murine small intestinal Th1-type immunopathology following oral infection with toxoplasma gondii. *The journal of immunology*. 177:8785-8795.
- Hermanto, S., Hudzaifah, M. R., & Muawanah, A. (2014). Karakteristik Fisikokimia Gelatin Kulit Ikan Sapu-Sapu (*Hyposarcus pardalis*) Hasil Ekstraksi Asam. *Jurnal Kimia Valensi*, 4(2), 109-120.
- Hossain, M. Y., Vadas, R. L., Ruiz-Carus, R., & Galib, S. M. (2018). Amazon sailfin catfish *Pterygoplichthys pardalis* (Loricariidae) in Bangladesh: a critical review of its invasive threat to native and endemic aquatic species. *Fishes*, 3(1), 14.
- Husnrah, Tjahjo DWH, Nastiti A, Oktaviani D, Nasution SH, Sulistiono. 2008. Status keanekaragaman hayati sumberdaya perikanan perairan umum di Sulawesi. Balai Riset Perikanan Perairan Umum, Pusat Riset Perikanan Tangkap, Badan Riset Kelautan dan Perikanan: Jakarta.
- Huys, G., Kämpfer, P., Albert, M. J., Kühn, I., Denys, R., & Swings, J. (2002). Aeromonas hydrophila subsp. dhakensis subsp. nov., isolated from children with diarrhoea in Bangladesh, and extended description of Aeromonas hydrophila subsp. hydrophila (Chester 1901) stanier 1943 (approved lists 1980). *International Journal of Systematic and Evolutionary Microbiology*. 52(3), 705–712.
- Indrawati, Agustin., Jeni Maharani., Nurul Fadillah., Diah Sekar Arum., Hamdika Yenri, Risqika A Velayati., Ulfi Nurul Fadilah, Jefri Naldi dan Afifah Nurhasanah. 2020. Bacterial Pneumoniasebagai Salah Satu Penyebab Kematian Lumba Lumba Hidung Botol Indo-Pasifik (*Tursiop aduncus*). *ACTA VETERINARIA INDONESIANA*. 8(2):37-42.
- Irianto, K. (2014). Bakteriologi Mikologi dan Virologi; Panduan Medis dan Klinis. Irmawati. (1994). *Struktur Komunitas Ikan dan Aspek Biologi Ikan-ikan Dominan di Danau Sidenreng, Sulawesi Selatan*. [Skripsi]. IPB Press: Bogor.
- Jannah, Rauzatul.,Rosmaidar., Nazaruddin., Winaruddin., Ummu Balqis dan T Armansyah. 2017. pengaruh paparan timbal (pb) terhadap histopatologis hati ikan nila (*oreochromis niloticus*). *JIMVET*. 01(4): 742-748.
- Jawetz. 2005. *Mikrobiologi Kedokteran*. Salemba Medika: Jakarta
- Jumawan, J. C., Herrera, A. A., Jumawan, J. H., & Vallejo Jr, B. (2016). Size structure and reproductive phenology of the suckermouth sailfin catfish *Pterygoplichthys disjunctivus* (Weber, 1991) from Marikina River, Philippines. *ARPN Journal of Agricultural and Biological Science*, 11(1), 18-23.
- Kalaiyarasi, T., Jayakumar, N., Jawahar, P., Ahilan, B., & Subburaj, A. (2017). Histological changes in the gill and liver of marine spotted catfish, *Arius maculatus* from sewage disposal site, Therespuram off Thoothukudi, Southeast coast of India. *Journal of Entomology and*


- Zoology Studies.* 5(5), 1710–1715.
- Kambuno, Norma Tiku dan Dicky Fanggidae. 2017. identifikasi Bakteri Gram Negatif Galur Extended Spectrum Beta Lactamase Pada Ruang NICU RSUD Prof. DR. W. Z. Johannes Kupang. *Jurnal Info Kesehatan.* 15(2): 333-345.
- Kementerian Lingkungan Hidup Republik Indonesia (2014). Gerakan Penyelamatan Danau (GERMADAN). In *Kementerian Lingkungan Hidup dan Kehutanan.* <https://doi.org/10.1145/3132847.3132886>
- Khamidah, Kamalia. 2020. *Isolasi dan uji tingkat patogenitas bakteri penghasil enzim lipase dari rusip ikan patin (pangasius hypophthalmus).* [skripsi]. Universitas muhammadiyah semarang.
- Laith, A. R., & Najiah, M. (2013). Aeromonas hydrophila: Antimicrobial susceptibility and histopathology of isolates from diseased catfish, Clarias gariepinus (Burchell). *Journal of Aquaculture Research and Development.* 5(2), 1–7.
- Lempang, meyby eka putri. 2014. *Identifikasi proteus mirabilis dan resistensinya terhadap antibiotic imipenem, klorapenikol, sefotaksim, dan siprofoksasin pada daging ayam di kota makassar.* [skripsi] universitas hasanuddin
- Lidya aprillia tarigan, desrina dan sarjito. 2017. pengaruh perendaman ekstrak daun tembakau (*nicotiana tabacum*) terhadap kelulushidupan dan hisotpatologi hati ikan nila (*oreochromis niloticus*) yang diinfeksi bakteri *aeromonas hydrophila.* *journal of Aquaculture Management and Technology.* 6(3) :150-158.
- Lukistyowati, Iesje. (2011). Kelangsungan Hidup Ikan Mas (*Cyprinus carpio L*) yang Diberi Pakan Ekstrak Bawang Putih (*Allium sativum*) dan di Infeksi Aeromonas hydrophila. *Jurnal Perikanan Dan Kelautan.* 16(02), 144–160.
- Mahendra, gatot. 2016. *Pengaruh infeksi bakteri Enterobacter sp. Dengan injeksi intraperitoneal terhadap kelulushidupan ikan nila (oreochromis nilocus).* [skripsi] universitas airlangga.
- Mangunwardoyo, Wibowo ., Ratih Ismayasari dan Etty Riani. 2010. uji patogenisitas dan virulensi *aeromonas hydrophila* stanier pada ikan nila (*oreochromis niloticus lin.*) melalui postulat koch. *J. Ris. Akuakultur.* 5(2): 245-255.
- Manurung, Usy N. dan Darna Susantie. 2017. Identifikasi bakteri patogen pada ikan Nila (*Oreochromis niloticus*) di lokasi budidaya ikan air tawar Kabupaten Kepulauan Sangihe. *Budidaya perairan.* 5(3): 11-17.
- Maruka, Safriyanto S, Gatot Siswohutomo dan Rostianti Dg Rahmatu. 2017. Identifikasi cemaran bakteri escherichia coli pada ikan layang (*decapterus russelli*) segar di berbagai pasar kota palu. *jurnal mitra sains.* 5(1):84-89
- Massinai, Arniati., Akbar Tahir., Jamaluddin Jompa dan Alexander Rantetondok. 2017. bakteri assosiasi di karang batu (skleractinian) yang terinfeksi penyakit tumor (*growth anomalies*) yang berasal dari pulau salemo kabupaten pangkep. *SPERMONDE.* 3(1): 7-12.
- Meidiza, Ratu., Arimbi dan Poedji Hastutiek. 2017. Gambaran Patologi Hepar Ikan Lele Dumbo (Clarias gariepinus) yang Diinfeksi Bakteri Edwardsiella tarda. *Jurnal Ilmiah Perikanan dan Kelautan.* 9(1).



- Milo, Mariana Susanti., L. M. Ekawati., Purwijantiningsih dan F. Sinung Pranata. 2015. mutu ikan tongkol (*euthynnus affinis c.*) di kabupaten gunungkidul dan sleman daerah istimewa yogyakarta. Suntemario. 3(4): 1-13.
- Murwantoko, M., Rozi, R., Istiqomah, I., & Nitimulyo, K. H. (2013). Isolasi, Karakterisasi, dan Patogenitas Bakteri Penyebab Penyakit pada Gurami (*Oosphronemus goramy*) di Kabupaten Bantul. *Jurnal Perikanan Universitas Gadjah Mada*, 15(2), 83-90.
- Muslikha., Sri Pujiyanto., Siti Nur Jannah dan Hessy Novita. 2016. isolasi, karakterisasi *aeromonas hydrophila* dan deteksi gen penyebab penyakit *motile aeromonas septicemia* (mas) dengan 16s rrna dan *aerolysin* pada ikan lele (*clarias sp.*). *jurnal biologi*. 5(4): 1-7.
- Nurhidayati sri., faturrahman dan mursal Ghazali. 2015. Deteksi bakteri pathogen yang berasosiasi dengan kappaphycus alvarezii (doty) bergejala penyakit ice-ice. *Jurnal sains teknologi dan lingkungan*. 192): 24-30.
- Nurjanah, Siti., Slamet Budi Prayitno dan Sarjito. 2014. sensitivitas bakteri *aeromonas* sp. dan *pseudomonas* sp. yang diisolasi pada ikan mas (*cyprinus carpio*) sakit terhadap berbagai macam obat beredar. *Journal of Aquaculture Management and Technology*.3(4): 308-326.
- Pertiwi, Rizsa Mustika, Mala Nurilmala, Asadatun Abdullah, Nurjanah, Roza Yusfiandayani dan M. Fedi A. Sondita. 2020. deteksi bakteri pembentuk amina biogenik pada ikan scombridae secara multiplex PCR. *JPHPI*. 23(2):359-371.
- Pinem, F. M., Pulungan, C. P., & Efizon, D. (2016). *Reproductive Biology of Pterygoplichthys Pardalis in the Air Hitam River Payung Sekaki District, Riau Province* (Doctoral dissertation, Riau University).
- Pratiwi, N. (2018). Biologi Reproduksi Ikan Sapu-Sapu (*Pterygoplichthys Multiradiatus Hancock, 1828*) di Perairan Danau Sidenreng, Kabupaten Sidenreng Rappang, Sulawesi Selatan. *Skripsi. Fakultas Ilmu Kelautan dan Perikanan, Universitas Hasanuddin. Makassar*.
- Purwani, Eni., Setyo Wulang Nur Hapsari dan Rusdin Rauf. 2009. respon hambatan bakteri gram positif dan negatif pada ikan nila (*oreochromis niloticus*) yang diawetkan dengan ekstrak jahe (*zingiber officinale*). *Jurnal kesehatan*. 2(1): 61-70.
- Puspitasari, Riris Lindia Wati., Dewi Elfidasari., Yorinta Sasaerila Hidayat., Fatihah Dinul Qoyyimah Dan Fakhurokhim. 2017. Deteksi bakteri pencemar lingkungan (coliform) pada ikan spu-sapu asal sungai ciliwung. *Jurnal AL-AZHAR INDONESIA SERI SAINS DAN TEKNOLOGI*. 4(1): 24-27.
- Putri, Meganda Hiaranya., Sukini dan Yodong. 2017. Mokrobiologi. Kementrian kesehatan republic Indonesia. Jakarta.
- Rahayu, Nanik Ning., Prayogo., Mohammad Faizal Ulkhaq., Hapsari Kenconojati dan Muhammad Hanif Azhar. 2019. Identifikasi bakteri pada komoditas ikan air tawar di balai karantina ikan, pengendalian mutu dan keamanan hasil perikanan Surabaya I. 4(2): 102-110.
- Robert, R. J. (1993). *Bacterial Disease of Fish*. London: Blackwell Scientific Publications


- Salahudin, farid. 2016. PEMBENTUKAN VITAMIN B-12 PADA FERMENTASI KEDELAI DENGAN ISOLAT Rizophus oryzae dan Klebsiella Pneumonae. Jurnal Penelitian dan Pengembangan Borneo Akcaya. :56-60.
- Salikin, Rusydina Qamarul., Sarjito dan Slamet Budi Prayitno. 2014. Pengaruh perendaman estrak daun binahong terhadap mortalitas histologi hati ikan mas yang terinfeksi bakteri aeromonas cavie. *Jurnal of aquaculture management and technology*. 3(3): 43-50.
- Sari, Widya., Intan Wulan Okavia., Ria Cerianna dan Sunarti. 2016. struktur mikroskopis hati ikan seurukan (*osteochilus vittatus*) dari sungai krueng sabee kabupaten aceh jaya yang tercemar limbah penggilingan bijih emas. *Jurnal biotik*. 4(1): 33-40.
- Setyowati, Adhelia., Dewi Hidayati., Awik P.D.N dan Nurlita Abdulgani. 2011. Studi histopatologi hati ikan belanak (mugil cephalus) di muara sungai aloo siduarjo. Institute sepuluh November. Surabaya.
- Shobikhuliatal Jannah Juanda dan Sri Imelda Edo. 2018. tologi insang, hati dan usus ikan lele (*clarias gariepinus*) di kota kupang, nusa tenggara timur. *Journal of Fisheries Science and Technology*. 14(1): 23-29.
- Sugiani, Desy., Uni Purwaningsih., Septyan Andrianto., dan Angela Mariana Lusiastuti. 2018. bakteri pada ikan gabus channa striata, semah tor spp., dan baung *hemibagrus* sp. identifikasi, virulensi, dan kerentanan terhadap beberapa antibiotik. *Jurnal riset akuakultur*. 13(4): 347-356.
- Sumarno, Talim., Tri Winarni Agustini dan Azis Nur Bambang. 2020. strategi pengembangan mutu ikan asin jambal roti (ikan manyung) di karangsong kabupaten indramayu. *JPHPI*. 23(2): 196-205.
- Sunarto., Sukenda dan Widanarni. 2010. Penapisan bakteri probiotik dari saluran pencernaan dan media pemeliharaan ikan jelawat (Leptobarbus hoeveni Bleker) untuk pengendalian bakteri patogen. *Jurnal akuakultur indonesia*. 9(2): 127-135.
- Sutandhio, Silvia, Agung Dwi Wahyu Widodo, Lindawati Alimsardjono dan Eddy Bagus Wasito. 2018. perbandingan distribusi dan pola kepekaan acinetobacter baumannii terhadap antimikroba di rsud dr. soetomo surabaya periode januari-maret 2015, april-juni 2015, dan januari-maret 2016. *Jurnal Widya Medika Surabaya*. 4(1): 18-24.
- Takshima, f dan hibiya. 1995. *An atlas of fish histology normal and pathology feature*. Tokyo kondash Ltd. P, 108.
- Underwood, J. C. E. (1992). *General and Systematic Pathology*. New York:Churchill Livingstone.
- Vale, Ana do., Carolina Costa-Ramos., Alexandra Silva., Daniela S. P. Silva., Fátima Gärtner., Nuno M. S. dos Santos dan Manuel T. Silva. 2007. Systemic macrophage and neutrophil destruction bysecondary necrosis induced by a bacterial exotoxin ina Gram-negatif septicaemia. *Cellular Microbiologi*. 9(4), 988–1003.
- Virella, G. (1997). *Microbiology and Infectious Disease* (3rd ed.). Baltimore: William & William.
- Wahyudewantoro, Gema. 2018. Sapu-sapu (*ptherygoplichthys* spp.), ikan pembersih kaca yang bersifat invasieve di Indonesia. *Warta teknologi*. 2(2): 22-28.

- Yardimci, B., & Aydin, Y. (2011). Pathological findings of experimental *Aeromonas hydrophila* infection in nile tilapia (*Oreochromis niloticus*). *Ankara Universitesi Veteriner Fakultesi Dergisi*. 58(1), 47–54.
- Yu, JH dan Xia ZE.2013. Bacterial infection in on Irrawad-dy Dolphin (*Orcaella brevirostris*). *J. Zoo Wildlife Medicine*. 44(1). 156-158.
- Yuningtyas, S. 2011. *Purifikasi, Amobilisasi, dan Karakterisasi β -Galaktosidase dari Enterobacter cloacaeserta Potensinya terhadap Susu UHT*. Tesis. Institut Pertanian Bogor. Bogor. 81 hal.

LAMPIRAN









BBLK Makassar
Jl. Perintis Kemerdekaan Km 11
Tamananrea, Makassar

VITEK® MS BIOMERÉAUX

ISOLATE REPORT: HatiDB1-1

RESULTS: Validated

Organism type: bacteria

Selected	Position	Acquisition Date	Results	Confidence	Information
✓	B4	2/18/21 2:07 PM	Klebsiella pneumoniae	<div style="width: 99.9%;">99.9%</div>	None

ACTIONS

2/18/21 1:52 PM	labtech	Setup	VITEK® MS FLEXPREP
2/18/21 2:07 PM	VITEKMSACQ01	Acquire	
2/18/21 2:39 PM	labtech	Validate	Klebsiella pneumoniae

TRACEABILITY

Slide ID: DS184201446

SYSTEM VERSION

VITEK® MS Software Version: : 1.0.0.46

KB Reference: refkb-full-7.6.0.7

Embedded KB Version: 3.2.0



Dipindai dengan CamScanner

ISOLATE REPORT : HatiDB1-1

page 1 / 1

ISOLATE REPORT: HatiDS1-1

RESULTS: Validated

Organism type: bacteria

Selected	Position	Acquisition Date	Results	Confidence	Information
✓	B1	2/18/21 2:05 PM	Klebsiella pneumoniae	99.9%	None

ACTIONS

2/18/21 1:51 PM	labtech	Setup	VITEK® MS FLEXPREP
2/18/21 2:05 PM	VITEKMSACQ01	Acquire	
2/18/21 2:18 PM	labtech	Validate	Klebsiella pneumoniae

TRACEABILITY

Slide ID: DS184201446

SYSTEM VERSION

VITEK® MS Software Version: : 1.0.0.46

KB Reference: refkb-full-7.6.0.7

Embedded KB Version: 3.2.0



Dipindai dengan CamScanner

ISOLATE REPORT: HatiDS1-1

page 1 / 1

BBLK Makassar
Jl. Perintis Kemerdekaan Km 11
Tamalanrea, Makassar



ISOLATE REPORT: HatiDS2-1

RESULTS: Validated

Organism type: bacteria

Selected	Position	Acquisition Date	Results	Confidence	Information
✓	B2	2/18/21 2:06 PM	Escherichia coli	99.9%	None

ACTIONS

2/18/21 1:52 PM	labtech	Setup	VITEK® MS FLEXPREP
2/18/21 2:06 PM	VITEKMSACQ01	Acquire	
2/18/21 2:19 PM	labtech	Validate	Escherichia coli

TRACEABILITY

Slide ID: DS184201446

SYSTEM VERSION

VITEK® MS Software Version: : 1.0.0.46

KB Reference: refkb-full-7.6.0.7

Embedded KB Version: 3.2.0



Dipindai dengan CamScanner

ISOLATE REPORT: HatiDS2-1

page 1 / 1



KEMENTERIAN KESEHATAN RI
DIREKTORAT JENDERAL PELAYANAN KESEHATAN
BALAI BESAR LABORATORIUM KESEHATAN MAKASSAR

Jl. Perintis Kemerdekaan KM.11 Tamalanrea Makassar 90245



HASIL PENELITIAN MAHASISWA
21005495-2105499/LHU/BBLK-MKS/III/2021

Nama	: Hairul Afzan
Universitas	: Universitas Hasanuddin
Fakultas/Jurusan	: Kedokteran/Kedokteran Hewan
Tanggal Penelitian	: 19 Februari 2021
Judul Penelitian	: Identifikasi Bakteri Gram Negatif Serta Pengaruhnya Terhadap Histopatologi Organ Hati Pada Ikan Sapu-sapu (<i>Pterygoplichthys pardalis</i>) Di Danau Lapompakka dan Danu Sidenreng.
Sampel	: Hati Ikan Sapu-sapu
Parameter	: Identifikasi Bakteri
Hasil Penelitian	:

No. Lab	Jenis Sampel	Koloni	Pewarnaan Gram	Jenis Bakteri
21005495	Ginjal Ikan Danau Sidenreng	1	Bacilli Gram Negatif	<i>Klebsiella pneumoniae</i>
21005496		2	Bacilli Gram Negatif	<i>Escherichia coli</i>
21005497		3	Bacilli Gram Positif	-
21005498	Ginjal Ikan Danau Lapompakka	1	Bacilli Gram Negatif	<i>Klebsiella pneumoniae</i>
21005499		2	Bacilli Gram Negatif	<i>Proteus sp</i>

Catatan :
 1. Hasil uji hanya berlaku untuk sampel yang di uji
 2. Laporan hasil uji ini terdiri dari 1 halaman
 3. Laporan hasil uji ini tidak boleh digandakan
 Kecuali secara lengkap dan sejuzn tertulis laboratorium penguj
 Balai Besar Laboratorium Kesehatan Makassar

Makassar, 16 Maret 2021
 Kepala Seksi Lab. Lingkungan

Arraz Kartanegara/S. Farm
 NIP : 197804212000121002



Dipindai dengan CamScanner

Telp. 0411 586458, 586457, 586270 Fax. 0411 586270

Surat Elektronik : bblk_makassar@yahoo.com, bblk_mksr@gmail.com



LP-400-IDN

BBLK Makassar
Jl. Perintis Kemerdekaan Km 11
Tamananrea, Makassar



ISOLATE REPORT: HatiDB2-2

RESULTS: To Review

Organism type: bacteria

Selected	Position	Acquisition Date	Results	Confidence	Information
	E2	2/19/21 12:35 PM	Proteus vulgaris	50.0%	None
	E2	2/19/21 12:35 PM	Proteus penneri	50.0%	None

ACTIONS

2/19/21 12:23 PM	labtech	Setup	VITEK® MS FLEXPREP
2/19/21 12:35 PM	VITEKMSACQ01	Acquire	

TRACEABILITY

Slide ID: DS184201446

SYSTEM VERSION

VITEK® MS Software Version: 1.0.0.46

KB Reference: Not Applicable

Embedded KB Version: 3.2.0



Dipindai dengan CamScanner

ISOLATE REPORT: HatiDB2-2

page 1 / 1

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 11, 2021 16:28 SGT
AutoprintPatient Name: Khairul, Unhas
Isolate: DBH1-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631496 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 4607734757564210

Organism Quantity: Selected Organism: Klebsiella pneumoniae ssp pneumoniae

Comments:	

		McFarland: (0.50 - 0.63)							
Identification Information		Card: GN		Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT				
		Completed: May 11, 2021 16:28 SGT		Status: Final	Analysis Time: 5.78 hours				
Organism Origin		VITEK 2							
Selected Organism		97% Probability Klebsiella pneumoniae ssp pneumoniae							
		Bionumber: 4607734757564210			Confidence: Excellent identification				
SRF Organism									
Analysis Organisms and Tests to Separate:									
Analysis Messages:									
Contraindicating Typical Biopattern(s)									
Klebsiella pneumoniae ssp pneumoniae ADO(78),5KG(20).									

Biochemical Details

2	APPA	-	3	ADO	-	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	-	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	+	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	+
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	-	44	AGAL	+	45	PHOS	+
46	GlyA	-	47	ODC	-	48	LDC	+	53	IHISe	-	56	CMT	+	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 1



KEMENTERIAN KESEHATAN RI
DIREKTORAT JENDERAL PELAYANAN KESEHATAN
BALAI BESAR LABORATORIUM KESEHATAN MAKASSAR

Jl. Perintis Kemerdekaan KM.11 Tamalanrea Makassar 90245



HASIL PENELITIAN MAHASISWA
21011272 - 21011278/LHU/BBLK-MKS/V/2021

Nama	:	Hairul Afzan
Universitas	:	Universitas Hasanuddin
Fakultas/Jurusan	:	Kedokteran/Kedokteran Hewan
Tanggal Penelitian	:	04 April 2021
Judul Penelitian	:	Identifikasi Bakteri Gram Negatif Serta Pengaruhnya Terhadap Histopatologi Organ Hati Pada Ikan Sapu-sapu (<i>Pterygoplichthys pardalis</i>) Di Danau Lapompakka dan Danu Sidenreng.
Sampel	:	Hati Ikan Sapu-sapu
Parameter	:	Identifikasi Bakteri
Hasil Penelitian	:	

No. Lab	Jenis Sampel	Koloni	Pewarnaan Gram	Jenis Bakteri
21011272	Hati Ikan Danau Lapompakka Sampel 1	1	Bacilli Gram Negatif	<i>Klebsiella pneumoniae ssp pneumoniae</i>
21011273	Hati Ikan Danau Lapompakka Sampel 2	1	Bacilli Gram Negatif	<i>Leclecia adecarboxylata</i>
21011274	Hati Ikan Danau Lapompakka Sampel 3	1	Bacilli Gram Negatif	<i>Enterobacter cloacae complex</i>
21011275	Hati Ikan Danau Lapompakka Sampel 3	2	Coccus Gram Positif	-
21011276	Hati Ikan Danau Lapompakka Sampel 4	1	Bacilli Gram Negatif	<i>Enterobacter cloacae complex</i>
21011277		2	Bacilli Gram Negatif	<i>Citrobacter freundii</i>
21011278		3	Bacilli Gram Negatif	<i>Enterobacter aerogenes</i>

Catatan :
 1. Hasil uji hanya berlaku untuk sampel yang di uji
 2. Laporan hasil uji ini terdiri dari 1 halaman
 3. Laporan hasil uji ini tidak boleh digandakan
 Kecuali secara lengkap dan sejajar tertulis laboratorium pengujinya
 Balai Besar Laboratorium Kesehatan Makassar

Makassar, 27 Mei 2021
 Kepala Seksi Lab.Lingkungan



Dipindai dengan CamScanner

Telp. 0411 586458, 586457, 586270 Fax. 0411 586270

Surat Elektronik : bblk_makassar@yahoo.com, bblk_mksr@gmail.com



BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 28, 2021 09:25 SGT
Printed by: LabSuper

Patient Name: Khairul, Unhas
Isolate: DBH2a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631499 Testing Instrument: 000015F277AB (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 4627731543531012

Organism Quantity: Selected Organism: Leclercia adecarboxylata

Biochemical Details																	
2	APPA	-	3	ADO	-	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	+	26	LIP	-	27	PLE	-	29	TyrA	+	31	URE	-	32	dSOR	+
33	SAC	-	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	+	45	PHOS	-
46	GlyA	+	47	ODC	-	48	LDC	-	53	IHISe	-	56	CMT	-	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	(-)	62	ELLM	-	64	ILATA	+			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 2 of 2

BBLK MAKASSAR					
bioMérieux Customer: System #: 11530	Laboratory Report			Printed May 28, 2021 09:25 SGT	Printed by: LabSuper
Patient Name: Khairul, Unhas Isolate: DBH2a-1 (Approved)				Patient ID: 07052021	
Card Type: GN Bar Code: 2411435203631499 Testing Instrument: 000015F277A8 (11530) <u>Setup Technologist: Laboratory Supervisor(LabSuper)</u>					
Bionumber: 4627731543531012	Selected Organism: Leclercia adecarboxylata			Organism Quantity:	
Comments:					

McFarland: (0.50 - 0.63)					
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT		
	Completed: May 8, 2021 01:31 SGT	Status: Final	Analysis Time: 9.98 hours		
Organism Origin	VITEK 2				
Selected Organism	92% Probability Leclercia adecarboxylata Bionumber: 4627731543531012 Confidence: Low discrimination				
SRF Organism					
Analysis Organisms and Tests to Separate: Low Discrimination Organism Leiobacter amnigena 2 IND(1),VP(99),Ornith.dec(99), Leclercia adecarboxylata IND(99),VP(1),Ornith.dec(1),					
Analysis Messages:					
Contraindicating Typical Biopattern(s) Leiobacter amnigena 2 PLE(99),ODC(95), Leclercia adecarboxylata dSOR(13),CIT(2),					

Installed VITEK 2 Systems Version: 08.01
 MIC Interpretation Guideline:
 AES Parameter Set Name:

Therapeutic Interpretation Guideline:
 AES Parameter Last Modified:

Page 1 of 2

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 8, 2021 01:30 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DBH3a-1 (Qualified)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631498 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 0627735551533212

Organism Quantity:

Selected Organism: Low Discrimination

Comments:	

McFarland: (0.50 - 0.63)				
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT	
	Completed: May 8, 2021 01:30 SGT	Status: Final	Analysis Time: 9.98 hours	
Organism Origin	VITEK 2			
Selected Organism	Low Discrimination Bionumber: 0627735551533212 Confidence: Low discrimination			
SRF Organism				
Analysis Organisms and Tests to Separate:				
Low Discrimination Organism Enterobacter cloacae complex UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94). Enterobacter kobei UREASE(87),MOB(52),dSORBITOL(0). Enterobacter hormaechei UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100). Enterobacter cloacae ssp cloacae UREASE(100),MOB(0),dSORBITOL(100). Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100). Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100). Enterobacter asburiae MOB(1). Analysis Messages: Contraindicating Typical Biopattern(s)				
Enterobacter cloacae complex IMLTa(78),CMT(21),MNT(93).				

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 3

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 8, 2021 01:30 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DBH3a-1 (Qualified)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631498 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 0627735551533212

Organism Quantity:

Selected Organism: Low Discrimination

Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT
	Completed: May 8, 2021 01:30 SGT	Status: Final	Analysis Time: 9.98 hours
Enterobacter asburiae	AGAL(2),		

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 2 of 3



Dipindai dengan CamScanner

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 8, 2021 01:30 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DBH3a-1 (Qualified)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631498 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 0627735551533212

Organism Quantity:

Selected Organism: Low Discrimination

Comments:	

McFarland: (0.50 - 0.63)				
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT	
	Completed: May 8, 2021 01:30 SGT	Status: Final	Analysis Time: 9.98 hours	
Organism Origin	VITEK 2			
Selected Organism	Low Discrimination Bionumber: 0627735551533212 Confidence: Low discrimination			
SRF Organism				
Analysis Organisms and Tests to Separate:				
Low Discrimination Organism Enterobacter cloacae complex UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94). Enterobacter kobei UREASE(87),MOB(52),dSORBITOL(0). Enterobacter hormaechei UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100). Enterobacter cloacae ssp cloacae UREASE(100),MOB(0),dSORBITOL(100). Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100). Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100). Enterobacter asburiae MOB(1). Analysis Messages: Contraindicating Typical Biopattern(s)				
Enterobacter cloacae complex IMLTa(78),CMT(21),MNT(93).				

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 3

bioMérieux Customer: System #: 11530	BBLK MAKASSAR Laboratory Report	Printed May 7, 2021 21:20 SGT Autoprint
Patient Name: Khairul, Unhas Isolate: DBH4a-1 (Approved)		Patient ID: 07052021
Card Type: GN Bar Code: 2411435203631490 Testing Instrument: 000015F277A8 (11530) <u>Setup Technologist: Laboratory Supervisor(LabSuper)</u>		
Bionumber: 0607734553532010 Organism Quantity:		Selected Organism: Enterobacter cloacae complex
<div style="float: left; width: 15%;">Comments:</div> <div style="float: right; width: 85%; height: 40px; margin-top: -10px;"></div>		

McFarland: (0.50 - 0.63)					
Identification Information	Card:	GN	Lot Number:	2411435203	Expires:
	Completed:	May 7, 2021 21:20 SGT	Status:	Final	Analysis Time:
Organism Origin	VITEK 2				
Selected Organism	98% Probability			Enterobacter cloacae complex	
	Bionumber: 0607734553532010			Confidence: Excellent identification	
SRF Organism					
Analysis Organisms and Tests to Separate:					
Enterobacter cloacae complex Enterobacter kobei UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94), Enterobacter hormaechei UREASE(87),MOB(52),dSORBITOL(0), Enterobacter cloacae ssp cloacae UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100), Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100), Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100),					
Analysis Messages:					
Contraindicating Typical Biopattern(s)					

Installed VITEK 2 Systems Version: 08.01
 MIC Interpretation Guideline:
 AES Parameter Set Name:

Therapeutic Interpretation Guideline:
 AES Parameter Last Modified:

Page 1 of 2



Dipindai dengan CamScanner

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 8, 2021 01:30 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DBH3a-1 (Qualified)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631498 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 0627735551533212

Organism Quantity: Selected Organism: Low Discrimination

Biochemical Details

2	APPA	-	3	ADO	-	4	PyrA	-	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	+	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	-	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	-	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	+	45	PHOS	(-)
46	GlyA	+	47	ODC	+	48	LDC	-	53	IHISa	-	56	CMT	+	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	(+)			

Installed VITEK 2 Systems Version: 08.01

MIC Interpretation Guideline:

AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 3 of 3



Dipindai dengan CamScanner

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:20 SGT
AutoprintPatient Name: Khairul, Unhas
Isolate: DBH4b-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631493 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 4615711557521001

Organism Quantity:

Selected Organism: **Citrobacter freundii**

Comments:			

McFarland: (0.50 - 0.63)				
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT	
	Completed: May 7, 2021 21:20 SGT	Status: Final	Analysis Time: 5.82 hours	
Organism Origin	VITEK 2			
Selected Organism	91% Probability Citrobacter freundii Bionumber: 4615711557521001 Confidence: Good identification			
SRF Organism				
Analysis Organisms and Tests to Separate:				
Analysis Messages:				
Contraindicating Typical Biopattern(s) Citrobacter freundii BGLU(7),MNT(1),dCEL(7),				

Biochemical Details

2	APPA	-	3	ADO	-	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	+	11	BNAG	-	12	AGLTp	-	13	dGLU	+	14	GGT	-	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dmNE	+	21	BXYL	-	22	BAlap	-
23	ProA	+	26	LIP	-	27	PLE	(-)	29	TyrA	+	31	URE	-	32	dsOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	+
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	-	44	AGAL	+	45	PHOS	(-)
46	GlyA	+	47	ODC	-	48	LDC	-	53	lHISA	-	56	CMT	-	57	BGUR	-
58	O129R	-	59	GGAA	-	61	IMLTa	-	62	ELLM	+	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 1

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:20 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DBH4a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631490 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 0607734553532010

Organism Quantity: Selected Organism: Enterobacter cloacae complex

Biochemical Details																	
2	APPA	-	3	ADO	-	4	PyrA	-	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	(-)	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dmNE	+	21	BXYL	+	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	-	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	+	45	PHOS	-
46	GlyA	-	47	ODC	+	48	LDC	-	53	IHIa	-	56	CMT	-	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	-			


Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 2 of 2



Dipindai dengan CamScanner



KEMENTERIAN KESEHATAN RI
DIREKTORAT JENDERAL PELAYANAN KESEHATAN
BALAI BESAR LABORATORIUM KESEHATAN MAKASSAR

Jl. Perintis Kemerdekaan KM.11 Tamalanrea Makassar 90245



HASIL PENELITIAN MAHASISWA
21011261 - 21011271/LHU/BBLK-MKS/V/2021

Nama	:	Hairul Afzan
Universitas	:	Universitas Hasanuddin
Fakultas/Jurusan	:	Kedokteran/Kedokteran Hewan
Tanggal Penelitian	:	04 April 2021
Judul Penelitian	:	Identifikasi Bakteri Gram Negatif Serta Pengaruhnya Terhadap Histopatologi Organ Hati Pada Ikan Sapu-sapu (<i>Pterygoplichthys pardalis</i>) Di Danau Lapompakka dan Danau Sidenreng.
Sampel	:	Hati Ikan Sapu-sapu
Parameter	:	Identifikasi Bakteri
Hasil Penelitian	:	

No. Lab	Jenis Sampel	Koloni	Pewarnaan Gram	Jenis Bakteri
21011261	Hati Ikan Danau Sidenreng Sampel 1	1	Bacilli Gram Negatif	<i>Klebsiella pneumoniae ssp pneumoniae</i>
21011262		2	Bacilli Gram Negatif	<i>Acinetobacter baumannii</i>
21011263	Hati Ikan Danau Sidenreng Sampel 2	1	Bacilli Gram Negatif	<i>Aeromonas sobria</i>
21011264		2	Bacilli Gram Positif	-
21011265		3	Coccus Gram Positif	-
21011266	Hati Ikan Danau Sidenreng Sampel 3	1	Bacilli Gram Positif	-
21011267		2	Coccus Gram Positif	-
21011268		3	Coccus Gram Positif	-
21011269	Hati Ikan Danau Sidenreng Sampel 4	1	Bacilli Gram Negatif	<i>Enterobacter cloacae complex</i>
21011270		2	Bacilli Gram Negatif	<i>Klebsiella pneumoniae ssp pneumoniae</i>
21011271		3	Bacilli Gram Positif	-

Catatan :
 1. Hasil uji hanya berlaku untuk sampel yang di uji
 2. Laporan hasil uji ini terdiri dari 1 halaman
 3. Laporan hasil uji ini tidak boleh digandakan
 Kecuali secara lengkap dan sejelas tertulis laboratorium penguji
 Balai Besar Laboratorium Kesehatan Makassar



BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:20 SGT
AutoprintPatient Name: Khairul, Unhas
Isolate: DBH4c-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631494 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 6627735773577010

Organism Quantity: Selected Organism: Enterobacter aerogenes

Comments:	

		McFarland: (0.50 - 0.63)							
Identification Information	Card:	GN	Lot Number:	2411435203	Expires:				
	Completed:	May 7, 2021 21:20 SGT	Status:	Final	Analysis Time: 5.82 hours				
Organism Origin		VITEK 2							
Selected Organism	94% Probability			Enterobacter aerogenes					
	Bionumber: 6627735773577010			Confidence:	Very good identification				
SRF Organism									
Analysis Organisms and Tests to Separate:									
Analysis Messages:									
Contraindicating Typical Biopattern(s)									
Enterobacter aerogenes URE(1),dTAG(16),									

Biochemical Details																	
2	APPA	-	3	ADO	+	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	+	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	+	32	dSOR	+
33	SAC	+	34	dTAG	+	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	+	45	PHOS	+
46	GlyA	+	47	ODC	+	48	LDC	+	53	lHISa	-	56	CMT	-	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 1



Dipindai dengan CamScanner

bioMérieux Customer: System #: 11530		BBLK MAKASSAR Laboratory Report		Printed May 7, 2021 21:18 SGT Autoprint	
Patient Name: Khairul, Unhas Isolate: DSH1b-1 (Approved)		Patient ID: 07052021			
Card Type: GN Bar Code: 2411435203631504 Testing Instrument: 000015F277A8 (11530) Setup Technologist: Laboratory Supervisor(LabSuper)					
Bionumber: 0201010102500212 Organism Quantity:		Selected Organism: Acinetobacter baumannii			
Comments:					
McFarland: (0.50 - 0.63)					
Identification Information		Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00	SGT
		Completed: May 7, 2021 21:18 SGT	Status: Final	Analysis Time:	5.87 hours
Organism Origin		VITEK 2			
Selected Organism		99% Probability	Acinetobacter baumannii		
		Bionumber: 0201010102500212	Confidence:		Excellent identification
SRF Organism					
Analysis Organisms and Tests to Separate: Acinetobacter baumannii 44C(99),41C(99).					
Analysis Messages:					
Contraindicating Typical Biopattern(s)					

Biochemical Details																	
2	APPA	-	3	ADO	-	4	PyrA	-	5	IARL	-	7	dCEL	+	9	BGAL	-
10	H2S	-	11	BNAG	-	12	AGLTp	-	13	dGLU	+	14	GGT	-	15	OFF	-
17	BGLU	-	18	dMAL	-	19	dMAN	-	20	dMNE	+	21	BXYL	-	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	-	29	TyrA	+	31	URE	-	32	dSOR	-
33	SAC	-	34	dTAG	-	35	dTRE	-	36	CIT	-	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	-	44	AGAL	-	45	PHOS	-
46	GlyA	-	47	ODC	-	48	LDC	-	53	IHISa	-	56	CMT	+	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATa	+			

Installed VITEK 2 Systems Version: 08.01
 MIC Interpretation Guideline:
 AES Parameter Set Name:

Therapeutic Interpretation Guideline:
 AES Parameter Last Modified:

Page 1 of 1

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 19:22 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DSH1a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631505 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 6607734753564000

Organism Quantity: Selected Organism: Klebsiella pneumoniae ssp pneumoniae

Comments:	

McFarland: (0.50 - 0.63)					
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT		
	Completed: May 7, 2021 19:22 SGT	Status: Final	Analysis Time: 3.92 hours		
Organism Origin	VITEK 2				
Selected Organism	99% Probability Klebsiella pneumoniae ssp pneumoniae				
	Bionumber: 6607734753564000			Confidence: Excellent	identification
SRF Organism					
Analysis Organisms and Tests to Separate:					
Analysis Messages:					
Contraindicating Typical Biopattern(s)					

Biochemical Details

2	APPA	-	3	ADO	+	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	-	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	+	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	-	44	AGAL	+	45	PHOS	+
46	GlyA	-	47	ODC	-	48	LDC	+	53	IHISe	-	56	CMT	-	57	BGUR	-
58	O129R	-	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01

MIC Interpretation Guideline:

AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 1



Dipindai dengan CamScanner

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:18 SGT
AutoprintPatient Name: Khairul, Unhas
Isolate: DSH2a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631503 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 5425617141410231

Organism Quantity:

Selected Organism: Aeromonas sobria

Comments:	

McFarland: (0.50 - 0.63)

Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT
	Completed: May 7, 2021 21:18 SGT	Status: Final	Analysis Time: 5.87 hours
Organism Origin	VITEK 2		
Selected Organism	94% Probability Aeromonas sobria Bionumber: 5425617141410231		
SRF Organism			
Analysis Organisms and Tests to Separate:			
Analysis Messages:			
Contraindicating Typical Biopattern(s)	Aeromonas sobria SAC(90),PLE(18),		

Biochemical Details

2	APPA	+	3	ADO	-	4	PyrA	+	5	IARL	-	7	dCEL	-	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	-	15	OFF	+
17	BGLU	-	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	-	22	BAlap	-
23	ProA	+	26	LIP	+	27	PLE	+	29	TyrA	+	31	URE	-	32	dSOR	-
33	SAC	-	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	-	39	5KG	-
40	ILATk	-	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	-	45	PHOS	-
46	GlyA	-	47	ODC	-	48	LDC	-	53	IHI5a	-	56	CMT	+	57	BGUR	-
58	O129R	+	59	GGAA	+	61	IMLta	-	62	ELLM	+	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01

MIC Interpretation Guideline:

AES Parameter Set Name:

Therapeutic Interpretation Guideline:

AES Parameter Last Modified:

Page 1 of 1

bioMérieux Customer: System #: 11530	BBLK MAKASSAR Laboratory Report	Printed May 7, 2021 21:17 SGT Autoprint																																																				
		Patient ID: 07052021																																																				
Patient Name: Khalirul, Unhas Isolate: DSH4a-1 (Approved) Card Type: GN Bar Code: 2411435203631492 Testing Instrument: 000015F277A8 (11530) <u>Setup Technologist: Laboratory Supervisor(LabSuper)</u> Bionumber: 0625734453532010 Selected Organism: Enterobacter cloacae complex Organism Quantity:																																																						
Comments:																																																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="5" style="text-align: center; padding: 2px;">McFarland: (0.50 - 0.63)</td> </tr> <tr> <td rowspan="2" style="width: 15%; vertical-align: top; padding: 2px;">Identification Information</td> <td style="width: 15%; padding: 2px;">Card: GN</td> <td style="width: 15%; padding: 2px;">Lot Number: 2411435203</td> <td style="width: 15%; padding: 2px;">Expires: Oct 31, 2021 12:00 SGT</td> <td rowspan="2" style="width: 15%; vertical-align: top; padding: 2px;">Analysis Time: 5.85 hours</td> </tr> <tr> <td style="padding: 2px;">Completed: May 7, 2021 21:17 SGT</td> <td style="padding: 2px;">Status: Final</td> <td style="padding: 2px;"></td> </tr> <tr> <td style="width: 15%; vertical-align: top; padding: 2px;">Organism Origin</td> <td colspan="4" style="padding: 2px;">VITEK 2</td> </tr> <tr> <td rowspan="2" style="width: 15%; vertical-align: top; padding: 2px;">Selected Organism</td> <td colspan="4" style="padding: 2px; text-align: center;">99% Probability Enterobacter cloacae complex</td> </tr> <tr> <td colspan="3" style="padding: 2px;">Bionumber: 0625734453532010</td> <td style="padding: 2px; text-align: center;">Confidence: Excellent identification</td> </tr> <tr> <td colspan="5" style="padding: 2px;">SRF Organism</td> </tr> <tr> <td colspan="5" style="padding: 2px;">Analysis Organisms and Tests to Separate:</td> </tr> <tr> <td colspan="5" style="padding: 2px;"> Enterobacter cloacae complex Enterobacter kobei UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94). Enterobacter hormaechei UREASE(87),MOB(52),dSORBITOL(0). Enterobacter cloacae ssp cloacae UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100), Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100). Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100). </td> </tr> <tr> <td colspan="5" style="padding: 2px;">Analysis Messages:</td> </tr> <tr> <td colspan="5" style="padding: 2px;">Contraindicating Typical Biopattern(s)</td> </tr> </table>			McFarland: (0.50 - 0.63)					Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT	Analysis Time: 5.85 hours	Completed: May 7, 2021 21:17 SGT	Status: Final		Organism Origin	VITEK 2				Selected Organism	99% Probability Enterobacter cloacae complex				Bionumber: 0625734453532010			Confidence: Excellent identification	SRF Organism					Analysis Organisms and Tests to Separate:					Enterobacter cloacae complex Enterobacter kobei UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94). Enterobacter hormaechei UREASE(87),MOB(52),dSORBITOL(0). Enterobacter cloacae ssp cloacae UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100), Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100). Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100).					Analysis Messages:					Contraindicating Typical Biopattern(s)				
McFarland: (0.50 - 0.63)																																																						
Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT	Analysis Time: 5.85 hours																																																		
	Completed: May 7, 2021 21:17 SGT	Status: Final																																																				
Organism Origin	VITEK 2																																																					
Selected Organism	99% Probability Enterobacter cloacae complex																																																					
	Bionumber: 0625734453532010			Confidence: Excellent identification																																																		
SRF Organism																																																						
Analysis Organisms and Tests to Separate:																																																						
Enterobacter cloacae complex Enterobacter kobei UREASE(83),LACTOSE(88),MOB(82),dSORBITOL(94). Enterobacter hormaechei UREASE(87),MOB(52),dSORBITOL(0). Enterobacter cloacae ssp cloacae UREASE(100),LACTOSE(30),MOB(99),dSORBITOL(100), Enterobacter cloacae ssp dissolvens UREASE(100),MOB(0),dSORBITOL(100). Enterobacter ludwigii UREASE(0),LACTOSE(60),MOB(100),dSORBITOL(100).																																																						
Analysis Messages:																																																						
Contraindicating Typical Biopattern(s)																																																						

Installed VITEK 2 Systems Version: 08.01
 MIC Interpretation Guideline:
 AES Parameter Set Name:

Therapeutic Interpretation Guideline:
 AES Parameter Last Modified:

Page 1 of 2

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:18 SGT
AutoprintPatient Name: Khairul, Unhas
Isolate: DSH2a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631503 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 5425617141410231

Organism Quantity:

Selected Organism: Aeromonas sobria

Comments:	

McFarland: (0.50 - 0.63)

Identification Information	Card: GN	Lot Number: 2411435203	Expires: Oct 31, 2021 12:00 SGT
	Completed: May 7, 2021 21:18 SGT	Status: Final	Analysis Time: 5.87 hours
Organism Origin	VITEK 2		
Selected Organism	94% Probability Aeromonas sobria Bionumber: 5425617141410231		
SRF Organism			
Analysis Organisms and Tests to Separate:			
Analysis Messages:			
Contraindicating Typical Biopattern(s)	Aeromonas sobria SAC(90),PLE(18),		

Biochemical Details

2	APPA	+	3	ADO	-	4	PyrA	+	5	IARL	-	7	dCEL	-	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	-	15	OFF	+
17	BGLU	-	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	-	22	BAlap	-
23	ProA	+	26	LIP	+	27	PLE	+	29	TyrA	+	31	URE	-	32	dSOR	-
33	SAC	-	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	-	39	5KG	-
40	ILATk	-	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	-	45	PHOS	-
46	GlyA	-	47	ODC	-	48	LDC	-	53	IHI5a	-	56	CMT	+	57	BGUR	-
58	O129R	+	59	GGAA	+	61	IMLta	-	62	ELLM	+	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01

MIC Interpretation Guideline:

AES Parameter Set Name:

Therapeutic Interpretation Guideline:

AES Parameter Last Modified:

Page 1 of 1

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 19:20 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DSH4b-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631491 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 6607734753564010

Organism Quantity: Selected Organism: Klebsiella pneumoniae ssp pneumoniae

Comments:	

		McFarland: (0.50 - 0.63)			
Identification Information		Card:	GN	Lot Number:	2411435203 Expires:
		Completed:	May 7, 2021 19:20 SGT	Status:	Final Analysis Time:
Organism Origin		VITEK 2			
Selected Organism		99% Probability		Klebsiella pneumoniae ssp pneumoniae	
		Bionumber: 6607734753564010		Confidence: Excellent identification	
SRF Organism					
Analysis Organisms and Tests to Separate:					
Analysis Messages:					
Contraindicating Typical Biopattern(s)					

Biochemical Details																	
2	APPA	-	3	ADO	+	4	PyrA	+	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	-	12	AGLTp	-	13	dGLU	+	14	GGT	+	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	+	29	TyrA	+	31	URE	+	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	-	44	AGAL	+	45	PHOS	+
46	GlyA	-	47	ODC	-	48	LDC	+	53	IHISe	-	56	CMT	-	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLta	-	62	ELLM	-	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 1 of 1

BBLK MAKASSAR

bioMérieux Customer:
System #: 11530

Laboratory Report

Printed May 7, 2021 21:17 SGT
Autoprint

Patient Name: Khairul, Unhas
Isolate: DSH4a-1 (Approved)

Patient ID: 07052021

Card Type: GN Bar Code: 2411435203631492 Testing Instrument: 000015F277A8 (11530)
Setup Technologist: Laboratory Supervisor(LabSuper)

Bionumber: 062573453532010

Organism Quantity: Selected Organism: Enterobacter cloacae complex

Biochemical Details																	
2	APPA	-	3	ADO	-	4	PyrA	-	5	IARL	-	7	dCEL	+	9	BGAL	+
10	H2S	-	11	BNAG	+	12	AGLTp	-	13	dGLU	+	14	GGT	-	15	OFF	+
17	BGLU	+	18	dMAL	+	19	dMAN	+	20	dMNE	+	21	BXYL	+	22	BAlap	-
23	ProA	-	26	LIP	-	27	PLE	+	29	TyrA	-	31	URE	-	32	dSOR	+
33	SAC	+	34	dTAG	-	35	dTRE	+	36	CIT	+	37	MNT	+	39	5KG	-
40	ILATk	+	41	AGLU	-	42	SUCT	+	43	NAGA	+	44	AGAL	+	45	PHOS	(-)
46	GlyA	-	47	ODC	+	48	LDC	-	53	IHISa	-	56	CMT	-	57	BGUR	-
58	O129R	+	59	GGAA	-	61	IMLTa	-	62	ELLM	-	64	ILATA	-			

Installed VITEK 2 Systems Version: 08.01
MIC Interpretation Guideline:
AES Parameter Set Name:

Therapeutic Interpretation Guideline:
AES Parameter Last Modified:

Page 2 of 2