

BAB VII

DAFTAR PUSTAKA

- Becker, C. B. and Cohen, A. (2019) *Evaluation and treatment of premenopausal osteoporosis* - *UpToDate, Uptodate*. Available at: <https://www.uptodate.com/contents/evaluation-and-treatment-of-premenopausal-osteoporosis> (Accessed: 23 May 2021).
- Behre, H.M. S, Kliesch and E, Leifke. 2012. *Long-term effect of testosterone therapy on bone mineral density in hypogonadal men*. *Journal of Clinical Endocrinology & Metabolism*, 82, pp 2386-2390
- Bilezikian J.P. 2015 *Osteoporosis in men*. *Journal of Clinician Endocrinology & Metabolism*, 84(10), pp3431-4.
- Binkley, N., Adler, R. and Bilezikian, J. P. (2014) 'Osteoporosis diagnosis in men: The T-score controversy revisited', *Current Osteoporosis Reports*, 12(4), pp. 403–409. doi: 10.1007/s11914-014-0242-z.
- Boehm, H. F. and Link, T. M. (2004) 'Bone imaging: traditional techniques and their interpretation.', *Current osteoporosis reports*. *Curr Osteoporos Rep*, pp. 41–46. doi: 10.1007/s11914-004-0002-6.
- Campion, J.M and M.J, Maricic. 2013. *Osteoporosis in men*. *Am Fam Physician*, 67, pp 1521-1526
- Chen, Z. *et al.* (2015) 'Aromatase deficiency in a Chinese adult man caused by novel compound heterozygous CYP19A1 mutations: Effects of estrogen replacement therapy on the bone, lipid, liver and glucose metabolism',

Molecular and Cellular Endocrinology, 399, pp. 32–42. doi:
10.1016/j.mce.2014.09.016.

Compston J. 2015. *Local biosynthesis of sex steroid in bone*. *Journal of Clinical Endocrinology & Metabolism*, 879(12), pp 5398-5400

Ebeling, P. R. (2008) ‘Osteoporosis in Men’, *New England Journal of Medicine*, 358(14), pp. 1474–1482. doi: 10.1056/NEJMcp0707217.

Ettinger, B. *et al.* (2003) ‘Limb Fractures in Elderly Men as Indicators of Subsequent Fracture Risk’, *Archives of Internal Medicine*, 163(22), pp. 2741–2747. doi: 10.1001/archinte.163.22.2741.

Fink, H. A. *et al.* (2006) ‘Association of testosterone and estradiol deficiency with osteoporosis and rapid bone loss in older men’, *Journal of Clinical Endocrinology and Metabolism*, 91(10), pp. 3908–3915. doi: 10.1210/jc.2006-0173.

Glüer, C. -C *et al.* (1994) ‘Prediction of hip fractures from pelvic radiographs: The study of osteoporotic fractures’, *Journal of Bone and Mineral Research*, 9(5), pp. 671–677. doi: 10.1002/jbmr.5650090512.

Golds, G., Houdek, D. and Arnason, T. (2017) ‘Male Hypogonadism and Osteoporosis: The Effects, Clinical Consequences, and Treatment of Testosterone Deficiency in Bone Health’, *International Journal of Endocrinology*, 2017. doi: 10.1155/2017/4602129.

Gordana, M.P.2011. *Osteoporosis in Men*. *J R Soc Med*, 94(12), pp 620-623.

Haentjens, P. *et al.* (2010) ‘Meta-analysis: Excess mortality after hip fracture among older women and men’, *Annals of Internal Medicine*. American

- College of Physicians, pp. 380–390. doi: 10.7326/0003-4819-152-6-201003160-00008.
- Hauschild, O. *et al.* (2009) ‘Evaluation of Singh index for assessment of osteoporosis using digital radiography’, *European Journal of Radiology*, 71(1), pp. 152–158. doi: 10.1016/j.ejrad.2008.03.019.
- Julka, A. *et al.* (2012) ‘To evaluate the utility of singh index as an indicator of osteoporosis and a predictor of fracture neck femur’, *Journal of the Anatomical Society of India*, 61(2), pp. 192–198. doi: 10.1016/S0003-2778(12)80031-1.
- Kacker, R. *et al.* (2014) ‘Bone mineral density and response to treatment in men younger than 50 years with testosterone deficiency and sexual dysfunction or infertility’, *Journal of Urology*, 191(4), pp. 1072–1076. doi: 10.1016/j.juro.2013.10.070.
- Kanakaris, N. K. and Lasanianos, N. G. (2015) ‘Singh index for osteoporosis’, in *Trauma and Orthopaedic Classifications: A Comprehensive Overview*. Springer-Verlag London Ltd, pp. 405–407. doi: 10.1007/978-1-4471-6572-9_93.
- Karabulut, Ö. *et al.* (2010) ‘Evaluation of the Singh index and femur geometry in osteoporotic women’, *Central European Journal of Medicine*, 5(5), pp. 601–610. doi: 10.2478/s11536-009-0136-0.
- Khosla, S. (2015) ‘New Insights into Androgen and Estrogen Receptor Regulation of the Male Skeleton’, *Journal of Bone and Mineral Research*. John Wiley and Sons Inc., pp. 1134–1137. doi: 10.1002/jbmr.2529.

- Kirk, D and S.A Fish. 2014. *Medical Management of Osteoporosis*, American Journal of Managed Care, 10, pp 445-455
- Koot, V. C. *et al.* (1996) ‘Evaluation of the Singh index for measuring osteoporosis.’, *The Journal of bone and joint surgery. British volume*, 78(5), pp. 831–834.
- Laurent, M. R. *et al.* (2016) ‘Sex hormone-binding globulin regulation of androgen bioactivity in vivo: Validation of the free hormone hypothesis’, *Scientific Reports*, 6(1), pp. 1–12. doi: 10.1038/srep35539.
- LeBlanc, E. S. *et al.* (2009) ‘The effects of serum testosterone, estradiol, and sex hormone binding globulin levels on fracture risk in older men’, *Journal of Clinical Endocrinology and Metabolism*, 94(9), pp. 3337–3346. doi: 10.1210/jc.2009-0206.
- Lips, P. *et al.* (1984) ‘Radiologic morphometry in patients with femoral neck fractures and elderly control subjects. Comparison with histomorphometric parameters.’, *Clinical orthopaedics and related research*, (183), pp. 64–70.
- Liu, Z. *et al.* (2017) ‘Evaluation of Singh Index and Osteoporosis Self-Assessment Tool for Asians as risk assessment tools of hip fracture in patients with type 2 diabetes mellitus’, *Journal of Orthopaedic Surgery and Research*, 12(1). doi: 10.1186/s13018-017-0539-6.
- Manolagas, S. C. (2000) ‘Birth and Death of Bone Cells: Basic Regulatory Mechanisms and Implications for the Pathogenesis and Treatment of Osteoporosis*’, *Endocrine Reviews*, 21(2), pp. 115–137. doi: 10.1210/edrv.21.2.0395.

- Maravic, M. *et al.* (2011) 'Decrease of inpatient mortality for hip fracture in France', *Joint Bone Spine*, 78(5), pp. 506–509. doi: 10.1016/j.jbspin.2010.11.006.
- Meier, C. *et al.* (2008) 'Endogenous sex hormones and incident fracture risk in older men: The Dubbo osteoporosis epidemiology study', *Archives of Internal Medicine*, 168(1), pp. 47–54. doi: 10.1001/archinternmed.2007.2.
- Mellström, D. *et al.* (2006) 'Free testosterone is an independent predictor of BMD and prevalent fractures in elderly men: MrOS Sweden', *Journal of Bone and Mineral Research*, 21(4), pp. 529–535. doi: 10.1359/jbmr.060110.
- Miedlich, S. U., Karamooz, N. and Hammes, S. R. (2016) 'Aromatase deficiency in a male patient - Case report and review of the literature', *Bone*, 93, pp. 181–186. doi: 10.1016/j.bone.2016.09.024.
- Mohamad, N. V., Soelaiman, I. N. and Chin, K. Y. (2016) 'A concise review of testosterone and bone health', *Clinical Interventions in Aging*. Dove Medical Press Ltd., pp. 1317–1324. doi: 10.2147/CIA.S115472.
- Mongan, N. P. *et al.* (2015) 'Androgen insensitivity syndrome', *Best Practice and Research: Clinical Endocrinology and Metabolism*. Bailliere Tindall Ltd, pp. 569–580. doi: 10.1016/j.beem.2015.04.005.
- O'Gradaigh, D. *et al.* (2003) 'A prospective study of discordance in diagnosis of osteoporosis using spine and proximal femur bone densitometry', *Osteoporosis International*, 14(1), pp. 13–18. doi: 10.1007/s00198-002-1311-1.
- Orwoll, E. M, Ettinger and S, Weiss.2010. *Alendronate for the treatment of*

osteoporosis in men. Journal of New England, 343, 604-610

Patel, S. H. and Murphy, K. P. (2006) 'Fractures of the proximal femur: Correlates of radiological evidence of osteoporosis', *Skeletal Radiology*, 35(4), pp. 202–211. doi: 10.1007/s00256-005-0065-1.

Peter, J. Snyder and H, Peachey.1999. *Effect of testosterone treatment on bone mineral density in men over 65 years of age*. The Journal of Clinical Endocrinology & Metabolism, 84(6), 1966-1972

Robert, A and Adler. 2010. *Osteoporosis in men, in osteoporosis pathophysiology and clinical management*, Springer, pp 545-555.

Rochira, V. *et al.* (2006) 'Osteoporosis and male age-related hypogonadism: Role of sex steroids on bone (patho) physiology', *European Journal of Endocrinology*. European Society of Endocrinology, pp. 175–185. doi: 10.1530/eje.1.02088.

Rozenberg, S. *et al.* (2020) 'How to manage osteoporosis before the age of 50', *Maturitas*, 138(April), pp. 14–25. doi: 10.1016/j.maturitas.2020.05.004.

Salamat, M. R. *et al.* (2010) *Comparison of Singh index accuracy and dual energy X-ray absorptiometry bone mineral density measurement for evaluating osteoporosis*. Iran.

Seftel, A. D., Kathrins, M. and Niederberger, C. (2015) 'Critical Update of the 2010 Endocrine Society Clinical Practice Guidelines for Male Hypogonadism A Systematic Analysis', *Mayo Clinic Proceedings*. Elsevier Ltd, pp. 1104–1115. doi: 10.1016/j.mayocp.2015.06.002.

Shin, D. E. *et al.* (2018) 'Testosterone and Male Osteoporosis', *Clinical Reviews in*

- Bone and Mineral Metabolism*. Humana Press Inc., pp. 49–56. doi: 10.1007/s12018-018-9245-0.
- Singh, M., Nagrath, A. R. and Maini, P. S. (1970) ‘Changes in trabecular pattern of the upper end of the femur as an index of osteoporosis.’, *The Journal of bone and joint surgery. American volume*, 52(3), pp. 457–467. doi: 10.2106/00004623-197052030-00005.
- Soontrapa, S. *et al.* (2005) ‘Singh index screening for femoral neck osteoporosis.’, *undefined*.
- Taxel P., D.P, Kennedy and P.M Fall. 2011. *The effect of aromatase inhibition on sex steroids, gonadotropins, and markers of bone turnover in older men*. *Journal of Clinical Endocrinology & Metabolism*, 86(6), pp2869-2874
- Tuck, S.P., R.M, Francis. 2009. *Testosterone, bone and osteoporosis*. 37, pp 123-132.
- Vanderschueren, D. *et al.* (2014) ‘Sex steroid actions in male bone’, *Endocrine Reviews*. Endocrine Society, pp. 906–960. doi: 10.1210/er.2014-1024.
- Watts, N. B. (2004) ‘Fundamentals and pitfalls of bone densitometry using dual-energy X-ray absorptiometry (DXA)’, *Osteoporosis International*. *Osteoporos Int*, pp. 847–854. doi: 10.1007/s00198-004-1681-7.
- Watts, N. B. *et al.* (2012) ‘Osteoporosis in men: An Endocrine Society clinical practice guideline’, *Journal of Clinical Endocrinology and Metabolism*. *J Clin Endocrinol Metab*, pp. 1802–1822. doi: 10.1210/jc.2011-3045.

KUEISONER

HUBUNGAN ANTARA FAKTOR RESIKO DENGAN OSTEOPOROSIS

Nama :
Umur :
Alamat :
No. Telp :

1. Apakah ada penyakit yang saat ini diderita ?
Ya /Tidak
Jika Ya, sebutkan:
Sejak kapan
2. Apakah ada riwayat konsumsi obat-obatan tertentu ?
Ya /Tidak
Jika Ya, sebutkan:
Sejak kapan
3. Apakah ada riwayat patah tulang panggul akibat kecelakaan atau benturan ?
Ya /Tidak
4. Apakah ada riwayat kebiasaan minum alkohol ?
Ya /Tidak
Jika Ya, sebutkan:
Sejak kapan
5. Apakah ada riwayat kebiasaan merokok?
Ya /Tidak
Jika Ya, sebutkan:
Sejak kapan
Sehari berapa batang

Makassar,

(.....)